

District I
1625 N. French Dr., Hobbs, NM 88240

District II
811 S. First St., Artesia, NM 88210

District III
1000 Rio Brazos Rd., Aztec, NM 87410

District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-104
Revised August 1, 2011

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address OXY USA INC. P.O. BOX 50250 MIDLAND, TX 79710		² OGRID Number: 16696
		³ Reason for Filing Code/ Effective Date - RT- 04/25/2022
⁴ API Number 30-015-45718	⁵ Pool Name WC-015 G-08 S233135D; WOLFCAMP	⁶ Pool Code 98236
⁷ Property Code: 324872	⁸ Property Name: PURE GOLD MDP1 29-17 FEDERAL COM	⁹ Well Number: 173H

II. ¹⁰ Surface Location

Ul or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
N	29	23S	31E		430	SOUTH	2535	WEST	EDDY

¹¹ Bottom Hole Location FTP: 144' FSL 2290' FWL LTP: 2439' FSL 2284' FWL

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
K	17	23S	31E		2588	SOUTH	2287	WEST	EDDY
¹² Lse Code F	¹³ Producing Method Code : F	¹⁴ Gas Connection Date: TBD	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date				

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
237722	CENTURION PIPELINE L.P.	O
151618	ENTERPRISE FIELD SERVICES LLC	G

IV. Well Completion Data

²¹ Spud Date 08/31/2019	²² Ready Date 04/25/2022	²³ TD 24479'M 11536'V	²⁴ PBTB 24445'M 11536'V	²⁵ Perforations 11389-24330'	²⁶ DHC, MC
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
17-1/2"	13-3/8"	498'	640		
12-1/4"	9-5/8"	4221'	1126		
8-3/4"	7-5/8"	10814'	875		
6-3/4"	5-1/2"	24459'	1109		

V. Well Test Data

³¹ Date New Oil	³² Gas Delivery Date	³³ Test Date	³⁴ Test Length	³⁵ Tbg. Pressure	³⁶ Csg. Pressure
³⁷ Choke Size	³⁸ Oil	³⁹ Water	⁴⁰ Gas		⁴¹ Test Method

⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.

Signature: 

Printed name:
JANA MENDIOLA

Title:
SR. REGULATORY ANALYST

E-mail Address:
Janalyn_mendiola@oxy.com

Date: 04/24/2022 Phone: 432-685-5936

OIL CONSERVATION DIVISION

Approved by:

Title: Petroleum Engineer

Approval Date: 08/02/22

COA: RT C-104 expires 08/25/22

1625 N. French Dr., Hobbs, NM 88240
 Phone: (575) 393-6161 Fax: (575) 393-0720
District II
 811 S. First St., Artesia, NM 88210
 Phone: (575) 748-1283 Fax: (575) 748-9720
District III
 1000 Rio Brazos Road, Aztec, NM 87410
 Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
 1220 S. St. Francis Dr., Santa Fe, NM 87505
 Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico

Energy, Minerals & Natural Resources Department

OIL CONSERVATION DIVISION

1220 South St. Francis Dr.

Santa Fe, NM 87505

Revised August 1, 2011

Submit one copy to appropriate

District Office

☒ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION AS-DRILLED PLAT

¹ API Number 30-015-45718	² Pool Code 98236	³ Pool Name WC-015 G-08 S233135D; WOLFCAMP
⁴ Property Code 324872	Property Name PURE GOLD MDP1 29-17 FEDERAL COM	
⁷ OGRID No. 16696	⁸ Operator Name OXY USA INC.	⁶ Well Number 173H
		⁹ Elevation 3357'

¹⁰ Surface Location


UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
N	29	23S	31E		430	SOUTH	2535	WEST	EDDY

¹¹ Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
K	17	23S	31E		2588	SOUTH	2287	WEST	EDDY

¹² Dedicated Acres 1600.0	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No. R-21929
---	-------------------------------	----------------------------------	------------------------------------

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.



Distances/areas relative to NAD 83 Combined Scale Factor: 0.99977749 Convergence Angle: 00°20'56.97"

Schlumberger


OXY



Borehole:					Well:					Field:					Structure:																
Original Borehole					Pure Gold MDP1 29_17 Federal Com 173H					NM Eddy County (NAD 83)					Oxy Pure Gold MDP1 29_17 Federal Com Pad_Citadel 2																
Gravity & Magnetic Parameters										Surface Location					NAD83 New Mexico State Plane, Eastern Zone, US Feet					Miscellaneous											
Model:		IFR1		Dip:		59.972°		Date:		27-Dec-2021		Lat:		N 32 16 9.70		Northing:		462135.53HUS		Grid Conv:		0.2847°		Slot:		29_17 Federal Com 173H		TVD Ref:		RKB(3380.8ft above MSL)	
MagDec:		6.84°		FS:		47737nT		Gravity FS:		998.452mg (9.80665 Based)		Lon:		W 103 48 0.56		Easting:		706132.26HUS		Scale Fact:		0.99994019		Plan:		Oxy Pure Gold MDP1 29_17 Federal Com 173H Gyro+MWD 0° to 24479°MD					

Critical Points

Critical Point	MD	INCL	AZIM	TVD	VSEC	N(+)/S(-)	E(+)/W(-)	DLS
WRP	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
SHL	24.00	0.00	0.00	24.00	0.00	0.00	0.00	
First Gyro Survey	101.50	0.22	13.14	101.50	0.14	0.14	0.03	0.28
Last Gyro Survey	464.50	0.13	80.05	464.50	0.60	0.61	0.71	2.77
First SLB Survey	614.00	0.08	116.09	614.00	0.57	0.60	0.97	0.05
Actual KOP	10845.10	10.98	192.97	10825.53	-295.33	-297.69	-94.51	6.11
100' FSL Crossing	11291.00	26.60	325.93	11235.03	-325.57	-331.04	-223.43	10.12
Wolcamp A Intersection	11334.71	28.52	334.56	11273.80	-307.80	-313.51	-233.40	10.12
Exit Target Box	11623.00	66.35	350.85	11473.07	-113.40	-120.27	-284.38	12.16
Enter Target Box	11819.00	83.76	5.02	11526.92	73.79	66.94	-285.47	15.04
Exit Target Box	16483.00	89.28	357.57	11532.83	473.56	4727.41	-312.80	1.30
Enter Target Box	17211.00	89.94	2.15	11533.75	5460.90	5454.85	-316.83	2.03
Exit Target Box	19199.00	87.76	356.31	11522.81	7448.07	7442.36	-326.98	1.31
Enter Target Box	20907.00	90.24	1.50	11503.89	9155.04	9149.60	-336.55	0.30
100' FNL Crossing	24434.00	89.23	0.73	11535.83	12678.33	12674.29	-320.28	0.38
Final MWD	24449.00	89.28	0.70	11536.03	12693.32	12689.29	-320.10	0.38
Proj to TD	24479.00	89.28	0.70	11536.41	12723.30	12719.29	-319.73	0.00



Schlumberger

Oxy Pure Gold MDP1 29_17 Federal Com 173H Gyro+MWD 0' to 24479'MD Survey Geodetic Report (Def Survey)



Report Date: February 18, 2022 - 03:42 PM
Client: OXY
Field: NM Eddy County (NAD 83)
Structure / Slot: Oxy Pure Gold MDP1 29_17 Federal Com Pad_Citadel 2 / Pure Gold MDP1 29_17 Federal Com 173H
Well: Pure Gold MDP1 29_17 Federal Com 173H
Borehole: Original Borehole
UWI / API#: Unknown / Unknown
Survey Name: Oxy Pure Gold MDP1 29_17 Federal Com 173H Gyro+MWD 0' to 24479MD
Survey Date: December 29, 2021
Tort / AHD / DDI / ERD Ratio: 380.265 " / 13566.434 ft / 7.039 / 1.176
Coordinate Reference System: NAD83 New Mexico State Plane, Eastern Zone, US Feet
Location Lat / Long: N 32° 16' 9.69562", W 103° 48' 0.56005"
Location Grid N/E Y/X: N 462135.530 ftUS, E 706132.260 ftUS
CRS Grid Convergence Angle: 0.2847 °
Grid Scale Factor: 0.99994019
Version / Patch: 2.10.829.1

Survey / DLS Computation: Minimum Curvature / Lubinski
Vertical Section Azimuth: 358.622 ° (Grid North)
Vertical Section Origin: 0.000 ft, 0.000 ft
TVD Reference Datum: RKB
TVD Reference Elevation: 3380.800 ft above MSL
Seabed / Ground Elevation: 3356.800 ft above MSL
Magnetic Declination: 6.840 °
Total Gravity Field Strength: 998.4522mgn (9.80665 Based)
Gravity Model: GARM
Total Magnetic Field Strength: 47737.000 nT
Magnetic Dip Angle: 59.972 °
Declination Date: December 27, 2021
Magnetic Declination Model: IFR1
North Reference: Grid North
Grid Convergence Used: 0.2847 °
Total Corr Mag North->Grid North: 6.5553 °
Local Coord Referenced To: Well Head

Comments	MD (ft)	Incl (°)	Azim Grid (°)	TVD (ft)	VSEC (ft)	NS (ft)	EW (ft)	DLS ("100ft)	Closure (ft)	Closure Azimuth (°)	Northing (ftUS)	Easting (ftUS)	Latitude (N/S ° ' ")	Longitude (E/W ° ' ")
WRP	0.00	0.00	0.00	0.00	0.00	0.00	0.00	N/A	0.00	0.00	462135.53	706132.26	N 32 16 9.70	W 103 48 0.56
First Gyro Survey	24.00	0.00	0.00	24.00	0.00	0.00	0.00	0.00	0.00	0.00	462135.53	706132.26	N 32 16 9.70	W 103 48 0.56
	101.50	0.22	13.14	101.50	0.14	0.14	0.03	0.28	0.15	13.14	462135.67	706132.29	N 32 16 9.70	W 103 48 0.56
	128.50	0.32	40.56	128.50	0.25	0.25	0.09	0.60	0.27	20.53	462135.78	706132.35	N 32 16 9.70	W 103 48 0.56
	158.50	0.20	63.06	158.50	0.34	0.34	0.20	0.52	0.39	29.93	462135.87	706132.46	N 32 16 9.70	W 103 48 0.56
	184.50	0.18	273.22	184.50	0.36	0.36	0.20	1.41	0.41	28.31	462135.89	706132.46	N 32 16 9.70	W 103 48 0.56
	212.50	0.13	41.71	212.50	0.38	0.39	0.17	1.00	0.43	23.93	462135.92	706132.43	N 32 16 9.70	W 103 48 0.56
	242.50	0.09	7.22	242.50	0.43	0.44	0.20	0.25	0.48	24.37	462135.97	706132.46	N 32 16 9.70	W 103 48 0.56
	272.50	0.12	49.83	272.50	0.48	0.48	0.23	0.27	0.53	25.07	462136.01	706132.49	N 32 16 9.70	W 103 48 0.56
	304.50	0.15	66.03	304.50	0.51	0.52	0.29	0.15	0.60	29.07	462136.05	706132.55	N 32 16 9.70	W 103 48 0.56
	335.50	0.16	88.25	335.50	0.53	0.54	0.37	0.20	0.65	34.48	462136.07	706132.63	N 32 16 9.70	W 103 48 0.56
Last Gyro Survey	367.50	0.13	88.53	367.50	0.53	0.54	0.45	0.09	0.70	39.82	462136.07	706132.71	N 32 16 9.70	W 103 48 0.55
	398.50	0.15	74.71	398.50	0.54	0.55	0.52	0.13	0.76	43.56	462136.08	706132.78	N 32 16 9.70	W 103 48 0.55
	430.50	0.18	79.05	430.50	0.56	0.57	0.61	0.10	0.84	47.03	462136.10	706132.87	N 32 16 9.70	W 103 48 0.55
	461.50	0.17	51.68	461.50	0.59	0.61	0.70	0.27	0.93	48.86	462136.14	706132.96	N 32 16 9.70	W 103 48 0.55
	464.50	0.13	80.05	464.50	0.60	0.61	0.71	2.77	0.93	48.98	462136.14	706132.97	N 32 16 9.70	W 103 48 0.55
	614.00	0.08	116.09	614.00	0.57	0.60	0.97	0.05	1.14	58.29	462136.13	706133.23	N 32 16 9.70	W 103 48 0.55
	708.00	0.10	212.38	708.00	0.48	0.50	0.98	0.14	1.10	63.05	462136.03	706133.24	N 32 16 9.70	W 103 48 0.55
	802.00	0.10	245.33	802.00	0.37	0.40	0.86	0.06	0.95	65.38	462135.93	706133.12	N 32 16 9.70	W 103 48 0.55
	896.00	0.09	294.81	896.00	0.37	0.39	0.72	0.09	0.82	61.47	462135.92	706132.98	N 32 16 9.70	W 103 48 0.55
	990.00	0.11	175.37	990.00	0.32	0.33	0.66	0.18	0.74	63.27	462135.86	706132.92	N 32 16 9.70	W 103 48 0.55
First SLB Survey	1086.00	0.09	359.53	1086.00	0.30	0.32	0.67	0.21	0.74	64.64	462135.85	706132.93	N 32 16 9.70	W 103 48 0.55
	1179.00	0.09	92.72	1179.00	0.37	0.39	0.74	0.14	0.84	62.46	462135.92	706133.00	N 32 16 9.70	W 103 48 0.55
	1272.00	0.10	252.48	1272.00	0.34	0.36	0.74	0.20	0.82	64.04	462135.89	706133.00	N 32 16 9.70	W 103 48 0.55
	1364.00	0.08	156.34	1364.00	0.26	0.28	0.69	0.15	0.74	68.11	462135.81	706132.95	N 32 16 9.70	W 103 48 0.55
	1454.00	0.09	159.55	1454.00	0.13	0.15	0.74	0.01	0.75	78.36	462135.68	706133.00	N 32 16 9.70	W 103 48 0.55
	1485.00	0.09	249.13	1485.00	0.10	0.12	0.72	0.41	0.73	80.55	462135.65	706132.98	N 32 16 9.70	W 103 48 0.55
	1517.00	0.11	144.57	1517.00	0.07	0.09	0.72	0.50	0.72	83.14	462135.62	706132.98	N 32 16 9.70	W 103 48 0.55
	1548.00	0.13	330.94	1548.00	0.08	0.09	0.72	0.77	0.72	82.63	462135.62	706132.98	N 32 16 9.70	W 103 48 0.55
	1580.00	0.07	65.25	1580.00	0.12	0.13	0.72	0.48	0.73	79.51	462135.66	706132.98	N 32 16 9.70	W 103 48 0.55
	1612.00	0.09	232.64	1612.00	0.11	0.13	0.71	0.50	0.72	80.03	462135.66	706132.97	N 32 16 9.70	W 103 48 0.55
	1643.00	0.35	191.55	1643.00	0.00	0.02	0.67	0.93	0.68	88.49	462135.55	706132.93	N 32 16 9.70	W 103 48 0.55
	1675.00	0.75	204.51	1675.00	-0.28	-0.27	0.57	1.30	0.63	115.28	462135.26	706132.83	N 32 16 9.69	W 103 48 0.55
	1706.00	1.01	202.67	1705.99	-0.71	-0.71	0.38	0.84	0.80	151.74	462134.82	706132.64	N 32 16 9.69	W 103 48 0.56
	1738.00	1.25	203.76	1737.99	-1.29	-1.28	0.13	0.75	1.29	174.24	462134.25	706132.39	N 32 16 9.68	W 103 48 0.56
	1833.00	1.97	206.35	1832.95	-3.67	-3.70	-1.01	0.76	3.83	195.32	462131.83	706131.25	N 32 16 9.66	W 103 48 0.57
	1928.00	2.57	205.54	1927.87	-7.02	-7.08	-2.66	0.63	7.56	200.56	462128.45	706129.60	N 32 16 9.63	W 103 48 0.59
	2023.00	3.19	202.65	2022.75	-11.33	-11.44	-4.59	0.67	12.33	201.86	462124.09	706127.67	N 32 16 9.58	W 103 48 0.61
	2117.00	3.88	202.08	2116.57	-16.64	-16.80	-6.79	0.73	18.13	202.02	462118.73	706125.47	N 32 16 9.53	W 103 48 0.64
	2212.00	4.35	201.62	2211.33	-22.90	-23.13	-9.33	0.50	24.94	201.97	462112.40	706122.93	N 32 16 9.47	W 103 48 0.67
	2307.00	4.95	203.24	2306.01	-29.94	-30.25	-12.27	0.65	32.64	202.09	462105.28	706119.99	N 32 16 9.40	W 103 48 0.70
	2402.00	5.33	201.69	2400.63	-37.73	-38.11	-15.52	0.43	41.15	202.16	462097.42	706116.74	N 32 16 9.32	W 103 48 0.74
	2497.00	5.03	201.02	2495.24	-45.64	-46.10	-18.65	0.32	49.73	202.02	462089.43	706113.61	N 32 16 9.24	W 103 48 0.78
	2592.00	5.06	201.18	2589.88	-53.36	-53.89	-21.66	0.03	58.08	201.89	462081.64	706110.61	N 32 16 9.16	W 103 48 0.82
	2686.00	4.54	198.13	2683.55	-60.69	-61.30	-24.31	0.62	65.94	201.63	462074.24	706107.95	N 32 16 9.09	W 103 48 0.85
	2780.00	4.01	195.12	2777.28	-67.35	-68.00	-26.33	0.61	72.92	201.16	462067.53	706105.94	N 32 16 9.02	W 103 48 0.87
	2875.00	3.29	191.70	2872.09	-73.19	-73.88	-27.74	0.79	78.92	200.58	462061.65	706104.52	N 32 16 8.97	W 103 48 0.89
	2970.00	2.56	190.88	2966.97	-77.92	-78.63	-28.70	0.77	83.71	200.05	462056.90	706103.56	N 32 16 8.92	W 103 48 0.90
	3065.00	0.88	177.49	3061.92	-80.72	-81.45	-29.07	1.81	86.48	199.64	462054.09	706103.20	N 32 16 8.89	W 103 48 0.90
	3160.00	0.08	132.66	3156.92	-81.50	-82.22	-28.99	0.87	87.18	199.42	462053.32	706103.28	N 32 16 8.88	W 103 48 0.90
	3255.00	0.08	206.90	3251.92	-81.60	-82.32	-28.97	0.10	87.27	199.39	462053.21	706103.29	N 32 16 8.88	W 103 48 0.90
3349.00	0.13	228.07	3345.92	-81.73	-82.45	-29.08	0.07	87.43	199.42	462053.08	706103.19	N 32 16 8.88	W 103 48 0.90	
3444.00	0.10	143.12	3440.92	-81.87	-82.59	-29.11	0.17	87.57	199.41	462052.94	706103.16	N 32 16 8.88	W 103 48 0.90	
3538.00	0.12	149.43	3534.92	-82.02	-82.74	-29.01	0.02	87.68	199.32	462052.79	706103.25	N 32 16 8.88	W 103 48 0.90	
3633.00	0.09	314.28	3629.92	-82.05	-82.78	-29.01	0.22	87.71	199.31	462052.76	706103.25	N 32 16 8.88	W 103 48 0.90	
3728.00	0.08	46.65	3724.92	-81.96	-82.68	-29.02	0.13	87.62	199.34	462052.86	706103.25	N 32 16 8.88	W 103 48 0.90	
3822.00	0.07	306.78	3818.92	-81.88	-82.60	-29.01	0.12	87.55	199.35	462052.94	706103.25	N 32 16 8.88	W 103 48 0.90	
3917.00	0.16	350.84	3913.92	-81.71	-82.43	-29.08	0.13	87.41	199.43	462053.10	706103.18	N 32 16 8.88	W 103 48 0.90	
4012.00	0.09	112.18	4008.92	-81.61	-82.33	-29.03	0.23	87.30	199.42	462053.21	706103.23	N 32 16 8.88	W 103 48 0.90	
4107.00	0.10	159.72	4103.92	-81.72	-82.44	-28.94	0.08	87.37	199.34	462053.10	706103.33	N 32 16 8.88	W 103 48 0.90	
4294.00	0.09	235.31	4290.92	-81.95	-82.67	-29.00	0.06	87.61	199.33	462052.86	706103.26	N 32 16 8.88	W 103 48 0.90	
4389.00	0.31	59.92	4385.92	-81.87	-82.59	-28.84	0.42	87.48	199.25	462052.95	706103.42	N 32 16 8.88	W 103 48 0.90	
4484.00	0.44	26.53	4480.91	-81.42	-82.13	-28.45	0.26	86.92	199.11	462053.40	706103.81	N 32 16 8.88	W 103 48 0.90	
4578.00	0.32	47.63	4574.91	-80.93	-81.63	-28.10	0.19	86.33	198.99	462053.90	706104.16	N 32 16 8.89	W 103 48 0.89	
4672.00	0.14	312.21	4668.91	-80.68	-81.38	-27.99	0.38	86.06	198.98	462054.16	706104.27	N 32 16 8.89	W 103 48 0.89	
4767.00	0.09	266.77	4763.91	-80.60	-81.30	-28.15	0.11	86.04	199.10	462054.23	706104.11	N 32 16 8.89	W 103 48 0.89	
4862.00	0.03	242.57	4858.91	-80.62	-81.32	-28.25	0.07	86.09	199.15	462054.22	706104.02	N 32 16 8.89	W 103 48	

Comments	MD (ft)	Incl (°)	Azim Grid (°)	TVD (ft)	VSEC (ft)	NS (ft)	EW (ft)	DLS (°/100ft)	Closure (ft)	Closure Azimuth (°)	Northing (RUS)	Easting (RUS)	Latitude (N/S ° ' ")	Longitude (E/W ° ' ")
Actual KOP	6284.00	0.07	266.79	6280.91	-80.38	-81.08	-28.46	0.11	85.93	199.34	462054.45	706103.80	N 32 16 8.89	W 103 48 0.90
	6378.00	0.03	4.81	6374.91	-80.35	-81.06	-28.52	0.09	85.93	199.38	462054.47	706103.74	N 32 16 8.89	W 103 48 0.90
	6473.00	0.06	49.60	6469.91	-80.30	-81.01	-28.48	0.05	85.87	199.37	462054.53	706103.78	N 32 16 8.90	W 103 48 0.90
	6568.00	0.17	111.51	6564.91	-80.32	-81.03	-28.31	0.16	85.83	199.26	462054.51	706103.95	N 32 16 8.90	W 103 48 0.89
	6663.00	0.23	162.23	6659.91	-80.56	-81.26	-28.12	0.19	85.99	199.09	462054.28	706104.14	N 32 16 8.89	W 103 48 0.89
	6758.00	0.18	170.99	6754.91	-80.89	-81.59	-28.04	0.06	86.27	198.97	462053.95	706104.22	N 32 16 8.89	W 103 48 0.89
	6852.00	0.07	162.40	6848.91	-81.09	-81.79	-28.00	0.12	86.45	198.90	462053.75	706104.26	N 32 16 8.89	W 103 48 0.89
	6947.00	0.16	109.25	6943.91	-81.19	-81.89	-27.85	0.14	86.49	198.79	462053.65	706104.41	N 32 16 8.89	W 103 48 0.89
	7042.00	0.18	69.96	7038.91	-81.19	-81.88	-27.59	0.12	86.40	198.62	462053.66	706104.67	N 32 16 8.89	W 103 48 0.89
	7137.00	0.10	61.89	7133.91	-81.11	-81.79	-27.38	0.09	86.25	198.51	462053.75	706104.89	N 32 16 8.89	W 103 48 0.88
	7231.00	0.02	259.35	7227.91	-81.07	-81.75	-27.32	0.13	86.20	198.48	462053.78	706104.94	N 32 16 8.89	W 103 48 0.88
	7326.00	0.06	129.30	7322.91	-81.11	-81.79	-27.30	0.08	86.22	198.46	462053.75	706104.96	N 32 16 8.89	W 103 48 0.88
	7421.00	0.05	191.24	7417.91	-81.18	-81.86	-27.27	0.06	86.28	198.42	462053.67	706104.99	N 32 16 8.89	W 103 48 0.88
	7516.00	0.04	211.61	7512.91	-81.25	-81.93	-27.29	0.02	86.36	198.42	462053.61	706104.97	N 32 16 8.89	W 103 48 0.88
	7705.00	0.04	65.30	7701.91	-81.28	-81.96	-27.27	0.04	86.37	198.40	462053.58	706104.99	N 32 16 8.89	W 103 48 0.88
	7800.00	0.05	42.41	7796.91	-81.24	-81.91	-27.21	0.02	86.31	198.37	462053.62	706105.05	N 32 16 8.89	W 103 48 0.88
	7990.00	0.03	22.07	7986.91	-81.13	-81.81	-27.13	0.01	86.19	198.35	462053.73	706105.13	N 32 16 8.89	W 103 48 0.88
	8085.00	0.07	132.09	8081.91	-81.15	-81.82	-27.08	0.09	86.19	198.31	462053.71	706105.18	N 32 16 8.89	W 103 48 0.88
	8275.00	0.32	151.64	8271.91	-81.70	-82.37	-26.74	0.13	86.60	197.99	462053.17	706105.52	N 32 16 8.88	W 103 48 0.88
	8369.00	0.11	151.84	8365.91	-82.01	-82.68	-26.58	0.22	86.84	197.82	462052.86	706105.68	N 32 16 8.88	W 103 48 0.87
	8464.00	0.13	320.14	8460.91	-82.01	-82.68	-26.60	0.25	86.85	197.84	462052.86	706105.66	N 32 16 8.88	W 103 48 0.87
	8654.00	0.45	24.32	8650.90	-81.17	-81.83	-26.43	0.22	85.99	197.90	462053.71	706105.83	N 32 16 8.89	W 103 48 0.87
	8748.00	0.62	157.24	8744.90	-81.31	-81.96	-26.08	1.05	86.01	197.65	462053.57	706106.18	N 32 16 8.89	W 103 48 0.87
	8843.00	0.52	162.80	8839.90	-82.20	-82.85	-25.76	0.12	86.76	197.27	462052.69	706106.50	N 32 16 8.88	W 103 48 0.86
	8938.00	0.84	244.39	8934.89	-82.91	-83.56	-26.26	0.97	87.59	197.45	462051.97	706106.00	N 32 16 8.87	W 103 48 0.87
	9032.00	1.37	225.97	9028.87	-83.95	-84.64	-27.69	0.67	89.05	198.11	462050.90	706104.57	N 32 16 8.86	W 103 48 0.89
	9127.00	1.78	221.88	9123.84	-85.79	-86.53	-29.49	0.45	91.41	198.82	462049.01	706102.77	N 32 16 8.84	W 103 48 0.91
	9222.00	2.24	219.78	9218.78	-88.27	-89.05	-31.66	0.49	94.51	199.57	462046.48	706100.60	N 32 16 8.82	W 103 48 0.93
	9316.00	3.37	203.25	9312.67	-92.16	-93.00	-33.93	1.47	99.00	200.04	462042.53	706098.33	N 32 16 8.78	W 103 48 0.96
	9411.00	4.31	192.47	9407.45	-98.16	-99.05	-35.80	1.24	105.33	199.87	462036.48	706096.46	N 32 16 8.72	W 103 48 0.98
	9506.00	4.51	191.81	9502.17	-105.27	-106.20	-37.34	0.22	112.57	199.37	462029.34	706094.93	N 32 16 8.65	W 103 48 1.00
	9600.00	4.38	200.42	9595.89	-112.20	-113.18	-39.35	0.72	119.82	199.17	462022.36	706092.92	N 32 16 8.58	W 103 48 1.02
	9695.00	5.56	201.46	9690.53	-119.81	-120.86	-42.30	1.25	128.05	199.29	462014.68	706089.97	N 32 16 8.50	W 103 48 1.06
	9790.00	7.54	198.48	9784.91	-129.91	-131.06	-45.96	2.11	138.88	199.32	462004.48	706086.31	N 32 16 8.40	W 103 48 1.10
	9885.00	8.47	198.23	9878.98	-142.37	-143.61	-50.12	0.98	152.11	199.24	461991.93	706082.14	N 32 16 8.28	W 103 48 1.15
	9980.00	9.31	202.37	9972.84	-155.99	-157.36	-55.23	1.11	166.78	199.34	461978.17	706077.03	N 32 16 8.14	W 103 48 1.21
	10075.00	9.82	197.67	10066.52	-170.68	-172.19	-60.62	0.98	182.55	199.39	461963.35	706071.65	N 32 16 7.99	W 103 48 1.28
	10170.00	9.70	197.64	10160.14	-185.91	-187.54	-65.50	0.13	198.65	199.25	461948.01	706066.76	N 32 16 7.84	W 103 48 1.33
	10264.00	10.71	196.37	10256.66	-201.71	-203.46	-70.36	1.10	215.29	199.08	461932.08	706061.90	N 32 16 7.69	W 103 48 1.39
	10359.00	9.58	194.21	10346.17	-217.74	-219.60	-74.79	1.25	231.98	198.81	461915.95	706057.47	N 32 16 7.53	W 103 48 1.44
	10454.00	10.02	195.80	10439.78	-233.25	-235.21	-78.98	0.54	248.12	198.56	461900.33	706053.28	N 32 16 7.37	W 103 48 1.49
	10548.00	9.58	194.93	10532.41	-248.57	-250.64	-83.22	0.49	264.10	198.37	461884.91	706049.04	N 32 16 7.22	W 103 48 1.54
	10643.00	9.75	194.17	10626.06	-263.90	-266.08	-87.23	0.22	280.01	198.15	461869.47	706045.04	N 32 16 7.07	W 103 48 1.59
	10738.00	9.06	192.84	10719.79	-278.90	-281.17	-90.86	0.76	295.49	197.91	461854.38	706041.40	N 32 16 6.92	W 103 48 1.63
	10802.00	8.35	191.90	10763.05	-288.31	-290.63	-92.94	1.13	305.13	197.73	461844.92	706039.33	N 32 16 6.82	W 103 48 1.66
	10845.10	10.98	192.97	10825.53	-295.33	-297.69	-94.51	6.11	312.33	197.61	461837.86	706037.76	N 32 16 6.75	W 103 48 1.68
	10861.00	11.95	193.25	10841.12	-298.39	-300.77	-95.22	6.11	315.48	197.57	461834.78	706037.04	N 32 16 6.72	W 103 48 1.69
	10955.00	26.78	212.36	10929.63	-325.60	-328.31	-108.88	16.96	345.89	198.35	461807.24	706023.39	N 32 16 6.45	W 103 48 1.85
	11050.00	27.46	243.85	11014.62	-352.71	-356.18	-140.15	14.98	382.77	201.48	461779.37	705992.11	N 32 16 6.18	W 103 48 2.21
	11145.00	21.57	275.80	11101.39	-359.74	-364.11	-177.38	15.05	405.02	205.97	461771.44	705954.89	N 32 16 6.10	W 103 48 2.65
	11240.00	25.11	314.57	11189.11	-342.97	-348.11	-209.31	16.30	406.19	211.02	461787.45	705922.96	N 32 16 6.26	W 103 48 3.02
	11291.00	26.60	325.93	11235.03	-325.57	-331.04	-223.43	10.12	399.39	214.02	461804.51	705908.85	N 32 16 6.43	W 103 48 3.18
	11334.71	28.52	334.56	11273.80	-307.80	-313.51	-233.40	10.12	390.85	216.67	461822.04	705898.88	N 32 16 6.60	W 103 48 3.30
	11335.00	28.53	334.61	11274.05	-307.68	-313.38	-233.45	10.12	390.78	216.68	461822.17	705898.82	N 32 16 6.61	W 103 48 3.30
	11426.00	36.17	345.33	11350.93	-261.59	-267.67	-249.61	10.47	365.99	223.00	461867.88	705882.67	N 32 16 7.06	W 103 48 3.48
	11521.00	50.09	344.99	11420.10	-198.59	-205.05	-266.23	14.65	336.04	232.40	461930.50	705866.05	N 32 16 7.68	W 103 48 3.67
	11615.00	65.83	349.95	11469.83	-120.63	-127.48	-283.16	17.32	310.53	245.76	462008.06	705849.12	N 32 16 8.45	W 103 48 3.87
	11623.00	66.35	350.85	11473.07	-113.40	-120.27	-284.38	12.16	308.77	247.08	462015.27	705847.90	N 32 16 8.52	

Comments	MD (ft)	Incl (°)	Azim Grid (°)	TVD (ft)	VSEC (ft)	NS (ft)	EW (ft)	DLS (°/100ft)	Closure (ft)	Closure Azimuth (°)	Northing (ftUS)	Easting (ftUS)	Latitude (N/S ° ' ")	Longitude (E/W ° ' ")
Exit Target Box	16389.00	89.58	358.75	11531.90	4639.57	4633.46	-309.78	3.07	4643.81	356.18	466768.71	705822.50	N 32 16 55.56	W 103 48 3.90
	16483.00	89.28	357.57	11532.83	4733.56	4727.41	-312.80	1.30	4737.75	356.21	466862.65	705819.48	N 32 16 56.49	W 103 48 3.93
	16578.00	89.75	357.49	11533.64	4828.54	4822.32	-316.89	0.50	4832.72	356.24	466957.55	705815.39	N 32 16 57.43	W 103 48 3.97
	16673.00	94.40	359.57	11530.20	4923.45	4917.19	-319.33	5.36	4927.55	356.28	467052.42	705812.95	N 32 16 58.37	W 103 48 4.00
	16768.00	88.27	357.35	11527.99	5018.37	5012.08	-321.88	6.86	5022.41	356.33	467147.30	705810.40	N 32 16 59.31	W 103 48 4.02
	16863.00	89.04	359.13	11530.22	5113.34	5107.01	-324.80	2.04	5117.32	356.36	467242.22	705807.48	N 32 17 0.25	W 103 48 4.05
	16924.00	89.05	0.45	11531.23	5174.32	5168.00	-325.02	2.16	5178.21	356.40	467303.21	705807.26	N 32 17 0.85	W 103 48 4.05
	17019.00	89.32	1.71	11532.58	5269.22	5262.97	-323.23	1.36	5272.88	356.49	467398.17	705809.05	N 32 17 1.79	W 103 48 4.02
	17114.00	89.67	1.87	11533.42	5364.07	5357.92	-320.27	0.41	5367.48	356.58	467493.12	705812.01	N 32 17 2.73	W 103 48 3.98
	17209.00	89.94	2.19	11533.74	5458.90	5452.86	-316.90	0.44	5462.06	356.67	467588.05	705815.38	N 32 17 3.67	W 103 48 3.94
Enter Target Box	17211.00	89.94	2.15	11533.75	5460.90	5454.85	-316.83	2.03	5464.05	356.68	467590.05	705815.45	N 32 17 3.69	W 103 48 3.93
	17304.00	89.80	0.27	11533.96	5553.80	5547.83	-314.86	2.03	5556.76	356.75	467683.02	705817.42	N 32 17 4.61	W 103 48 3.91
	17399.00	89.49	359.11	11534.55	5648.78	5642.82	-315.38	1.26	5651.63	356.80	467778.01	705816.90	N 32 17 5.55	W 103 48 3.91
	17494.00	90.07	359.53	11534.91	5743.77	5737.82	-316.50	0.75	5746.54	356.84	467872.99	705815.78	N 32 17 6.49	W 103 48 3.91
	17588.00	89.99	359.44	11534.86	5837.76	5831.81	-317.35	0.13	5840.44	356.89	467966.98	705814.93	N 32 17 7.42	W 103 48 3.92
	17683.00	90.48	0.38	11534.47	5932.73	5926.81	-317.50	1.12	5935.31	356.93	468061.97	705814.78	N 32 17 8.36	W 103 48 3.92
	17778.00	89.91	0.44	11534.15	6027.68	6021.81	-316.82	0.60	6030.14	356.99	468156.97	705815.46	N 32 17 9.30	W 103 48 3.90
	17873.00	90.03	0.26	11534.20	6122.64	6116.81	-316.24	0.23	6124.97	357.04	468251.96	705816.04	N 32 17 10.24	W 103 48 3.89
	17967.00	89.92	0.19	11534.24	6216.60	6210.80	-315.87	0.14	6218.83	357.09	468345.95	705816.41	N 32 17 11.17	W 103 48 3.88
	18062.00	91.23	0.15	11533.29	6311.56	6305.80	-315.59	1.38	6313.69	357.13	468440.94	705816.69	N 32 17 12.11	W 103 48 3.87
Exit Target Box	18157.00	91.35	359.50	11531.15	6406.52	6400.77	-315.88	0.70	6408.56	357.17	468535.91	705816.40	N 32 17 13.05	W 103 48 3.87
	18252.00	92.08	359.44	11528.31	6501.46	6495.73	-316.76	0.77	6503.44	357.21	468630.85	705815.52	N 32 17 13.99	W 103 48 3.87
	18347.00	90.75	359.37	11525.96	6596.42	6590.69	-317.74	1.40	6598.34	357.24	468725.81	705814.54	N 32 17 14.93	W 103 48 3.88
	18441.00	90.22	359.58	11525.16	6690.41	6684.68	-318.60	0.61	6692.27	357.27	468819.80	705813.68	N 32 17 15.86	W 103 48 3.88
	18536.00	90.54	359.23	11524.53	6785.40	6779.67	-319.59	0.50	6787.20	357.30	468914.78	705812.69	N 32 17 16.80	W 103 48 3.89
	18631.00	90.25	359.31	11523.88	6880.39	6874.66	-320.80	0.32	6882.14	357.33	469009.77	705811.48	N 32 17 17.74	W 103 48 3.90
	18726.00	90.69	0.65	11523.10	6975.36	6969.66	-320.83	1.48	6977.04	357.36	469104.76	705811.45	N 32 17 18.68	W 103 48 3.89
	18821.00	90.96	0.19	11521.73	7070.30	7064.65	-320.14	0.56	7071.90	357.41	469199.74	705812.14	N 32 17 19.62	W 103 48 3.88
	18916.00	91.25	0.01	11519.90	7165.25	7159.63	-319.97	0.36	7166.77	357.44	469294.71	705812.31	N 32 17 20.56	W 103 48 3.87
	19011.00	90.89	0.02	11518.13	7260.21	7254.61	-319.95	0.38	7261.66	357.47	469389.69	705812.33	N 32 17 21.50	W 103 48 3.87
Enter Target Box	19105.00	87.82	357.54	11519.18	7354.18	7348.56	-321.95	4.20	7355.61	357.49	469483.64	705810.33	N 32 17 22.43	W 103 48 3.88
	19199.00	87.76	356.31	11522.81	7448.07	7442.36	-326.98	1.31	7449.54	357.48	469577.43	705805.30	N 32 17 23.35	W 103 48 3.94
	19200.00	87.76	356.30	11522.85	7449.07	7443.36	-327.05	1.31	7450.54	357.48	469578.43	705805.23	N 32 17 23.36	W 103 48 3.94
	19295.00	88.50	356.89	11525.95	7543.96	7538.14	-332.69	1.00	7545.47	357.47	469673.20	705799.59	N 32 17 24.30	W 103 48 4.00
	19390.00	90.03	357.87	11527.17	7638.92	7633.02	-337.03	1.91	7640.46	357.47	469768.08	705795.25	N 32 17 25.24	W 103 48 4.04
	19485.00	89.94	359.07	11527.19	7733.92	7727.99	-339.56	1.27	7735.45	357.48	469863.04	705792.72	N 32 17 26.18	W 103 48 4.07
	19580.00	91.64	359.11	11525.88	7828.90	7822.96	-341.07	1.79	7830.40	357.50	469958.01	705791.21	N 32 17 27.12	W 103 48 4.08
	19675.00	91.33	359.16	11523.42	7923.87	7917.92	-342.51	0.33	7925.33	357.52	470052.96	705789.77	N 32 17 28.06	W 103 48 4.09
	19769.00	91.47	359.80	11521.12	8017.83	8011.89	-343.36	0.70	8019.24	357.55	470146.92	705788.92	N 32 17 28.99	W 103 48 4.10
	19864.00	91.52	0.04	11518.64	8112.77	8106.86	-343.49	0.26	8114.13	357.57	470241.89	705788.79	N 32 17 29.93	W 103 48 4.09
Enter Target Box	19959.00	91.61	359.69	11516.05	8207.71	8201.82	-343.72	0.38	8209.02	357.60	470336.84	705788.57	N 32 17 30.87	W 103 48 4.09
	20054.00	91.20	359.77	11513.72	8302.67	8296.79	-344.16	0.44	8303.93	357.62	470431.81	705788.12	N 32 17 31.81	W 103 48 4.09
	20149.00	91.39	0.07	11511.57	8397.62	8391.77	-344.30	0.37	8398.83	357.65	470526.78	705787.99	N 32 17 32.75	W 103 48 4.08
	20244.00	90.79	359.26	11509.77	8492.59	8486.75	-344.85	1.06	8493.75	357.67	470621.75	705787.43	N 32 17 33.69	W 103 48 4.09
	20338.00	90.10	359.53	11509.04	8586.57	8580.74	-345.84	0.79	8587.70	357.69	470715.74	705786.44	N 32 17 34.62	W 103 48 4.09
	20433.00	90.87	0.28	11508.23	8681.54	8675.73	-346.00	1.13	8682.63	357.72	470810.73	705786.28	N 32 17 35.56	W 103 48 4.09
	20528.00	90.67	0.35	11506.96	8776.49	8770.72	-345.48	0.22	8777.52	357.74	470905.71	705786.80	N 32 17 36.50	W 103 48 4.08
	20623.00	90.09	1.24	11506.33	8871.42	8865.71	-344.16	1.12	8872.39	357.78	471000.69	705788.12	N 32 17 37.44	W 103 48 4.06
	20718.00	90.81	1.86	11505.58	8966.29	8960.67	-341.59	1.00	8967.18	357.82	471095.65	705790.69	N 32 17 38.38	W 103 48 4.02
	20812.00	90.50	1.38	11504.51	9060.16	9054.63	-338.93	0.61	9060.97	357.86	471189.60	705793.35	N 32 17 39.31	W 103 48 3.98
Enter Target Box	20907.00	90.24	1.50	11503.89	9156.04	9149.60	-336.55	0.30	9155.78	357.89	471284.56	705795.73	N 32 17 40.25	W 103 48 3.95
	21002.00	89.23	0.97	11504.33	9249.94	9244.57	-334.50	1.20	9250.62	357.93	471379.53	705797.78	N 32 17 41.19	W 103 48 3.92
	21097.00	89.49	1.84	11505.39	9344.82	9339.54	-332.17	0.96	9345.44	357.96	471474.49	705800.11	N 32 17 42.13	W 103 48 3.89
	21192.00	88.92	2.57	11506.71	9439.63	9434.45	-328.52	0.97	9440.17	358.01	471569.40	705803.76	N 32 17 43.07	W 103 48 3.84
	21286.00	89.04	2.15	11508.38	9533.41	9528.36	-324.65	0.46	9533.89	358.05	471663.30	705807.63	N 32 17 43.99	W 103 48 3.79
	21381.00	88.73	1.66	11510.23	9628.24	9623.29	-321.49	0.61	9628.66	358.09	471758.22	705810.79	N 32 17 44.93	W 103 48 3.75
	21476.00	87.68	0.98	11513.21	9723.08	9718.22	-319.30	1.32	9723.46	358.12	471853.14	705812.98	N 32 17 45.87	W 103 48 3.72
	21571.00	88.35	359.97	11516.50	9817.98	9813.15	-318.51	1.28	9818.32	3				

Comments	MD (ft)	Incl (°)	Azim Grid (°)	TVD (ft)	VSEC (ft)	NS (ft)	EW (ft)	DLS (°/100ft)	Closure (ft)	Closure Azimuth (°)	Northing (ftUS)	Easting (ftUS)	Latitude (N/S ° ' ")	Longitude (E/W ° ' ")
		1	464.500	4294.000	Act Stns	26.400	26.400	A010Mb_MWD+IFR1+SAG+MS		Original Borehole / Oxy Pure Gold MDP1 29_17 Federal Com 173H Gyro+MWD 0' to 24479MD				
		1	4294.000	4672.000	Act Stns	26.400	26.400	A009Mb_MWD+IFR1+SAG		Original Borehole / Oxy Pure Gold MDP1 29_17 Federal Com 173H				
		1	4672.000	10861.000	Act Stns	26.400	26.400	A010Mb_MWD+IFR1+SAG+MS		Original Borehole / Oxy Pure Gold MDP1 29_17 Federal Com 173H Gyro+MWD 0' to 24479MD				
		1	10861.000	11426.000	Act Stns	26.400	26.400	A009Mb_MWD+IFR1+SAG		Original Borehole / Oxy Pure Gold MDP1 29_17 Federal Com 173H				
		1	11426.000	24479.000	Act Stns	26.400	26.400	A010Mb_MWD+IFR1+SAG+MS		Original Borehole / Oxy Pure Gold MDP1 29_17 Federal Com 173H Gyro+MWD 0' to 24479MD				

Intent ☐ As Drilled ☐

API #		
Operator Name:	Property Name:	Well Number

Kick Off Point (KOP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

First Take Point (FTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Last Take Point (LTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Is this well the defining well for the Horizontal Spacing Unit? ☐Is this well an infill well? ☐

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API #		
Operator Name:	Property Name:	Well Number

KZ 06/29/2018

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 101054

ACKNOWLEDGMENTS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 101054
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

COMMENTS

Action 101054

COMMENTS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 101054
	Action Type: [C-104] Completion Packet (C-104C)

COMMENTS

Created By	Comment	Comment Date
llowe	R-21929 created 1600 HSU	8/2/2022

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 101054

CONDITIONS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 101054
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
llowe	RT expires 08/25/22	8/2/2022