eceined by OCP: 8/18/21	2222:04:43	PM S	tate of New	Mexico				Form	Page 1 of 4
Office District I – (575) 393-6161		Energy, M	Iinerals and N	Vatural Res	ources			evised July 1	
1625 N. French Dr., Hobbs,	NM 88240					WELL API	I NO. 30-025-	24214	
<u>District II</u> – (575) 748-1283 811 S. First St., Artesia, NM	88210	OIL CO	NSERVATIO	ON DIVIS	SION	5 Indicate			
District III - (505) 334-6178 1220 South St. Francis Dr. 1000 Rio Brazos Rd., Aztec, NM 87410						5. Indicate Type of Lease STATE X FEE			
District IV – (505) 476-3460		S	Santa Fe, NM	1 87505			1 & Gas Lease		
1220 S. St. Francis Dr., Sant 87505	a Fe, NM								
	I FOR PROPOS		R TO DEEPEN OR	R PLUG BACK			ame or Unit A		
PROPOSALS.)	_	Gas Well C	II (FORWIC-101	i) i ok socii		8. Well Nu	GRAYBURG S		RES UNIT
1. Type of Well: Oil V		031							
2. Name of Operator		9. OGRID Number 330132							
3. Address of Operator						10. Pool name or Wildcat			
	400 W 7T	TH ST, FORT W	VORTH, TX 7		VACUUM; GRAYBURG-SAN ANDRES				
4. Well Location									
Unit Letter	:_	feet fi	rom theS	li	ne and1	1330 fe	eet from the	E	_line
Section	02	Town	1	Range	34E	NMPM	Count	y LEA	
		11. Elevation (	Show whether	DR, RKB, R	RT, GR, etc.)				
10	Chook A	Appropriate Bo	ov to Indicate	o Noturo o	f Notice	Donort or (	Other Date		
12	CHECK A	ippropriate Bo	ox to muicate	e maiure o	n Nonce, i	Keport or C	Julei Data		
NOTIO	CE OF IN	TENTION TO	<mark>D</mark> :		SUBS	SEQUEN <sup>-</sup>	T REPORT	OF:	
PERFORM REMEDIAL	WORK 🛚	PLUG AND AB	BANDON 🗌	REME	DIAL WORK	K	☐ ALTER	ING CASIN	NG □
TEMPORARILY ABAN	DON 🗌	CHANGE PLA	<del></del>	COMN	MENCE DRII	LLING OPNS	S.□ P AND	Α	
PULL OR ALTER CAS		MULTIPLE CO	MPL	CASIN	IG/CEMENT	ГЈОВ			
DOWNHOLE COMMIN	<del></del>								
CLOSED-LOOP SYST OTHER:	EM 🗌			OTHE	D.				
13. Describe propo	sed or compl	leted operations	(Clearly state:			l give nertine	ent dates inclu	ding estima	nted date
		ork). SEE RULE							
proposed comp	letion or reco	ompletion.							
In response to	Violation co	GR2214747485, I	MorningStar O	perating LL	C requests a	approval for t	the following p	rocedure:	
1		,	ر ح	1 0	1	11	21		
1) MIRU									
		wnhole integrity							
		fying NMOCD of	f plans, as requ	ired.		Til	. A	natify	
,	njection equip	1	1 -14		21		of Approval:		
5) Nouly N	MOCD to se	chedule MIT test	and chart.			OCD Hobbs office 24 hours			
					D.F	orior of running MIT Test & Chart			
					hr	M ALLAN			
Spud Date:			Rig Release	e Date:					
I hereby certify that the	information a	above is true and	complete to th	ne best of my	y knowledge	e and belief.			
_									
SIGNATURE Con	nie Bla	rylock	TITLE RI	EGULATO	RY TECH		DATE	08/17/202	))
DIGITIFORE		<del></del>	1111111		12011			<u> </u>	
Type or print nameCC	ONNIE BLA	YLOCK	E-mail add	lress: cblayl	lock@mspa	artners.com	PHONE: _8	817-334-7	882
For State Use Only									
A DDD OVED DV	V 1	4	mimi e	·	011	· 1	D 4 7775 Q/1	8/22	
APPROVED BY: Conditions of Approve	reny to	ounce	TITLE_ (	ompeum	- ffu	un IT	DATE8/1	01 44	

## VGSAU #31 Wellbore Diagram

Created: 01/05/06 By: C. A. Irle Updated: 06/09/22 By: **JFR** Vacuum Grayburg San Andres Unit Lease: Vacuum Grayburg San Andres Unit Field: 2,630' FSL & 1,330' FWL Surf. Loc.: Bot. Loc.: St.: NM County: Lea Status: Injection well

Well#: 31 St. Lse: 857948 API 30-025-24314 Ν Unit Ltr.: Section: TSHP/Rng: S-18 E-34 Unit Ltr.: Section: TSHP/Rng: Buckeye, NM Directions:

# Surface Casing

 Size:
 8-5/8"

 Wt., Grd.:
 20#, X-40

 Depth:
 360'

 Sxs Cmt:
 210

 Circulate:
 Yes

 TOC:
 Surface

 Hole Size:
 12 1/4"

#### **Production Casing**

 Size:
 4-1/2"

 Wt., Grd.:
 9.5#, J-55

 Depth:
 4,710'

 Sxs Cmt:
 650

 Circulate:
 No

 TOC:
 2,610' - CBL

 Hole Size:
 7 7/8"

### Open Hole

Depth: 4,800' (1991) Hole Size: 3 7/8"

Perforations (1973, 1991):

4376, 85, 88, 91,

4402, 10,15, 23, 30, 44, 47, 50, 54,


4458, 62, 86, 90, 74, 83, 94,

4531, 43, 55, 58, 62, 66, 74, 80, 86,

4611, 15, 18, 30, 37, 40, 46, 49,

4658, 68, 84, 92

4705



### VGSAU #31 Wellbore Diagram - PROPOSED

Created: 01/05/06 By: C. A. Irle Updated: 06/09/22 By: **JFR** Vacuum Grayburg San Andres Unit Lease: Vacuum Grayburg San Andres Unit Field: 2,630' FSL & 1,330' FWL Surf. Loc.: Bot. Loc.: St.: NM County: Lea Status: Injection well

Well#: 31 St. Lse: 857948 API 30-025-24314 Ν Unit Ltr.: Section: TSHP/Rng: S-18 E-34 Unit Ltr.: Section: TSHP/Rng: Directions: Buckeye, NM

#### Surface Casing Size: 8-5/8" Wt., Grd.: 20#, X-40 Depth: 360' Sxs Cmt: 210 Circulate: Yes Surface TOC: 12 1/4" Hole Size: Production Casing Size: 4-1/2" 9.5#, J-55 Wt., Grd.: Depth: 4.710' Sxs Cmt: 650 Circulate: No 2,610' - CBL TOC:

Depth: 4,800' (1991) Hole Size: 3 7/8"

Perforations (1973, 1991):

4376, 85, 88, 91,

Hole Size:

Open Hole

4402, 10,15, 23, 30, 44, 47, 50, 54,

7 7/8"


4458, 62, 86, 90, 74, 83, 94,

4531, 43, 55, 58, 62, 66, 74, 80, 86,

4611, 15, 18, 30, 37, 40, 46, 49,

4658, 68, 84, 92

4705



District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505** 

CONDITIONS

Action 135619

### **CONDITIONS**

Operator:	OGRID:
MorningStar Operating LLC	330132
400 W 7th St	Action Number:
Fort Worth, TX 76102	135619
	Action Type:
	[C-103] NOI Workover (C-103G)

#### CONDITIONS

Created By		Condition Date
kfortner	Run PWOT MIT/BHT	8/19/2022