DEXMXMXK

South District-Artesia

State of New Mexico Energy, Minerals and Natural Resources Department Oil Conservation Division Hobbs District Office

BRADENHEAD TEST REPORT

Operator Name

API Number

API Number

Well No.

Surface Location

Range

Feet from N/S Line Feet From E/W Line County

COUNTY OF THE PORT

**Operator Name

**Property Name

**Proper

UL - Lot	Section 36	Township	Range 30E		Feet from	N/S Line	Feet From	E/W Line	Country
				,	Well Status				
YES TA'D	WELL	YES	SHUT-IN	NO INJ	INJECTOR	SWD OIL	PRODUCER GA	s 7/	DATE 3/2022

OBSERVED DATA

	(A)Surface	(B)Interm(1)	(C)Interm(2)	(D)Prod Csng	(E)Tubing
Pressure	Comported			200	
Flow Characteristics					
Puff	Y/N	Y / N	Y/N	(Y)/ N	CO2 WTR
Steady Flow	Y/N	Y / N	Y/N	Y (N)	GAS
Surges	Y/N	YIN	Y/N	Y / N	Type of Fluid
Down to nothing	Y/N	YY N	Y/N	N (A)	Injected for Waterflood if
Gas or Oil	Y/N	Y /(N)	Y/N	Y /(N)	applies.
Water	Y/N	Y(N)	/ Y/N	Y /(N)	

Remarks - Please state for each string (A,B,C,D,E) pertinent information regarding bleed down or continuous build up if applies.
1 tense same to each strike colories bet and the morning to be a substitution of continuous band at a approximation

Signature:	OIL CONSERVATION DIVISION
Printed name:	Entered into RBDMS
Title:	Re-test
E-mail Address:	
Date: 7/13/20/20 Phone:	
Witness: What I do	

INSTRUCTIONS ON BACK OF THIS FORM

PERFORMING BRADENHEAD TEST

General Procedure for Bradenhead Test

Identify:

All valves prior to testing

Gauges:

Install on each casing string to record pressure.

Assure:

That all valves are in good working condition and closed at least 24 hours prior

to testing.

Open:

Each valve (Bradenhead, intermediate and casing valves) is to be opened

separately.

Check Gauges:

Record pressure on each gauge and casing string on BHT form. Open

valves to atmosphere and record results on BHT form.

Designate what applies to the result of opening the valves for each string:

Blow or Puff
Bled down to Nothing
Steady Flow
Oil or Gas
Water
Yes or No
Yes or No
Yes or No

Start: Injection or SWD pump so tubing pressure can be read.

Instructions below apply to the District 3 to office since this must be reported on a form.

In case of pressure:

1. Record pressure reading on gauge.

- 2. Bleed and note time elapsed to bleed down.
- 3. Leave valve open for additional observation.
- 4. Note any fluids expelled.

In absence of Pressure:

- 1. Leave valve open for additional observation.
- 2. Note types of fluids expelled.
- 3. Note if fluids persist throughout test.

Note: Tubing pressure on injection or SWD wells.

Test will be signed by person performing test with a contact phone number.

District III

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 127758

CONDITIONS

Operator:	OGRID:	
XTO PERMIAN OPERATING LLC.	373075	
	Action Number:	
MIDLAND, TX 79707	127758	
	Action Type:	
	[UF-BHT] Bradenhead Test (BRADENHEAD TEST)	

CONDITIONS

Created By		Condition Date
gcordero	None	9/8/2022