

1625 N. French Dr., Hobbs, NM 88240

District II

811 S. First St., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural ResourcesForm C-104
Revised August 1, 2011Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address TAP ROCK OPERATING, LLC 602 PARK POINT DRIVE, SUITE 200 GOLDEN, CO 80401		² OGRID Number 372043
		³ Reason for Filing Code/ Effective Date NW
⁴ API Number 30 - 0 15-47041	⁵ Pool Name WC-015 G-03 S262925D; BONE SPRING	⁶ Pool Code 98211
⁷ Property Code 326330	⁸ Property Name WTG FED COM	⁹ Well Number 123H

II. ¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
A	27	26S	29E		288	NORTH	915	EAST	EDDY

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
10 11	34	26S	29E		21	SOUTH	1887	EAST	EDDY
¹² Lse Code F	¹³ Producing Method Code F	¹⁴ Gas Connection Date 2/16/2022	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date				


III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
373554	SALT CREEK MIDSTREAM, LLC 20329 STATE HIGHWAY 249 HOUSTON, TX U.S.A 77070	O
373554	SALT CREEK MIDSTREAM, LLC 20329 STATE HIGHWAY 249 HOUSTON, TX U.S.A 77070	G

IV. Well Completion Data

²¹ Spud Date 10/9/21	²² Ready Date 1/17/2022	²³ TD 15655'	²⁴ PBTB 15588'	²⁵ Perforations 8900 ft to 15502 ft	²⁶ DHC, MC
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
17-1/2"	13-3/8"	652'	620		
12-1/2"	9-5/8"	3070'	902		
8-3/4"/8-1/2"	5-1/2"	15635'	1374		

V. Well Test Data

³¹ Date New Oil 2/16/2022	³² Gas Delivery Date 2/16/2022	³³ Test Date 3/1/2022	³⁴ Test Length 24 hrs	³⁵ Tbg. Pressure 0	³⁶ Csg. Pressure 1200
³⁷ Choke Size 40/64	³⁸ Oil 825	³⁹ Water 2842	⁴⁰ Gas 1783		⁴¹ Test Method Flowing
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: 			OIL CONSERVATION DIVISION		
Printed name: Jeff Trlica			Approved by: 		
Title: Regulatory Analyst			Title: Petroleum Engineer		
E-mail Address: jtrlica@taprk.com			Approval Date: 09/13/22		
Date: 3/21/2022			COA: File 3160-4 Completion Report within 10 days to NMOCD after BLM approval.		
Phone: 720-772-5910					

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources
Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

FORM C-102

Revised August 1, 2011

Submit one copy to appropriate

District Office

☐ AMENDED REPORT
As Drilled

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-015-47041	² Pool Code 98211	³ Pool Name WC-015 G-03 S262925D;BONE SPRING
⁴ Property Code 326330	⁵ Property Name WTG FED COM	⁶ Well Number 123H
⁷ OGRID No. #372043	⁸ Operator Name TAP ROCK OPERATING, LLC.	⁹ Elevation 2884'

¹⁰Surface Location


UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
A	27	26-S	29-E	-	288'	NORTH	915'	EAST	EDDY

¹¹Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
11	34	26-S	29-E	-	21'	SOUTH	1887'	EAST	EDDY

¹² Dedicated Acres 240	¹³ Joint or Infill Infill	¹⁴ Consolidation Code	¹⁵ Order No.
--------------------------------------	---	----------------------------------	-------------------------

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

¹⁷OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

[Signature]

1/10/2022

Signature

Date

Jeff Trlica

Printed Name


jtrlica@taprk.com

E-mail Address


¹⁸SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true to the best of my belief.

08/28/2021

Date of Survey
Signature and Seal of Professional Surveyor

Certificate Number



INTERNAL
PRE-COMPLETION
PLAT



TOPOGRAPHIC
LOYALTY INNOVATION LEGACY

1400 EVERMAN PARKWAY, Ste. 146 • FT. WORTH, TEXAS 76140
TELEPHONE: (817) 744-7512 • FAX (817) 744-7554
2903 NORTH BIG SPRING • MIDLAND, TEXAS 79705
TELEPHONE: (432) 682-1653 OR (800) 767-1653 • FAX (432) 682-1743
WWW.TOPOGRAPHIC.COM

WTG FED COM 123H PRE-COMPLETION	REVISION:	
	INT	DATE
DATE: 11/30/2021		
FILE:C_WTG_FED COM_123H		
DRAWN BY: GJU		
SHEET : 2 OF 2		

NOTES:

1. ORIGINAL DOCUMENT SIZE: 8.5" X 14"
2. ALL BEARINGS, DISTANCES, AND COORDINATE VALUES CONTAINED HEREIN ARE GRID BASED UPON THE NEW MEXICO COORDINATE SYSTEM OF 1983, EAST ZONE, U.S. SURVEY FEET.
3. THIS WELL LOCATION SHOWN HEREON HAS BEEN SURVEYED ON THE GROUND UNDER MY SUPERVISION AND PREPARED ACCORDING TO THE EVIDENCE FOUND AT THE TIME OF SURVEY, AND DATA PROVIDED BY TAP ROCK OPERATING, LLC. THIS CERTIFICATION IS MADE AND LIMITED TO THOSE PERSONS OR ENTITIES SHOWN ON THE FACE OF THIS PLAT AND IS NON-TRANSFERABLE. THIS SURVEY IS CERTIFIED FOR THIS TRANSACTION ONLY.



Operator: TapRock Resources LLC
Well Name: Welcome To Golden Federal Com #123H
County: Eddy
State: New Mexico
Rig Name: H&P 312
API: 30-015-47041

Intrepid Directional Drilling Specialists certifies that the surveys performed on the above referenced well are true and correct MWD surveys, data provided as follows:

Surveyor: Intrepid Directional Drilling Specialists
Survey Depths: 176' MD – 15,591' MD
Projection to Bit: 15,655' MD
Dates Performed: 10/09/2021 – 10/21/2021
Type of Survey: MWD

Sincerely,

A handwritten signature in black ink, appearing to read "T. Henk".

Travis Henk
MWD Operations Manager
Intrepid Directional Drilling Specialists





Operator: Tap Rock Resources, LLC.

Well Name: WTG Fed Com #123H

Job Number: ID3104

Survey Company: Intrepid Directional Drilling Specialists

Rig Name: H&P 312

Target KBTVD: 8,605'

Target Inclination: 90.40°

Declination Correction: 6.34°

DF Elevation: 2,912'

Vertical Section Calculated Along Azimuth: 181.87°

Survey Calculation Method: Minimum Curvature

TIE PT. TYPE	SVY #	Survey Depth	INC deg.	AZM deg.	Course Length	TVD Ft.	V'Sect FT.	+N/-S Ft.	+E/-W Ft.	Dogleg °/100'
Tie In	0	0	0.00	0.00	0	0	0	0	0	0.00
MWD	1	176	1.32	84.39	176	175.98	-0.26	0.20	2.02	0.75
MWD	2	235	2.42	68.22	59	234.95	-0.85	0.73	3.85	2.05
MWD	3	324	2.90	82.01	89	323.86	-1.99	1.74	7.83	0.90
MWD	4	415	0.62	130.27	91	414.81	-2.08	1.74	10.48	2.78
MWD	5	505	0.35	279.77	90	504.81	-1.82	1.47	10.58	1.04
MWD	6	596	0.35	170.17	91	595.81	-1.58	1.24	10.36	0.63
MWD	7	670	0.79	240.48	74	669.81	-1.09	0.77	9.95	1.01
MWD	8	763	0.75	223.17	93	762.80	-0.30	0.01	8.98	0.25
MWD	9	855	1.23	231.52	92	854.78	0.79	-1.04	7.79	0.54
MWD	10	981	1.19	237.84	126	980.76	2.40	-2.58	5.62	0.11
MWD	11	1077	1.32	225.98	96	1076.73	3.75	-3.88	3.99	0.30
MWD	12	1172	1.45	225.63	95	1171.70	5.40	-5.48	2.34	0.14
MWD	13	1267	1.23	219.56	95	1266.68	7.08	-7.11	0.83	0.28
MWD	14	1363	1.63	222.38	96	1362.65	8.93	-8.91	-0.75	0.42
MWD	15	1458	1.54	235.82	95	1457.61	10.71	-10.63	-2.71	0.40
MWD	16	1553	2.73	250.15	95	1552.55	12.30	-12.11	-5.90	1.36
MWD	17	1649	3.60	288.91	96	1648.41	12.26	-11.91	-10.90	2.35
MWD	18	1745	3.56	289.61	96	1744.22	10.47	-9.93	-16.56	0.06
MWD	19	1840	4.31	286.18	95	1839.00	8.69	-7.95	-22.77	0.83
MWD	20	1935	5.58	285.48	95	1933.64	6.72	-5.72	-30.64	1.34
MWD	21	2030	5.58	289.96	95	2028.19	4.20	-2.91	-39.44	0.46
MWD	22	2126	5.23	287.06	96	2123.76	1.60	-0.04	-48.01	0.46
MWD	23	2221	4.48	287.59	95	2218.42	-0.54	2.36	-55.68	0.79
MWD	24	2316	4.66	290.31	95	2313.12	-2.76	4.82	-62.84	0.30
MWD	25	2412	6.15	292.34	96	2408.69	-5.80	8.13	-71.25	1.56
MWD	26	2507	8.84	292.60	95	2502.87	-10.16	12.87	-82.70	2.83
MWD	27	2602	8.97	297.08	95	2596.73	-15.90	19.04	-96.03	0.74
MWD	28	2697	9.85	294.27	95	2690.45	-22.15	25.75	-110.04	1.04
MWD	29	2793	10.99	291.46	96	2784.86	-28.35	32.48	-126.04	1.30
MWD	30	2888	12.53	288.82	95	2877.87	-34.39	39.11	-144.22	1.72
MWD	31	2983	13.36	289.52	95	2970.45	-40.72	46.11	-164.32	0.89
MWD	32	3018	13.58	291.72	35	3004.49	-43.34	48.98	-171.95	1.59
MWD	33	3194	13.49	291.37	176	3175.60	-57.21	64.11	-210.26	0.07
MWD	34	3289	13.71	291.55	95	3267.94	-64.70	72.28	-231.05	0.24
MWD	35	3384	12.44	290.31	95	3360.47	-71.73	79.97	-251.12	1.37
MWD	36	3480	12.09	290.75	96	3454.28	-78.25	87.12	-270.22	0.38
MWD	37	3575	11.87	290.14	95	3547.21	-84.53	94.01	-288.70	0.27
MWD	38	3670	11.91	290.58	95	3640.18	-90.74	100.82	-307.05	0.10
MWD	39	3765	11.60	289.88	95	3733.18	-96.84	107.51	-325.21	0.36
MWD	40	3861	10.51	287.59	96	3827.40	-102.20	113.44	-342.63	1.22
MWD	41	3956	9.98	285.57	95	3920.89	-106.49	118.27	-358.82	0.67
MWD	42	4051	9.49	283.81	95	4014.52	-110.06	122.34	-374.35	0.60
MWD	43	4147	9.41	283.11	96	4109.22	-113.23	126.01	-389.68	0.15
MWD	44	4242	9.54	286.10	95	4202.92	-116.68	129.96	-404.81	0.54
MWD	45	4337	10.46	286.62	95	4296.48	-120.81	134.61	-420.64	0.97
MWD	46	4433	10.15	285.22	96	4390.93	-124.98	139.32	-437.15	0.42
MWD	47	4528	10.59	286.71	95	4484.38	-129.15	144.03	-453.59	0.54
MWD	48	4623	10.07	285.48	95	4577.84	-133.34	148.76	-469.95	0.59
MWD	49	4718	9.76	284.16	95	4671.42	-137.01	152.94	-485.76	0.40
MWD	50	4814	10.51	286.45	96	4765.92	-140.95	157.41	-502.05	0.89
MWD	51	4909	10.29	285.57	95	4859.36	-145.14	162.14	-518.53	0.29
MWD	52	5004	10.68	287.33	95	4952.77	-149.49	167.04	-535.11	0.53
MWD	53	5100	11.21	289.35	96	5047.03	-154.67	172.78	-552.41	0.68
MWD	54	5195	10.73	288.12	95	5140.29	-159.91	178.59	-569.53	0.56
MWD	55	5290	9.54	286.01	95	5233.81	-164.31	183.52	-585.50	1.31
MWD	56	5386	9.80	288.21	96	5328.44	-168.55	188.26	-600.91	0.47
MWD	57	5480	10.59	290.14	94	5420.96	-173.51	193.74	-616.62	0.92
MWD	58	5574	10.37	291.02	94	5513.39	-179.00	199.75	-632.62	0.29
MWD	59	5668	10.51	291.98	94	5605.83	-184.72	205.99	-648.47	0.24
MWD	60	5764	11.34	293.39	96	5700.09	-191.19	213.01	-665.25	0.91
MWD	61	5858	11.38	293.83	94	5792.25	-198.05	220.43	-682.22	0.10
MWD	62	5952	11.30	291.02	94	5884.42	-204.54	227.48	-699.30	0.59

MWD	63	6047	10.68	289.44	95	5977.67	-210.25	233.75	-716.29	0.73
MWD	64	6143	11.21	289.26	96	6071.93	-215.72	239.79	-733.48	0.55
MWD	65	6238	10.77	289.61	95	6165.18	-221.19	245.81	-750.56	0.47
MWD	66	6333	10.55	288.73	95	6258.55	-226.42	251.58	-767.16	0.29
MWD	67	6429	10.42	289.70	96	6352.94	-231.62	257.33	-783.66	0.23
MWD	68	6524	10.20	288.64	95	6446.41	-236.68	262.92	-799.72	0.31
MWD	69	6619	9.76	288.12	95	6539.97	-241.36	268.11	-815.34	0.47
MWD	70	6715	9.23	287.77	96	6634.66	-245.75	272.99	-830.40	0.56
MWD	71	6810	7.78	285.13	95	6728.61	-249.31	276.99	-843.87	1.58
MWD	72	6905	7.25	285.13	95	6822.79	-252.16	280.24	-855.86	0.56
MWD	73	7000	7.12	288.91	95	6917.05	-255.26	283.71	-867.22	0.52
MWD	74	7096	6.33	288.47	96	7012.39	-258.51	287.31	-877.87	0.82
MWD	75	7191	5.98	284.69	95	7106.84	-261.11	290.23	-887.62	0.56
MWD	76	7286	5.41	284.60	95	7201.37	-263.19	292.61	-896.74	0.60
MWD	77	7382	5.76	278.71	96	7296.91	-264.76	294.48	-905.88	0.70
MWD	78	7477	6.07	269.48	95	7391.41	-265.12	295.16	-915.62	1.05
MWD	79	7572	4.92	251.38	95	7485.98	-263.49	293.81	-924.50	2.18
MWD	80	7668	3.21	231.52	96	7581.74	-260.31	290.82	-930.51	2.28
MWD	81	7764	3.03	222.02	96	7677.60	-256.63	287.27	-934.31	0.57
MWD	82	7859	3.25	225.72	95	7772.45	-252.77	283.52	-937.92	0.31
MWD	83	7955	2.37	214.47	96	7868.34	-249.13	279.99	-940.99	1.08
MWD	84	8035	1.93	212.88	80	7948.28	-246.58	277.49	-942.66	0.55
MWD	85	8053	1.49	231.08	18	7966.27	-246.17	277.09	-943.00	3.85
MWD	86	8149	9.32	176.32	96	8061.80	-237.60	268.53	-943.48	8.90
MWD	87	8245	20.40	176.32	96	8154.45	-213.13	244.00	-941.90	11.54
MWD	88	8340	28.70	179.13	95	8240.79	-173.80	204.60	-940.49	8.82
MWD	89	8436	32.66	179.05	96	8323.33	-124.88	155.63	-939.71	4.13
MWD	90	8531	40.13	178.43	95	8399.75	-68.64	99.32	-938.44	7.87
MWD	91	8627	51.78	184.41	96	8466.41	0.18	30.53	-940.50	12.92
MWD	92	8722	62.11	185.11	95	8518.15	79.59	-48.71	-947.13	10.89
MWD	93	8817	68.97	184.41	95	8557.47	165.91	-134.84	-954.29	7.25
MWD	94	8913	75.25	183.18	96	8586.94	257.17	-225.95	-960.31	6.65
MWD	95	9008	82.02	182.91	95	8605.65	350.23	-318.90	-965.26	7.13
MWD	96	9104	89.58	184.23	96	8612.68	445.86	-414.39	-971.22	7.99
MWD	97	9197	93.58	184.32	93	8610.11	538.72	-507.07	-978.15	4.30
MWD	98	9293	91.65	183.70	96	8605.73	634.55	-602.73	-984.85	2.11
MWD	99	9388	91.25	184.14	95	8603.33	729.46	-697.48	-991.34	0.63
MWD	100	9483	92.13	183.88	95	8600.53	824.35	-792.21	-997.98	0.97
MWD	101	9579	91.03	183.62	96	8597.88	920.26	-887.96	-1004.26	1.18
MWD	102	9674	91.56	183.44	95	8595.73	1015.20	-982.76	-1010.11	0.59
MWD	103	9769	89.89	182.91	95	8594.53	1110.16	-1077.60	-1015.37	1.84
MWD	104	9865	90.90	183.00	96	8593.87	1206.14	-1173.47	-1020.32	1.06
MWD	105	9960	89.93	183.26	95	8593.18	1301.11	-1268.32	-1025.51	1.06
MWD	106	10055	90.37	182.91	95	8592.93	1396.09	-1363.19	-1030.62	0.59
MWD	107	10151	91.12	182.74	96	8591.69	1492.07	-1459.06	-1035.35	0.80
MWD	108	10246	88.97	181.42	95	8591.61	1587.06	-1553.99	-1038.80	2.66
MWD	109	10341	89.45	181.77	95	8592.92	1682.05	-1648.94	-1041.44	0.63
MWD	110	10437	90.64	182.82	96	8592.85	1778.04	-1744.86	-1045.28	1.65
MWD	111	10532	91.87	182.82	95	8590.76	1873.01	-1839.72	-1049.96	1.29
MWD	112	10627	90.33	181.77	95	8588.94	1967.98	-1934.63	-1053.76	1.96
MWD	113	10723	89.63	181.07	96	8588.97	2063.98	-2030.59	-1056.14	1.03
MWD	114	10818	90.73	181.24	95	8588.68	2158.97	-2125.57	-1058.05	1.17
MWD	115	10913	92.44	181.68	95	8586.05	2253.93	-2220.50	-1060.47	1.86
MWD	116	11009	90.95	181.33	96	8583.21	2349.88	-2316.42	-1062.99	1.59
MWD	117	11104	87.12	180.54	95	8584.81	2444.83	-2411.38	-1064.54	4.12
MWD	118	11200	88.31	180.98	96	8588.64	2540.74	-2507.29	-1065.82	1.32
MWD	119	11295	89.14	180.89	95	8590.75	2635.70	-2602.26	-1067.37	0.88
MWD	120	11391	90.24	181.24	96	8591.27	2731.69	-2698.24	-1069.15	1.20
MWD	121	11486	91.47	181.59	95	8589.85	2826.67	-2793.20	-1071.50	1.35
MWD	122	11582	92.57	182.03	96	8586.47	2922.61	-2889.09	-1074.53	1.23
MWD	123	11678	90.46	182.12	96	8583.93	3018.57	-2984.98	-1078.00	2.20
MWD	124	11773	90.95	181.95	95	8582.76	3113.56	-3079.92	-1081.37	0.55
MWD	125	11869	88.26	182.74	96	8583.42	3209.55	-3175.82	-1085.30	2.92
MWD	126	11965	88.26	182.91	96	8586.34	3305.49	-3271.66	-1090.03	0.18
MWD	127	12060	89.19	183.00	95	8588.45	3400.45	-3366.51	-1094.93	0.98
MWD	128	12156	89.67	183.44	96	8589.41	3496.42	-3462.36	-1100.32	0.68
MWD	129	12252	90.51	183.88	96	8589.26	3592.37	-3558.16	-1106.45	0.99
MWD	130	12348	89.45	183.35	96	8589.29	3688.32	-3653.97	-1112.50	1.23
MWD	131	12443	88.75	181.15	95	8590.78	3783.30	-3748.87	-1116.23	2.43
MWD	132	12539	89.98	182.91	96	8591.85	3879.29	-3844.80	-1119.63	2.24
MWD	133	12634	89.89	182.12	95	8591.95	3974.28	-3939.71	-1123.80	0.84
MWD	134	12730	90.51	182.74	96	8591.62	4070.28	-4035.62	-1127.87	0.91
MWD	135	12825	90.11	181.86	95	8591.10	4165.27	-4130.54	-1131.68	1.02
MWD	136	12920	91.69	182.91	95	8589.61	4260.25	-4225.45	-1135.63	2.00
MWD	137	13016	92.70	183.09	96	8585.94	4356.16	-4321.24	-1140.65	1.07
MWD	138	13112	92.09	183.09	96	8581.92	4452.06	-4417.02	-1145.82	0.64

MWD	139	13207	92.44	182.56	95	8578.17	4546.97	-4511.83	-1150.50	0.67
MWD	140	13303	90.95	182.47	96	8575.33	4642.92	-4607.69	-1154.71	1.55
MWD	141	13398	89.19	182.03	95	8575.21	4737.91	-4702.61	-1158.44	1.91
MWD	142	13493	88.79	181.24	95	8576.89	4832.90	-4797.56	-1161.15	0.93
MWD	143	13589	90.24	182.30	96	8577.70	4928.89	-4893.51	-1164.12	1.87
MWD	144	13685	88.84	181.77	96	8578.47	5024.88	-4989.44	-1167.53	1.56
MWD	145	13780	89.23	181.51	95	8580.07	5119.87	-5084.39	-1170.24	0.49
MWD	146	13875	90.42	181.95	95	8580.36	5214.86	-5179.34	-1173.11	1.34
MWD	147	13970	91.65	181.86	95	8578.65	5309.85	-5274.27	-1176.27	1.30
MWD	148	14064	90.64	181.42	94	8576.77	5403.83	-5368.21	-1178.96	1.17
MWD	149	14161	89.49	180.80	97	8576.66	5500.82	-5465.19	-1180.84	1.35
MWD	150	14257	89.93	180.89	96	8577.14	5596.80	-5561.18	-1182.25	0.47
MWD	151	14353	90.64	181.42	96	8576.67	5692.79	-5657.16	-1184.19	0.92
MWD	152	14448	91.52	181.51	95	8574.87	5787.77	-5752.11	-1186.62	0.93
MWD	153	14544	89.45	180.45	96	8574.06	5883.75	-5848.09	-1188.26	2.42
MWD	154	14640	89.14	179.40	96	8575.24	5979.68	-5944.08	-1188.13	1.14
MWD	155	14736	89.27	179.31	96	8576.58	6075.58	-6040.06	-1187.05	0.16
MWD	156	14831	90.20	179.57	95	8577.01	6170.49	-6135.06	-1186.12	1.02
MWD	157	14927	91.56	181.42	96	8575.54	6266.45	-6231.03	-1186.95	2.39
MWD	158	15023	92.09	181.51	96	8572.48	6362.40	-6326.95	-1189.41	0.56
MWD	159	15118	90.68	181.07	95	8570.19	6457.36	-6421.90	-1191.54	1.55
MWD	160	15214	91.30	180.89	96	8568.53	6553.34	-6517.87	-1193.19	0.67
MWD	161	15310	90.20	180.63	96	8567.27	6649.31	-6613.85	-1194.46	1.18
MWD	162	15405	90.46	180.80	95	8566.72	6744.29	-6708.84	-1195.65	0.33
MWD	163	15501	92.22	181.15	96	8564.48	6840.24	-6804.80	-1197.28	1.87
MWD	164	15591	92.75	181.15	90	8560.58	6930.15	-6894.70	-1199.08	0.59
PTB	165	15655	92.75	181.15	64	8557.51	6994.07	-6958.61	-1200.37	0.00

Well Name: WTG FED COM	Well Location: T26S / R29E / SEC 27 / NENE / 32.019277 / -103.966092	County or Parish/State: EDDY / NM
Well Number: 123H	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMNM38636	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001547041	Well Status: Drilling Well	Operator: TAP ROCK OPERATING LLC

Subsequent Report

Sundry ID: 2655061

Type of Submission: Subsequent Report

Date Sundry Submitted: 01/31/2022

Date Operation Actually Began: 12/20/2021

Type of Action: Drilling Operations

Time Sundry Submitted: 05:34

Actual Procedure: 12/20/2021: Pressure test casing to 5000 psi for 30 minutes, good test. 12/30/2021 to 1/2/2022: Perforate from 8900 ft to 15502 ft, 1 SPF, .55 inch holes with 351 total shots. 27 stage frac with 20,816,276 lbs of 100 mesh sand. 1/15/2022 to 1/16/2022: Drill out plugs Plug Back Measured depth at 15588 ft MD, 8559 ft TVD. 1/17/2022: Ready to produce

Received by OCD: 3/30/2022 9:27:05 AM

Page 10 of 14

Well Name: WTG FED COM	Well Location: T26S / R29E / SEC 27 / NENE / 32.019277 / -103.966092	County or Parish/State: EDDY / NM
Well Number: 123H	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMNM38636	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001547041	Well Status: Drilling Well	Operator: TAP ROCK OPERATING LLC

Operator Certification

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

Operator Electronic Signature: JEFFREY TRLICA	Signed on: JAN 31, 2022 05:34 PM
Name: TAP ROCK OPERATING LLC	
Title: Regulatory Analyst	
Street Address: 523 PARK POINT DRIVE SUITE 200	
City: GOLDEN	State: CO
Phone: (720) 772-5910	
Email address: JTRLICA@TAPRK.COM	

Field Representative

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact

BLM POC Name: Jonathon W Shepard	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5752345972	BLM POC Email Address: jshepard@blm.gov
Disposition: Accepted	Disposition Date: 03/02/2022
Signature: Jonathon Shepard	

Submit To Appropriate District Office Two Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505			Form C-105 Revised April 3, 2017					
1. WELL API NO. 30-015-47041										
2. Type of Lease ☐ STATE ☐ FEE ☒ FED/INDIAN										
3. State Oil & Gas Lease No.										
WELL COMPLETION OR RECOMPLETION REPORT AND LOG										
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)								5. Lease Name or Unit Agreement Name WTG Fed Com		
								6. Well Number: 123H		
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER										
8. Name of Operator TAP ROCK OPERATING, LLC								9. OGRID 372043		
10. Address of Operator 602 PARK POINT DRIVE, SUITE 200, GOLDEN, CO								11. Pool name or Wildcat [98211] WC-015 G-03 S262925D; BONE SPRING		
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	A	27	26S	29E		288	NORTH	915	EAST	EDDY
BH:	11	34	26S	29E		21	SOUTH	1887	EAST	EDDY
13. Date Spudded 10/9/2021	14. Date T.D. Reached 10/21/2021		15. Date Rig Released 10/23/2021		16. Date Completed (Ready to Produce) 1/17/2022			17. Elevations (DF and RKB, RT, GR, etc.) 2884 GL		
18. Total Measured Depth of Well 15655'			19. Plug Back Measured Depth 15588'		20. Was Directional Survey Made? YES			21. Type Electric and Other Logs Run GAMMA		
22. Producing Interval(s), of this completion - Top, Bottom, Name 8900 ft to 15502 ft, BONE SPRING										
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
13-3/8"		54.5		652'		17-1/2"		620 SKS		0
9-5/8"		29.7		3070"		12-1/2"		902 SKS		0
5-1/2"		20		15635'		8-3/4"/8-1/2"		1374 SKS		0
24. LINER RECORD						25. TUBING RECORD				
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET	PACKER SET			
26. Perforation record (interval, size, and number) Perforate from 8900 ft to 15502 ft, 1 SPF, .55 inch holes with 351 total shots						27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC. DEPTH INTERVAL AMOUNT AND KIND MATERIAL USED 8900 ft to 15502 ft 27 stage frac with 20,816,276 lbs of 100 mesh sand				
28. PRODUCTION										
Date First Production 2/16/22		Production Method (Flowing, gas lift, pumping - Size and type pump) Flowing				Well Status (Prod. or Shut-in) Producing				
Date of Test 3/1/2022	Hours Tested 24	Choke Size 40/64	Prod'n For Test Period	Oil - Bbl 825	Gas - MCF 1783	Water - Bbl. 2842	Gas - Oil Ratio 2161			
Flow Tubing Press.	Casing Pressure 1200	Calculated 24-Hour Rate	Oil - Bbl. 825	Gas - MCF 1783	Water - Bbl. 2842	Oil Gravity - API - (Corr.)				
29. Disposition of Gas (Sold, used for fuel, vented, etc.) Sold								30. Test Witnessed By		
31. List Attachments C-102 As-Drilled, Directional Survey										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.								33. Rig Release Date:		
34. If an on-site burial was used at the well, report the exact location of the on-site burial:										
Latitude				Longitude				NAD83		
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Signature 			Printed Name Jeff Trlica			Title Regulatory Analyst		Date 3/21/2022		
E-mail Address jtrlica@taprk.com										

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

[illegible]

No. 1, from.....to.....
No. 2, from.....to.....
No. 3, from.....to.....
No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology		From	To	Thickness In Feet	Lithology
0	501		QUATERNARY					
501	885		RUSTLER					
885	2608		TOP OF SALT					
2608	2847		BASE OF SALT					
2847	2878		DELAWARE					
2878	3771		BELL CANYON					
3771	5439		CHERRY CANYON					
5439	6662		BRUSHY CANYON					
6662	7133		BONE SPRING LIME					
7133	7581		AVALON					
7581	8139		1ST BONE SPRING SAND					
8139			2ND BONE SPRING SAND					

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 94230

ACKNOWLEDGMENTS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 94230
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 94230

CONDITIONS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 94230
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
Ilowe	COA: File 3160-4 Completion Report within 10 days to NMOCD after BLM approval.	9/13/2022