

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address BTA OIL PRODUCERS, LLC		² OGRID Number 260297	
		³ Reason for Filing Code/ Effective Date NEW WELL	
⁴ API Number 30 – 025-46820	⁵ Pool Name OJOCHISO;BONESPRING, SOUTH		⁶ Pool Code 97293
⁷ Property Code 327072	⁸ Property Name MAXUS 8026 FED		⁹ Well Number 8H

II. ¹⁰ Surface Location

UL or lot no. D	Section 34	Township 22S	Range 34E	Lot Idn	Feet from the 460	North/South Line NORTH	Feet from the 1050	East/West line WEST	County LEA
--------------------	---------------	-----------------	--------------	---------	----------------------	---------------------------	-----------------------	------------------------	---------------

¹¹ Bottom Hole Location

UL or lot no. F	Section 3	Township 23S	Range 34E		Feet from the 2618.1	North/South line NORTH	Feet from the 1795.4	East/West line WEST	County LEA
¹² Lse Code F	¹³ Producing Method Code FLOWING		¹⁴ Gas Connection Date 2/15/2022		¹⁵ C-129 Permit Number		¹⁶ C-129 Effective Date		¹⁷ C-129 Expiration Date


III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
195739	PLAINS PIPELINE, L.P.	O
24650	TARGA MIDSTREAM SERVICES LLC	G

IV. Well Completion Data

²¹ Spud Date 9/25/2021	²² Ready Date 2/15/2022	²³ TD 18,990'	²⁴ PBDT 18,980	²⁵ Perforations 11,470' – 18,900'	²⁶ DHC, MC
²⁷ Hole Size		²⁸ Casing & Tubing Size	²⁹ Depth Set		³⁰ Sacks Cement
17 ½"		13 3/8"	1,892'		1330
12 ¼"		9 5/8"	5,602		2,265'
8 ¾"		5 ½"	18,983'		2,530

V. Well Test Data

³¹ Date New Oil 2/15/2022	³² Gas Delivery Date 2/15/2022	³³ Test Date 2/22/2022	³⁴ Test Length 24 HOURS	³⁵ Tbg. Pressure 3,100 psi	³⁶ Csg. Pressure
³⁷ Choke Size 25/64"	³⁸ Oil 1,684	³⁹ Water 1,481	⁴⁰ Gas 2,188	3,100 psi	⁴¹ Test Method flowing
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: Katy Reddell			OIL CONSERVATION DIVISION Approved by: 		
Printed name: KATY REDDEL			Title: Petroleum Engineer		
Title: REGULATORY ANALYST			Approval Date: 10/04/22		
E-mail Address: kreddell@btaoil.com			COA: File 3160-4 Completion Report within 10 days to NMOCD after BLM approval.		
Date: 03/16/2022		Phone: 432-682-3753			

DISTRICT I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
DISTRICT II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
DISTRICT III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
DISTRICT IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, New Mexico 87505

Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office

AMENDED REPORT
AS-DRILLED

WELL LOCATION AND ACREAGE DEDICATION PLAT

API Number 30 - 025-46820	Pool Code 97293	Pool Name OJO CHISO; BONESPRING, SOUTH
Property Code 327072	Property Name MAXUS 8026 FED	Well Number 8H
OGRID No. 260297	Operator Name BTA OIL PRODUCERS, LLC	Elevation 3404'


Surface Location

UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
D	34	22-S	34-E		460	NORTH	1050	WEST	LEA

As-Drilled Bottom Hole Location If Different From Surface

UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
F	3	23-S	34-E		2618.1	NORTH	1795.4	WEST	LEA
Dedicated Acres 240.03	Joint or Infill	Consolidation Code	Order No.						

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION



SCALE: 1"=2000'	
GEODETIC COORDINATES NAD 83 NME SURFACE LOCATION Y= 493666.4 N X= 810065.9 E LAT.=32.354157° N LONG.=103.463087° W FIRST TAKE POINT NAD 83 NME Y= 493742.1 N X= 810720.0 E LAT.=32.354350° N LONG.=103.460967° W	GEODETIC COORDINATES NAD 27 NME SURFACE LOCATION Y= 493606.2 N X= 768882.6 E LAT.=32.354033° N LONG.=103.462607° W FIRST TAKE POINT NAD 27 NME Y= 493681.8 N X= 769536.6 E LAT.=32.354226° N LONG.=103.460488° W
CORNER COORDINATES TABLE NAD 27 NME A - Y= 494079.2 N, X= 770466.9 E B - Y= 494068.3 N, X= 769148.5 E C - Y= 488789.6 N, X= 769181.5 E D - Y= 488800.4 N, X= 770502.1 E E - Y= 486157.2 N, X= 770524.7 E F - Y= 486147.7 N, X= 769204.6 E	
CORNER COORDINATES TABLE NAD 83 NME A - Y= 494139.5 N, X= 811650.3 E B - Y= 494128.5 N, X= 810331.8 E C - Y= 488849.7 N, X= 810365.0 E D - Y= 488860.5 N, X= 811685.5 E E - Y= 486217.2 N, X= 811708.2 E F - Y= 486207.7 N, X= 810388.1 E	
LAST TAKE POINT NAD 83 NME Y= 486325.7 N X= 810856.8 E LAT.=32.333963° N LONG.=103.460719° W	LAST TAKE POINT NAD 27 NME Y= 486265.7 N X= 769673.3 E LAT.=32.333839° N LONG.=103.460241° W
AS-DRILLED BOTTOM HOLE LOCATION NAD 83 NME Y= 486236.0 N X= 810863.2 E LAT.=32.333717° N LONG.=103.460701° W	AS-DRILLED BOTTOM HOLE LOCATION NAD 27 NME Y= 486176.0 N X= 769679.7 E LAT.=32.333592° N LONG.=103.460223° W
NOTE: AS-DRILLED BOTTOM HOLE, LAST TAKE POINT AND FIRST TAKE POINT PLOTTED FROM DATA FURNISHED BY KLX DIRECTIONAL DRILLING ON NOVEMBER 03, 2021.	

OPERATOR CERTIFICATION

I hereby certify that the information herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

Katy Reddell 03/16/2022

Signature Date

KATY REDDELL

Printed Name

kreddell@btaoil.com

E-mail Address

SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.


Date of Survey
Signature & Seal of Professional Surveyor:

Ronald J. Eidson 02/24/2022

Certificate Number Gary G. Eidson 12641

Ronald J. Eidson 3239

ACK REL. W.O.:19110175 JWSC W.O.: 22.13.0071



BTA Oil Producers, LLC

Lea County, NM (NAD 83)

Sec 34, T22-S, R34-E

Maxus 8026 Fed #8H

Wellbore #1

Design: Wellbore #1

Survey Report - Geographic

03 November, 2021





KLX
Survey Report - Geographic



Company:	BTA Oil Producers, LLC	Local Co-ordinate Reference:	Well Maxus 8026 Fed #8H
Project:	Lea County, NM (NAD 83)	TVD Reference:	WELL @ 3430.0usft (Patterson #566)
Site:	Sec 34, T22-S, R34-E	MD Reference:	WELL @ 3430.0usft (Patterson #566)
Well:	Maxus 8026 Fed #8H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.1 Single User Db

Project	Lea County, NM (NAD 83)		
Map System:	US State Plane 1983	System Datum:	Mean Sea Level
Geo Datum:	North American Datum 1983		
Map Zone:	New Mexico Eastern Zone		

Site		Sec 34, T22-S, R34-E			
Site Position:		Northing:	493,850.80 usft	Latitude:	32° 21' 16.548 N
From:	Map	Easting:	813,066.30 usft	Longitude:	103° 27' 12.119 W
Position Uncertainty:	0.0 usft	Slot Radius:	13-3/16 "	Grid Convergence:	0.47 °

Well		Maxus 8026 Fed #8H				
Well Position	+N/-S	0.0 usft	Northing:	493,666.40 usft	Latitude:	32° 21' 14.966 N
	+E/-W	0.0 usft	Easting:	810,065.90 usft	Longitude:	103° 27' 47.113 W
Position Uncertainty		0.0 usft	Wellhead Elevation:	usft	Ground Level:	3,404.0 usft

Wellbore	Wellbore #1				
Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	HDGM2021	9/8/2021	6.43	60.00	47,758.30000000

Design	Wellbore #1				
Audit Notes:					
Version:	1.0	Phase:	ACTUAL	Tie On Depth:	0.0
Vertical Section:	Depth From (TVD) (usft)	+N/-S (usft)	+E/-W (usft)	Direction (°)	
	0.0	0.0	0.0	173.97	

Survey Program	Date	11/3/2021			
From (usft)	To (usft)	Survey (Wellbore)	Tool Name	Description	
149.0	18,990.0	KLX MWD Surveys (Wellbore #1)	MWD	OWSG MWD - Standard	

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
0.0	0.00	0.00	0.0	0.0	0.0	493,666.40	810,065.90	32° 21' 14.966 N	103° 27' 47.113 W
149.0	0.80	204.60	149.0	-0.9	-0.4	493,665.46	810,065.47	32° 21' 14.956 N	103° 27' 47.118 W
First MWD Survey @ 149.0' MD / 149.0' TVD									
283.0	0.60	221.20	283.0	-2.3	-1.3	493,664.08	810,064.61	32° 21' 14.943 N	103° 27' 47.128 W
403.0	0.60	122.30	403.0	-3.1	-1.2	493,663.27	810,064.73	32° 21' 14.935 N	103° 27' 47.126 W
490.0	0.30	295.50	490.0	-3.3	-1.0	493,663.12	810,064.91	32° 21' 14.933 N	103° 27' 47.124 W
701.0	0.40	68.70	701.0	-2.8	-0.8	493,663.63	810,065.10	32° 21' 14.938 N	103° 27' 47.122 W
795.0	0.60	70.80	795.0	-2.5	0.0	493,663.91	810,065.87	32° 21' 14.941 N	103° 27' 47.113 W
888.0	0.90	86.80	888.0	-2.3	1.2	493,664.11	810,067.06	32° 21' 14.943 N	103° 27' 47.099 W
982.0	0.70	95.80	982.0	-2.3	2.5	493,664.09	810,068.37	32° 21' 14.943 N	103° 27' 47.084 W
1,074.0	0.50	76.10	1,074.0	-2.3	3.4	493,664.13	810,069.31	32° 21' 14.943 N	103° 27' 47.073 W
1,168.0	0.90	33.10	1,167.9	-1.6	4.2	493,664.85	810,070.12	32° 21' 14.950 N	103° 27' 47.064 W



KLX

Survey Report - Geographic



Company:	BTA Oil Producers, LLC	Local Co-ordinate Reference:	Well Maxus 8026 Fed #8H
Project:	Lea County, NM (NAD 83)	TVD Reference:	WELL @ 3430.0usft (Patterson #566)
Site:	Sec 34, T22-S, R34-E	MD Reference:	WELL @ 3430.0usft (Patterson #566)
Well:	Maxus 8026 Fed #8H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.1 Single User Db

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
1,261.0	0.00	59.30	1,260.9	-0.9	4.6	493,665.46	810,070.51	32° 21' 14.956 N	103° 27' 47.059 W
1,354.0	1.10	17.60	1,353.9	-0.1	4.9	493,666.31	810,070.78	32° 21' 14.965 N	103° 27' 47.056 W
1,448.0	1.30	31.80	1,447.9	1.7	5.7	493,668.08	810,071.62	32° 21' 14.982 N	103° 27' 47.046 W
1,541.0	0.70	73.00	1,540.9	2.7	6.8	493,669.14	810,072.72	32° 21' 14.992 N	103° 27' 47.033 W
1,634.0	0.90	121.70	1,633.9	2.5	8.0	493,668.92	810,073.88	32° 21' 14.990 N	103° 27' 47.019 W
1,727.0	0.80	175.50	1,726.9	1.5	8.7	493,667.89	810,074.56	32° 21' 14.980 N	103° 27' 47.011 W
1,820.0	0.70	202.90	1,819.9	0.3	8.5	493,666.72	810,074.39	32° 21' 14.968 N	103° 27' 47.014 W
1,873.0	0.40	183.80	1,872.9	-0.2	8.3	493,666.24	810,074.25	32° 21' 14.964 N	103° 27' 47.015 W
1,930.0	0.40	207.60	1,929.9	-0.5	8.2	493,665.86	810,074.14	32° 21' 14.960 N	103° 27' 47.017 W
2,023.0	1.50	53.10	2,022.9	-0.1	9.1	493,666.31	810,074.97	32° 21' 14.964 N	103° 27' 47.007 W
2,116.0	3.60	44.60	2,115.8	2.7	12.1	493,669.12	810,077.99	32° 21' 14.992 N	103° 27' 46.971 W
2,210.0	5.50	43.80	2,209.5	8.1	17.3	493,674.47	810,083.18	32° 21' 15.044 N	103° 27' 46.910 W
2,303.0	6.20	46.80	2,302.0	14.7	24.0	493,681.13	810,089.93	32° 21' 15.110 N	103° 27' 46.831 W
2,396.0	6.30	46.30	2,394.4	21.7	31.4	493,688.09	810,097.28	32° 21' 15.178 N	103° 27' 46.745 W
2,489.0	6.60	47.80	2,486.8	28.8	39.0	493,695.20	810,104.92	32° 21' 15.248 N	103° 27' 46.655 W
2,582.0	7.00	48.20	2,579.2	36.2	47.2	493,702.57	810,113.11	32° 21' 15.320 N	103° 27' 46.559 W
2,675.0	7.10	48.00	2,671.5	43.8	55.7	493,710.19	810,121.60	32° 21' 15.395 N	103° 27' 46.459 W
2,769.0	7.30	49.30	2,764.7	51.6	64.5	493,717.98	810,130.45	32° 21' 15.471 N	103° 27' 46.355 W
2,862.0	7.20	48.70	2,857.0	59.3	73.4	493,725.68	810,139.31	32° 21' 15.546 N	103° 27' 46.251 W
2,955.0	7.60	52.40	2,949.2	66.9	82.7	493,733.27	810,148.56	32° 21' 15.621 N	103° 27' 46.143 W
3,048.0	7.80	54.60	3,041.4	74.3	92.7	493,740.68	810,158.57	32° 21' 15.693 N	103° 27' 46.025 W
3,142.0	7.90	55.50	3,134.5	81.6	103.2	493,748.04	810,169.10	32° 21' 15.765 N	103° 27' 45.902 W
3,235.0	6.90	58.40	3,226.7	88.2	113.2	493,754.58	810,179.12	32° 21' 15.829 N	103° 27' 45.784 W
3,328.0	7.20	56.70	3,319.0	94.3	122.9	493,760.71	810,188.75	32° 21' 15.889 N	103° 27' 45.672 W
3,422.0	7.30	59.10	3,412.3	100.6	132.9	493,767.01	810,198.80	32° 21' 15.951 N	103° 27' 45.554 W
3,515.0	6.20	57.10	3,504.6	106.4	142.2	493,772.77	810,208.09	32° 21' 16.007 N	103° 27' 45.445 W
3,608.0	5.60	57.00	3,597.1	111.6	150.2	493,777.97	810,216.11	32° 21' 16.058 N	103° 27' 45.351 W
3,702.0	5.40	57.20	3,690.7	116.5	157.8	493,782.87	810,223.67	32° 21' 16.105 N	103° 27' 45.262 W
3,795.0	5.00	56.20	3,783.3	121.1	164.8	493,787.49	810,230.72	32° 21' 16.151 N	103° 27' 45.180 W
3,888.0	4.70	56.90	3,876.0	125.4	171.4	493,791.83	810,237.28	32° 21' 16.193 N	103° 27' 45.103 W
3,982.0	5.30	52.30	3,969.6	130.2	178.0	493,796.59	810,243.94	32° 21' 16.240 N	103° 27' 45.025 W
4,075.0	6.50	47.10	4,062.1	136.4	185.3	493,802.80	810,251.19	32° 21' 16.300 N	103° 27' 44.940 W
4,168.0	5.90	48.50	4,154.6	143.1	192.7	493,809.55	810,258.63	32° 21' 16.367 N	103° 27' 44.852 W
4,261.0	5.70	48.40	4,247.1	149.4	199.8	493,815.78	810,265.66	32° 21' 16.428 N	103° 27' 44.770 W
4,354.0	5.80	53.20	4,339.6	155.3	207.0	493,821.66	810,272.88	32° 21' 16.485 N	103° 27' 44.685 W
4,447.0	6.10	55.50	4,432.1	160.9	214.8	493,827.27	810,280.72	32° 21' 16.540 N	103° 27' 44.593 W
4,540.0	6.70	48.00	4,524.6	167.3	222.9	493,833.70	810,288.82	32° 21' 16.603 N	103° 27' 44.498 W
4,632.0	7.90	43.30	4,615.8	175.5	231.2	493,841.90	810,297.14	32° 21' 16.684 N	103° 27' 44.400 W
4,726.0	7.30	42.70	4,709.0	184.6	239.7	493,850.99	810,305.62	32° 21' 16.773 N	103° 27' 44.301 W
4,818.0	7.00	42.40	4,800.3	193.0	247.5	493,859.42	810,313.37	32° 21' 16.856 N	103° 27' 44.209 W
4,911.0	6.70	42.60	4,892.6	201.2	255.0	493,867.60	810,320.86	32° 21' 16.936 N	103° 27' 44.121 W
5,005.0	6.40	44.60	4,986.0	209.0	262.4	493,875.37	810,328.25	32° 21' 17.012 N	103° 27' 44.034 W
5,098.0	6.10	46.10	5,078.5	216.1	269.6	493,882.48	810,335.45	32° 21' 17.082 N	103° 27' 43.950 W
5,191.0	5.70	45.20	5,171.0	222.8	276.4	493,889.16	810,342.29	32° 21' 17.148 N	103° 27' 43.870 W
5,284.0	5.90	48.20	5,263.5	229.2	283.2	493,895.61	810,349.13	32° 21' 17.211 N	103° 27' 43.789 W
5,377.0	5.90	50.60	5,356.0	235.4	290.5	493,901.83	810,356.39	32° 21' 17.272 N	103° 27' 43.704 W
5,470.0	5.50	50.40	5,448.5	241.3	297.6	493,907.70	810,363.51	32° 21' 17.329 N	103° 27' 43.620 W
5,517.0	5.20	51.00	5,495.3	244.1	301.0	493,910.48	810,366.91	32° 21' 17.357 N	103° 27' 43.581 W
5,691.0	5.90	50.40	5,668.5	254.7	314.0	493,921.14	810,379.92	32° 21' 17.461 N	103° 27' 43.428 W
5,784.0	6.90	46.40	5,760.9	261.6	321.8	493,928.04	810,387.65	32° 21' 17.529 N	103° 27' 43.337 W
5,877.0	6.30	46.90	5,853.3	269.0	329.5	493,935.38	810,395.42	32° 21' 17.601 N	103° 27' 43.246 W
5,970.0	6.30	46.70	5,945.7	276.0	337.0	493,942.36	810,402.86	32° 21' 17.669 N	103° 27' 43.158 W
6,063.0	6.10	44.10	6,038.2	283.0	344.1	493,949.41	810,410.02	32° 21' 17.738 N	103° 27' 43.074 W
6,156.0	6.30	47.50	6,130.7	290.0	351.3	493,956.41	810,417.22	32° 21' 17.807 N	103° 27' 42.990 W
6,249.0	8.00	53.80	6,222.9	297.3	360.3	493,963.68	810,426.20	32° 21' 17.878 N	103° 27' 42.884 W



KLX
Survey Report - Geographic



Company:	BTA Oil Producers, LLC	Local Co-ordinate Reference:	Well Maxus 8026 Fed #8H
Project:	Lea County, NM (NAD 83)	TVD Reference:	WELL @ 3430.0usft (Patterson #566)
Site:	Sec 34, T22-S, R34-E	MD Reference:	WELL @ 3430.0usft (Patterson #566)
Well:	Maxus 8026 Fed #8H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.1 Single User Db

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
6,342.0	8.70	53.50	6,315.0	305.3	371.2	493,971.68	810,437.08	32° 21' 17.957 N	103° 27' 42.757 W
6,435.0	7.60	55.70	6,407.0	312.9	381.9	493,979.33	810,447.81	32° 21' 18.031 N	103° 27' 42.631 W
6,528.0	7.00	56.40	6,499.3	319.5	391.7	493,985.93	810,457.61	32° 21' 18.096 N	103° 27' 42.516 W
6,621.0	6.90	56.00	6,591.6	325.8	401.1	493,992.19	810,466.96	32° 21' 18.157 N	103° 27' 42.406 W
6,714.0	6.80	57.60	6,683.9	331.9	410.3	493,998.27	810,476.24	32° 21' 18.216 N	103° 27' 42.298 W
6,807.0	6.80	57.70	6,776.3	337.8	419.6	494,004.16	810,485.55	32° 21' 18.274 N	103° 27' 42.189 W
6,900.0	6.80	58.60	6,868.6	343.6	429.0	494,009.97	810,494.90	32° 21' 18.331 N	103° 27' 42.079 W
6,993.0	6.00	59.80	6,961.0	348.9	437.9	494,015.28	810,503.80	32° 21' 18.383 N	103° 27' 41.975 W
7,086.0	5.70	57.70	7,053.5	353.8	446.0	494,020.20	810,511.91	32° 21' 18.431 N	103° 27' 41.880 W
7,179.0	5.40	59.30	7,146.1	358.5	453.7	494,024.90	810,519.57	32° 21' 18.476 N	103° 27' 41.790 W
7,273.0	5.20	58.60	7,239.7	363.0	461.1	494,029.38	810,527.01	32° 21' 18.520 N	103° 27' 41.703 W
7,366.0	4.70	61.10	7,332.4	367.0	468.0	494,033.41	810,533.94	32° 21' 18.560 N	103° 27' 41.622 W
7,459.0	5.90	59.90	7,425.0	371.3	475.5	494,037.65	810,541.42	32° 21' 18.601 N	103° 27' 41.534 W
7,553.0	6.20	61.60	7,518.4	376.1	484.2	494,042.49	810,550.06	32° 21' 18.648 N	103° 27' 41.433 W
7,646.0	5.60	66.10	7,610.9	380.3	492.7	494,046.72	810,558.63	32° 21' 18.689 N	103° 27' 41.333 W
7,739.0	5.50	67.90	7,703.5	383.8	501.0	494,050.23	810,566.90	32° 21' 18.723 N	103° 27' 41.236 W
7,832.0	5.20	55.10	7,796.1	387.9	508.6	494,054.32	810,574.49	32° 21' 18.763 N	103° 27' 41.147 W
7,926.0	4.90	50.80	7,889.7	392.9	515.2	494,059.30	810,581.10	32° 21' 18.812 N	103° 27' 41.070 W
8,019.0	4.60	52.60	7,982.4	397.7	521.2	494,064.07	810,587.14	32° 21' 18.859 N	103° 27' 40.999 W
8,112.0	4.40	54.00	8,075.1	402.0	527.1	494,068.43	810,592.98	32° 21' 18.901 N	103° 27' 40.930 W
8,206.0	4.00	55.10	8,168.9	406.0	532.7	494,072.43	810,598.59	32° 21' 18.940 N	103° 27' 40.864 W
8,299.0	5.20	52.30	8,261.6	410.5	538.7	494,076.86	810,604.59	32° 21' 18.984 N	103° 27' 40.794 W
8,392.0	5.20	52.60	8,354.2	415.6	545.4	494,082.00	810,611.27	32° 21' 19.034 N	103° 27' 40.716 W
8,486.0	4.40	54.10	8,447.9	420.3	551.7	494,086.70	810,617.57	32° 21' 19.080 N	103° 27' 40.642 W
8,579.0	3.70	52.60	8,540.6	424.2	556.9	494,090.61	810,622.85	32° 21' 19.118 N	103° 27' 40.580 W
8,672.0	2.80	52.10	8,633.5	427.4	561.1	494,093.83	810,627.02	32° 21' 19.150 N	103° 27' 40.531 W
8,766.0	2.20	55.00	8,727.4	429.9	564.4	494,096.28	810,630.31	32° 21' 19.174 N	103° 27' 40.492 W
8,859.0	1.50	66.70	8,820.3	431.4	567.0	494,097.78	810,632.89	32° 21' 19.189 N	103° 27' 40.462 W
8,952.0	0.90	115.70	8,913.3	431.5	568.8	494,097.95	810,634.67	32° 21' 19.190 N	103° 27' 40.441 W
9,046.0	1.50	152.20	9,007.3	430.1	570.0	494,096.54	810,635.91	32° 21' 19.176 N	103° 27' 40.427 W
9,139.0	0.80	227.50	9,100.3	428.6	570.1	494,095.02	810,636.00	32° 21' 19.161 N	103° 27' 40.426 W
9,232.0	0.60	164.80	9,193.3	427.7	569.7	494,094.11	810,635.65	32° 21' 19.152 N	103° 27' 40.430 W
9,326.0	0.80	145.20	9,287.3	426.7	570.3	494,093.10	810,636.15	32° 21' 19.142 N	103° 27' 40.425 W
9,419.0	1.20	177.70	9,380.3	425.2	570.7	494,091.59	810,636.56	32° 21' 19.127 N	103° 27' 40.420 W
9,512.0	1.70	169.90	9,473.2	422.9	570.9	494,089.26	810,636.84	32° 21' 19.104 N	103° 27' 40.417 W
9,605.0	1.30	143.20	9,566.2	420.7	571.8	494,087.06	810,637.71	32° 21' 19.082 N	103° 27' 40.407 W
9,698.0	0.70	9.00	9,659.2	420.4	572.5	494,086.78	810,638.44	32° 21' 19.079 N	103° 27' 40.399 W
9,792.0	1.40	354.70	9,753.2	422.1	572.5	494,088.49	810,638.42	32° 21' 19.096 N	103° 27' 40.399 W
9,885.0	1.10	351.70	9,846.2	424.1	572.3	494,090.50	810,638.19	32° 21' 19.116 N	103° 27' 40.401 W
9,978.0	1.00	337.80	9,939.1	425.7	571.9	494,092.14	810,637.75	32° 21' 19.132 N	103° 27' 40.406 W
10,071.0	1.50	4.10	10,032.1	427.7	571.6	494,094.10	810,637.53	32° 21' 19.152 N	103° 27' 40.408 W
10,164.0	1.80	20.90	10,125.1	430.3	572.2	494,096.68	810,638.14	32° 21' 19.177 N	103° 27' 40.401 W
10,258.0	1.60	17.70	10,219.0	432.9	573.2	494,099.31	810,639.06	32° 21' 19.203 N	103° 27' 40.390 W
10,351.0	1.10	3.30	10,312.0	435.0	573.6	494,101.44	810,639.51	32° 21' 19.224 N	103° 27' 40.385 W
10,445.0	0.70	342.90	10,406.0	436.5	573.5	494,102.89	810,639.39	32° 21' 19.239 N	103° 27' 40.386 W
10,538.0	0.90	301.10	10,499.0	437.4	572.7	494,103.81	810,638.60	32° 21' 19.248 N	103° 27' 40.395 W
10,632.0	1.00	266.80	10,593.0	437.7	571.3	494,104.14	810,637.15	32° 21' 19.251 N	103° 27' 40.412 W
10,725.0	0.90	247.70	10,686.0	437.4	569.8	494,103.82	810,635.66	32° 21' 19.248 N	103° 27' 40.429 W
10,848.0	2.00	210.10	10,808.9	435.2	567.8	494,101.60	810,633.69	32° 21' 19.226 N	103° 27' 40.452 W
10,942.0	14.30	166.60	10,901.8	422.4	569.7	494,088.83	810,635.57	32° 21' 19.100 N	103° 27' 40.432 W
11,036.0	26.50	163.30	10,989.8	390.9	578.4	494,057.33	810,644.32	32° 21' 18.787 N	103° 27' 40.333 W
11,091.4	32.99	163.83	11,037.8	364.6	586.2	494,030.98	810,652.08	32° 21' 18.526 N	103° 27' 40.245 W
100' FNL Crossed @ 11091.4' MD / 11037.8' TVD									
11,129.0	37.40	164.10	11,068.6	343.8	592.2	494,010.15	810,658.06	32° 21' 18.319 N	103° 27' 40.177 W
11,222.0	48.00	166.20	11,136.8	282.9	608.2	493,949.26	810,674.09	32° 21' 17.716 N	103° 27' 39.996 W



KLX
Survey Report - Geographic



Company:	BTA Oil Producers, LLC	Local Co-ordinate Reference:	Well Maxus 8026 Fed #8H
Project:	Lea County, NM (NAD 83)	TVD Reference:	WELL @ 3430.0usft (Patterson #566)
Site:	Sec 34, T22-S, R34-E	MD Reference:	WELL @ 3430.0usft (Patterson #566)
Well:	Maxus 8026 Fed #8H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.1 Single User Db

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
11,317.0	56.70	166.90	11,194.8	209.8	625.6	493,876.17	810,691.54	32° 21' 16.991 N	103° 27' 39.800 W
11,410.0	64.50	168.00	11,240.4	130.7	643.2	493,797.14	810,709.10	32° 21' 16.208 N	103° 27' 39.602 W
11,503.0	74.90	169.40	11,272.6	45.3	660.2	493,711.72	810,726.13	32° 21' 15.361 N	103° 27' 39.412 W
11,597.0	81.20	172.20	11,292.1	-45.4	674.9	493,620.99	810,740.80	32° 21' 14.462 N	103° 27' 39.250 W
11,690.0	88.50	173.70	11,300.4	-137.3	686.3	493,529.13	810,752.15	32° 21' 13.552 N	103° 27' 39.126 W
11,754.0	89.80	173.00	11,301.4	-200.8	693.7	493,465.57	810,759.57	32° 21' 12.923 N	103° 27' 39.046 W
11,847.0	90.70	172.90	11,301.0	-293.1	705.1	493,373.27	810,770.98	32° 21' 12.009 N	103° 27' 38.921 W
11,940.0	89.80	175.20	11,300.6	-385.6	714.7	493,280.78	810,780.62	32° 21' 11.093 N	103° 27' 38.818 W
12,034.0	91.00	176.70	11,299.9	-479.4	721.4	493,187.02	810,787.26	32° 21' 10.164 N	103° 27' 38.749 W
12,127.0	90.30	179.30	11,298.9	-572.3	724.6	493,094.09	810,790.50	32° 21' 9.245 N	103° 27' 38.720 W
12,220.0	91.40	179.50	11,297.5	-665.3	725.6	493,001.11	810,791.48	32° 21' 8.324 N	103° 27' 38.718 W
12,314.0	89.80	179.60	11,296.5	-759.3	726.3	492,907.12	810,792.21	32° 21' 7.394 N	103° 27' 38.718 W
12,407.0	90.30	179.60	11,296.4	-852.3	727.0	492,814.12	810,792.86	32° 21' 6.474 N	103° 27' 38.719 W
12,500.0	91.50	179.60	11,295.0	-945.3	727.6	492,721.14	810,793.51	32° 21' 5.554 N	103° 27' 38.721 W
12,593.0	90.20	179.10	11,293.6	-1,038.2	728.7	492,628.16	810,794.57	32° 21' 4.634 N	103° 27' 38.717 W
12,687.0	91.20	178.40	11,292.4	-1,132.2	730.7	492,534.19	810,796.62	32° 21' 3.704 N	103° 27' 38.702 W
12,780.0	92.20	177.50	11,289.7	-1,225.1	734.0	492,441.29	810,799.94	32° 21' 2.785 N	103° 27' 38.672 W
12,873.0	90.70	178.10	11,287.3	-1,318.0	737.6	492,348.39	810,803.51	32° 21' 1.865 N	103° 27' 38.639 W
12,966.0	90.40	177.40	11,286.4	-1,410.9	741.3	492,255.47	810,807.16	32° 21' 0.945 N	103° 27' 38.606 W
13,060.0	91.30	179.60	11,285.0	-1,504.9	743.7	492,161.52	810,809.62	32° 21' 0.016 N	103° 27' 38.586 W
13,153.0	88.20	179.60	11,285.4	-1,597.9	744.4	492,068.53	810,810.27	32° 20' 59.095 N	103° 27' 38.587 W
13,246.0	88.20	179.30	11,288.4	-1,690.8	745.3	491,975.58	810,811.16	32° 20' 58.176 N	103° 27' 38.586 W
13,340.0	88.40	178.70	11,291.1	-1,784.8	746.9	491,881.64	810,812.80	32° 20' 57.246 N	103° 27' 38.575 W
13,433.0	90.60	179.80	11,292.0	-1,877.7	748.1	491,788.66	810,814.02	32° 20' 56.326 N	103° 27' 38.570 W
13,526.0	92.10	179.20	11,289.8	-1,970.7	748.9	491,695.69	810,814.83	32° 20' 55.406 N	103° 27' 38.569 W
13,620.0	91.50	180.30	11,286.8	-2,064.7	749.3	491,601.74	810,815.24	32° 20' 54.476 N	103° 27' 38.574 W
13,713.0	88.90	181.60	11,286.5	-2,157.6	747.8	491,508.76	810,813.70	32° 20' 53.556 N	103° 27' 38.600 W
13,806.0	88.50	180.80	11,288.6	-2,250.6	745.9	491,415.81	810,811.75	32° 20' 52.637 N	103° 27' 38.632 W
13,900.0	88.80	179.90	11,290.8	-2,344.6	745.3	491,321.84	810,811.18	32° 20' 51.707 N	103° 27' 38.648 W
13,993.0	88.70	178.20	11,292.8	-2,437.5	746.8	491,228.88	810,812.72	32° 20' 50.787 N	103° 27' 38.638 W
14,086.0	90.00	179.50	11,293.9	-2,530.5	748.7	491,135.90	810,814.59	32° 20' 49.867 N	103° 27' 38.625 W
14,180.0	90.80	179.50	11,293.2	-2,624.5	749.5	491,041.91	810,815.41	32° 20' 48.937 N	103° 27' 38.625 W
14,273.0	91.60	178.90	11,291.3	-2,717.5	750.8	490,948.94	810,816.71	32° 20' 48.017 N	103° 27' 38.619 W
14,367.0	90.40	179.70	11,289.7	-2,811.4	752.0	490,854.97	810,817.85	32° 20' 47.087 N	103° 27' 38.614 W
14,460.0	92.60	179.60	11,287.2	-2,904.4	752.5	490,762.01	810,818.42	32° 20' 46.167 N	103° 27' 38.616 W
14,553.0	90.70	178.90	11,284.5	-2,997.3	753.7	490,669.06	810,819.64	32° 20' 45.247 N	103° 27' 38.611 W
14,647.0	90.80	178.40	11,283.3	-3,091.3	756.0	490,575.09	810,821.85	32° 20' 44.317 N	103° 27' 38.594 W
14,740.0	91.70	177.50	11,281.3	-3,184.2	759.3	490,482.17	810,825.18	32° 20' 43.398 N	103° 27' 38.564 W
14,833.0	90.90	179.40	11,279.2	-3,277.2	761.8	490,389.24	810,827.69	32° 20' 42.478 N	103° 27' 38.544 W
14,926.0	90.10	179.30	11,278.4	-3,370.2	762.9	490,296.25	810,828.75	32° 20' 41.558 N	103° 27' 38.540 W
15,020.0	90.20	178.00	11,278.1	-3,464.1	765.1	490,202.28	810,830.96	32° 20' 40.628 N	103° 27' 38.523 W
15,113.0	90.80	180.60	11,277.3	-3,557.1	766.2	490,109.30	810,832.10	32° 20' 39.708 N	103° 27' 38.519 W
15,206.0	91.10	180.20	11,275.8	-3,650.1	765.6	490,016.31	810,831.45	32° 20' 38.788 N	103° 27' 38.535 W
15,300.0	92.00	179.00	11,273.2	-3,744.1	766.2	489,922.35	810,832.11	32° 20' 37.858 N	103° 27' 38.537 W
15,393.0	91.30	178.90	11,270.5	-3,837.0	767.9	489,829.40	810,833.81	32° 20' 36.938 N	103° 27' 38.526 W
15,486.0	89.50	180.60	11,269.9	-3,930.0	768.3	489,736.41	810,834.21	32° 20' 36.018 N	103° 27' 38.530 W
15,579.0	89.80	180.90	11,270.5	-4,023.0	767.1	489,643.42	810,833.00	32° 20' 35.098 N	103° 27' 38.553 W
15,672.0	89.10	180.80	11,271.4	-4,116.0	765.7	489,550.44	810,831.62	32° 20' 34.178 N	103° 27' 38.578 W
15,766.0	89.80	180.30	11,272.3	-4,210.0	764.8	489,456.45	810,830.72	32° 20' 33.248 N	103° 27' 38.597 W
15,859.0	90.30	179.30	11,272.2	-4,302.9	765.1	489,363.45	810,831.04	32° 20' 32.328 N	103° 27' 38.602 W
15,953.0	92.70	179.80	11,269.7	-4,396.9	765.9	489,269.49	810,831.78	32° 20' 31.398 N	103° 27' 38.602 W
16,045.0	90.60	181.80	11,267.1	-4,488.9	764.6	489,177.55	810,830.49	32° 20' 30.488 N	103° 27' 38.626 W
16,138.0	90.10	182.30	11,266.5	-4,581.8	761.3	489,084.61	810,827.17	32° 20' 29.569 N	103° 27' 38.674 W
16,232.0	90.80	181.70	11,265.8	-4,675.7	758.0	488,990.67	810,823.89	32° 20' 28.640 N	103° 27' 38.721 W
16,325.0	91.50	181.30	11,263.9	-4,768.7	755.6	488,897.73	810,821.45	32° 20' 27.720 N	103° 27' 38.758 W



KLX
Survey Report - Geographic



Company:	BTA Oil Producers, LLC	Local Co-ordinate Reference:	Well Maxus 8026 Fed #8H
Project:	Lea County, NM (NAD 83)	TVD Reference:	WELL @ 3430.0usft (Patterson #566)
Site:	Sec 34, T22-S, R34-E	MD Reference:	WELL @ 3430.0usft (Patterson #566)
Well:	Maxus 8026 Fed #8H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.1 Single User Db

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
16,369.3	89.93	180.59	11,263.3	-4,813.0	754.8	488,853.44	810,820.72	32° 20' 27.282 N	103° 27' 38.771 W
SL Crossed @ 16369.3' MD / 11263.3' TVD									
16,418.0	88.20	179.80	11,264.1	-4,861.7	754.7	488,804.75	810,820.56	32° 20' 26.800 N	103° 27' 38.777 W
16,511.0	87.90	178.00	11,267.3	-4,954.6	756.4	488,711.82	810,822.34	32° 20' 25.881 N	103° 27' 38.765 W
16,604.0	87.70	179.20	11,270.9	-5,047.5	758.7	488,618.92	810,824.61	32° 20' 24.961 N	103° 27' 38.748 W
16,698.0	88.40	179.30	11,274.1	-5,141.4	759.9	488,524.98	810,825.84	32° 20' 24.032 N	103° 27' 38.742 W
16,791.0	88.50	178.90	11,276.6	-5,234.4	761.4	488,432.03	810,827.30	32° 20' 23.112 N	103° 27' 38.734 W
16,884.0	89.30	178.70	11,278.4	-5,327.3	763.4	488,339.07	810,829.25	32° 20' 22.192 N	103° 27' 38.720 W
16,977.0	90.50	178.50	11,278.5	-5,420.3	765.6	488,246.09	810,831.52	32° 20' 21.272 N	103° 27' 38.703 W
17,071.0	91.30	178.10	11,277.1	-5,514.3	768.4	488,152.15	810,834.31	32° 20' 20.342 N	103° 27' 38.679 W
17,164.0	92.40	177.20	11,274.1	-5,607.1	772.2	488,059.28	810,838.12	32° 20' 19.423 N	103° 27' 38.643 W
17,257.0	91.60	178.50	11,270.8	-5,700.0	775.7	487,966.40	810,841.61	32° 20' 18.503 N	103° 27' 38.612 W
17,350.0	88.90	180.30	11,270.4	-5,793.0	776.7	487,873.42	810,842.58	32° 20' 17.583 N	103° 27' 38.609 W
17,443.0	88.60	179.80	11,272.4	-5,886.0	776.6	487,780.44	810,842.50	32° 20' 16.663 N	103° 27' 38.619 W
17,537.0	89.60	180.10	11,273.9	-5,979.9	776.7	487,686.46	810,842.58	32° 20' 15.733 N	103° 27' 38.627 W
17,630.0	90.20	179.30	11,274.1	-6,072.9	777.2	487,593.46	810,843.07	32° 20' 14.813 N	103° 27' 38.630 W
17,723.0	90.90	179.50	11,273.2	-6,165.9	778.1	487,500.47	810,844.04	32° 20' 13.893 N	103° 27' 38.627 W
17,816.0	92.70	179.80	11,270.3	-6,258.9	778.7	487,407.52	810,844.61	32° 20' 12.973 N	103° 27' 38.630 W
17,909.0	90.50	181.30	11,267.7	-6,351.8	777.8	487,314.57	810,843.72	32° 20' 12.054 N	103° 27' 38.649 W
18,002.0	89.80	181.80	11,267.4	-6,444.8	775.3	487,221.60	810,841.20	32° 20' 11.134 N	103° 27' 38.687 W
18,095.0	90.40	181.10	11,267.3	-6,537.8	773.0	487,128.64	810,838.85	32° 20' 10.214 N	103° 27' 38.723 W
18,188.0	90.60	179.90	11,266.4	-6,630.8	772.1	487,035.64	810,838.04	32° 20' 9.294 N	103° 27' 38.742 W
18,282.0	91.00	179.90	11,265.1	-6,724.7	772.3	486,941.65	810,838.20	32° 20' 8.364 N	103° 27' 38.749 W
18,375.0	92.00	180.10	11,262.7	-6,817.7	772.3	486,848.69	810,838.20	32° 20' 7.444 N	103° 27' 38.757 W
18,468.0	92.70	178.80	11,258.9	-6,910.6	773.2	486,755.77	810,839.10	32° 20' 6.525 N	103° 27' 38.756 W
18,562.0	91.90	178.30	11,255.1	-7,004.5	775.6	486,661.88	810,841.47	32° 20' 5.595 N	103° 27' 38.737 W
18,655.0	91.90	178.20	11,252.0	-7,097.4	778.4	486,568.97	810,844.31	32° 20' 4.676 N	103° 27' 38.713 W
18,749.0	92.00	177.40	11,248.8	-7,191.3	782.0	486,475.10	810,847.92	32° 20' 3.747 N	103° 27' 38.680 W
18,842.0	92.00	176.30	11,245.6	-7,284.1	787.1	486,382.30	810,853.02	32° 20' 2.828 N	103° 27' 38.629 W
18,913.4	92.32	175.98	11,242.9	-7,355.3	791.9	486,311.11	810,857.83	32° 20' 2.123 N	103° 27' 38.580 W
100' FSL Crossed @ 18913.4' MD / 11242.9' TVD									
18,930.0	92.40	175.90	11,242.2	-7,371.8	793.1	486,294.57	810,859.00	32° 20' 1.960 N	103° 27' 38.568 W
18,990.0	92.40	175.90	11,239.7	-7,431.6	797.4	486,234.77	810,863.29	32° 20' 1.368 N	103° 27' 38.523 W
TD @ 18990.0' MD / 11239.7' TVD									

Design Annotations					
Measured Depth (usft)	Vertical Depth (usft)	Local Coordinates			
		+N/-S (usft)	+E/-W (usft)	Comment	
149.0	149.0	-0.9	-0.4	First MWD Survey @ 149.0' MD / 149.0' TVD	
11,091.4	11,037.8	364.6	586.2	100' FNL Crossed @ 11091.4' MD / 11037.8' TVD	
16,369.3	11,263.3	-4,813.0	754.8	SL Crossed @ 16369.3' MD / 11263.3' TVD	
18,913.4	11,242.9	-7,355.3	791.9	100' FSL Crossed @ 18913.4' MD / 11242.9' TVD	
18,990.0	11,239.7	-7,431.6	797.4	TD @ 18990.0' MD / 11239.7' TVD	

Intent ☐ As Drilled ☐

API #		
Operator Name:	Property Name:	Well Number

Kick Off Point (KOP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

First Take Point (FTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Last Take Point (LTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Is this well the defining well for the Horizontal Spacing Unit? ☐Is this well an infill well? ☐

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API #		
Operator Name:	Property Name:	Well Number

KZ 06/29/2018

Well Name: MAXUS 8026 FED	Well Location: T22S / R34E / SEC 34 / NWNW / 32.354157 / -103.463087	County or Parish/State: LEA / NM
Well Number: 8H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM19143	Unit or CA Name:	Unit or CA Number:
US Well Number: 3002546820	Well Status: Approved Application for Permit to Drill	Operator: BTA OIL PRODUCERS LLC

Subsequent Report

Sundry ID: 2657785

Type of Submission: Subsequent Report

Date Sundry Submitted: 02/18/2022

Date Operation Actually Began: 01/22/2022

Type of Action: Hydraulic Fracturing

Time Sundry Submitted: 09:07

Actual Procedure: Actual Procedure: TD @ 18,990' REACHED: 11/04/2021. 1/22/2022 THRU 2/2/2022: PERFORATE AND FRAC 11,470' - 18,900' WITH 402,081 bbls TOTAL FLUID; 18.09 MM 100 MESH NATIVE SAND. 2/6/2022: COMPLETE DRILLOUT. 2/11/2022: 184 jts of 2-7/8" prod tbgs. pkr @ 10,685'. 2/15/2022: START FLOWING BACK AND TESTING.

Well Name: MAXUS 8026 FED	Well Location: T22S / R34E / SEC 34 / NWNW / 32.354157 / -103.463087	County or Parish/State: LEA / NM
Well Number: 8H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM19143	Unit or CA Name:	Unit or CA Number:
US Well Number: 3002546820	Well Status: Approved Application for Permit to Drill	Operator: BTA OIL PRODUCERS LLC

Operator Certification

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

Operator Electronic Signature: KATY REDDELL
Signed on: FEB 18, 2022 09:07 AM
Name: BTA OIL PRODUCERS LLC
Title: Regulatory Analyst
Street Address: 104 S Pecos
City: Midland **State:** TX
Phone: (432) 682-3753
Email address: Kreddell@btaoil.com

Field Representative

Representative Name:
Street Address:
City: **State:** **Zip:**
Phone:
Email address:

Submit To Appropriate District Office Two Copies <u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 <u>District II</u> 811 S. First St., Artesia, NM 88210 <u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 <u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505				Form C-105 Revised April 3, 2017					
								1. WELL API NO. 30-025-46820			
								2. Type of Lease ☐ STATE ☐ FEE ☒ FED/INDIAN			
								2. State Oil & Gas Lease No. NMNM19143			
WELL COMPLETION OR RECOMPLETION REPORT AND LOG											
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)								5. Lease Name or Unit Agreement Name MAXUS 8026 FED			
								6. Well Number: 8H			
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER _____											
8. Name of Operator BTA OIL PRODUCERS, LLC								9. OGRID 260297			
10. Address of Operator 104 S. PECOS; MIDLAND, TX. 79701								11. Pool name or Wildcat OJO CHISO; BONE SPRING, SOUTH			
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County	
Surface:	D	34	22S	34E		460	N	1050	W	LEA	
BH:	F	3	23S	34E		2618.1	N	1795.4	W	LEA	
13. Date Spudded 9/25/2021	14. Date T.D. Reached 11/04/2021		15. Date Rig Released 11/7/2021			16. Date Completed (Ready to Produce) 2/15/2022			17. Elevations (DF and RKB, RT, GR, etc.) 3404 GR		
18. Total Measured Depth of Well 18990			19. Plug Back Measured Depth 18980			20. Was Directional Survey Made? YES			21. Type Electric and Other Logs Run MWD		
22. Producing Interval(s), of this completion - Top, Bottom, Name 11,470 – 18,900 BONE SPRING											
23. CASING RECORD (Report all strings set in well)											
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED	
13 3/8"		54.5		1,892'		17 1/2"		1330			
9 5/8"		40		5,602		12 1/4"		2265			
5 1/2"		20		18,983'		8 3/4"		2530			
24. LINER RECORD											
SIZE	TOP	BOTTOM		SACKS CEMENT	SCREEN		25. TUBING RECORD				
							SIZE		DEPTH SET		PACKER SET
							2 7/8		10,685		10,685
26. Perforation record (interval, size, and number)											
11,470 – 18,900 0.42; 2,304 HOLES											
						27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.					
						DEPTH INTERVAL			AMOUNT AND KIND MATERIAL USED		
						11,470 – 18,900			402,081 bbls TOTAL FLUID; 18.09 MM 100 MESH NATIVE SAND.		
28. PRODUCTION											
Date First Production 2/15/2022			Production Method (<i>Flowing, gas lift, pumping - Size and type pump</i>) FLOWING					Well Status (<i>Prod. or Shut-in</i>) PROD			
Date of Test 2/22/2022	Hours Tested 24	Choke Size 25/64	Prod'n For Test Period	Oil - Bbl 1684	Gas - MCF 2188	Water - Bbl. 1481	Gas - Oil Ratio				
Flow Tubing Press. 3100	Casing Pressure	Calculated 24- Hour Rate	Oil - Bbl. 1684	Gas - MCF 2188	Water - Bbl. 1481	Oil Gravity - API - (<i>Corr.</i>)					
29. Disposition of Gas (<i>Sold, used for fuel, vented, etc.</i>) SOLD										30. Test Witnessed By	
31. List Attachments											
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.										33. Rig Release Date:	
34. If an on-site burial was used at the well, report the exact location of the on-site burial:											
Latitude _____ Longitude _____ NAD83											

I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief

Printed

Signature Katy Reddell Name KATY REDDEL Title REGULATORY ANALYST Date 3/30/2022

E-mail Address kreddell@btaoil.com

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy_____	T. Canyon 5685_____	T. Ojo Alamo_____	T. Penn A"_____
T. Salt 1985_____	T. Strawn_____	T. Kirtland_____	T. Penn. "B"_____
B. Salt 3200_____	T. Atoka_____	T. Fruitland_____	T. Penn. "C"_____
T. Yates_____	T. Miss_____	T. Pictured Cliffs_____	T. Penn. "D"_____
T. 7 Rivers_____	T. Devonian_____	T. Cliff House_____	T. Leadville_____
T. Queen_____	T. Silurian_____	T. Menefee_____	T. Madison_____
T. Grayburg_____	T. Montoya_____	T. Point Lookout_____	T. Elbert_____
T. San Andres_____	T. Simpson_____	T. Mancos_____	T. McCracken_____
T. Glorieta_____	T. McKee_____	T. Gallup_____	T. Ignacio Otzte_____
T. Paddock_____	T. Ellenburger_____	Base Greenhorn_____	T. Granite_____
T. Blinebry_____	T. Gr. Wash_____	T. Dakota_____	
T. Tubb_____	T. Delaware Sand 5613_____	T. Morrison_____	
T. Drinkard_____	T. Bone Springs 8521_____	T. Todilto_____	
T. Abo_____	T. _____	T. Entrada_____	
T. Wolfcamp_____	T. _____	T. Wingate_____	
T. Penn_____	T. _____	T. Chinle_____	
T. Cisco (Bough C)_____	T. _____	T. Permian_____	

OIL OR GAS SANDS OR ZONES

No. 1, from.....to.....

No. 3, from.....to.....

No. 2, from.....to.....

No. 4, from.....to.....

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....


No. 2, from.....to.....feet.....

No. 3, from.....to.....feet.....

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness In Feet	Lithology	From	To	Thickness In Feet	Lithology
------	----	----------------------	-----------	------	----	----------------------	-----------

--	--	--	--	--	--	--	--	--



District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 116317

ACKNOWLEDGMENTS

Operator: BTA OIL PRODUCERS, LLC 104 S Pecos Midland, TX 79701	OGRID: 260297
	Action Number: 116317
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 116317

CONDITIONS

Operator: BTA OIL PRODUCERS, LLC 104 S Pecos Midland, TX 79701	OGRID: 260297
	Action Number: 116317
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
Ilowe	COA: File 3160-4 Completion Report within 10 days to NMOCD after BLM approval.	10/4/2022