

Submit a Copy To Appropriate District
Office
District I – (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II – (575) 748-1283
811 S. First St., Artesia, NM 88210
District III – (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV – (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised July 18, 2013

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-015-30367
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name PAGAN 26 STATE
8. Well Number #002
9. OGRID Number 192463
10. Pool name or Wildcat TRAVIS; UPPER PENN

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>	
2. Name of Operator OXY WTP LP	
3. Address of Operator 5 GREENWAY PLAZA, SUITE 110, HOUSTON, TX	
4. Well Location Unit Letter <u>L</u> : 2010 feet from the <u>SOUTH</u> line and <u>990</u> feet from the <u>WEST</u> line Section <u>26</u> Township <u>18S</u> Range <u>28E</u> NMPM County	
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3514' GL	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	P AND A <input checked="" type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPL <input type="checkbox"/>	CASING/CEMENT JOB <input type="checkbox"/>	
DOWNHOLE COMMINGLE <input type="checkbox"/>			
CLOSED-LOOP SYSTEM <input type="checkbox"/>			
OTHER: <input type="checkbox"/>		OTHER: <input type="checkbox"/>	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

This well is plugged. Job start: 9/26/22. Job complete: 10/3/22. See the attached job summary details and plugged wellbore diagram for reference.

Approved for plugging of well bore only. Liability under bond is retained pending Location cleanup & receipt of C-103Q (Subsequent Report of Well Plugging) which may be found at OCD Web Page, OCD Permitting @ www.emnrd.state.nm.us

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Leslie T. Reeves TITLE REGULATORY MANAGER DATE 10/7/22

Type or print name LESLIE REEVES E-mail address: LESLIE_REEVES@OXY.COM PHONE: 713-497-2492
For State Use Only

APPROVED BY: [Signature] TITLE Staff Manager DATE 10/7/22
Conditions of Approval (if any):

PAGAN STATE #2
30-015-30367 PA SR JOB SUMMARY

9/26/22

MIRU. POOH WITH PUMP AND RODS.

9/27/22

CONT'D POOH WITH PUMP AND RODS. NDWH. NU AND FUNCTION TEST BOP. POOH WITH 2-7/8" TUBING.

9/28/22

RIH AND SET CIBP @ 9675'. PSI TEST TO 500PSI, 15 MIN, GOOD TEST. PUMPED 30SX CLASS H CMT ON TOP OF CIBP. WOC.

9/29/22

TAGGED TOC @ 9517'. PULLED UP, EOT @ 8520'. PUMPED 25SX CL H CMT. WOC. TAGGED TOC @ 8351'. PULLED UP, EOT @ 6430'. PUMPED 25SX CL C CMT. WOC.

9/30/22

RIH AND TAGGED TOC @ 6289'. PULLED UP, EOT @ 3696'. PUMPED 25SX CL C CMT. WOC. RIH AND TAGGED TOC @ 3537'. PULLED UP, EOT @ 2997'. PUMPED 25SX CL C CMT. WOC.

10/3/22

RIH AND TAGGED TOC @ 2856'. PULLED UP, EOT @ 875'. PUMPED 25SX CL C CMT. WOC. RIH AND TAGGED TOC @ 730'. PERF'D @ 500'. EST RATE. SQUEEZED 160SX CL C CMT TO SURFACE. GOT FULL RETURNED. WOC.

10/4/22

VERIFIED CEMENT TO SURFACE. RDMO.

OXY USA WTP LP. - Plugged
 Pagan 26 State #2
 API No. 30-015-30367

Perf'd @ 500'. Sqzd 160sx CI C to surface. Verified.

EOT @ 875'. Pumped 25sx CI C. Tagged TOC @ 730'.

EOT @ 2997'. Pumped 25sx CI C. Tagged TOC @ 2856'.


EOT @ 3696'. Pumped 25sx CI C. Tagged TOC @ 3537'.

EOT @ 6430'. Pumped 25sx CI C. Tagged TOC @ 6289'.

EOT @ 8520'. Pumped 25sx CI H. Tagged TOC @ 8351'.

CIBP set @ 9675'. Pumped 30sx CI H. Tagged TOC @ 9517'.
 Travis: Upper Penn Openhole 9,725-9,960'

PBTD-9,960'



TD-9,960'

17-1/2" hole @ 445'
 13-3/8" 48# csg @ 445'
 w/ 400sx-TOC-Surf-Circ

12-1/4" hole @ 2,947'
 9-5/8" 36# csg @ 2,947'
 w/ 1150sx-TOC-Surf-Circ

DV Tool @ 8,470'

8-3/4" hole @ 9,960'
 7" 26# csg @ 9,960'
 w/ 990sx-TOC-Surf-Circ

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 149618

CONDITIONS

Operator: OXY USA WTP LIMITED PARTNERSHIP P.O. Box 4294 Houston, TX 772104294	OGRID: 192463
	Action Number: 149618
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
gcordero	None	10/7/2022