

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-104
Revised August 1, 2011
Submit one copy to appropriate District Office
☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address Devon Energy Production Company, L.P. 333 West Sheridan, Oklahoma City, OK 73102		² OGRID Number 6137
		³ Reason for Filing Code/ Effective Date NW / 8/19/22
⁴ API Number 30-015-48983	⁵ Pool Name PADUCA; BONE SPRING (O)	⁶ Pool Code 96641
⁷ Property Code 300635	⁸ Property Name Cotton Draw Unit	⁹ Well Number 541H

II. ¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
M	12	25S	31E		552	South	944	West	Eddy

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
4	1	25S	31E		88	North	904	West	Eddy
¹² Lse Code F	¹³ Producing Method Code F	¹⁴ Gas Connection Date 8/19/22	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date				



III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
036785	DCP Midstream P.O. Box 50020 Midland, TX 79710-0020	Gas
020809	Lucid Energy Group 3100 McKinnon St. Ste 800 Dallas, TX 75201	Gas
329657	Cotton Draw Midstream, L.L.C. 333 W. Sheridan Ave. Oklahoma City, OK 731702	Gas
020445	Plains Marketing P.O. Box 4648 Houston, TX 77210	Oil

IV. Well Completion Data

²¹ Spud Date 3/16/22	²² Ready Date 8/19/22	²³ TD 19084	²⁴ PBTD 19,062 MD/8,831 TVD	²⁵ Perforations 9170 - 19052	²⁶ DHC, MC
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
17-1/2"	13-3/8"	709	600 sx CLC; Circ 243 sx		
9-7/8"	8-5/8"	8407	640 sx CLC ; Circ 0 sx		
7-7/8"	5-1/2"	19065	1580 sx CIH; Circ 0 sx		
	Tubing: 2-7/8"	8553			

V. Well Test Data

³¹ Date New Oil 8/29/22	³² Gas Delivery Date 8/29/22	³³ Test Date 8/29/22	³⁴ Test Length 24 hrs	³⁵ Tbg. Pressure 1645 psi	³⁶ Csg. Pressure 175 psi
³⁷ Choke Size N/A	³⁸ Oil 1161 bbl	³⁹ Water 1332 bbl	⁴⁰ Gas 3250 mcf		⁴¹ Test Method flowing
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: 			OIL CONSERVATION DIVISION Approved by: 		
Printed name: Shayda Omoumi			Title: Petroleum Engineer		
Title: Regulatory Compliance Professional			Approval Date: 10/20/22		
E-mail Address: shayda.omoumi@dvn.com					
Date: 9/14/2022		Phone: 405-552-3513			

DISTRICT I
1625 N. FRENCH DR., HOBBS, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

DISTRICT II
811 S. FIRST ST., ARTESIA, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720

DISTRICT III
1000 RIO BRAZOS RD., AZTEC, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170

DISTRICT IV
1220 S. ST. FRANCIS DR., SANTA FE, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 SOUTH ST. FRANCIS DR.
Santa Fe, New Mexico 87505

Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office

☒ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

API Number 30-015-48983	Pool Code 96641	Pool Name PADUCA;BONE SPRING (O)
Property Code 300635	Property Name COTTON DRAW UNIT	Well Number 541H
OGRID No. 6137	Operator Name DEVON ENERGY PRODUCTION COMPANY, L.P.	Elevation 3414.1'

Surface Location

UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
M	12	25-S	31-E		552	SOUTH	944	WEST	EDDY


Bottom Hole Location If Different From Surface

UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
LOT 4	1	25-S	31-E		88	NORTH	904	WEST	EDDY
Dedicated Acres 320.35	Joint or Infill	Consolidation Code	Order No.						

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED
OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

COTTON DRAW UNIT 541H
ELEV: 3414.1'
LAT:32.139080
LON:103.737059
N:414843.74
E:725897.46
KICK OFF POINT
942' FWL 83' FSL SEC. 12
LAT:32.137791
LON:103.737062
N:414374.87
E:725898.96
FIRST TAKE POINT
926' FWL 588' FSL SEC. 12
LAT:32.139179
LON:103.737113
N:414879.95
E:725880.33
LAST TAKE POINT
905' FWL 120' FNL SEC. 1
LAT:32.166317
LON:103.737162
N:424752.00
E:725810.71
BOTTOM OF HOLE
LAT:32.166405
LON:103.737164
N:424783.98
E:725809.77

Note: All bearings recited herein are based on the New Mexico State Plane Coordinate System, NAD 83, New Mexico East Zone 3001, US Survey Feet, all distances are grid.

OPERATOR CERTIFICATION
I hereby certify that the information herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

Signature Date
Shayda Omoumi
Printed Name
shayda.omoumi@dvn.com
E-mail Address

SURVEYOR CERTIFICATION
I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.
05/2022
Date of Survey
Signature & Seal of Professional Surveyor

08/03/2022
Certificate No. 22404 B.L. LAMAN
DRAWN BY: CM

Intent ☐ As Drilled ☐

API #		
Operator Name:	Property Name:	Well Number

Kick Off Point (KOP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

First Take Point (FTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Last Take Point (LTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Is this well the defining well for the Horizontal Spacing Unit?

☐ N

Is this well an infill well?

☐ Y

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API # 30-015-48929		
Operator Name: DEVON ENERGY PRODUCTION COMPANY, LP.	Property Name: COTTON DRAW UNIT	Well Number 540H

KZ 06/29/2018

Survey Report - Geographic

Company:	Devon Energy	Local Co-ordinate Reference:	Well Cotton Draw Unit 541H
Project:	Eddy County, NM (NAD83)	TVD Reference:	GE 3414.1' + KB 30 @ 3444.10usft
Site:	Cotton Draw Unit	MD Reference:	GE 3414.1' + KB 30 @ 3444.10usft
Well:	Cotton Draw Unit 541H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.1 Single User Db

Project	Eddy County, NM (NAD83)		
Map System:	US State Plane 1983	System Datum:	Mean Sea Level
Geo Datum:	North American Datum 1983		
Map Zone:	New Mexico Eastern Zone		

Site		Cotton Draw Unit			
Site Position:		Northing:	435,369.65 usft	Latitude:	32.1955958
From:	Map	Easting:	719,574.94 usft	Longitude:	-103.7571294
Position Uncertainty:	0.00 usft	Slot Radius:	13-3/16 "	Grid Convergence:	0.31 °

Well	Cotton Draw Unit 541H					
Well Position	+N/-S	0.00 usft	Northing:	414,843.74 usft	Latitude:	32.1390797
	+E/-W	0.00 usft	Easting:	725,897.46 usft	Longitude:	-103.7370586
Position Uncertainty		0.50 usft	Wellhead Elevation:	usft	Ground Level:	3,414.10 usft

Wellbore	Wellbore #1				
Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	HDGM2022	2/10/2022	6.45	59.72	47,565.30000000

Design	Wellbore #1				
Audit Notes:					
Version:	1.0	Phase:	ACTUAL	Tie On Depth:	0.00
Vertical Section:	Depth From (TVD) (usft)	+N/-S (usft)	+E/-W (usft)	Direction (°)	
	0.00	0.00	0.00	359.49	

Survey Program	Date	5/25/2022			
From (usft)	To (usft)	Survey (Wellbore)	Tool Name	Description	
176.00	19,084.00	Survey #1 (Wellbore #1)	MWD+IFR1+MS	OWSG MWD + IFR1 + Multi-Station Correction	

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
0.00	0.00	0.00	0.00	0.00	0.00	414,843.74	725,897.46	32.1390797	-103.7370586
176.00	0.40	100.20	176.00	-0.11	0.60	414,843.63	725,898.06	32.1390794	-103.7370566
267.00	0.30	105.40	267.00	-0.23	1.15	414,843.51	725,898.60	32.1390791	-103.7370549
357.00	0.30	105.20	357.00	-0.35	1.60	414,843.39	725,899.06	32.1390787	-103.7370534
448.00	0.30	159.50	447.99	-0.64	1.91	414,843.10	725,899.37	32.1390779	-103.7370524
539.00	0.40	190.20	538.99	-1.17	1.94	414,842.57	725,899.40	32.1390765	-103.7370523
639.00	0.40	193.00	638.99	-1.86	1.80	414,841.88	725,899.26	32.1390746	-103.7370528
777.00	0.80	232.40	776.98	-2.91	0.93	414,840.82	725,898.39	32.1390717	-103.7370556
869.00	1.00	243.60	868.97	-3.66	-0.30	414,840.08	725,897.16	32.1390697	-103.7370596
960.00	1.10	246.30	959.96	-4.37	-1.81	414,839.37	725,895.65	32.1390678	-103.7370645
1,051.00	0.80	241.30	1,050.94	-5.02	-3.17	414,838.72	725,894.29	32.1390660	-103.7370689
1,142.00	0.70	240.60	1,141.94	-5.60	-4.21	414,838.14	725,893.25	32.1390644	-103.7370723

Survey Report - Geographic

Company:	Devon Energy	Local Co-ordinate Reference:	Well Cotton Draw Unit 541H
Project:	Eddy County, NM (NAD83)	TVD Reference:	GE 3414.1' + KB 30 @ 3444.10usft
Site:	Cotton Draw Unit	MD Reference:	GE 3414.1' + KB 30 @ 3444.10usft
Well:	Cotton Draw Unit 541H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.1 Single User Db

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
1,233.00	0.70	255.20	1,232.93	-6.02	-5.23	414,837.72	725,892.23	32.1390633	-103.7370756
1,324.00	0.70	259.40	1,323.92	-6.26	-6.31	414,837.48	725,891.14	32.1390626	-103.7370791
1,416.00	0.40	262.60	1,415.92	-6.41	-7.18	414,837.33	725,890.27	32.1390622	-103.7370819
1,511.00	1.60	178.40	1,510.90	-7.77	-7.48	414,835.96	725,889.98	32.1390585	-103.7370829
1,605.00	2.60	176.00	1,604.84	-11.21	-7.29	414,832.53	725,890.17	32.1390490	-103.7370823
1,699.00	3.90	167.80	1,698.69	-16.46	-6.47	414,827.27	725,890.99	32.1390346	-103.7370797
1,795.00	5.00	166.70	1,794.40	-23.73	-4.81	414,820.01	725,892.64	32.1390146	-103.7370745
1,889.00	5.20	165.30	1,888.02	-31.83	-2.79	414,811.91	725,894.67	32.1389923	-103.7370681
1,984.00	6.90	165.70	1,982.49	-41.53	-0.29	414,802.21	725,897.17	32.1389656	-103.7370602
2,078.00	7.80	165.60	2,075.72	-53.18	2.69	414,790.56	725,900.15	32.1389335	-103.7370508
2,173.00	7.90	166.40	2,169.83	-65.77	5.83	414,777.97	725,903.29	32.1388989	-103.7370409
2,268.00	8.10	165.30	2,263.90	-78.59	9.06	414,765.15	725,906.52	32.1388636	-103.7370307
2,362.00	8.20	174.40	2,356.96	-91.67	11.40	414,752.07	725,908.86	32.1388276	-103.7370234
2,457.00	8.40	177.00	2,450.96	-105.34	12.42	414,738.40	725,909.88	32.1387900	-103.7370203
2,551.00	9.00	177.30	2,543.88	-119.54	13.13	414,724.20	725,910.59	32.1387509	-103.7370183
2,646.00	9.20	176.60	2,637.69	-134.54	13.93	414,709.20	725,911.39	32.1387097	-103.7370160
2,740.00	9.20	176.20	2,730.48	-149.54	14.87	414,694.20	725,912.33	32.1386684	-103.7370132
2,835.00	9.40	177.90	2,824.23	-164.87	15.66	414,678.87	725,913.12	32.1386263	-103.7370109
2,929.00	9.10	176.90	2,917.01	-179.96	16.34	414,663.77	725,913.80	32.1385848	-103.7370090
3,023.00	9.10	177.00	3,009.82	-194.81	17.14	414,648.93	725,914.59	32.1385440	-103.7370067
3,118.00	8.80	175.20	3,103.67	-209.55	18.14	414,634.19	725,915.59	32.1385034	-103.7370037
3,211.00	8.20	171.50	3,195.65	-223.20	19.71	414,620.54	725,917.17	32.1384659	-103.7369989
3,305.00	7.60	174.60	3,288.75	-236.02	21.29	414,607.72	725,918.74	32.1384306	-103.7369940
3,399.00	6.90	176.70	3,382.00	-247.85	22.20	414,595.89	725,919.65	32.1383981	-103.7369913
3,494.00	6.30	191.00	3,476.38	-258.66	21.53	414,585.08	725,918.99	32.1383684	-103.7369936
3,588.00	6.00	197.70	3,569.84	-268.40	19.05	414,575.33	725,916.51	32.1383417	-103.7370018
3,683.00	5.50	196.10	3,664.36	-277.51	16.28	414,566.23	725,913.74	32.1383167	-103.7370109
3,777.00	5.60	188.80	3,757.92	-286.37	14.33	414,557.37	725,911.79	32.1382923	-103.7370174
3,871.00	5.20	185.00	3,851.50	-295.15	13.26	414,548.59	725,910.71	32.1382682	-103.7370210
3,965.00	5.50	185.70	3,945.09	-303.87	12.44	414,539.87	725,909.90	32.1382443	-103.7370238
4,059.00	7.10	190.30	4,038.52	-314.07	10.95	414,529.67	725,908.41	32.1382162	-103.7370288
4,154.00	7.80	194.00	4,132.72	-326.10	8.34	414,517.64	725,905.80	32.1381832	-103.7370374
4,248.00	7.40	200.50	4,225.90	-337.96	4.68	414,505.78	725,902.14	32.1381507	-103.7370495
4,342.00	7.10	201.30	4,319.15	-349.04	0.45	414,494.70	725,897.91	32.1381203	-103.7370634
4,436.00	6.50	202.20	4,412.48	-359.38	-3.67	414,484.36	725,893.79	32.1380919	-103.7370768
4,531.00	6.40	201.20	4,506.88	-369.30	-7.62	414,474.44	725,889.84	32.1380647	-103.7370898
4,625.00	6.20	199.60	4,600.31	-378.96	-11.21	414,464.78	725,886.24	32.1380382	-103.7371016
4,719.00	6.20	200.50	4,693.77	-388.50	-14.69	414,455.24	725,882.76	32.1380120	-103.7371130
4,814.00	5.70	196.90	4,788.25	-397.82	-17.86	414,445.92	725,879.59	32.1379865	-103.7371234
4,908.00	5.40	195.60	4,881.81	-406.55	-20.41	414,437.19	725,877.05	32.1379625	-103.7371318
5,002.00	4.40	177.00	4,975.47	-414.41	-21.41	414,429.33	725,876.05	32.1379409	-103.7371351
5,097.00	4.30	166.10	5,070.20	-421.50	-20.36	414,422.23	725,877.09	32.1379214	-103.7371319
5,191.00	4.20	161.90	5,163.94	-428.20	-18.45	414,415.54	725,879.01	32.1379030	-103.7371258
5,285.00	3.70	159.80	5,257.72	-434.32	-16.33	414,409.42	725,881.13	32.1378861	-103.7371191
5,379.00	2.40	157.00	5,351.58	-438.97	-14.51	414,404.77	725,882.94	32.1378733	-103.7371133
5,473.00	2.20	158.40	5,445.51	-442.46	-13.08	414,401.28	725,884.38	32.1378637	-103.7371087
5,567.00	1.90	158.40	5,539.45	-445.59	-11.84	414,398.15	725,885.61	32.1378551	-103.7371048
5,661.00	1.90	156.90	5,633.40	-448.47	-10.66	414,395.27	725,886.80	32.1378471	-103.7371010
5,756.00	1.90	154.40	5,728.34	-451.34	-9.36	414,392.40	725,888.10	32.1378392	-103.7370969
5,850.00	1.90	157.30	5,822.29	-454.18	-8.09	414,389.56	725,889.37	32.1378314	-103.7370928
5,945.00	2.00	159.80	5,917.24	-457.19	-6.90	414,386.55	725,890.55	32.1378231	-103.7370890
6,039.00	1.90	157.70	6,011.18	-460.17	-5.75	414,383.57	725,891.71	32.1378149	-103.7370854
6,134.00	1.90	155.80	6,106.13	-463.07	-4.50	414,380.67	725,892.95	32.1378069	-103.7370814
6,228.00	1.80	157.70	6,200.08	-465.85	-3.31	414,377.89	725,894.15	32.1377992	-103.7370776
6,322.00	1.70	151.00	6,294.04	-468.44	-2.07	414,375.30	725,895.39	32.1377921	-103.7370736

Survey Report - Geographic

Company:	Devon Energy	Local Co-ordinate Reference:	Well Cotton Draw Unit 541H
Project:	Eddy County, NM (NAD83)	TVD Reference:	GE 3414.1' + KB 30 @ 3444.10usft
Site:	Cotton Draw Unit	MD Reference:	GE 3414.1' + KB 30 @ 3444.10usft
Well:	Cotton Draw Unit 541H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.1 Single User Db

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
6,417.00	1.60	151.40	6,389.00	-470.84	-0.75	414,372.90	725,896.71	32.1377855	-103.7370694
6,511.00	1.60	149.70	6,482.96	-473.12	0.54	414,370.62	725,898.00	32.1377792	-103.7370653
6,605.00	1.70	147.60	6,576.92	-475.43	1.95	414,368.31	725,899.40	32.1377728	-103.7370608
6,699.00	1.60	137.80	6,670.89	-477.58	3.58	414,366.16	725,901.03	32.1377669	-103.7370555
6,794.00	1.70	130.40	6,765.85	-479.48	5.54	414,364.26	725,903.00	32.1377617	-103.7370492
6,889.00	2.00	125.00	6,860.80	-481.34	7.97	414,362.40	725,905.43	32.1377565	-103.7370414
6,983.00	2.00	118.30	6,954.74	-483.06	10.76	414,360.68	725,908.22	32.1377517	-103.7370324
7,077.00	1.90	117.50	7,048.68	-484.56	13.59	414,359.18	725,911.04	32.1377476	-103.7370233
7,171.00	2.10	110.40	7,142.63	-485.88	16.58	414,357.86	725,914.04	32.1377439	-103.7370137
7,265.00	1.30	111.70	7,236.59	-486.87	19.19	414,356.87	725,916.64	32.1377411	-103.7370053
7,359.00	0.70	84.40	7,330.57	-487.21	20.75	414,356.53	725,918.21	32.1377402	-103.7370002
7,454.00	1.10	356.60	7,425.56	-486.24	21.27	414,357.50	725,918.73	32.1377428	-103.7369985
7,548.00	1.30	330.10	7,519.54	-484.42	20.69	414,359.32	725,918.15	32.1377479	-103.7370004
7,643.00	1.20	294.60	7,614.52	-483.07	19.25	414,360.67	725,916.70	32.1377516	-103.7370050
7,737.00	1.60	308.20	7,708.49	-481.85	17.32	414,361.89	725,914.78	32.1377550	-103.7370112
7,832.00	1.70	310.50	7,803.45	-480.11	15.21	414,363.63	725,912.66	32.1377598	-103.7370180
7,926.00	1.80	310.80	7,897.41	-478.24	13.03	414,365.50	725,910.49	32.1377649	-103.7370250
8,020.00	1.70	305.70	7,991.37	-476.46	10.78	414,367.28	725,908.24	32.1377699	-103.7370323
8,114.00	1.70	304.70	8,085.33	-474.86	8.50	414,368.88	725,905.96	32.1377743	-103.7370396
8,208.00	1.50	302.10	8,179.29	-473.41	6.31	414,370.33	725,903.77	32.1377783	-103.7370466
8,302.00	1.60	294.90	8,273.25	-472.20	4.08	414,371.54	725,901.54	32.1377817	-103.7370538
8,360.00	1.50	294.90	8,331.23	-471.54	2.66	414,372.20	725,900.11	32.1377835	-103.7370584
8,484.00	6.80	353.80	8,454.89	-463.55	0.39	414,380.19	725,897.85	32.1378055	-103.7370656
8,572.79	21.67	351.41	8,540.72	-442.00	-2.64	414,401.74	725,894.81	32.1378648	-103.7370750
X FTP @ 8573' MD, 100' FSL, 941' FWL									
8,578.00	22.54	351.37	8,545.55	-440.06	-2.94	414,403.68	725,894.52	32.1378701	-103.7370759
8,673.00	35.67	352.52	8,628.37	-394.40	-9.30	414,449.34	725,888.15	32.1379958	-103.7370957
8,767.00	47.03	356.38	8,698.83	-332.69	-15.06	414,511.05	725,882.40	32.1381655	-103.7371132
8,863.00	58.56	0.37	8,756.79	-256.41	-17.02	414,587.33	725,880.44	32.1383752	-103.7371181
8,957.00	69.22	1.18	8,798.10	-172.13	-15.85	414,671.61	725,881.60	32.1386068	-103.7371129
9,052.00	78.51	358.81	8,824.48	-80.98	-15.91	414,762.76	725,881.55	32.1388574	-103.7371114
9,136.00	81.95	359.54	8,838.73	1.78	-17.09	414,845.52	725,880.36	32.1390849	-103.7371138
9,230.00	84.83	0.31	8,849.55	95.14	-17.22	414,938.88	725,880.24	32.1393415	-103.7371125
9,324.00	86.90	0.18	8,856.33	188.89	-16.81	415,032.63	725,880.64	32.1395992	-103.7371095
9,419.00	87.53	359.58	8,860.94	283.78	-17.01	415,127.52	725,880.44	32.1398600	-103.7371085
9,514.00	88.14	359.27	8,864.53	378.71	-17.97	415,222.45	725,879.49	32.1401210	-103.7371098
9,609.00	90.45	0.04	8,865.70	473.69	-18.54	415,317.43	725,878.92	32.1403821	-103.7371100
9,704.00	92.70	0.65	8,863.09	568.65	-17.97	415,412.39	725,879.49	32.1406431	-103.7371064
9,799.00	92.02	358.46	8,859.18	663.56	-18.70	415,507.30	725,878.75	32.1409040	-103.7371071
9,893.00	92.72	357.63	8,855.29	757.42	-21.91	415,601.16	725,875.55	32.1411621	-103.7371158
9,987.00	92.17	358.28	8,851.28	851.27	-25.26	415,695.01	725,872.20	32.1414201	-103.7371249
10,082.00	90.20	359.53	8,849.32	946.23	-27.07	415,789.97	725,870.38	32.1416811	-103.7371291
10,176.00	87.94	0.06	8,850.84	1,040.21	-27.41	415,883.95	725,870.05	32.1419395	-103.7371285
10,271.00	88.47	0.11	8,853.82	1,135.16	-27.27	415,978.90	725,870.19	32.1422005	-103.7371264
10,364.00	88.42	359.65	8,856.34	1,228.13	-27.46	416,071.87	725,869.99	32.1424560	-103.7371253
10,459.00	88.47	358.18	8,858.92	1,323.07	-29.26	416,166.81	725,868.19	32.1427170	-103.7371294
10,554.00	88.96	357.71	8,861.05	1,417.99	-32.67	416,261.73	725,864.79	32.1429780	-103.7371387
10,649.00	93.29	359.49	8,859.19	1,512.92	-34.99	416,356.66	725,862.47	32.1432390	-103.7371445
10,743.00	96.05	0.27	8,851.53	1,606.59	-35.19	416,450.33	725,862.27	32.1434965	-103.7371435
10,835.00	92.54	1.28	8,844.64	1,698.31	-33.94	416,542.05	725,863.51	32.1437486	-103.7371379
10,925.00	92.56	1.68	8,840.64	1,788.19	-31.62	416,631.93	725,865.83	32.1439956	-103.7371287
11,016.00	90.98	0.25	8,837.83	1,879.13	-30.09	416,722.87	725,867.37	32.1442455	-103.7371222
11,106.00	90.52	358.87	8,836.65	1,969.12	-30.78	416,812.86	725,866.67	32.1444929	-103.7371228
11,197.00	91.20	358.00	8,835.29	2,060.07	-33.27	416,903.81	725,864.19	32.1447430	-103.7371292
11,288.00	90.95	356.43	8,833.58	2,150.95	-37.69	416,994.69	725,859.77	32.1449928	-103.7371418

Survey Report - Geographic

Company:	Devon Energy	Local Co-ordinate Reference:	Well Cotton Draw Unit 541H
Project:	Eddy County, NM (NAD83)	TVD Reference:	GE 3414.1' + KB 30 @ 3444.10usft
Site:	Cotton Draw Unit	MD Reference:	GE 3414.1' + KB 30 @ 3444.10usft
Well:	Cotton Draw Unit 541H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.1 Single User Db

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
11,380.00	89.62	359.38	8,833.12	2,242.87	-41.05	417,086.61	725,856.41	32.1452455	-103.7371511
11,472.00	89.68	359.72	8,833.68	2,334.87	-41.77	417,178.61	725,855.68	32.1454984	-103.7371518
11,563.00	90.70	359.60	8,833.38	2,425.86	-42.31	417,269.60	725,855.14	32.1457486	-103.7371519
11,654.00	89.61	358.13	8,833.13	2,516.84	-44.11	417,360.58	725,853.34	32.1459987	-103.7371561
11,745.00	89.26	358.74	8,834.03	2,607.80	-46.60	417,451.54	725,850.86	32.1462487	-103.7371625
11,836.00	91.64	1.21	8,833.32	2,698.79	-46.64	417,542.53	725,850.82	32.1464988	-103.7371610
11,928.00	93.26	2.50	8,829.38	2,790.65	-43.67	417,634.39	725,853.79	32.1467513	-103.7371497
12,019.00	93.71	1.62	8,823.85	2,881.42	-40.40	417,725.16	725,857.06	32.1470008	-103.7371375
12,111.00	91.55	1.80	8,819.63	2,973.28	-37.66	417,817.02	725,859.80	32.1472532	-103.7371270
12,205.00	90.97	2.05	8,817.56	3,067.20	-34.50	417,910.94	725,862.96	32.1475114	-103.7371152
12,299.00	90.55	1.28	8,816.32	3,161.15	-31.77	418,004.89	725,865.69	32.1477696	-103.7371047
12,394.00	91.08	0.92	8,814.97	3,256.12	-29.95	418,099.86	725,867.51	32.1480306	-103.7370971
12,488.00	91.55	0.37	8,812.81	3,350.09	-28.89	418,193.83	725,868.57	32.1482889	-103.7370920
12,581.00	91.86	359.52	8,810.04	3,443.05	-28.98	418,286.79	725,868.48	32.1485444	-103.7370906
12,675.00	92.75	359.36	8,806.26	3,536.97	-29.90	418,380.71	725,867.56	32.1488026	-103.7370919
12,770.00	88.74	358.02	8,805.03	3,631.92	-32.07	418,475.65	725,865.39	32.1490636	-103.7370972
12,864.00	89.24	359.54	8,806.68	3,725.88	-34.07	418,569.62	725,863.39	32.1493219	-103.7371020
12,959.00	90.04	359.66	8,807.28	3,820.87	-34.73	418,664.61	725,862.72	32.1495830	-103.7371024
13,054.00	90.81	359.38	8,806.58	3,915.86	-35.53	418,759.60	725,861.93	32.1498442	-103.7371033
13,148.00	91.48	359.09	8,804.70	4,009.84	-36.78	418,853.58	725,860.67	32.1501025	-103.7371057
13,243.00	91.86	358.70	8,801.93	4,104.78	-38.61	418,948.52	725,858.84	32.1503635	-103.7371099
13,337.00	91.75	357.91	8,798.97	4,198.69	-41.39	419,042.43	725,856.06	32.1506217	-103.7371172
13,432.00	90.60	355.52	8,797.02	4,293.51	-46.83	419,137.24	725,850.62	32.1508824	-103.7371331
13,526.00	90.53	355.61	8,796.09	4,387.22	-54.10	419,230.96	725,843.35	32.1511401	-103.7371549
13,621.00	89.79	354.85	8,795.83	4,481.89	-62.00	419,325.63	725,835.45	32.1514005	-103.7371787
13,715.00	89.72	353.91	8,796.23	4,575.43	-71.21	419,419.17	725,826.25	32.1516577	-103.7372068
13,810.00	87.55	356.31	8,798.49	4,670.05	-79.30	419,513.79	725,818.15	32.1519179	-103.7372312
13,886.50	88.13	358.43	8,801.38	4,746.41	-82.81	419,590.15	725,814.64	32.1521279	-103.7372412
X SEC @ 13887' MD, 0' FSL, 886' FWL									
13,904.00	88.26	358.91	8,801.93	4,763.90	-83.22	419,607.64	725,814.24	32.1521760	-103.7372422
13,998.00	88.74	359.40	8,804.39	4,857.85	-84.61	419,701.59	725,812.85	32.1524342	-103.7372450
14,092.00	87.94	359.06	8,807.11	4,951.80	-85.87	419,795.54	725,811.59	32.1526925	-103.7372474
14,187.00	89.66	1.17	8,809.10	5,046.77	-85.68	419,890.51	725,811.78	32.1529536	-103.7372451
14,282.00	89.54	1.20	8,809.77	5,141.75	-83.71	419,985.49	725,813.74	32.1532146	-103.7372371
14,377.00	90.10	1.22	8,810.06	5,236.73	-81.71	420,080.47	725,815.75	32.1534757	-103.7372289
14,471.00	94.89	2.42	8,805.97	5,330.56	-78.73	420,174.30	725,818.73	32.1537335	-103.7372176
14,560.00	93.11	0.80	8,799.76	5,419.31	-76.23	420,263.05	725,821.22	32.1539774	-103.7372079
14,653.00	91.04	0.97	8,796.40	5,512.23	-74.80	420,355.97	725,822.66	32.1542328	-103.7372016
14,749.00	89.01	1.50	8,796.36	5,608.20	-72.73	420,451.94	725,824.73	32.1544966	-103.7371932
14,843.00	88.57	1.72	8,798.34	5,702.14	-70.09	420,545.88	725,827.37	32.1547548	-103.7371830
14,938.00	88.64	2.39	8,800.65	5,797.05	-66.68	420,640.79	725,830.77	32.1550156	-103.7371703
15,033.00	88.60	2.56	8,802.94	5,891.94	-62.58	420,735.68	725,834.87	32.1552764	-103.7371554
15,127.00	88.39	2.36	8,805.41	5,985.82	-58.55	420,829.56	725,838.91	32.1555344	-103.7371406
15,221.00	88.08	1.55	8,808.31	6,079.72	-55.34	420,923.46	725,842.11	32.1557924	-103.7371286
15,316.00	90.56	2.02	8,809.43	6,174.66	-52.38	421,018.40	725,845.07	32.1560534	-103.7371173
15,410.00	91.05	1.73	8,808.11	6,268.60	-49.31	421,112.34	725,848.15	32.1563115	-103.7371057
15,504.00	91.27	1.71	8,806.21	6,362.54	-46.49	421,206.27	725,850.97	32.1565697	-103.7370949
15,598.00	91.37	1.56	8,804.04	6,456.47	-43.81	421,300.21	725,853.65	32.1568279	-103.7370846
15,692.00	91.40	1.12	8,801.77	6,550.42	-41.61	421,394.16	725,855.85	32.1570861	-103.7370758
15,786.00	89.75	0.23	8,800.83	6,644.40	-40.50	421,488.14	725,856.95	32.1573444	-103.7370705
15,881.00	90.08	359.66	8,800.97	6,739.40	-40.59	421,583.14	725,856.86	32.1576056	-103.7370691
15,975.00	90.63	0.32	8,800.39	6,833.40	-40.61	421,677.14	725,856.85	32.1578639	-103.7370675
16,070.00	88.42	1.40	8,801.17	6,928.38	-39.18	421,772.12	725,858.27	32.1581250	-103.7370612
16,164.00	88.26	1.28	8,803.90	7,022.31	-36.99	421,866.05	725,860.47	32.1583832	-103.7370524
16,258.00	88.09	1.52	8,806.89	7,116.24	-34.69	421,959.98	725,862.76	32.1586413	-103.7370433

Survey Report - Geographic

Company:	Devon Energy	Local Co-ordinate Reference:	Well Cotton Draw Unit 541H
Project:	Eddy County, NM (NAD83)	TVD Reference:	GE 3414.1' + KB 30 @ 3444.10usft
Site:	Cotton Draw Unit	MD Reference:	GE 3414.1' + KB 30 @ 3444.10usft
Well:	Cotton Draw Unit 541H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.1 Single User Db

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
16,352.00	87.98	1.38	8,810.11	7,210.15	-32.31	422,053.89	725,865.14	32.1588994	-103.7370340
16,446.00	87.56	0.65	8,813.77	7,304.07	-30.65	422,147.80	725,866.81	32.1591575	-103.7370269
16,539.00	89.94	359.94	8,815.80	7,397.03	-30.17	422,240.77	725,867.28	32.1594131	-103.7370237
16,634.00	89.34	355.23	8,816.40	7,491.92	-34.17	422,335.66	725,863.28	32.1596740	-103.7370349
16,729.00	90.10	357.17	8,816.86	7,586.71	-40.47	422,430.45	725,856.99	32.1599346	-103.7370536
16,824.00	89.93	356.15	8,816.84	7,681.54	-46.00	422,525.28	725,851.45	32.1601954	-103.7370698
16,918.00	90.95	358.13	8,816.12	7,775.42	-50.69	422,619.16	725,846.76	32.1604535	-103.7370832
17,013.00	91.15	358.12	8,814.37	7,870.35	-53.80	422,714.09	725,843.65	32.1607145	-103.7370916
17,107.00	91.62	357.55	8,812.10	7,964.26	-57.35	422,808.00	725,840.10	32.1609727	-103.7371014
17,202.00	89.10	357.39	8,811.51	8,059.15	-61.55	422,902.89	725,835.91	32.1612336	-103.7371132
17,297.00	88.81	358.11	8,813.24	8,154.06	-65.27	422,997.80	725,832.18	32.1614945	-103.7371236
17,392.00	89.73	359.15	8,814.45	8,249.03	-67.55	423,092.77	725,829.91	32.1617556	-103.7371292
17,486.00	89.66	359.54	8,814.95	8,343.02	-68.62	423,186.76	725,828.84	32.1620140	-103.7371310
17,581.00	89.69	359.14	8,815.49	8,438.01	-69.71	423,281.75	725,827.74	32.1622751	-103.7371328
17,675.00	89.01	358.35	8,816.55	8,531.98	-71.77	423,375.72	725,825.68	32.1625334	-103.7371378
17,770.00	86.74	359.24	8,820.08	8,626.89	-73.77	423,470.63	725,823.69	32.1627944	-103.7371426
17,864.00	86.03	359.26	8,826.00	8,720.69	-75.00	423,564.43	725,822.46	32.1630522	-103.7371448
17,959.00	88.12	0.89	8,830.85	8,815.56	-74.87	423,659.30	725,822.58	32.1633130	-103.7371427
18,054.00	89.79	1.29	8,832.58	8,910.52	-73.06	423,754.26	725,824.39	32.1635740	-103.7371352
18,148.00	89.45	0.55	8,833.21	9,004.51	-71.56	423,848.25	725,825.90	32.1638323	-103.7371286
18,243.00	89.19	359.19	8,834.33	9,099.50	-71.77	423,943.24	725,825.69	32.1640934	-103.7371276
18,337.00	89.19	359.37	8,835.66	9,193.48	-72.95	424,037.22	725,824.50	32.1643518	-103.7371298
18,432.00	88.77	358.62	8,837.35	9,288.45	-74.62	424,132.19	725,822.84	32.1646129	-103.7371335
18,527.00	90.87	359.57	8,837.65	9,383.43	-76.12	424,227.17	725,821.34	32.1648740	-103.7371366
18,622.00	91.08	359.69	8,836.04	9,478.42	-76.73	424,322.16	725,820.72	32.1651351	-103.7371369
18,716.00	90.91	359.33	8,834.40	9,572.40	-77.54	424,416.14	725,819.92	32.1653934	-103.7371378
18,811.00	90.62	358.52	8,833.14	9,667.37	-79.32	424,511.11	725,818.14	32.1656545	-103.7371419
18,906.00	90.24	357.99	8,832.42	9,762.33	-82.21	424,606.07	725,815.25	32.1659156	-103.7371495
19,000.00	90.52	358.33	8,831.80	9,856.28	-85.23	424,700.01	725,812.23	32.1661738	-103.7371576
19,031.00	90.35	358.32	8,831.56	9,887.26	-86.13	424,731.00	725,811.32	32.1662590	-103.7371600
19,072.00	90.35	358.32	8,831.31	9,928.24	-87.34	424,771.98	725,810.12	32.1663717	-103.7371631
X LTP @ 19072' MD, 100' FNL, 905' FWL									
19,084.00	90.35	358.32	8,831.24	9,940.24	-87.69	424,783.98	725,809.77	32.1664047	-103.7371640
PBHL; 88' FNL, 904' FWL									

Design Annotations					
Measured Depth (usft)	Vertical Depth (usft)	Local Coordinates			
		+N/-S (usft)	+E/-W (usft)	Comment	
8,572.79	8,540.72	-442.00	-2.64	X FTP @ 8573' MD, 100' FSL, 941' FWL	
13,886.50	8,801.38	4,746.41	-82.81	X SEC @ 13887' MD, 0' FSL, 886' FWL	
19,072.00	8,831.31	9,928.24	-87.34	X LTP @ 19072' MD, 100' FNL, 905' FWL	
19,084.00	8,831.24	9,940.24	-87.69	PBHL; 88' FNL, 904' FWL	

Checked By: _____ Approved By: _____ Date: _____

Submit 1 Copy To Appropriate District Office
 District I – (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II – (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III – (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV – (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
 Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

Form C-103
 Revised August 1, 2011

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-015-48983
1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐		5. Indicate Type of Lease STATE ☐ FEE ☐
2. Name of Operator Devon Energy Production Company, L.P.		6. State Oil & Gas Lease No.
3. Address of Operator 333 West Sheridan, Oklahoma City, OK 73102		7. Lease Name or Unit Agreement Name Cotton Draw Unit
4. Well Location Unit Letter <u>M</u> : <u>552</u> feet from the <u>South</u> line and <u>944</u> feet from the <u>West</u> line Section <u>12</u> Township <u>25S</u> Range <u>31E</u> NMPM County <u>Eddy</u>		8. Well Number 541H
11. Elevation (Show whether DR, RKB, RT, GR, etc.) GL: 3414.1'		9. OGRID Number 6137
		10. Pool name or Wildcat PADUCA; BONE SPRING (O)

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐ TEMPORARILY ABANDON ☐ CHANGE PLANS ☐ PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐ DOWNHOLE COMMINGLE ☐		SUBSEQUENT REPORT OF: REMEDIAL WORK ☐ ALTERING CASING ☐ COMMENCE DRILLING OPNS. ☐ P AND A ☐ CASING/CEMENT JOB ☐	
OTHER: ☐		OTHER: Completion ☒	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

6/28/22-8/19/22: MIRU WL & PT. TIH & ran CBL, found TOC @ 5350'. PT csg for 30min, OK. TIH w/pump through frac plug and guns. Perf Bone Spring, 9170'-19052', total 1174 holes. Frac totals 14,872,720# proppant, 72 bbl acid. ND frac, MIRU PU, NU BOP, DO plugs & CO to PBTD w/ float collar 19,062' MD/8,831' TVD. CHC, FWB, ND BOP. RIH w/254 jts 2-7/8" L-80 tbg, set @ 8553'. TOP.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Shayda Omoumi TITLE Regulatory Compliance Professional DATE 9/14/2022

Type or print name Shayda Omoumi E-mail address: shayda.omoumi@dvnm.com PHONE: 405-552-3513

For State Use Only

APPROVED BY: _____ TITLE _____ DATE _____

Conditions of Approval (if any): _____

Released to Imaging: 10/20/2022 5:05:34 PM

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

Southeastern New Mexico		Northwestern New Mexico	
Rustler - 640			
Salt - 1020			
Base of Salt - 4176			
Lamar - 4402			
Delaware - 4434			
Cherry Canyon - 5250			
Brushy Canyon - 6662			
1st Bone Spring Lime - 8304			
1st Bone Spring Sand - 9362			
2nd Bone Spring Sand - 9930			
3rd Bone Spring Lime - 10460			
3rd Bone Spring Sand - 11236			
Wolfcamp - 11650			
Strawn - 13600			

No. 1, from.....	N/A	to.....	N/A	No. 3, from.....	N/A	to.....	N/A
No. 2, from.....	N/A	to.....	N/A	No. 4, from.....	N/A	to.....	N/A

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 143067

ACKNOWLEDGMENTS

Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID: 6137
	Action Number: 143067
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 143067

CONDITIONS

Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID: 6137
	Action Number: 143067
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
llowe	None	10/20/2022