

1625 N. French Dr., Hobbs, NM 88240

District II

811 S. First St., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural ResourcesForm C-104
Revised August 1, 2011Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT**I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT**

¹ Operator name and Address TAP ROCK OPERATING, LLC 523 PARK POINT DRIVE, SUITE 200 GOLDEN, CO 80401		² OGRID Number 372043
		³ Reason for Filing Code/ Effective Date NW
⁴ API Number 30 - 0 25-48633	⁵ Pool Name WC-025 G-09 S243310P; UPPER WOLFCAMP	⁶ Pool Code 98135
⁷ Property Code 328891	⁸ Property Name APOLLO STATE COM	⁹ Well Number 206H

II. ¹⁰ Surface Location

UI or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
O	21	24-S	33-E	-	873'	SOUTH	1835'	EAST	LEA

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
A	16	24-S	33-E	-	32'	NORTH	1025'	EAST	LEA
¹² Lse Code S	¹³ Producing Method Code F	¹⁴ Gas Connection Date 10/21/2021	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date				

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
34053	PLAINS ALL AMERICAN 333 CLAY STREET SUITE 1600 HOUSTON, TX 77002	O
371960	LUCID ENERGY GROUP 3100 MCKINNON ST #800 DALLAS, TX 75201	G

IV. Well Completion Data

²¹ Spud Date 6/3/2021	²² Ready Date 10/21/2021	²³ TD 22878'	²⁴ PBTB 22812'	²⁵ Perforations 12626'-22728'	²⁶ DHC, MC
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
17.5"	13.375"	1282'	1010 SKS		
9.875"	7.625"	11847'	1357 SKS		
6.75"	5.5"	22860'	906 SKS		

V. Well Test Data

³¹ Date New Oil 10/26/2021	³² Gas Delivery Date 10/26/2021	³³ Test Date 11/1/2021	³⁴ Test Length 24 HRS	³⁵ Tbg. Pressure 0	³⁶ Csg. Pressure 2700
³⁷ Choke Size 39/64	³⁸ Oil 1699	³⁹ Water 5476	⁴⁰ Gas 5807		⁴¹ Test Method Flowing
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: 			OIL CONSERVATION DIVISION		
Printed name: JEFF TRLICA			Approved by: PATRICIA MARTINEZ		
Title: REGULATORY ANALYST			Title: PETROLEUM SPECIALIST		
E-mail Address: JTRLICA@GMAIL.COM			Approval Date: 10/24/2022		
Date: 11/5/2021		Phone: 720-772-5910			

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources
Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

FORM C-102

Revised August 1, 2011

Submit one copy to appropriate

District Office

☐ AMENDED REPORT

AS-DRILLED

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-025-48633	² Pool Code 98135	³ Pool Name WC-025 G-09 S243310P; UPPER WOLFCAMP
⁴ Property Code 328891	⁵ Property Name APOLLO STATE COM	
⁷ OGRID No. #372043	⁸ Operator Name TAP ROCK OPERATING, LLC.	⁶ Well Number 206H
		⁹ Elevation 3543'

¹⁰Surface Location


UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
0	21	24-S	33-E	-	873'	SOUTH	1835'	EAST	LEA


¹¹Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
A	16	24-S	33-E	-	32'	NORTH	1025'	EAST	LEA

¹² Dedicated Acres 640	¹³ Joint or Infill Infill	¹⁴ Consolidation Code	¹⁵ Order No.
--------------------------------------	---	----------------------------------	-------------------------

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.







Operator: TapRock Resources LLC
Well Name: Apollo State Com 206H
County: Lea County
State: New Mexico
Rig Name: H&P 388
API: 30-025-48633

Intrepid Directional Drilling Specialists certifies that the surveys performed on the above referenced well are true and correct MWD surveys, data provided as follows:

Surveyor: Intrepid Directional Drilling Specialists
Survey Depths: 231' MD – 22806' MD
Projection to Bit: 22878' MD
Dates Performed: 06/03/2021 – 07/26/2021
Type of Survey: MWD

Sincerely,

A handwritten signature in black ink, appearing to read "T. Henk".

Travis Henk
MWD Operations Manager
Intrepid Directional Drilling Specialists





Operator: Tap Rock Resources, LLC.

Well Name: Apollo State Com 206H

Job Number: ID2909

Survey Company: Intrepid Directional Drilling Specialists

Rig Name: H&P 388

Target KBTVD: 12505.00

Target Inclination: 90.00°

Declination Correction: 5.98°

KB Elevation: 3568

Vertical Section Calculated Along Azimuth: 359.59°

Survey Calculation Method: Minimum Curvature

TIE PT.	SVY	Survey	INC	AZM	Course	TVD	V'Sect	+N/-S	+E/-W	Dogleg
TYPE	#	Depth	deg.	deg.	Length	Ft.	FT.	Ft.	Ft.	%/100'
Tie In	0	0	0.00	0.00	0	0	0	0	0	0.00
MWD	1	231.00	1.49	25.40	231	230.97	2.70	2.71	1.29	0.65
MWD	2	325.00	1.10	26.90	94	324.95	4.61	4.62	2.22	0.42
MWD	3	501.00	0.48	56.17	176	500.93	6.51	6.54	3.60	0.41
MWD	4	588.00	0.53	70.67	87	587.93	6.84	6.87	4.28	0.16
MWD	5	682.00	0.53	69.17	94	681.93	7.14	7.17	5.10	0.01
MWD	6	773.00	0.48	117.43	91	772.92	7.11	7.15	5.83	0.46
MWD	7	864.00	0.31	128.85	91	863.92	6.77	6.82	6.36	0.20
MWD	8	954.00	0.04	186.07	90	953.92	6.59	6.63	6.54	0.32
MWD	9	1045.00	0.44	3.34	91	1044.92	6.90	6.95	6.56	0.53
MWD	10	1135.00	1.19	2.82	90	1134.91	8.18	8.23	6.63	0.83
MWD	11	1226.00	2.07	1.23	91	1225.87	10.77	10.82	6.71	0.97
MWD	12	1232.00	2.07	1.23	6	1231.87	10.98	11.03	6.71	0.00
MWD	13	1323.00	2.55	2.73	91	1322.79	14.65	14.70	6.85	0.53
MWD	14	1419.00	0.53	0.53	96	1418.75	17.23	17.28	6.95	2.10
MWD	15	1511.00	0.62	330.38	92	1510.75	18.09	18.13	6.71	0.34
MWD	16	1606.00	1.36	217.27	95	1605.74	17.64	17.68	5.77	1.79
MWD	17	1701.00	3.69	180.62	95	1700.65	13.69	13.73	5.06	2.87
MWD	18	1796.00	4.92	179.65	95	1795.38	6.56	6.60	5.05	1.30
MWD	19	1891.00	6.07	169.98	95	1889.94	-2.47	-2.42	5.95	1.55
MWD	20	1985.00	7.56	156.45	94	1983.28	-13.05	-12.99	9.28	2.32
MWD	21	2079.00	9.01	150.21	94	2076.30	-25.15	-25.04	15.41	1.81
MWD	22	2174.00	9.58	144.58	95	2170.05	-38.11	-37.94	23.69	1.13
MWD	23	2270.00	9.80	141.42	96	2264.68	-51.08	-50.84	33.41	0.60
MWD	24	2365.00	9.63	137.64	95	2358.32	-63.34	-63.03	43.81	0.69
MWD	25	2460.00	9.58	134.83	95	2451.99	-74.87	-74.48	54.77	0.50
MWD	26	2555.00	9.54	131.05	95	2545.67	-85.69	-85.22	66.31	0.66
MWD	27	2650.00	9.23	127.27	95	2639.40	-95.56	-95.00	78.31	0.73
MWD	28	2745.00	8.66	127.88	95	2733.25	-104.65	-104.01	90.02	0.61
MWD	29	2840.00	8.57	124.72	95	2827.17	-113.15	-112.43	101.48	0.51
MWD	30	2935.00	8.13	124.02	95	2921.17	-121.03	-120.22	112.87	0.48
MWD	31	3028.00	7.52	123.40	93	3013.30	-128.13	-127.25	123.40	0.66
MWD	32	3123.00	9.05	128.24	95	3107.31	-136.26	-135.30	134.46	1.77
MWD	33	3218.00	9.49	127.88	95	3201.07	-145.78	-144.73	146.51	0.47
MWD	34	3313.00	9.23	128.59	95	3294.80	-155.42	-154.29	158.65	0.30
MWD	35	3407.00	9.32	129.29	94	3387.57	-165.03	-163.81	170.43	0.15
MWD	36	3501.00	9.67	126.48	94	3480.28	-174.63	-173.33	182.67	0.62
MWD	37	3597.00	9.05	126.30	96	3575.01	-183.98	-182.59	195.24	0.65
MWD	38	3692.00	8.35	126.48	95	3668.91	-192.59	-191.12	206.81	0.74
MWD	39	3787.00	8.57	132.54	95	3762.88	-201.55	-200.00	217.57	0.97
MWD	40	3882.00	9.14	136.15	95	3856.75	-211.86	-210.23	228.01	0.84
MWD	41	3977.00	8.92	140.01	95	3950.57	-223.01	-221.31	237.97	0.68
MWD	42	4072.00	8.35	142.56	95	4044.50	-234.20	-232.43	246.90	0.72
MWD	43	4167.00	9.45	144.32	95	4138.35	-246.07	-244.25	255.64	1.19
MWD	44	4262.00	9.89	146.52	95	4232.00	-259.27	-257.39	264.69	0.60
MWD	45	4357.00	9.10	145.99	95	4325.70	-272.37	-270.42	273.39	0.84
MWD	46	4453.00	9.41	141.95	96	4420.45	-284.91	-282.89	282.48	0.75
MWD	47	4548.00	9.85	140.54	95	4514.11	-297.37	-295.28	292.43	0.53
MWD	48	4642.00	9.14	140.98	94	4606.82	-309.44	-307.29	302.24	0.76
MWD	49	4737.00	9.54	138.17	95	4700.56	-321.24	-319.02	312.24	0.64
MWD	50	4833.00	10.64	140.45	96	4795.08	-334.08	-331.78	323.19	1.22
MWD	51	4928.00	11.82	140.36	95	4888.26	-348.42	-346.04	334.98	1.24
MWD	52	5021.00	9.32	135.00	93	4979.67	-361.17	-358.70	346.38	2.89
MWD	53	5116.00	8.22	134.04	95	5073.56	-371.40	-368.86	356.70	1.17
MWD	54	5211.00	8.00	134.75	95	5167.61	-380.84	-378.23	366.28	0.25
MWD	55	5306.00	7.25	133.16	95	5261.77	-389.66	-386.99	375.35	0.82
MWD	56	5401.00	7.12	132.19	95	5356.02	-397.78	-395.04	384.08	0.19
MWD	57	5495.00	8.09	129.20	94	5449.20	-405.94	-403.14	393.53	1.11
MWD	58	5588.00	9.67	129.11	93	5541.08	-415.08	-412.20	404.66	1.70
MWD	59	5683.00	10.59	130.96	95	5634.60	-425.93	-422.95	417.44	1.03
MWD	60	5778.00	10.59	129.91	95	5727.98	-437.35	-434.28	430.73	0.20
MWD	61	5873.00	10.55	128.41	95	5821.37	-448.45	-445.28	444.24	0.29
MWD	62	5968.00	10.86	126.21	95	5914.72	-459.24	-455.97	458.28	0.54

MWD	63	6062.00	10.51	126.21	94	6007.09	-469.64	-466.27	472.34	0.37
MWD	64	6156.00	9.71	124.90	94	6099.63	-479.33	-475.87	485.76	0.89
MWD	65	6250.00	8.88	126.13	94	6192.39	-488.23	-484.68	498.12	0.91
MWD	66	6345.00	9.27	126.48	95	6286.20	-497.19	-493.55	510.19	0.41
MWD	67	6439.00	8.97	128.32	94	6379.01	-506.32	-502.60	522.03	0.45
MWD	68	6534.00	8.70	126.39	95	6472.89	-515.26	-511.45	533.63	0.42
MWD	69	6628.00	9.19	128.85	94	6565.74	-524.27	-520.38	545.19	0.66
MWD	70	6723.00	10.59	129.55	95	6659.33	-534.68	-530.70	557.83	1.48
MWD	71	6816.00	11.03	129.64	93	6750.68	-545.89	-541.82	571.27	0.47
MWD	72	6911.00	10.24	127.62	95	6844.05	-556.94	-552.77	584.96	0.92
MWD	73	7005.00	9.71	128.59	94	6936.62	-567.08	-562.81	597.78	0.59
MWD	74	7100.00	8.75	126.65	95	7030.39	-576.47	-572.12	609.84	1.06
MWD	75	7195.00	8.84	128.15	95	7124.28	-585.38	-580.95	621.37	0.26
MWD	76	7290.00	9.98	133.07	95	7218.00	-595.59	-591.08	633.13	1.47
MWD	77	7385.00	10.95	133.69	95	7311.42	-607.54	-602.93	645.67	1.03
MWD	78	7478.00	10.29	134.92	93	7402.82	-619.59	-614.90	657.93	0.75
MWD	79	7573.00	9.89	136.41	95	7496.35	-631.57	-626.80	669.57	0.50
MWD	80	7665.00	9.05	135.71	92	7587.10	-642.55	-637.70	680.07	0.92
MWD	81	7759.00	8.31	136.67	94	7680.02	-652.85	-647.93	689.89	0.80
MWD	82	7854.00	7.52	140.01	95	7774.12	-662.67	-657.69	698.60	0.96
MWD	83	7948.00	7.16	137.20	94	7867.35	-671.74	-666.70	706.53	0.54
MWD	84	8043.00	8.04	133.86	95	7961.51	-680.75	-675.65	715.34	1.04
MWD	85	8138.00	8.44	137.99	95	8055.53	-690.60	-685.43	724.80	0.75
MWD	86	8232.00	9.01	135.53	94	8148.44	-701.05	-695.81	734.57	0.72
MWD	87	8327.00	8.88	135.44	95	8242.29	-711.66	-706.34	744.93	0.14
MWD	88	8416.00	7.96	137.82	89	8330.33	-721.18	-715.81	753.89	1.11
MWD	89	8510.00	9.76	132.02	94	8423.20	-731.41	-725.96	764.18	2.14
MWD	90	8605.00	10.86	132.37	95	8516.67	-742.92	-737.38	776.77	1.16
MWD	91	8700.00	10.33	132.54	95	8610.05	-754.81	-749.17	789.66	0.56
MWD	92	8793.00	10.07	132.10	93	8701.58	-765.98	-760.26	801.84	0.29
MWD	93	8887.00	8.26	130.35	94	8794.38	-775.94	-770.15	813.08	1.95
MWD	94	8981.00	7.65	129.03	94	8887.47	-784.33	-778.46	823.09	0.68
MWD	95	9075.00	7.38	129.29	94	8980.66	-792.16	-786.22	832.62	0.29
MWD	96	9170.00	4.48	127.88	95	9075.15	-798.36	-792.36	840.27	3.06
MWD	97	9263.00	4.18	127.71	93	9167.88	-802.70	-796.67	845.82	0.32
MWD	98	9357.00	2.29	130.70	94	9261.73	-806.05	-799.99	849.96	2.02
MWD	99	9451.00	0.31	235.90	94	9355.70	-807.42	-801.35	851.17	2.54
MWD	100	9546.00	0.57	293.38	95	9450.70	-807.38	-801.31	850.52	0.51
MWD	101	9640.00	1.01	305.51	94	9544.69	-806.70	-800.64	849.42	0.50
MWD	102	9734.00	0.79	214.63	94	9638.68	-806.75	-800.70	848.38	1.37
MWD	103	9827.00	1.32	232.83	93	9731.67	-807.91	-801.87	847.16	0.67
MWD	104	9922.00	1.14	247.59	95	9826.64	-808.92	-802.89	845.41	0.38
MWD	105	10017.00	1.45	253.83	95	9921.62	-809.60	-803.59	843.38	0.36
MWD	106	10113.00	1.63	263.50	96	10017.59	-810.08	-804.08	840.86	0.33
MWD	107	10208.00	1.41	259.63	95	10112.55	-810.42	-804.44	838.37	0.26
MWD	108	10303.00	1.32	254.01	95	10207.53	-810.92	-804.96	836.17	0.17
MWD	109	10398.00	1.19	259.28	95	10302.50	-811.39	-805.44	834.15	0.18
MWD	110	10492.00	1.10	259.98	94	10396.48	-811.71	-805.78	832.30	0.10
MWD	111	10585.00	0.57	169.46	93	10489.48	-812.32	-806.39	831.50	1.34
MWD	112	10680.00	0.66	201.62	95	10584.47	-813.29	-807.36	831.39	0.37
MWD	113	10775.00	1.54	206.37	95	10679.45	-814.94	-809.01	830.62	0.93
MWD	114	10869.00	1.76	190.55	94	10773.41	-817.48	-811.57	829.80	0.54
MWD	115	10964.00	2.15	161.02	95	10868.36	-820.60	-814.69	830.11	1.12
MWD	116	11057.00	1.93	127.36	93	10961.31	-823.22	-817.29	831.92	1.29
MWD	117	11152.00	2.02	121.56	95	11056.25	-825.08	-819.13	834.62	0.23
MWD	118	11247.00	1.80	120.68	95	11151.20	-826.74	-820.77	837.33	0.23
MWD	119	11341.00	1.85	126.39	94	11245.15	-828.41	-822.42	839.82	0.20
MWD	120	11434.00	1.71	119.97	93	11338.10	-830.01	-824.01	842.23	0.26
MWD	121	11528.00	0.88	143.70	94	11432.08	-831.31	-825.29	843.87	1.03
MWD	122	11623.00	1.41	114.09	95	11527.06	-832.38	-826.35	845.37	0.82
MWD	123	11718.00	1.71	104.86	95	11622.03	-833.24	-827.20	847.81	0.41
MWD	124	11812.00	1.23	116.02	94	11715.99	-834.06	-828.00	850.07	0.59
MWD	125	11886.00	1.32	105.82	74	11789.98	-834.65	-828.58	851.60	0.33
MWD	126	11953.00	1.67	120.50	67	11856.95	-835.37	-829.28	853.19	0.77
MWD	127	12048.00	1.93	124.63	95	11951.91	-837.00	-830.90	855.70	0.31
MWD	128	12142.00	1.41	19.16	94	12045.88	-836.82	-830.70	857.38	2.85
MWD	129	12173.00	4.92	345.77	31	12076.83	-835.17	-829.05	857.18	12.33
MWD	130	12236.00	12.13	346.29	63	12139.10	-826.09	-819.99	854.94	11.44
MWD	131	12331.00	25.32	357.89	95	12228.90	-795.93	-789.85	851.81	14.36
MWD	132	12426.00	41.41	357.10	95	12307.98	-743.89	-737.83	849.46	16.94
MWD	133	12522.00	55.12	0.27	96	12371.74	-672.45	-666.39	848.03	14.49
MWD	134	12569.00	56.84	358.42	47	12398.04	-633.49	-627.45	847.58	4.90
MWD	135	12616.00	61.41	357.63	47	12422.15	-593.18	-587.14	846.18	9.83
MWD	136	12663.00	65.71	357.63	47	12443.07	-551.13	-545.10	844.44	9.15
MWD	137	12711.00	71.56	359.30	48	12460.55	-506.46	-500.44	843.26	12.61
MWD	138	12758.00	73.32	0.44	47	12474.73	-461.65	-455.63	843.16	4.40

MWD	139	12806.00	76.40	1.94	48	12487.27	-415.35	-409.32	844.13	7.09
MWD	140	12901.00	86.29	3.43	95	12501.55	-321.68	-315.62	848.54	10.53
MWD	141	12994.00	88.22	0.18	93	12506.00	-228.88	-222.79	851.46	4.06
MWD	142	13088.00	90.99	358.51	94	12506.65	-134.89	-128.81	850.39	3.44
MWD	143	13183.00	92.92	357.45	95	12503.41	-39.99	-33.93	847.04	2.32
MWD	144	13277.00	92.26	359.30	94	12499.16	53.89	59.93	844.38	2.09
MWD	145	13372.00	92.22	0.36	95	12495.45	148.81	154.86	844.10	1.12
MWD	146	13465.00	91.60	0.00	93	12492.35	241.76	247.80	844.39	0.77
MWD	147	13560.00	90.37	359.30	95	12490.72	336.74	342.79	843.81	1.49
MWD	148	13655.00	89.27	359.12	95	12491.01	431.73	437.77	842.50	1.17
MWD	149	13750.00	90.07	358.33	95	12491.56	526.72	532.75	840.38	1.18
MWD	150	13845.00	90.81	357.10	95	12490.83	621.66	627.67	836.60	1.51
MWD	151	13937.00	90.99	358.25	92	12489.39	713.60	719.58	832.87	1.27
MWD	152	14033.00	90.20	359.30	96	12488.39	809.58	815.55	830.81	1.37
MWD	153	14127.00	89.80	1.23	94	12488.39	903.57	909.54	831.25	2.10
MWD	154	14222.00	89.49	1.76	95	12488.98	998.52	1004.51	833.73	0.65
MWD	155	14317.00	88.53	2.46	95	12490.62	1093.41	1099.43	837.22	1.25
MWD	156	14412.00	88.88	2.46	95	12492.77	1188.27	1194.32	841.30	0.37
MWD	157	14505.00	90.11	2.73	93	12493.59	1281.13	1287.22	845.51	1.35
MWD	158	14600.00	89.27	1.67	95	12494.10	1376.03	1382.14	849.16	1.42
MWD	159	14695.00	89.67	1.67	95	12494.98	1470.96	1477.10	851.93	0.42
MWD	160	14789.00	89.80	0.27	94	12495.41	1564.93	1571.08	853.52	1.50
MWD	161	14884.00	89.58	359.21	95	12495.93	1659.93	1666.08	853.09	1.14
MWD	162	14978.00	86.46	357.63	94	12499.18	1753.84	1759.97	850.50	3.72
MWD	163	15073.00	88.66	357.72	95	12503.22	1848.69	1854.80	846.65	2.32
MWD	164	15168.00	89.49	356.14	95	12504.75	1943.58	1949.65	841.56	1.88
MWD	165	15263.00	90.07	355.43	95	12505.12	2038.37	2044.39	834.58	0.97
MWD	166	15357.00	90.77	357.37	94	12504.43	2132.21	2138.20	828.68	2.19
MWD	167	15451.00	91.12	359.56	94	12502.88	2226.18	2232.14	826.16	2.36
MWD	168	15546.00	90.77	359.92	95	12501.31	2321.16	2327.13	825.73	0.53
MWD	169	15641.00	89.89	1.59	95	12500.76	2416.14	2422.12	826.98	1.99
MWD	170	15736.00	90.77	3.69	95	12500.22	2510.99	2517.01	831.35	2.40
MWD	171	15830.00	89.36	1.15	94	12500.11	2604.87	2610.91	835.32	3.09
MWD	172	15924.00	89.98	359.92	94	12500.65	2698.85	2704.91	836.20	1.47
MWD	173	16019.00	89.71	358.86	95	12500.91	2793.85	2799.90	835.19	1.15
MWD	174	16113.00	91.38	358.86	94	12500.02	2887.83	2893.87	833.32	1.78
MWD	175	16207.00	90.59	357.98	94	12498.40	2981.80	2987.82	830.73	1.26
MWD	176	16302.00	89.45	359.04	95	12498.37	3076.78	3082.79	828.26	1.64
MWD	177	16397.00	92.09	358.16	95	12497.09	3171.75	3177.74	825.94	2.93
MWD	178	16492.00	91.52	358.33	95	12494.10	3266.67	3272.65	823.03	0.63
MWD	179	16510.00	91.38	359.56	18	12493.64	3284.67	3290.64	822.70	6.88
MWD	180	16605.00	90.46	359.83	95	12492.12	3379.65	3385.62	822.19	1.01
MWD	181	16700.00	88.70	359.39	95	12492.81	3474.65	3480.61	821.55	1.91
MWD	182	16794.00	88.40	359.48	94	12495.19	3568.62	3574.58	820.62	0.33
MWD	183	16889.00	87.65	358.86	95	12498.47	3663.56	3669.51	819.24	1.02
MWD	184	16984.00	87.78	358.42	95	12502.25	3758.47	3764.41	816.99	0.48
MWD	185	17079.00	89.05	358.16	95	12504.88	3853.40	3859.33	814.16	1.36
MWD	186	17174.00	89.71	357.89	95	12505.91	3948.36	3954.27	810.88	0.75
MWD	187	17269.00	89.80	357.98	95	12506.31	4043.32	4049.20	807.46	0.13
MWD	188	17364.00	89.58	358.25	95	12506.83	4138.29	4144.15	804.33	0.37
MWD	189	17459.00	90.24	358.42	95	12506.98	4233.27	4239.11	801.57	0.72
MWD	190	17555.00	90.73	358.16	96	12506.17	4329.24	4335.06	798.71	0.58
MWD	191	17650.00	90.59	357.37	95	12505.07	4424.18	4429.98	795.01	0.84
MWD	192	17743.00	91.08	358.51	93	12503.72	4517.13	4522.91	791.66	1.33
MWD	193	17836.00	92.70	359.39	93	12500.65	4610.07	4615.84	789.96	1.98
MWD	194	17931.00	92.22	359.21	95	12496.57	4704.98	4710.75	788.80	0.54
MWD	195	18025.00	92.79	0.09	94	12492.46	4798.89	4804.65	788.23	1.11
MWD	196	18120.00	91.91	359.30	95	12488.57	4893.81	4899.57	787.72	1.24
MWD	197	18215.00	90.02	0.27	95	12486.97	4988.79	4994.55	787.36	2.24
MWD	198	18310.00	88.62	0.79	95	12488.09	5083.77	5089.54	788.24	1.57
MWD	199	18404.00	88.40	0.44	94	12490.54	5177.72	5183.50	789.25	0.44
MWD	200	18498.00	88.35	0.36	94	12493.20	5271.67	5277.46	789.91	0.10
MWD	201	18591.00	88.00	359.83	93	12496.17	5364.62	5370.41	790.06	0.68
MWD	202	18683.00	88.88	359.92	92	12498.67	5456.59	5462.38	789.86	0.96
MWD	203	18777.00	88.84	358.60	94	12500.54	5550.56	5556.35	788.65	1.40
MWD	204	18872.00	89.71	359.12	95	12501.74	5645.55	5651.32	786.76	1.07
MWD	205	18967.00	90.64	359.12	95	12501.45	5740.54	5746.31	785.30	0.98
MWD	206	19062.00	90.59	358.60	95	12500.43	5835.53	5841.28	783.41	0.55
MWD	207	19157.00	89.49	358.51	95	12500.37	5930.51	5936.25	781.01	1.16
MWD	208	19252.00	89.63	358.42	95	12501.10	6025.49	6031.22	778.47	0.18
MWD	209	19347.00	89.19	359.86	95	12502.07	6120.48	6126.20	777.04	1.58
MWD	210	19441.00	89.45	359.56	94	12503.19	6214.47	6220.19	776.57	0.42
MWD	211	19533.00	90.37	0.97	92	12503.34	6306.46	6312.18	776.99	1.83
MWD	212	19628.00	90.20	1.67	95	12502.86	6401.42	6407.16	779.18	0.76
MWD	213	19722.00	89.63	1.15	94	12503.00	6495.37	6501.13	781.49	0.82
MWD	214	19818.00	89.63	0.79	96	12503.62	6591.34	6597.11	783.12	0.37

MWD	215	19911.00	88.70	0.44	93	12504.98	6684.31	6690.10	784.12	1.07
MWD	216	20005.00	88.88	0.44	94	12506.96	6778.28	6784.07	784.84	0.19
MWD	217	20099.00	89.41	0.97	94	12508.36	6872.25	6878.05	786.00	0.80
MWD	218	20194.00	90.68	0.88	95	12508.29	6967.23	6973.04	787.53	1.34
MWD	219	20289.00	90.86	0.71	95	12507.01	7062.20	7068.02	788.85	0.26
MWD	220	20384.00	89.63	0.00	95	12506.61	7157.18	7163.02	789.44	1.49
MWD	221	20478.00	89.45	359.74	94	12507.36	7251.18	7257.01	789.22	0.34
MWD	222	20573.00	89.67	359.48	95	12508.09	7346.18	7352.01	788.58	0.36
MWD	223	20667.00	90.90	359.74	94	12507.62	7440.17	7446.00	787.94	1.34
MWD	224	20762.00	91.60	359.04	95	12505.55	7535.15	7540.97	786.92	1.04
MWD	225	20857.00	90.86	357.98	95	12503.51	7630.11	7635.92	784.45	1.36
MWD	226	20951.00	91.25	358.60	94	12501.78	7724.07	7729.86	781.65	0.78
MWD	227	21045.00	90.59	359.21	94	12500.27	7818.05	7823.83	779.85	0.96
MWD	228	21141.00	90.11	359.04	96	12499.69	7914.04	7919.82	778.39	0.53
MWD	229	21235.00	90.42	359.21	94	12499.25	8008.04	8013.80	776.95	0.38
MWD	230	21330.00	90.20	358.33	95	12498.74	8103.03	8108.78	774.91	0.95
MWD	231	21423.00	91.38	359.83	93	12497.45	8196.01	8201.75	773.42	2.05
MWD	232	21518.00	90.90	0.71	95	12495.56	8290.98	8296.73	773.87	1.05
MWD	233	21613.00	90.77	0.09	95	12494.18	8385.96	8391.72	774.53	0.67
MWD	234	21709.00	89.85	359.92	96	12493.66	8481.96	8487.72	774.54	0.97
MWD	235	21802.00	89.76	0.00	93	12493.98	8574.96	8580.72	774.47	0.13
MWD	236	21897.00	89.10	0.09	95	12494.92	8669.95	8675.71	774.55	0.70
MWD	237	21992.00	88.40	359.83	95	12496.99	8764.92	8770.69	774.48	0.79
MWD	238	22087.00	87.38	358.33	95	12500.49	8859.85	8865.61	772.96	1.91
MWD	239	22182.00	88.18	357.98	95	12504.17	8954.75	8960.49	769.90	0.92
MWD	240	22277.00	88.70	359.04	95	12506.76	9049.69	9055.42	767.43	1.24
MWD	241	22372.00	88.79	358.77	95	12508.84	9144.66	9150.38	765.62	0.30
MWD	242	22466.00	89.36	357.98	94	12510.36	9238.63	9244.33	762.95	1.04
MWD	243	22560.00	89.41	357.37	94	12511.37	9332.57	9338.24	759.14	0.65
MWD	244	22654.00	89.76	357.37	94	12512.05	9426.50	9432.14	754.83	0.37
MWD	245	22748.00	89.41	356.75	94	12512.73	9520.40	9526.01	750.01	0.76
MWD	246	22798.00	89.01	356.40	50	12513.42	9570.33	9575.92	747.02	1.06
MWD	247	22806.00	88.84	356.05	8	12513.57	9578.31	9583.90	746.49	4.86
PTB	248	22878.00	88.84	356.05	72	12515.02	9650.16	9655.72	741.53	0.00

Submit To Appropriate District Office Two Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505			Form C-105 Revised April 3, 2017													
1. WELL API NO. 30-025-48633																		
2. Type of Lease ☒ STATE ☐ FEE ☐ FED/INDIAN																		
3. State Oil & Gas Lease No.																		
WELL COMPLETION OR RECOMPLETION REPORT AND LOG																		
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)								5. Lease Name or Unit Agreement Name APOLLO STATE COM										
								6. Well Number: 206H										
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER																		
8. Name of Operator TAP ROCK OPERATING, LLC							9. OGRID 372043											
10. Address of Operator 523 PARK POINT DRIVE, SUITE 200, GOLDEN, CO							11. Pool name or Wildcat WC-025 G-09 S243310P; UPPER WOLFCAMP											
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County								
Surface:	O	21	24-S	33-E	-	873'	SOUTH	1835'	EAST	LEA								
BH:	A	16	24-S	33-E	-	32'	NORTH	1025'	EAST	LEA								
13. Date Spudded 6/3/2021	14. Date T.D. Reached 7/25/2021		15. Date Rig Released 7/28/2021		16. Date Completed (Ready to Produce) 10/21/2021			17. Elevations (DF and RKB, RT, GR, etc.) 3543 GR										
18. Total Measured Depth of Well 22878'			19. Plug Back Measured Depth 22812'		20. Was Directional Survey Made? YES			21. Type Electric and Other Logs Run GAMMA										
22. Producing Interval(s), of this completion - Top, Bottom, Name 12626'-22728', WOLFCAMP																		
23. CASING RECORD (Report all strings set in well)																		
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED								
13.375"		54.5		1282'		17.5"		875 SKS		0								
7.625"		29.7		11847'		8.75"		1234 SKS		0								
5.5"		20		22860'		6.75"		906 SKS		0								
24. LINER RECORD																		
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN		25. TUBING RECORD		SIZE		DEPTH SET								
26. Perforation record (interval, size, and number) Perforate from 12626 ft to 22728 ft, 1 SPF, .6 inch holes with 507 total shots						27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC. <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>DEPTH INTERVAL</th> <th>AMOUNT AND KIND MATERIAL USED</th> </tr> <tr> <td>12626'-22728'</td> <td>39 stage frac with 26,980,140 lbs of 100 mesh sand</td> </tr> <tr> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> </tr> </table>					DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED	12626'-22728'	39 stage frac with 26,980,140 lbs of 100 mesh sand				
DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED																	
12626'-22728'	39 stage frac with 26,980,140 lbs of 100 mesh sand																	
28. PRODUCTION																		
Date First Production 10/26/2021		Production Method (Flowing, gas lift, pumping - Size and type pump) FLOWING				Well Status (Prod. or Shut-in) PRODUCING												
Date of Test 11/1/2021	Hours Tested 24	Choke Size 39/64	Prod'n For Test Period	Oil - Bbl 1699	Gas - MCF 5807	Water - Bbl. 5476	Gas - Oil Ratio 3418											
Flow Tubing Press. 0	Casing Pressure 2700	Calculated 24-Hour Rate	Oil - Bbl. 1699	Gas - MCF 5807	Water - Bbl. 5476	Oil Gravity - API - (Corr.)												
29. Disposition of Gas (Sold, used for fuel, vented, etc.) SOLD							30. Test Witnessed By											
31. List Attachments DIRECTIONAL SURVEY, C-102 AS DRILLED																		
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.							33. Rig Release Date:											
34. If an on-site burial was used at the well, report the exact location of the on-site burial:																		
Latitude			Longitude			NAD83												
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief																		
Signature		Printed Name		Title		Regulatory Analyst		Date										
		Jeff Trlica		Title		Regulatory Analyst		11/3/2021										
E-mail Address jtrlica@taprock.com																		

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

[illegible]

No. 1, from.....to.....
No. 2, from.....to.....
No. 3, from.....to.....
No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology		From	To	Thickness In Feet	Lithology
0	1221		QUATERNARY					
1221	1684		RUSTLER					
1684	4878		TOP OF SALT					
4878	5115		BASE OF SALT					
5115	5162		DELAWARE					
5162	6195		BELL CANYON					
6195	7713		CHERRY CANYON					
7713	9132		BRUSHY CANYON					
9132	9530		BONE SPRING LIME					
9530	10142		AVALON					
10142	10842		1ST BONE SPRING SAND					
10842	11924		2ND BONE SPRING SAND					
11924	12287		3RD BONE SPRING SAND					
12287			WOLFCAMP					

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 98174

ACKNOWLEDGMENTS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 98174
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 98174

CONDITIONS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 98174
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	None	10/24/2022