

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address MORNINGSTAR OPERATING LLC 400 W 7TH ST, FORT WORTH, TX 76102		² OGRID Number 330132
		³ Reason for Filing Code/ Effective Date RT 10/14/2022
⁴ API Number 30 - 0 39-27550	⁵ Pool Name BASIN FRUITLAND COAL (GAS)	⁶ Pool Code 71629
⁷ Property Code 329022	⁸ Property Name CARRACAS 23A	⁹ Well Number 4

II. ¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
D	23	32N	5W		1066'	NORTH	1202'	WEST	RIO ARRIBA

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
H	23	32N	5W		1984	S	1119	E	RIO ARRIBA
¹² Lse Code	¹³ Producing Method Code	¹⁴ Gas Connection Date	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date				

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
37388	HARVEST FOUR CORNERS, LLC 1111 TRAVIS ST, HOUSTON, TX 77002	G

IV. Well Completion Data

²¹ Spud Date	²² Ready Date	²³ TD	²⁴ PBDT	²⁵ Perforations	²⁶ DHC, MC
	10/14/2022	UPPER: 6937' MD, 3912 TVD LOWER: 5165' MD, 3888 TVD		UPPER: 4037'-6899' MD LOWER: 4147'-5121' MD	
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
12 1/4	9 5/8"	251'	120 SX CLASS B		
8 3/4	7"	4159' MD	685 SX TOTAL, CLASS B		
6 1/8" UPPER SIDETRACK 6 1/4" LOWER LATERAL	4.5" LINERS	BOTTOM 6899' MD, 3912 TVD; TOP 4037' MD BOTTOM 5165' MD, 3888' TVD; TOP 4105" MD	NO CEMENT		

V. Well Test Data

³¹ Date New Oil	³² Gas Delivery Date	³³ Test Date	³⁴ Test Length	³⁵ Tbg. Pressure	³⁶ Csg. Pressure
³⁷ Choke Size	³⁸ Oil	³⁹ Water	⁴⁰ Gas		⁴¹ Test Method
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: <i>Connie Blaylock</i>			OIL CONSERVATION DIVISION		
Printed name: Connie Blaylock			Approved by: John Garcia		
Title: Regulatory Analyst			Title: Engineer		
E-mail Address: cblaylock@mspartners.com			Approval Date: 10/24/2022		
Date: 10/11/2022		Phone: 817-334-7882			

DISTRICT I

1625 N. French Dr., Hobbs, N.M. 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

DISTRICT II

811 S. First St., Artesia, N.M. 88210
Phone: (575) 748-1283 Fax: (575) 748-9720

DISTRICT III

1000 Rio Brazos Rd., Aztec, N.M. 87410
Phone: (505) 334-6178 Fax: (505) 334-6170

DISTRICT IV

1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department

Form C-102
Revised August 1, 2011

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate
District Office

☐ AMENDED REPORT
☒ AS-DRILLED

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-039-27550	² Pool Code 71629	³ Pool Name BASIN FRUITLAND COAL
⁴ Property Code 329022	⁵ Property Name CARRACAS 23A	⁶ Well Number 4-1ST
⁷ GRID No. 330132	⁸ Operator Name MORNINGSTAR OPERATING LLC	⁹ Elevation 7339'

¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
D	23	32N	5W		1066'	NORTH	1202'	WEST	RIO ARriba


¹¹ Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
H	23	32N	5W		1984'	NORTH	1119'	EAST	RIO ARriba

¹² Dedicated Acres N/2 SEC. 23 320.00 ACRES	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No. R-13119
--	-------------------------------	----------------------------------	------------------------------------

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED
OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

16



17 OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

Connie Blaylock 10/14/2022
Signature Date

Connie Blaylock
Printed Name

cblaylock@mspartners.com
E-mail Address


SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

OCTOBER 13, 2022

Date of Survey

Signature and Seal of Professional Surveyor:



Certificate Number

11393



MorningStar Partners

Rio Arriba County, NM (NAD 27 - True North)

Carracas 23A 4

Carracas 23A 4

ST01

Design: ST01

Standard Survey Report

26 September, 2022


This survey is correct to the best of my knowledge and is supported by actual field data.

Cameron Stevens

Notarized this date 26th of September, 2022.

Carrie Reed

Notary Signature
County of Midland
State of Texas





Survey Report

Company:	MorningStar Partners	Local Co-ordinate Reference:	Well Carracas 23A 4
Project:	Rio Arriba County, NM (NAD 27 - True North)	TVD Reference:	GL: 7339' + 16' @ 7355.00usft
Site:	Carracas 23A 4	MD Reference:	GL: 7339' + 16' @ 7355.00usft
Well:	Carracas 23A 4	North Reference:	True
Wellbore:	ST01	Survey Calculation Method:	Minimum Curvature
Design:	ST01	Database:	EDM5000

Project	Rio Arriba County, NM (NAD 27 - True North)		
Map System:	US State Plane 1927 (Exact solution)	System Datum:	Mean Sea Level
Geo Datum:	NAD 1927 (NADCON CONUS)		
Map Zone:	New Mexico West 3003		

Site		Carracas 23A 4			
Site Position:		Northing:	2,172,748.27 usft	Latitude:	36.970058
From:	Lat/Long	Easting:	645,296.28 usft	Longitude:	-107.335966
Position Uncertainty:	0.00 usft	Slot Radius:	13-3/16 "		

Well	Carracas 23A 4					
Well Position	+N/-S	0.00 usft	Northing:	2,172,748.27 usft	Latitude:	36.970058
	+E/-W	0.00 usft	Easting:	645,296.28 usft	Longitude:	-107.335966
Position Uncertainty		0.00 usft	Wellhead Elevation:	usft	Ground Level:	7,339.00 usft
Grid Convergence:		0.30 °				

Wellbore	ST01				
Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	IGRF2020	9/17/2022	8.59	63.42	49,646.11525098

Design	ST01				
Audit Notes:					
Version:	1.0	Phase:	ACTUAL	Tie On Depth:	4,020.00
Vertical Section:	Depth From (TVD) (usft)	+N/-S (usft)	+E/-W (usft)	Direction (°)	
	0.00	0.00	0.00	113.31	

Survey Program	Date	9/26/2022			
From (usft)	To (usft)	Survey (Wellbore)	Tool Name	Description	
251.00	4,020.00	Original Hole Surveys (OH)	MWD+IGRF	OWSG MWD + IGRF or WMM	
4,061.00	6,937.00	Legacy MWD (ST01)	MWD+IGRF	OWSG MWD + IGRF or WMM	

Survey										
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
251.00	0.00	0.30	251.00	0.00	0.00	0.00	0.00	0.00	0.00	
351.00	0.65	126.31	351.00	-0.34	0.46	0.55	0.65	0.65	0.00	
651.00	0.29	88.41	650.99	-1.32	2.59	2.90	0.15	-0.12	-12.63	
951.00	0.45	111.69	950.98	-1.74	4.44	4.77	0.07	0.05	7.76	
1,251.00	0.74	51.78	1,250.97	-0.97	7.06	6.87	0.22	0.10	-19.97	
1,551.00	0.78	47.32	1,550.94	1.61	10.08	8.62	0.02	0.01	-1.49	
1,851.00	0.68	51.78	1,850.92	4.09	12.98	10.30	0.04	-0.03	1.49	
2,151.00	0.67	331.98	2,150.90	6.74	13.55	9.78	0.29	0.00	-26.60	



Survey Report

Company:	MorningStar Partners	Local Co-ordinate Reference:	Well Carracas 23A 4
Project:	Rio Arriba County, NM (NAD 27 - True North)	TVD Reference:	GL: 7339' + 16' @ 7355.00usft
Site:	Carracas 23A 4	MD Reference:	GL: 7339' + 16' @ 7355.00usft
Well:	Carracas 23A 4	North Reference:	True
Wellbore:	ST01	Survey Calculation Method:	Minimum Curvature
Design:	ST01	Database:	EDM5000

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
2,451.00	1.20	316.66	2,450.86	10.58	10.57	5.53	0.19	0.18	-5.11
2,751.00	1.69	310.21	2,750.77	15.72	5.04	-1.59	0.17	0.16	-2.15
3,051.00	2.43	319.98	3,050.57	23.44	-2.43	-11.51	0.27	0.25	3.26
3,351.00	2.25	329.45	3,350.32	33.39	-9.51	-21.95	0.14	-0.06	3.16
3,388.00	2.19	329.31	3,387.29	34.62	-10.24	-23.10	0.16	-0.16	-0.38
3,419.00	1.86	5.87	3,418.28	35.63	-10.49	-23.73	4.22	-1.06	117.94
3,450.00	4.85	64.57	3,449.23	36.69	-9.26	-23.02	13.53	9.65	189.35
3,481.00	9.80	69.28	3,479.96	38.19	-5.60	-20.26	16.07	15.97	15.19
3,509.00	14.66	64.75	3,507.32	40.55	-0.17	-16.20	17.68	17.36	-16.18
3,538.00	19.20	60.93	3,535.06	44.43	7.32	-10.86	16.11	15.66	-13.17
3,568.00	22.18	70.64	3,563.13	48.71	16.98	-3.68	15.12	9.93	32.37
3,600.00	24.94	78.87	3,592.46	52.01	29.31	6.33	13.40	8.63	25.72
3,629.00	28.14	80.35	3,618.41	54.34	42.05	17.12	11.27	11.03	5.10
3,658.00	31.55	79.16	3,643.56	56.92	56.25	29.14	11.93	11.76	-4.10
3,689.00	35.24	78.40	3,669.43	60.24	72.98	43.19	11.98	11.90	-2.45
3,720.00	38.28	77.84	3,694.27	64.06	91.13	58.35	9.87	9.81	-1.81
3,751.00	41.11	76.65	3,718.12	68.44	110.44	74.34	9.45	9.13	-3.84
3,781.00	44.15	77.66	3,740.19	72.95	130.25	90.75	10.39	10.13	3.37
3,812.00	46.92	79.56	3,761.90	77.31	151.93	108.94	9.95	8.94	6.13
3,842.00	49.76	80.57	3,781.84	81.17	174.01	127.69	9.79	9.47	3.37
3,874.00	52.78	80.83	3,801.86	85.21	198.64	148.71	9.46	9.44	0.81
3,906.00	55.80	80.32	3,820.53	89.46	224.27	170.56	9.53	9.44	-1.59
3,937.00	58.81	79.96	3,837.28	93.93	249.97	192.40	9.76	9.71	-1.16
3,968.00	61.85	78.06	3,852.62	99.07	276.41	214.64	11.16	9.81	-6.13
4,000.00	65.71	75.55	3,866.76	105.64	304.34	237.70	13.96	12.06	-7.84
4,020.00	68.42	75.09	3,874.55	110.30	322.16	252.22	13.71	13.55	-2.30
4,061.00	73.30	76.70	3,887.99	119.73	359.72	282.98	12.47	11.90	3.93
4,092.00	76.68	79.69	3,896.02	125.85	389.02	307.47	14.34	10.90	9.65
4,131.00	82.27	87.96	3,903.15	129.94	427.09	340.81	25.29	14.33	21.21
4,163.00	87.28	89.27	3,906.07	130.71	458.94	369.75	16.18	15.66	4.09
4,195.00	90.09	90.42	3,906.80	130.80	490.93	399.10	9.49	8.78	3.59
4,227.00	93.16	89.98	3,905.90	130.69	522.91	428.51	9.69	9.59	-1.38
4,258.00	93.78	89.80	3,904.02	130.75	553.85	456.91	2.08	2.00	-0.58
4,290.00	93.87	90.86	3,901.88	130.56	585.78	486.30	3.32	0.28	3.31
4,322.00	93.78	91.47	3,899.75	129.91	617.70	515.88	1.92	-0.28	1.91
4,353.00	94.09	92.09	3,897.62	128.95	648.61	544.64	2.23	1.00	2.00
4,383.00	94.09	92.09	3,895.48	127.86	678.52	572.54	0.00	0.00	0.00
4,444.00	93.78	92.91	3,891.30	125.21	739.31	629.42	1.43	-0.51	1.34
4,505.00	86.40	91.38	3,891.20	122.93	800.23	686.27	12.36	-12.10	-2.51
4,566.00	88.46	91.91	3,893.94	121.18	861.14	742.90	3.49	3.38	0.87
4,627.00	88.20	96.22	3,895.71	116.86	921.94	800.45	7.08	-0.43	7.07
4,688.00	86.97	99.03	3,898.28	108.77	982.34	859.12	5.02	-2.02	4.61
4,750.00	91.27	101.75	3,899.24	97.59	1,043.30	919.53	8.21	6.94	4.39



Survey Report

Company:	MorningStar Partners	Local Co-ordinate Reference:	Well Carracas 23A 4
Project:	Rio Arriba County, NM (NAD 27 - True North)	TVD Reference:	GL: 7339' + 16' @ 7355.00usft
Site:	Carracas 23A 4	MD Reference:	GL: 7339' + 16' @ 7355.00usft
Well:	Carracas 23A 4	North Reference:	True
Wellbore:	ST01	Survey Calculation Method:	Minimum Curvature
Design:	ST01	Database:	EDM5000

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
4,811.00	90.48	104.92	3,898.31	83.53	1,102.64	979.59	5.36	-1.30	5.20
4,873.00	90.66	108.61	3,897.69	65.65	1,161.99	1,041.17	5.96	0.29	5.95
4,934.00	88.37	112.92	3,898.20	44.03	1,219.01	1,102.09	8.00	-3.75	7.07
4,995.00	88.20	113.62	3,900.03	19.94	1,275.02	1,163.06	1.18	-0.28	1.15
5,054.00	88.99	115.03	3,901.48	-4.35	1,328.77	1,222.03	2.74	1.34	2.39
5,116.00	89.56	115.29	3,902.26	-30.71	1,384.88	1,284.00	1.01	0.92	0.42
5,177.00	91.89	119.51	3,901.49	-58.77	1,439.02	1,344.82	7.90	3.82	6.92
5,239.00	91.27	120.65	3,899.78	-89.84	1,492.65	1,406.36	2.09	-1.00	1.84
5,299.00	92.20	120.56	3,897.96	-120.37	1,544.26	1,465.85	1.56	1.55	-0.15
5,360.00	91.36	120.30	3,896.07	-151.25	1,596.83	1,526.35	1.44	-1.38	-0.43
5,421.00	90.18	120.83	3,895.25	-182.26	1,649.35	1,586.85	2.12	-1.93	0.87
5,481.00	89.56	121.18	3,895.38	-213.17	1,700.78	1,646.31	1.19	-1.03	0.58
5,543.00	89.08	121.27	3,896.12	-245.31	1,753.79	1,707.71	0.79	-0.77	0.15
5,603.00	88.99	121.27	3,897.13	-276.45	1,805.07	1,767.13	0.15	-0.15	0.00
5,664.00	88.20	120.56	3,898.63	-307.78	1,857.39	1,827.57	1.74	-1.30	-1.16
5,725.00	87.58	122.50	3,900.87	-339.66	1,909.34	1,887.90	3.34	-1.02	3.18
5,785.00	88.77	122.32	3,902.78	-371.80	1,959.97	1,947.12	2.01	1.98	-0.30
5,847.00	90.79	122.67	3,903.02	-405.10	2,012.26	2,008.32	3.31	3.26	0.56
5,910.00	91.19	122.85	3,901.93	-439.19	2,065.23	2,070.45	0.70	0.63	0.29
5,974.00	88.77	121.35	3,901.96	-473.19	2,119.44	2,133.69	4.45	-3.78	-2.34
6,038.00	85.17	118.63	3,905.34	-505.13	2,174.78	2,197.15	7.05	-5.63	-4.25
6,101.00	88.46	116.70	3,908.84	-534.33	2,230.48	2,259.86	6.05	5.22	-3.06
6,165.00	90.18	118.37	3,909.60	-563.91	2,287.23	2,323.68	3.75	2.69	2.61
6,229.00	91.27	115.82	3,908.79	-593.06	2,344.19	2,387.53	4.33	1.70	-3.98
6,293.00	88.99	115.55	3,908.64	-620.80	2,401.86	2,451.47	3.59	-3.56	-0.42
6,356.00	88.68	115.73	3,909.92	-648.05	2,458.65	2,514.41	0.57	-0.49	0.29
6,420.00	89.38	117.49	3,911.01	-676.71	2,515.86	2,578.29	2.96	1.09	2.75
6,484.00	88.29	117.31	3,912.31	-706.16	2,572.67	2,642.11	1.73	-1.70	-0.28
6,547.00	88.59	118.72	3,914.02	-735.74	2,628.26	2,704.87	2.29	0.48	2.24
6,611.00	89.08	120.56	3,915.33	-767.38	2,683.87	2,768.47	2.97	0.77	2.88
6,675.00	90.79	119.07	3,915.40	-799.20	2,739.40	2,832.05	3.54	2.67	-2.33
6,738.00	90.57	119.33	3,914.65	-829.93	2,794.39	2,894.71	0.54	-0.35	0.41
6,801.00	91.19	118.28	3,913.68	-860.29	2,849.59	2,957.42	1.94	0.98	-1.67
6,865.00	90.18	117.57	3,912.92	-890.25	2,906.13	3,021.20	1.93	-1.58	-1.11
6,895.00	89.78	117.05	3,912.93	-904.02	2,932.78	3,051.13	2.19	-1.33	-1.73
6,937.00	89.78	117.05	3,913.09	-923.12	2,970.19	3,093.04	0.00	0.00	0.00
PTB 6937.00' MD/3913.09' TVD									



Survey Report

Company:	MorningStar Partners	Local Co-ordinate Reference:	Well Carracas 23A 4
Project:	Rio Arriba County, NM (NAD 27 - True North)	TVD Reference:	GL: 7339' + 16' @ 7355.00usft
Site:	Carracas 23A 4	MD Reference:	GL: 7339' + 16' @ 7355.00usft
Well:	Carracas 23A 4	North Reference:	True
Wellbore:	ST01	Survey Calculation Method:	Minimum Curvature
Design:	ST01	Database:	EDM5000

Design Annotations


Measured Depth (usft)	Vertical Depth (usft)	Local Coordinates		Comment
		+N/-S (usft)	+E/-W (usft)	
6,937.00	3,913.09	-923.12	2,970.19	PTB 6937.00' MD/3913.09' TVD

Checked By: _____ Approved By: _____ Date: _____

FILE: C:\Users\kurt.otto\Desktop\carracas 4 plan9.dwg



Company: MorningStar Partners
Field: Rio Arriba County, NM (NAD 27 - True North)
Location: Carracas 23A 4
Well Location: Carracas 23A 4
Wellbore: ST01
Plan: Plan 9
GL: GL: 7339' + 16' @ 7355.00usft



Azimuths to True North
Magnetic North: 8.59°

Magnetic Field
Strength: 49646.1nT
Dip Angle: 63.42°
Date: 9/17/2022
Model: IGRF2020



To convert a Magnetic Direction to a True Direction, Add 8.59° East

PROJECT DETAILS: Rio Arriba County, NM (NAD 27 - True North)

Geodetic System: US State Plane 1927 (Exact solution)
Datum: NAD 1927 (NADCON CONUS)
Ellipsoid: Clarke 1866
Zone: New Mexico West 3003
System Datum: Mean Sea Level

WELL DETAILS: Carracas 23A 4

+N/-S	+E/-W	Northing	GL: 7339' + 16' @ 7355.00usft Easting	7339.00 Latitude	Longitude
0.00	0.00	2172748.27	645296.28	36.970058	-107.335966

SECTION DETAILS




MD	Inc	Azi	TVD	+N/-S	+E/-W	Dleg	TFace	VSect	Annotation
4020.00	68.42	75.09	3874.55	110.30	322.16	0.00	0.00	252.22	TIP at 4020 MD/ 3874.55 TVD
4024.00	68.99	74.97	3876.01	111.27	325.76	14.52	-11.04	255.14	Top of Whip at 4024 MD/3876.01 TVD
4032.00	70.30	76.30	3878.79	113.13	333.03	22.61	43.82	261.08	KOP Build 16.00
4152.38	89.56	76.30	3899.74	141.07	447.63	16.00	0.00	355.28	LP at 4152.37 MD/3899.74 TVD
4252.38	89.56	76.30	3900.50	164.75	544.79	0.00	0.00	435.13	Start DLS 6.00 TFO 90.07
4974.40	89.63	119.62	3905.88	67.11	1242.92	6.00	90.07	1114.91	Start 3204.88 hold at 4974.40 MD
8179.28	89.63	119.62	3926.65	-1516.98	4028.86	0.00	0.00	4300.29	TD at 8179.28

DESIGN TARGET DETAILS

Name	TVD	+N/-S	+E/-W	Northing	Easting	Latitude	Longitude
Carracas 23A 4 ST01 Entry Point	3777.66	79.07	169.73	2172828.23	645465.59	36.970275	-107.335385
Carracas 23A 4 ST01 BHL (60' FSL - 60' FEL)	3926.65	-1516.98	4028.86	2171252.35	649333.01	36.965890	-107.322176

FORMATION TOP DETAILS

TVDPath	MDPath	Formation
1936.92	1937.01	Nacimiento
3265.15	3265.76	Ojo Alamo
3395.18	3395.89	Kirtland
3667.68	3686.86	Fruitland
3894.64	4094.58	Top Target
3899.37	4138.76	Centerline
3905.22	4876.66	Base Target



District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 151013

ACKNOWLEDGMENTS

Operator: MorningStar Operating LLC 400 W 7th St Fort Worth, TX 76102	OGRID: 330132
	Action Number: 151013
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 151013

CONDITIONS

Operator: MorningStar Operating LLC 400 W 7th St Fort Worth, TX 76102	OGRID: 330132
	Action Number: 151013
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
jagarcia	C-104RT expires in 90 days	10/24/2022