

Submit a Copy To Appropriate District
Office
District I – (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II – (575) 748-1283
811 S. First St., Artesia, NM 88210
District III – (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV – (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised July 18, 2013

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO.	30-041-20737
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>	
6. State Oil & Gas Lease No.	321552
7. Lease Name or Unit Agreement Name	TUCKER
8. Well Number	002
9. OGRID Number	372233
10. Pool name or Wildcat	WEST TUCKER RANCH, CANYON POOL

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>	
2. Name of Operator	MAMMOTH EXPLORATION, LLC.
3. Address of Operator	200 N. LORAIN ST., STE 1100 MIDLAND, TX 79701
4. Well Location Unit Letter P : 660 feet from the S line and 660 feet from the E line Section 5 Township 7S Range 33E NMPM County Roosevelt	
11. Elevation (Show whether DR, RKB, RT, GR, etc.)	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>
DOWNHOLE COMMINGLE <input type="checkbox"/>	P AND A <input checked="" type="checkbox"/>
CLOSED-LOOP SYSTEM <input type="checkbox"/>	CASING/CEMENT JOB <input type="checkbox"/>
OTHER: <input type="checkbox"/>	OTHER: P&A 8/5/2022 <input type="checkbox"/>

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

See attached reports.

well plugged 8/5/22

Approved for plugging of well bore only. Liability under bond is retained pending Location cleanup & receipt of C-103Q (Subsequent Report of Well Plugging) which may be found at OCD Web Page, OCD Permitting @ www.emnrd.state.nm.us

Spud Date:

5/29/1984

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Griffin Hays TITLE REGULATORY MANAGER DATE 11/08/2022

Type or print name GRIFFIN HAYS E-mail address: griffin@mammothexp.com PHONE: 432-312-8841

For State Use Only

APPROVED BY: Accepted for record – NMOCD gc 11/9/2022 DATE _____

Conditions of Approval (if any):

TUCKER #2 – P&A

7/21/2022 - Drive to Loc. Jra. Open well. 0 psi. Finish Pooh with rods. Total of 79 - 1" 87 - 7/8" 193 - 3/4" and rod pump. C/O to tbq equipment. Rd floor, tongs. (5:30 - 1) Dig out 8-5/8" casing valve. 0 psi. Unbolt wellhead. Remove flange Nipple Up BOP, slips, floor, tongs. 2 hrs. Unset TAC. Start Pooh 3 - 6. SB 196 jts. Close well in. Shut down. Drive home. (3 - 7:30)

7/22/2022 - Drive to Loc. Jra. Open well 0 psi. Finish pooh with tbq 88 jts with SB and TAC. 8:30. Ok. Setup WL. Rih with 5-1/2" casing gauge ring to 8880'. Ok. Pooh. Rbih with 5-1/2" casing CIBP set at 8880'. Ok. Pooh with WL. Rd WL. Rih open ended with 2-7/8 tbq. 88 jts. Close well in. Shut down. Drive home.

7/25/2022 - Drive to Loc. Jra. Opene well. 0 psi. Finish RIH with tbq. Tag CIBP with 279 jts. At 8880'. Ok. Setup Pump Truck. Pump mix 200 bbls with 50 sx Salt gel. Pressure test casing to 500 psi. Held 15 min. Ok. Spot mix 25 sx Class H Cement 8880 - 237' = 8643 Toc. 50 bbls disp. Ok. Pooh SB 28 jts. Rig Broke Down. Close well in. Shut down @ 12. Wait on Mechanic

8/3/2022 - Drive to Loc. Jra. Open well. 0 psi. Finish minor details on rig gearbox and test rig to make sure everything is ok. Til 9:30. Ok. Finish pooh with tbq. Sb total of 78 jts in derrick. 205 in hole. Spot mix 25 sx at 6500' Class C Cement 6500 - 253' = 6247 toc 36 bbls disp. Ok. Pooh Sb 88 jts total of 166 in derrick. Ld 117 jts. Rbih with 5-1/2 AD-1 packer with 150 jts at 4765. Close well in. Perf in the morning. Shut down. Drive home


8/4/2022 - Drive to Loc. Jra. Open well. 0 psi. Rih with WL. Perf casing at 5200' with 4 shots 1-11/16". Ok. Pooh. W/ WL. Rd WL. Set packer at 4765'. Pressure test perf to 800 psi. Held 15 min. Ok. Rbih to 5250 with 166 jts. Spot mix 30 sx Class C Cement 5250 - 303 = 4947' toc. 28 bbls disp. 1 sx Calc Ch. Ok. Pooh SB 18 jts Ld 56 jts. 92 in hole. Woc 4 hrs. Rih tah cement at 4926'. Ok. Pooh perf casing at 3450 with 4 shots 1-11/16" . Ok. Pooh Rd WL. Set packer at 2992'. Circulate out 8-5/8 casing. Started coming from under wellhead. Hole in 8-5/8" casing wait on vac truck 12 - 3. Circulated 60 bbls out 8-5/8 casing. Squeeze mix 80 sx Class C Cement 3450 - 303 = 3147 toc 22 bbls disp. Ok. Pooh Ld 31 jts. Close well in. Tag in the morning. Shut down.

8/5/2022 - Drive to Loc. Jra. Open well. 0 psi. Rih with WL. Tag cement at 3133'. Ok. Pooh perf casing at 2350 with 4 shots 1-11/16" ok. Pooh rd WL. Set packer at 1937. Circulate 10 bbls out 8-5/8 casing. Ok. Squeeze mix 50 sx Class C Cement 2350 - 204 = 2146 toc 16 bbls disp. Ok. Pooh Ld 61 jts and packer. Rih and Ld 18 jts from derrick. Nipple down floor, tongs, slips, bop. Put on flange with 4 bolts. Rih with WL tag cement at 2127. Ok pooh perf casing at 404' with 4 shots 1-11/16". Ok. Pooh RD WL. Circulate 10 bbls out 8-5/8 casing. Squeeze mix 100 sx Class C Cement 404' to surface. Ok. Clean out pump. Clean out pit. Rig down. Put up equipment. Get ready to move

Mammoth

Author:	Abby-BCM & Associates, Inc		
Well Name	Tucker	Well No.	#2
	West Tucker Ranch		
Field	Canyon Pool	API #:	30-041-20737
County	Roosevelt	Location:	Sec 5, T7S, R33E
State	New Mexico		660 FSL 660FEL
Spud Date	5/29/1984	GL:	4402'

Description	O.D.	Grade	Weight	Depth	Hole	Cmt Sx	TOC
Surface Csg	13 3/8		48#	354	17 1/2	375	0
Inter Csg	8 5/8		24#	3,400	12 1/4	1,515	0
Prod Csg	5 1/2		20 & 17#	9,403	7 7/8	400	6356'



13 3/8 48# CSG @ 354

5. Perf & Sqz 90 sx cmt @ 404' to surface.

4. Perf & Sqz 50 sx cmt @ 2350-2150'. (Yates)

8 5/8 24# CSG @ 3,400

3. Perf & Sqz 80 sx cmt @ 3450-3200' WOC & Tag (8 5/8" Shoe & T/Salt)

2. Perf & Sqz 50 sx cmt @ 5200'-5000'. WOC & Tag (B/Salt)

1. Set 5 1/2" CIBP @ 8880'. Circulate hole w/ MLF. Pressure test csg.
Spot 25 sx cmt @ 8880-8730'.

Perfs @ 8961-8969

5 1/2 20 & 1 CSG @ 9,403

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

COMMENTS

Action 156908

COMMENTS

Operator: MAMMOTH EXPLORATION, LLC 200 North Loraine Street Midland, TX 79701	OGRID: 372233
	Action Number: 156908
	Action Type: [C-103] Sub. Plugging (C-103P)

COMMENTS

Created By	Comment	Comment Date
plmartinez	DATA ENTRY PM	11/9/2022

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 156908

CONDITIONS

Operator: MAMMOTH EXPLORATION, LLC 200 North Loraine Street Midland, TX 79701	OGRID: 372233
	Action Number: 156908
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
gcordero	None	11/9/2022