Submit 1 Copy To Appropriate District		
Office	State of New Mexico	Form C-103
<u>District I</u> – (575) 393-6161 1625 N. French Dr., Hobbs, NM 88240	Energy, Minerals and Natural Resource	es Revised July 18, 2013 WELL API NO.
District II - (575) 748-1283	OIL CONSERVATION DIVISION	30-015-23/75
811 S. First St., Artesia, NM 88210 District III – (505) 334-6178	1220 South St. Francis Dr.	5. Indicate Type of Lease
1000 Rio Brazos Rd., Aztec, NM 87410	Santa Fe, NM 87505	STATE FEE
<u>District IV</u> – (505) 476-3460 1220 S. St. Francis Dr., Santa Fe, NM	Santa 1 C, 14141 67505	6. State Oil & Gas Lease No.
87505		309419
	TICES AND REPORTS ON WELLS POSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A	7. Lease Name or Unit Agreement Name
	LICATION FOR PERMIT" (FORM C-101) FOR SUCH	State B 1969
1. Type of Well: Oil Well	Gas Well Other	8. Well Number 23
2. Name of Operator CFM Oil, LLC		9. OGRID Number 280554
3. Address of Operator		10. Pool name or Wildcat
PO Box 1176, Artesia	ı, NM 88211	Empire: Yates-Seven Rivers; East
4. Well Location	1050	
Unit Letter E		nd 330 feet from the West line
Section 22	Township 17S Range 28E	, ——— <u>, ——— , ———</u>
	11. Elevation (Show whether DR, RKB, RT, G. 3566' GR	K, etc.)
TEMPORARILY ABANDON [PULL OR ALTER CASING DOWNHOLE COMMINGLE [MULTIPLE COMPL CASING/CI	CE DRILLING OPNS. P AND A EMENT JOB
CLOSED-LOOP SYSTEM OTHER: 13. Describe proposed or com	npleted operations. (Clearly state all pertinent deta work). SEE RULE 19.15.7.14 NMAC. For Multip	otify OCD before beginning any work ills, and give pertinent dates, including estimated date ple Completions: Attach wellbore diagram of
CLOSED-LOOP SYSTEM OTHER: 13. Describe proposed or come of starting any proposed or proposed completion or responsed completion or responsed completion or responsed completion or responsed completion or response completion or re	npleted operations. (Clearly state all pertinent detawork). SEE RULE 19.15.7.14 NMAC. For Multiple completion. Pump. to TD of 807 face with 65 sacks cement slurry regulation abandonment marker	ils, and give pertinent dates, including estimated date ple Completions: Attach wellbore diagram of Approved for plugging of well bore only.
CLOSED-LOOP SYSTEM OTHER: 13. Describe proposed or come of starting any proposed or proposed completion or responsed completion or response completion or r	npleted operations. (Clearly state all pertinent detawork). SEE RULE 19.15.7.14 NMAC. For Multiple completion. Pump. to TD of 807 face with 65 sacks cement slurry regulation abandonment marker	Approved for plugging of well bore only. Libond is retained pending Location cleanup
CLOSED-LOOP SYSTEM OTHER: 13. Describe proposed or come of starting any proposed or proposed completion or responsed completion or responsed completion or responsed completion or responsed completion or response completion or re	npleted operations. (Clearly state all pertinent detawork). SEE RULE 19.15.7.14 NMAC. For Multiple ecompletion. Pump. to TD of 807 face with 65 sacks cement slurry regulation abandonment marker	Approved for plugging of well bore only. Libond is retained pending Location cleanup C-103Q (Subsequent Report of Well Plugging of Web Page, OCD Perrors of the Company of
CLOSED-LOOP SYSTEM OTHER: 13. Describe proposed or come of starting any proposed or proposed completion or responsed completion or responsed completion or responsed completion or responsed completion or response completion or re	npleted operations. (Clearly state all pertinent detawork). SEE RULE 19.15.7.14 NMAC. For Multiple completion. Pump. to TD of 807 face with 65 sacks cement slurry regulation abandonment marker	Approved for plugging of well bore only. Libond is retained pending Location cleanup C-103Q (Subsequent Report of Well Plugging well broke of Well Plugging of
CLOSED-LOOP SYSTEM OTHER: 13. Describe proposed or come of starting any proposed or proposed completion or responsed completion or responsed completion or responsed completion or responsed completion or response completion or re	npleted operations. (Clearly state all pertinent detawork). SEE RULE 19.15.7.14 NMAC. For Multiple ecompletion. Pump. to TD of 807 face with 65 sacks cement slurry regulation abandonment marker	Approved for plugging of well bore only. Lie bond is retained pending Location cleanup C-103Q (Subsequent Report of Well Plugging may be found at OCD Web Page, OCD Perm
CLOSED-LOOP SYSTEM OTHER: 13. Describe proposed or come of starting any proposed or proposed completion or responsed completion or response completion or	npleted operations. (Clearly state all pertinent deta work). SEE RULE 19.15.7.14 NMAC. For Multiper recompletion. Pump. to TD of 807 face with 65 sacks cement slurry regulation abandonment marker n Rig Release Date:	Approved for plugging of well bore only. Lia bond is retained pending Location cleanup C-103Q (Subsequent Report of Well Plugging www.emnrd.state.nm.us
CLOSED-LOOP SYSTEM OTHER: 13. Describe proposed or come of starting any proposed or proposed completion or responsed completion or response completion or r	npleted operations. (Clearly state all pertinent detawork). SEE RULE 19.15.7.14 NMAC. For Multiple ecompletion. Pump. to TD of 807 face with 65 sacks cement slurry regulation abandonment marker	Approved for plugging of well bore only. Libond is retained pending Location cleanup C-103Q (Subsequent Report of Well Plugging www.emnrd.state.nm.us
CLOSED-LOOP SYSTEM OTHER: 13. Describe proposed or come of starting any proposed or proposed completion or response to the proposed co	npleted operations. (Clearly state all pertinent deta work). SEE RULE 19.15.7.14 NMAC. For Multipercompletion. Pump. to TD of 807 face with 65 sacks cement slurry regulation abandonment marker Rig Release Date:	Approved for plugging of well bore only. Libond is retained pending Location cleanup C-103Q (Subsequent Report of Well Plugging ay be found at OCD Web Page, OCD Pernwww.emnrd.state.nm.us
CLOSED-LOOP SYSTEM OTHER: 13. Describe proposed or come of starting any proposed or proposed completion or responsed completion or response completion or r	npleted operations. (Clearly state all pertinent deta work). SEE RULE 19.15.7.14 NMAC. For Multiper recompletion. Pump. to TD of 807 face with 65 sacks cement slurry regulation abandonment marker n Rig Release Date:	Approved for plugging of well bore only. Libond is retained pending Location cleanup C-103Q (Subsequent Report of Well Plugging ay be found at OCD Web Page, OCD Pernwww.emnrd.state.nm.us
CLOSED-LOOP SYSTEM OTHER: 13. Describe proposed or come of starting any proposed or proposed completion or response to the proposed co	mpleted operations. (Clearly state all pertinent detawork). SEE RULE 19.15.7.14 NMAC. For Multiple ecompletion. Pump. to TD of 807 face with 65 sacks cement slurry regulation abandonment marker n Rig Release Date: TITLE Office Assistant	Approved for plugging of well bore only. Libond is retained pending Location cleanup C-103Q (Subsequent Report of Well Plugging may be found at OCD Web Page, OCD Penwww.emnrd.state.nm.us
CLOSED-LOOP SYSTEM OTHER: 13. Describe proposed or come of starting any proposed or proposed completion or responsed completion or response completion or	mpleted operations. (Clearly state all pertinent deta work). SEE RULE 19.15.7.14 NMAC. For Multiple ecompletion. Pump. to TD of 807 face with 65 sacks cement slurry regulation abandonment marker in Rig Release Date: TITLE Office Assistant - hl E-mail address: cfmoilcor	Approved for plugging of well bore only. Li bond is retained pending Location cleanup C-103Q (Subsequent Report of Well Plugging may be found at OCD Web Page, OCD Perr www.emnrd.state.nm.us Dividedge and belief. DATE //-/

CFM OIL COMPANY State B 1969 Tract 4 #23 Section 22-T17S-R28E Eddy County, New Mexico 30-015-23475

AFTER WELLBORE

3566' GR

Spudded 11-4-1980

8" PVC pipe set at 140' with 60 sacks cement, circulated

Top of 7 Rivers 700'

Open hole completion from 700-805'

4-1/2" 9.5# casing set at 700' with 250 sacks cement, circulated (7-7/8" hole)

TD 807'; PBTD 805'

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 158485

CONDITIONS

Operator:	OGRID:
CFM OIL, LLC	280554
P.O. Box 1176	Action Number:
Artesia, NM 88210	158485
	Action Type:
	[C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
gcordero	None	11/17/2022