

Office
 District I – (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II – (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III – (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV – (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM
 87505

State of New Mexico
 Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

Form *Page 1 of 7*
 Revised July 18, 2013

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-025-32247
1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>		5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
2. Name of Operator Unitex Oil & Gas, LLC		6. State Oil & Gas Lease No. K-5029
3. Address of Operator 508 W. Wall St. Ste #1000 Midland, TX 79701		7. Lease Name or Unit Agreement Name NVANU "19"
4. Well Location Unit Letter <u>1</u> : <u>1980</u> feet from the <u>South</u> line and <u>467</u> feet from the <u>East</u> line Section <u>2</u> Township <u>17S</u> Range <u>34E</u> NMPM Lea County		8. Well Number 003
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 4040.4 GR		9. OGRID Number 373671
		10. Pool name or Wildcat North Vacuum Abo North Unit

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
 TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
 PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
 DOWNHOLE COMMINGLE ☐
 CLOSED-LOOP SYSTEM ☐
 OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
 COMMENCE DRILLING OPNS. ☐ P AND A ☒
 CASING/CEMENT JOB ☐
 OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Plug #1 – Tag top of fish at 3988'. TIH open ended to 1958' – spot 25 sx. TIH to 3950'. Spot 25 sx. Tag at 3768' NOTE: Got approval from Phillip Goetz on 9/27/21 to set balanced plug since we could not get circulation.

Plug #2 – Perf at 2975'. Set pkr at 1508'. Pressure test. TIH open ended to 3037'. Spot 30 sx. Tag TOC at 2680'

Plug #3 – Perf 1775. Pump 20 sx cmt. Tag at 1686'

Plug #4 – Perf at 454'. Pump 50 bbls – no circulation. Sqz 60 sx. Tag at 300'

Plug #5 – Perf and Sqz at 150' with 80 sx.

Spud Date:

9/22/21

Rig Release Date:

10/6/21

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

Laurie Taxiar

TITLE

Operations Engineer

DATE

2/15/22

Type or print name

Laurie Taxiar

E-mail address:

ltaxiar@unitexoil.com

PHONE:

432-685-0014

For State Use Only

APPROVED BY:

Kerry Fortner

TITLE

Compliance Officer A

DATE

11/23/22

Conditions of Approval (if any)

Office
 District I – (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II – (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III – (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV – (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM
 87505

State of New Mexico
 Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

Form **Page 2 of 7**
 Revised July 18, 2013

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-025-32247
1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>		5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
2. Name of Operator Unitex Oil & Gas, LLC		6. State Oil & Gas Lease No. K-5029
3. Address of Operator 508 W. Wall St. Ste #1000 Midland, TX 79701		7. Lease Name or Unit Agreement Name NVANU "19"
4. Well Location Unit Letter <u>1</u> : <u>1980</u> feet from the <u>South</u> line and <u>467</u> feet from the <u>East</u> line Section <u>2</u> Township <u>17S</u> Range <u>34E</u> NMPM Lea County		8. Well Number 003
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 4040.4 GR		9. OGRID Number 373671
		10. Pool name or Wildcat North Vacuum Abo North Unit

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
 TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
 PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
 DOWNHOLE COMMINGLE ☐
 CLOSED-LOOP SYSTEM ☐
 OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
 COMMENCE DRILLING OPNS. ☐ P AND A ☒
 CASING/CEMENT JOB ☐
 OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Plug #1 – Tag top of fish at 3988'. TIH open ended to 1958' – spot 25 sx. TIH to 3950'. Spot 25 sx. Tag at 3768' NOTE: Got approval from Phillip Goetz on 9/27/21 to set balanced plug since we could not get circulation.

Plug #2 – Perf at 2975'. Set pkr at 1508'. Pressure test. TIH open ended to 3037'. Spot 30 sx. Tag TOC at 2680'

Plug #3 – Perf 1775. Pump 20 sx cmt. Tag at 1686'

Plug #4 – Perf at 454'. Pump 50 bbls – no circulation. Sqz 60 sx. Tag at 300'

Plug #5 – Perf and Sqz at 150' with 80 sx.

Spud Date:

9/22/21

Rig Release Date:

10/6/21

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

Laurie Taxiarou

TITLE

Operations Engineer

DATE

2/15/22

Type or print name
 For State Use Only

Laurie Taxiarou

E-mail address:

ltaxiarou@unitexoil.com

PHONE:

432-685-0014

APPROVED BY:

TITLE

DATE

Conditions of Approval (if any):

MD
(TVD)

800

1,600

2,400

3,200

4,000

4,800


5,600

6,400

7,200

8,000

8,800



Last Updated: 2/22/2022 10:39 AM

Field Name		Lease Name			Well No.	
NVANU		NVANU 19			3	
County		State			API No.	
Lea		New Mexico			33025322470000	
Version	Version Tag					
2	P&A					
GL (ft)	KB (ft)	Section	Township/Block		Range/Survey	
4,040.0		2	17S		R34	
Operator		Well Status		Latitude	Longitude	
Unitex Oil & Gas		Producing				
Dist. N/S (ft)	N/S Line	Dist. E/W (ft)	E/W Line	Footage From		
Prop Num			Spud Date		Comp. Date	
Additional Information						
Other 1		Other 2		Other 3	Other 4	
Prepared By		Updated By		Last Updated		
LTaxiarchou		LTaxiarchou		2/22/2022 10:39 AM		
Tubular Summary						
Date	Description	O.D. (in)	Wt (lb/ft)	Grade	Top (MD ft)	Bottom (MD ft)
	Surface Casing	13.375	48.00	H-40	0	404
	Intermediate Casing	8.625	23.00	J-55	0	4,589
	Production Casing	4.500	10.50	J-55	0	8,821
	Tubing	2.375			3,980	8,540
	Tubing	2.375			8,551	8,613
Casing Cement Summary						
C	Date	No. Sx	Csg. O.D. (in)	Top (MD ft)	Bottom (MD ft)	Memo
		1,975	8.625	0	4,589	
		350	4.500	7,417	8,821	
Tools/Problems Summary						
Date	Tool Type	O.D. (in)	I.D. (in)	Top (MD ft)	Bottom (MD ft)	
	Fish	2.375	0.000	3,988	8,617	
	SN	2.375	2.000	8,540	0	
	Pkr	4.500	2.375	8,541	0	
	Perf Sub	2.375	0.000	8,547	8,551	
	Bull Plg	2.375	0.000	8,613	0	
Cement Plug Summary						
Date	No. Sx	O.D. (in)	Top (MD ft)	Bottom (MD ft)	Memo	
	150	8.625	0	150		
	50	8.625	300	454		
	50	8.625	1,686	1,775		
	50	8.625	2,680	2,975		
	50	8.625	3,768	3,988		
Perforation Summary						
C	Date	Perf. Status	Formation	OA Top (MD ft)	OA Bottom (MD ft)	
		Open	Abo	8,598	8,666	

Last Updated: 2/22/2022 10:39 AM

Field Name		Lease Name		Well No.	County		State		API No.		
NVANU		NVANU 19		3	Lea		New Mexico		33025322470000		
Version	Version Tag					Spud Date		Comp. Date		GL (ft)	KB (ft)
2 P&A										4,040.0	
Section	Township/Block		Range/Survey		Dist. N/S (ft)	N/S Line	Dist. E/W (ft)	E/W Line	Footage From		
2	17S		R34								
Operator			Well Status			Latitude		Longitude		Prop Num	
Unitex Oil & Gas			Producing								
Other 1		Other 2			Other 3				Other 4		
Last Updated		Prepared By				Updated By					
02/22/2022 10:39 AM		LTaxiarchou				LTaxiarchou					
Additional Information											

Tubular Summary

Date	Description	No. Jts	O.D. (in)	Wt (lb/ft)	Grade	Coupling	Top (MD ft)	Bottom (MD ft)	Memo
	Surface Casing		13.375	48.00	H-40		0	404	
	Intermediate Casing		8.625	23.00	J-55		0	4,589	
	Production Casing		4.500	10.50	J-55		0	8,821	
	Tubing	149	2.375				3,980	8,540	
	Tubing	2	2.375				8,551	8,613	Mud Jts

Casing Cement Summary

C	Date	No. Sx	Yield (ft3/sk)	Vol. (ft3)	Csg. O.D. (in)	Top (MD ft)	Bottom (MD ft)	Description	Memo
		1,975	1.00	1,975	8.625	0	4,589		
		350	1.00	350	4.500	7,417	8,821		

Tools/Problems Summary

Date	Tool Type	O.D. (in)	I.D. (in)	Top (MD ft)	Bottom (MD ft)	Description	Memo
	Fish	2.375	0.000	3,988	8,617	Tbg left in hole	
	Seating Nipple	2.375	2.000	8,540	0		
	Packer	4.500	2.375	8,541	0	2-3/8" X 4-1/2" Arrowset Pkr	
	Perforated Sub	2.375	0.000	8,547	8,551		
	Bull Plug	2.375	0.000	8,613	0		

Cement Plug Summary

Date	No. Sx	O.D. (in)	Top (MD ft)	Bottom (MD ft)	Memo
	150	8.625	0	150	
	50	8.625	300	454	
	50	8.625	1,686	1,775	
	50	8.625	2,680	2,975	
	50	8.625	3,768	3,988	

Perforation Summary

C	Date	Stage	Perf. Status	Formation		Closed Date	Memo
		1	Open	Abo			
Top (MD ft)		Bottom (MD ft)		SPF	Shots	Phasing (deg)	Interval Memo
8,598		8,666					

Well History Summary

Date	Comments	Daily Cost
3/8/2021	Mesa, move rig to locaiton. Spot Rig. Unhang HH - unseat pump, LD PR. RU to pull rod string, POOH 1-7/8" X 4' sub, 2- 7/8" X 6' subs. POOH 108-7/8" steel rods, 215 -3/4" steel rods, 16-1.5" SB, LD 2" X 1.5" X 28' Pump. RD Rod equip, unflange well head, pkr would not release, set 25 pts tension and SI for night	\$1,623
3/9/2021	Mesa, Safety Mtg, bleed csg pressure. Triple J testers., RU tester. Could not get pkr to release, work up and down trying to get pkr to release, pulled up 25 pts. It would not release. Release tester. Backed off tbg to remove nad jt, backed off above the hole, fished tbg and pulled up to tighten coupling. Pulled and worked tbg up and down, pulled 30 pts over and parted tbg at the hole. Took delivery of Overshot to fish part, fished part, worked tbg to try to get it to release, tbg fell 12' past original set. SI for the day	\$4,257

Last Updated: 2/22/2022 10:39 AM

Date	Comments	Daily Cost
3/10/2021	Wait for API wireline. API on location. RU to run freepoint tool. Check tbq, 4005' - 15", 4085 - 15', 7512' - 0, 6976 - 0', 6036 - 0', 5008 - 0', 3986 - 100%, 4018 - 80%, 4050 - 60%, 4114 - 40%. Decision made to checmical cut @ 4100', ROOH with tool. API wireline, RD freepoint tool, RU checmical cutter. RIH cutting tool. Cut tbq @ 3980'. POOH wireline w/ cutoff tool, RD wireline. POOH w/ 1 jt 2-3/8" tbq and overshot tool, LD bad jt and tool, RD tbq equip. RU rod equip. Trip in hole with 150 rods, POOH LD 150 rods.	\$9,848
3/11/2021	RIH w/ 150 rods, POOH and LD 150 rods, RIH w/ 21 rods, POOH LD 21 rods, RD rod equip. RU to pull tbq, POOH 124 jts 2-3/8" tbq and LD, along with the top parted jt and bottom cut off jt. ND BOP, flange up wellhead and SI with valve. RD rig, clean location.	\$18,084

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

COMMENTS

Action 83163

COMMENTS

Operator: Unitex Oil & Gas, L.L.C. 508 W Wall Street, Suite 1000 Midland, TX 79701	OGRID: 373671
	Action Number: 83163
	Action Type: [C-103] Sub. Plugging (C-103P)

COMMENTS

Created By	Comment	Comment Date
plmartinez	DATA ENTRY PM	11/28/2022

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 83163

CONDITIONS

Operator: Unitex Oil & Gas, L.L.C. 508 W Wall Street, Suite 1000 Midland, TX 79701	OGRID: 373671
	Action Number: 83163
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
kfortner	Need C103Q and marker pics to release	11/23/2022