

Well Name: JICARILLA APACHE TRIBAL 122	Well Location: T25N / R4W / SEC 4 / SESE / 36.424306 / -107.251565	County or Parish/State: RIO ARRIBA / NM
Well Number: 2	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name: JICARILLA APACHE
Lease Number: JIC122	Unit or CA Name:	Unit or CA Number:
US Well Number: 3003922927	Well Status: Abandoned	Operator: DJR OPERATING LLC

Subsequent Report

Sundry ID: 2705131
Type of Submission: Subsequent Report
Date Sundry Submitted: 11/30/2022
Date Operation Actually Began: 11/18/2022
Type of Action: Plug and Abandonment
Time Sundry Submitted: 09:57

Actual Procedure: The subject well was Plugged & Abandoned on 11/18/2022 per the attached End of Well Report, As Plugged Wellbore Diagram, and Marker.

SR Attachments

Actual Procedure
EOWR_BLM_20221130095710.pdf

Received by OCD: 12/5/2022 11:31:07 AM

Page 2 of 9

Well Name: JICARILLA APACHE TRIBAL 122	Well Location: T25N / R4W / SEC 4 / SESE / 36.424306 / -107.251565	County or Parish/State: RIO ARRIBA / NM
Well Number: 2	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name: JICARILLA APACHE
Lease Number: JIC122	Unit or CA Name:	Unit or CA Number:
US Well Number: 3003922927	Well Status: Abandoned	Operator: DJR OPERATING LLC

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: MARYA COLLARD	Signed on: NOV 30, 2022 09:57 AM
Name: DJR OPERATING LLC	
Title: Regulatory Technician	
Street Address: 1 ROAD 3263	
City: AZTEC	State: NM
Phone: (505) 634-6722	
Email address: MCOLLARD@DJRLLC.COM	

Field

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact

BLM POC Name: KENNETH G RENNICK	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5055647742	BLM POC Email Address: krennick@blm.gov
Disposition: Accepted	Disposition Date: 11/30/2022
Signature: Kenneth Rennick	

DJR Operating, LLC
P&A End of Well Report
Jicarilla Apache Tribal 122 #002
API # 30-039-22927
SE/SE Unit P. Sec 4, T25N, R4W
Rio Arriba County, NM
Spud Date: 5-15-1982
Plug Date: 11-18-2022

11-7-2022:

MIRU rig and equipment. SITP = 45, SICP = 340, BH = 0.

11-8-2022:

Blow well down. ND WH, NU BOP. Worked tubing hanger free, worked packer free. Hot oil tubing, start TOO H with 2 3/8" production tubing.

11-9-2022:

TIH with casing scraper to 7910'. TOO H.

11-10-2022:

TIH with retainer, set retainer at 7902'. Load and roll hole. PT casing, did not test.
P&A Plug 1: Dakota perforations: Mix and pump plug of 20 sx through CR and into Dakota perforations. Sting out of CR, TOO H.

11-11-2022:

RIH, run CBL from 7877' to surface.
After discussions with BLM, NMOC D and DJR approval to run packer to 400' and isolate possible casing leak and facilitate running plugs and eliminate some WOC time. TIH with packer, started hanging up at 1042', started to pull packer, stuck at 631'.

11-14-2022:

Worked packer free, pulled damaged packer.
TIH with workstring. Tagged up at 7877' on some cement left above CR.
P&A Plug 2: Dakota formation top: Mix and spot balanced plug of 12 sx from 7877'.
Pull up. WOC.

11-15-2022:

TIH, tagged Plug 2 at 7739'. Pull up to 7102'.
P&A Plug 3: Gallup formation top: Mix and spot balanced plug of 12 sx from 7102'.
Pull up. WOC. TIH, tagged Plug 3 at 6977'. Pull up to 6028'.
P&A Plug 4: Mancos formation top: Mix and spot balanced plug of 12 sx from 6028'.
Pull up. WOC.

11-16-2022:

TIH, tagged Plug 4 at 5891'. Pull up to 5365'.
P&A Plug 5: Mesa Verde formation top: Mix and spot balanced plug of 12 sx from 5365'.
Pull up. WOC. TIH, tagged Plug 5 at 5244'. Pull up to 4250'.
P&A Plug 6: Chacra formation top: Mix and spot balanced plug of 12 sx from 4250'.
Pull up. WOC. Pull up to 2382'.

11-17-2022:

TIH, tagged Plug 6 at 4102'. Pull up to 3735'.

P&A Plug 7: Pictured Cliffs, Fruitland, Kirtland and Ojo Alamo formation tops: Mix and spot balanced plug of 60 sx from 3735'.

Pull up. WOC. TIH and tagged Plug 7 at 3029'. PT casing, good test.

P&A Plug 8: Nacimiento formation top: Mix and spot balanced plug of 12 sx from 2250' to 2096'.

TOOH.

RIH. Perforate holes at 455'. POOH.

Establish circulation down casing and out BH.

P&A Plug 9: Surface casing shoe to surface. Mix and pump plug of 140 sx down casing and out BH. Good cement returns out BH.

11-18-2022:

P&A Plug 10: Top off: Cut off WH. TOC at surface in casing and 5' in annulus. Install P&A marker. Top off cellar with 18 sx.

Release Rig.

Cement used in Plugs 1 through 8 was Class G mixed at 15.8 ppg, yield 1.15 cuft/sx. Cement used in Plugs 9 and 10 was Type II/V mixed 15.0 ppg, yield 1.29 cuft/sx.

Regulatory representative: Jimmie Dobson, BLM and Monica Kuehling, NMOCD via phone.

GPS Coordinates: Lat; 36.42382 N, Long; 107.25098 W

DJR Operating, LLC
P&A Marker
Jicarilla Apache Tribal 122 #002
API # 30-039-22927
SE/SE Unit P. Sec 4, T25N, R4W
Rio Arriba County, NM
Spud Date: 5-15-1982
Plug Date: 11-18-2022





United States Department of the Interior

BUREAU OF INDIAN AFFAIRS

Jicarilla Agency

P.O. Box 167

Dulce, New Mexico 87528

IN REPLY REFER TO:

Branch of Real Estate Services

November 15, 2019

Memorandum

To: Robert Switzer, Environmental Protection Specialist
Bureau of Land Management, Farmington Field Office

From: Kurt Sandoval, Realty Officer
Bureau of Indian Affairs, Jicarilla Agency

Subject: BIA Concurrence concerning Well Pad Monument Makers

Let this serve as concurrence for the agreed upon preferred method to be used when constructing well pad monument markers on Jicarilla Apache Tribal Lands. We will eliminate the 6 ft. dry hole marker and use a permanent metal plate that will be installed at ground level, effective September 2019. The marker will contain the following information:

- Well Pad Lease Number
- Well Pad Location Name and Number
- Well Pad Legal Description, specifically Section, Township and Range
- Well Pad API Number
- Well Pad Plug Date
- Well Pad Operator Name

You may contact our office if you have any questions or concerns at (575) 759-3936. Thank you.


Realty Officer

cc: Jicarilla Oil and Gas Administration

12" x 18" MINIMUM

End of Well Report
DJR Operating, LLC
Jicarilla Apache Tribal 122 2
 API # 30-039-22927
 SE/SE, Unit P, Sec 4, T25N, R4W
 Rio Arriba County, NM

GL 7225'
 KB 7239'
 Spud Date 5/15/1982

SURF CSG

Hole size 12.25"
 Csg Size: 8.625"
 Wt: 24#
 Grade: K-55
 ID: 8.097"
 Depth 413'
 Csg cap ft³: 0.3576
 TOC: Surf

FORMATION TOPS

Nacimiento	2200'
Ojo Alamo	3114'
Kirtland	3361'
Fruitland	3511'
Pictured Cliffs	3685'
Lewis	3748'
Chacra	4200'
Mesa Verde	5315'
Mancos	5978'
Gallup	7052'
Dakota	7928'


PROD CSG

Hole size 7.875"
 Csg Size: 4.5"
 Wt: 10.5/11.6#
 Grade: K-55
 ID: 4.052"
 Depth 8171'
 Csq cap ft³: 0.0895
 Csq/Csq Ann ft³: 0.2471
 Csg/OH cap ft³: 0.2278
 TOC: Stg 1 (Calc) 6230'
 TOC: Stg 2 (Calc) Near surface

DV Tool at 6230'

Perfs 7930-8122'

PBTD 8136'
 TD 8178'



11-18-2022: Cut off WH. TOC at surface in casing and 5' in annulus. Install P&A marker. Top off cellar with 18 sx.

11-17-2022: Plug 9: Surface casing shoe to surface: Perforate holes at 455'. Mix and pump plug of 140 sx down casing and out BH, good cement returns out BH.

11-17-2022: Plug 8: Nacimiento: Mix and spot balanced plug of 12 sx from 2250'.

11-17-2022: PT casing, good test.

11-17-2022: Plug 7: Pictured Cliffs, Fruitland, Kirtland and Ojo Alamo: Mix and spot balanced plug of 60 sx from 3735'. WOC. Tagged Plug 7 at 3029'.

11-16-2022: Plug 6: Chacra: Mix and spot balanced plug of 12 sx from 4250'. WOC. 11-17-2022: Tagged Plug 6 at 4102'.

11-16-2022: Plug 5: Mesa Verde: Mix and spot balanced plug of 12 sx from 5365'. WOC. Tagged Plug 5 at 5244'.

11-15-2022: Plug 4: Mancos: Mix and spot balanced plug of 12 sx from 6028'. WOC. 11-16-2022: Tagged Plug 4 at 5891'.

11-15-2022: Plug 3: Gallup: Mix and spot balanced plug of 12 sx from 7102'. WOC. Tagged Plug 3 at 6977'.

11-14-2022: Plug 2: Dakota: Tagged cement above CR at 7877'. Mix and spot balanced plug of 12 sx from 7877'. WOC. 11-15-2022: Tagged Plug 2 at 7739'.

11-11-2022: Run packer to isolate possible casing leak. Packer starting to hang up, pulled out, got stuck at 631'. 11-14-2022: Work packer loose and pull it out of hole.

11-11-2022: Run CBL from 7877' to surface.

11-10-2022: Plug 1: Dakota perforations: Set CR at 7902'. Mix and pump plug of 20 sx below CR.

Cement used in Plugs 1 through 8 was Class G mixed at 15.8 ppg, yield 1.15 cuft/sx. Cement used in Plugs 9 and 10 was Type II/V mixed at 15.0 ppg, yield of 1.29 cuft/sx

Regulatory representative: Jimmie Dobson, BLM and Monica Kuehling, NMOCD via phone
 GPS Coordinates: Lat; 36.42382 N, Long 107.25098 W

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

COMMENTS

Action 163792

COMMENTS

Operator: DJR OPERATING, LLC 1 Road 3263 Aztec, NM 87410	OGRID: 371838
	Action Number: 163792
	Action Type: [C-103] Sub. Plugging (C-103P)

COMMENTS

Created By	Comment	Comment Date
mkuehling	well pressures not recorded every day - well plugged 11/18/22	12/6/2022

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 163792

CONDITIONS

Operator: DJR OPERATING, LLC 1 Road 3263 Aztec, NM 87410	OGRID: 371838
	Action Number: 163792
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
mkuehling	None	12/6/2022