

Well Name: RINCON UNIT	Well Location: T27N / R6W / SEC 21 / NENE / 36.563928 / -107.467888	County or Parish/State: RIO ARRIBA / NM
Well Number: 715H	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name: EASTERN NAVAJO
Lease Number: NMSF0079366, NMSF079366	Unit or CA Name: RINCON UNIT-- STATE	Unit or CA Number: NMNM78406X
US Well Number: 3003931374	Well Status: Drilling Well	Operator: ENDURING RESOURCES LLC

Subsequent Report

Sundry ID: 2698728

Type of Submission: Subsequent Report

Date Sundry Submitted: 10/19/2022

Date Operation Actually Began: 10/08/2022

Type of Action: Casing

Time Sundry Submitted: 10:21

Actual Procedure: 10/8/2022- Test 9 5/8" Casing to 1,500 for 30 min Test BOP as follows: Tested Choke manifolds and Blind's 250 psi (Low) for 5 min, 3000 psi (High) for 10 min. Tested upper and lower pipe rams 250 psi (Low) for 5 min, 3000 psi (High) for 10 min. Tested Annular 250 psi (Low) for 5 min, 3000 psi (High) for 10 min. All tests good 10/8/2022 through 10/16/2022- Drilling 8-1/2" hole. TD 8-1/2" @ 16,568' 10/8/2022 - Run 5-1/2" Production Casing , 1 Jts of 5-1/2", 20# P-110, BTC, csng set @ 16,568', float collar 1 @ 16,563', float collar 2 @ 16,539', PBTD @ 16,490'. Cement Summary: PJSM with American Cementing. Pressure tested lines to 5000 psi. Pumped 60 bblsEZ Spacer @11.0 ppg. Pumped Lead Cement: 281.1 bbls 667 sx) ASTM Type I/II at 12.4 ppg, 2.37 ft3/sk, 13.38 gal H2O/sk. Pumped Tail Cement: 484.5 bbls (1,739 sx) Class G Cement at 13.3 ppg, 1.57 ft3/sk, 7.68 gal H2O/sk. Washed lines, dropped plug & began displacement. Displaced with 367 bbls FW with cement retarder in 1st 50 bbls. FCP at 2,216-- psi Bump Plug at 4.0 bpm to 3,123- psi. Bled back 3.5 Bbls and floats held. Cement From 0600 To 12:00 - 10/17/2022 Top of Tail: Calculated 4,911 ft MD. Top of Lead: Surface Cement Back 40 BBL, Calculated Back 57 bbl's 10/17/2022-Released Rig @ 16:30

Well Name: RINCON UNIT	Well Location: T27N / R6W / SEC 21 / NENE / 36.563928 / -107.467888	County or Parish/State: RIO ARRIBA / NM
Well Number: 715H	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name: EASTERN NAVAJO
Lease Number: NMSF0079366, NMSF079366	Unit or CA Name: RINCON UNIT--STATE	Unit or CA Number: NMNM78406X
US Well Number: 3003931374	Well Status: Drilling Well	Operator: ENDURING RESOURCES LLC

SR Attachments

Actual Procedure

4_production_casing_RINCON_UNIT_715H_20221019102053.pdf

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: KAYLA WHITE

Signed on: OCT 19, 2022 10:21 AM

Name: ENDURING RESOURCES LLC

Title: Staff Engineer

Street Address: 9446 CLERMONT ST

City: THORNTON **State:** CO

Phone: (720) 768-3575

Email address: KWHITE@CDHCONSULT.COM

Field

Representative Name:

Street Address:

City: **State:** **Zip:**

Phone:

Email address:

BLM Point of Contact

BLM POC Name: KENNETH G RENNICK

BLM POC Title: Petroleum Engineer

BLM POC Phone: 5055647742

BLM POC Email Address: krennick@blm.gov

Disposition: Accepted

Disposition Date: 10/19/2022

Signature: Kenneth Rennick

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 165416

CONDITIONS

Operator: ENDURING RESOURCES, LLC 6300 S Syracuse Way, Suite 525 Centennial, CO 80111	OGRID: 372286
	Action Number: 165416
	Action Type: [C-103] Sub. Drilling (C-103N)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	None	12/8/2022