

Well Name: SOUTH BISTI 30N	Well Location: T26N / R13W / SEC 30 / SESW / 36.453644 / -108.261902	County or Parish/State: SAN JUAN / NM
Well Number: 1	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM80507	Unit or CA Name:	Unit or CA Number:
US Well Number: 3004528078	Well Status: Abandoned	Operator: DJR OPERATING LLC

Subsequent Report

Sundry ID: 2663594

Type of Submission: Subsequent Report

Date Sundry Submitted: 03/23/2022

Date Operation Actually Began: 03/18/2022

Type of Action: Plug and Abandonment

Time Sundry Submitted: 01:38

Actual Procedure: The subject well was Plugged & Abandoned on 3/18/22 per the attached End of Well Report, As Plugged Wellbore Diagram, and Marker.

SR Attachments

Actual Procedure

- EOW_Summary__So_Bisti_30_N_1_20220323133809.pdf
- EOW_S_Bisti_30N_1_Marker_20220323133809.pdf
- EOW_South_Bisti__30N_1_As_Plugged_WBD_20220323133809.pdf

Well Name: SOUTH BIST 30N	Well Location: T26N / R13W / SEC 30 / SESW / 36.453644 / -108.261902	County or Parish/State: SAN JUAN / NM
Well Number: 1	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM80507	Unit or CA Name:	Unit or CA Number:
US Well Number: 3004528078	Well Status: Abandoned	Operator: DJR OPERATING LLC

Operator Certification

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

Operator Electronic Signature: SHAW-MARIE FORD	Signed on: MAR 23, 2022 01:38 PM
Name: DJR OPERATING LLC	
Title: Regulatory Specialist	
Street Address: 1 Road 3263	
City: Aztec	State: NM
Phone: (505) 632-3476	
Email address: sford@djrlc.com	

Field Representative

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact

BLM POC Name: KENNETH G RENNICK	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5055647742	BLM POC Email Address: krennick@blm.gov
Disposition: Accepted	Disposition Date: 03/24/2022
Signature: Kenneth Rennick	

DJR Operating, LLC
P&A End of Well Report
South Bisti 30 N 1
API # 30-045-28078
SE/SW, Unit N, Sec 30, T26N, R13W
San Juan County, NM
Spud Date: 6-21-1990
Plug Date: 3-18-2022

12-9-2020:

MIRU rig and equipment. SITP = 0, SICP = 25, BH = 0. Pull rods and pump, NDWH, NU BOP. Pull tubing.

Release rig.

3-15-2022:

Move in and rig up rig and equipment. SITP N/A, SICP = 50, BH = 0. TIH with bit and string mill to 5175'. TOOH.

3-16-2022:

TIH with 5 ½" CR, set CR at 5145'.

Roll hole, PT casing, did not test.

P&A Plug 1 & 2: Gallup perfs and Gallup formation top. Mix and pump 12 sx cement under CR into Gallup perfs. Sting out and place 20 sx above CR. WOC. Tagged Plug 2 at 5003'.

P&A Plug 3: Mancos formation top: Pull up to 4179', mix and pump balanced plug of 20 sx from 4179'. WOC.

3-17-2022:

TIH, tag Plug 3 at 4030'.

P&A Plug 4: Mesa Verde and Chacra formation tops: Pull up to 2363', mix and pump balanced plug of 75 sx from 2363'. WOC. SD due to heavy winds.

3-18-2022:

TIH and tag Plug 4 at 1744'. PT casing, good test.

P&A Plug 5: Pictured Cliffs formation top: Pull up to 1609', mix and pump balanced plug of 20 sx from 1609' to 1437'.

P&A Plug 6: Fruitland, Kirtland, Ojo Alamo formation tops to surface. Pull up to 980', mix and pump plug of 118 sx from 980' to surface. Good cement returns at surface. TOOH with workstring.

Cut off WH. Check TOC; casing at 93', annulus at 100'. Install P&A marker. Top off 5 ½ x 8 5/8" annulus and cellar with 50 sx.

Release rig.

All cement used: Class G cement mixed at 15.8 ppg, yield 1.15

Regulatory Representative: Gail Clayton, BLM

GPS Coordinates: Lat; 36.45378165 N, Long; 108.2625592 W

.

DJR Operating, LLC
P&A Marker
South Bisti 30 N 1
API # 30-045-28078
SE/SW, Unit N, Sec 30, T26N, R13W
San Juan County, NM
Spud Date: 6-21-1990
Plug Date: 3-18-2022



End of Well Report

DJR Operating, LLC

South Bisti 30N 1

API # 30-045-28078
SE/SW, Unit N, Sec 30, T26N, R13W
San Juan County, NM

GL 6474'
KB 6486'
Spud Date 6/21/1990

SURF CSG

Hole size 12.25"
Csg Size: 8.625"
Wt: 24#
Grade: J-55
ID: 8.097"
Depth 362'
Csg cap ft³: 0.3576
TOC: Surface
Circulated cement
to surface.

PROD CSG

Hole size 7.875"
Csg Size: 5.5"
Wt: 15.5#
Grade: J-55
ID: 4.95"
Depth 5369'
Csg cap ft³: 0.1336
Csg/Csg Ann ft³: 0.1926
Csg/OH cap ft³: 0.1732
TOC: Surface
Circulated cement
to surface.


FORMATION TOPS*

Nacimiento	Surface
Ojo Alamo	398'
Kirtland	498'
Fruitland	906'
Pictured Cliffs	1547'
Chacra	1818'
Mesa Verde	2300'
Mancos	4110'
Gallup	5103'

*No open hole logs
Some depths are estimated

Perfs 5210-22'

PBTD 5323'
TD 5375'



3-18-2022: Cut off WH. TOC; casing at 93', annulus at 100'. Install P&A marker. Top off casing and annulus with poly pipe and 50 sx.

3-18-2022: Plug 6: Fruitland, Kirtland, Ojo, surface casing shoe, to surface. Mix and pump 118 sx from 980' to surface.

3-18-2022: Plug 5: Pictured Cliffs: Mix and spot balanced plug of 20 sx from 1609' to 1437'.

3-18-2022: PT casing, good test.

3-17-2022: Plug 4: Mesa Verde and Chacra: Mix and spot balanced plug of 75 sx from 2363'. WOC. 3-18-2022: Tagged at 1744'.

3-16-2022: Plug 3: Mancos: Mix and spot a balanced plug of 20 sx from 4179'. WOC. 3-17-2022: Tagged at 4030'.

3-16-2022: Plug 2: Gallup: Mix and place 20 sx above CR. WOC. Tagged Plug 2 at 5003'.

3-16-2022: PT casing, Did not test.

3-16-2022: Plug 1: Gallup perfs: Mix and pump 12 sx under CR.

3-16-2022: TIH, set CR at 5145'.

All cement used was Class G mixed at 15.8 ppq, yield 1.15 ft³
Regulatory Representative: Gail Clayton, BLM and Monica Kuehling, NMOCD via phone
GPS Coordinates: 36.45378165 N, 108.2625592 W

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

COMMENTS

Action 166392

COMMENTS

Operator: DJR OPERATING, LLC 1 Road 3263 Aztec, NM 87410	OGRID: 371838
	Action Number: 166392
	Action Type: [C-103] Sub. Plugging (C-103P)

COMMENTS

Created By	Comment	Comment Date
mkuehling	no daily pressures from well	12/13/2022

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 166392

CONDITIONS

Operator: DJR OPERATING, LLC 1 Road 3263 Aztec, NM 87410	OGRID: 371838
	Action Number: 166392
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
mkuehling	well plugged 3/18/22	12/13/2022