

Well Name: JICARILLA APACHE	Well Location: T23N / R4W / SEC 8 / NENE /	County or Parish/State: RIO ARRIBA / NM
Well Number: 8	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name: JICARILLA APACHE
Lease Number: JIC362	Unit or CA Name:	Unit or CA Number:
US Well Number: 3003908113	Well Status: Abandoned	Operator: DJR OPERATING LLC

Subsequent Report

Sundry ID: 2707066

Type of Submission: Subsequent Report Type of Action: Plug and Abandonment

Date Sundry Submitted: 12/13/2022 Time Sundry Submitted: 10:44

Date Operation Actually Began: 11/30/2022

Actual Procedure: The subject well was Plugged & Abandoned on 11/30/22 per the attached End of Well Report, Wellbore Diagram, and Marker.

SR Attachments

Actual Procedure

01_EOWR_BLM_Submittal_20221213104351.pdf

Received by OCD: 12/19/2022 9:40:52 AM

Page 2 of 7

Well Name: JICARILLA APACHE	Well Location: T23N / R4W / SEC 8 / NENE /	County or Parish/State: RIO ARRIBA / NM
Well Number: 8	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name: JICARILLA APACHE
Lease Number: JIC362	Unit or CA Name:	Unit or CA Number:
US Well Number: 3003908113	Well Status: Abandoned	Operator: DJR OPERATING LLC

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: MARYA COLLARD	Signed on: DEC 13, 2022 10:44 AM
Name: DJR OPERATING LLC	
Title: Regulatory Technician	
Street Address: 1 ROAD 3263	
City: AZTEC	State: NM
Phone: (505) 634-6722	
Email address: MCOLLARD@DJRLLC.COM	

Field

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact

BLM POC Name: KENNETH G RENNICK	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5055647742	BLM POC Email Address: krennick@blm.gov
Disposition: Accepted	Disposition Date: 12/16/2022
Signature: Kenneth Rennick	

DJR Operating, LLC
P&A End of Well Report
Jicarilla Apache 8
API # 30-039-08113
NE/NE Unit A. Sec 8, T23N, R4W
Rio Arriba County, NM
Spud Date: 10-25-1966
Plug Date: 11-30-2022

11-23-2022:

MIRU rig and equipment. SIP = 0, SICP = 0, BH = 0. Pull 1 joint 1 1/4" tubing. Ran gauge ring to 2670'. SD for Thanksgiving holiday WE.

11-28-2022:

TIH, set retainer at 2639'. Load and roll hole, PT casing, did not test.

P&A Plug 1: Pictured Cliffs perforations: Mix and pump plug of 10 sx through retainer.

TOOH. RIH and run CBL from 2639' to surface. TOC at 1840' with some cement up to 1316'.

P&A Plug 2: Pictured Cliffs, Fruitland, Kirtland and Ojo Alamo formation tops: Mix and spot a balanced plug of 44 sx from 2639'. Pull up and WOC.

11-29-2022:

TIH, tagged Plug 2 at 2040'. PT casing, did not test. RIH, perforate holes at 953'. POOH. TIH, set retainer at 914'. PT casing, good test above retainer.

P&A Plug 3: Nacimiento: Mix and pump plug of 37 sx, (22.25 sx outside, 2.5 sx inside under and 12.25 sx above retainer). TOOH. RIH, perforate holes at 151'. POOH. Establish rate down casing and out BH.

P&A Plug 4: Surface casing shoe to surface: Mix and pump plug of 45 sx down casing and out BH. Good cement returns out BH. Cut off WH. TOC at surface in annulus and at 11' in casing. Too windy to RD, will wait until morning, SDFN.

11-30-2022:

RD and release rig. Top off plug: Install P&A marker. Mix and pump plug of 7 sx to top off casing and cellar.

All cement used was Type II/V mixed at 15.0 ppg, yield 1.29 cu ft/sx

Regulatory representative: Wanda Weatherford and Monica Kuehling NMOCD via phone.

GPS Coordinates: Lat; 36.2425385 N, Long; 107.2737409 W

DJR Operating, LLC
P&A End of Well Report
Jicarilla Apache 8
API # 30-039-08113
NE/NE Unit A. Sec 8, T23N, R4W
Rio Arriba County, NM
Spud Date: 10-25-1966
Plug Date: 11-30-2022





United States Department of the Interior

BUREAU OF INDIAN AFFAIRS

Jicarilla Agency

P.O. Box 167

Dulce, New Mexico 87528

IN REPLY REFER TO:

Branch of Real Estate Services

November 15, 2019

Memorandum

To: Robert Switzer, Environmental Protection Specialist
Bureau of Land Management, Farmington Field Office

From: Kurt Sandoval, Realty Officer
Bureau of Indian Affairs, Jicarilla Agency

Subject: BIA Concurrence concerning Well Pad Monument Makers

Let this serve as concurrence for the agreed upon preferred method to be used when constructing well pad monument markers on Jicarilla Apache Tribal Lands. We will eliminate the 6 ft. dry hole marker and use a permanent metal plate that will be installed at ground level, effective September 2019. The marker will contain the following information:

- Well Pad Lease Number
- Well Pad Location Name and Number
- Well Pad Legal Description, specifically Section, Township and Range
- Well Pad API Number
- Well Pad Plug Date
- Well Pad Operator Name

You may contact our office if you have any questions or concerns at (575) 759-3936. Thank you.


Realty Officer

cc: Jicarilla Oil and Gas Administration

12" x 18" MINIMUM

End of Well Report
DJR Operating, LLC
Jicarilla Apache 8
API # 30-039-08113
NE/NE, Unit A, Sec 8, T23N, R4W
Rio Arriba County, NM

GL 7053'
 KB 7065'
 Spud Date 10/25/1966

SURF CSG

Hole size 9.875"
 Csg Size: 7.625"
 Wt: 26.75#
 Grade: N/A
 ID: 6.969"
 Depth 101'
 cap cf/ft: 0.2648
 TOC: N/A

FORMATION TOPS


San Jose	Surf
Nacimiento (Est.)	903'
Ojo Alamo	2188'
Kirtland	2295'
Fruitland	2530'
Pictured Cliffs	2665'

PROD CSG

Hole size 6.75"
 Csg Size: 4.5"
 Wt: 9.5"
 Grade: N/A
 ID: 4.090"
 Depth 2737'
 cap cf/ft: 0.0912
 Csg/Csg Ann, cf/ft: 0.1544
 Csg/OH Ann, cf/ft: 0.1381
 TOC: 2323' (calc)

Perfs 2670-2686'

TD/PBTD 2750'



11-29-2022: Cut off WH. TOC at surface in annulus and 11' in casing. Top off casing and cellar with 7 sx on 11-30-2022:

11-29-2022: Plug 4: Surface casing shoe to surface: Perforate holes at 151'. Mix and pump 45 sx down casing and out BH, good cement returns out BH.

11-29-2022: Plug 3: Nacimiento top: Perforate holes at 953'. Set CR at 914'. PT casing above CR, good test. Mix and pump 37 sx; (22.25 sx outside, 2.50 sx inside under and 12.25 sx inside above CR) TOC 753' outside, 744' inside.

11-28-2022: Plug 2: Pictured Cliffs, Fruitland, Kirtland and Ojo Alamo: Mix and spot balanced plug of 44 sx from 2639'. WOC. 11-29-2022: Tagged Plug 2 at 2040'.

11-28-2022: Run CBL from 2639' to surface, TOC 1840', some cement to 1316'.

11-28-2022: Plug 1: Pictured Cliffs perforations: Set CR at 2639', load and roll hole, PT casing, did not test. Mix and pump 10 sx through CR into perforations.

All cement used Type II/V mixed at 15.0 ppg, yield 1.29 cuft/sx

Regulatory representative: Wanda Weatherford, BLM and Monica Kuehling, NMOCD via phone

GPS Coordinates; Lat 36.2425385 N, Long 107.2737409 W

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 168148

CONDITIONS

Operator: DJR OPERATING, LLC 1 Road 3263 Aztec, NM 87410	OGRID: 371838
	Action Number: 168148
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
mkuehling	no casing string pressures recorded after 11/23/22 well plugged 11/30/22	12/28/2022