

Well Name: BURCH KEELY UNIT	Well Location: T17S / R30E / SEC 30 / NWNW /	County or Parish/State: EDDY / NM
Well Number: 142	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMLC028784B	Unit or CA Name: BURCH KEELY UNIT	Unit or CA Number: NMNM88525X
US Well Number: 3001504388	Well Status: Abandoned	Operator: SPUR ENERGY PARTNERS LLC

Accepted for record – NMOCD gc12/23/2022

Subsequent Report

Sundry ID: 2701000

Type of Submission: Subsequent Report

Type of Action: Plug and Abandonment

Date Sundry Submitted: 11/02/2022

Time Sundry Submitted: 08:44

Date Operation Actually Began: 09/15/2022

Actual Procedure: 9/15/22: MIRU, ND flange then NU Bop & release pkr, POOH w/ tbg & pkr then RIH w/ 97jts, SDFN. 9/16/22: RU pump, PLUG #1 – mix & pump 60sxs Class C Cement from eot at 3015' to toc at 2408' then POOH, woc then RU WL & WL RIH but could not feel tag- WL down to 2860', notify BLM & they suggested to tag on Monday then SDFN. 9/19/22: RU WL then RIH to tag but no tag & RD WL, PLUG #1B – mix & pump 60sxs Class C Cement from eot at 3015' to toc at 2409' then POOH to woc, RU WL then RIH & tag PLUG #1 at 2390', set CIBP at 2300'then POOH & RD WL, RIH & tag CIBP at 2300', PLUG #2 – mix & pump 25sxs Class C Cement from eot at 2300' to toc at 2048' then SDFN. 9/20/22: RIH & tag PLUG #2 at 2048' then LD tbg, RU WL then RIH & perforate at 550', POOH & RD WL, RIH w/ pkr to get injection rate, PLUG #3 – mix & pump 45sxs Class C Cement from eot at 550' to toc at 435' then POOH to woc, RIH & tag PLUG #3 at 440', RU WL then RIH to perforate at 100', POOH & RD WL then check injection rate-good, PLUG #4 – mix & pump 45sxs Class C Cement from eot at 100' to surface, got cement up 7" but csg would not circulate up 8 5/8 then displ down to 50', SDFN. 9/21/22: Release pkr then RIH & tag PLUG #4 at 279', LD tbg then notify BLM & they suggested to re-do plug, PLUG #4B – mix & pump 50sxs Class C Cement from eot at 100' to surface then POOH to woc, RU WL & RIH to tag but could not feel tag then SDFN. 9/22/22: RIH & tag PLUG #4 at 279', notify BLM & they suggested to pump 30 more sxs, PLUG #4C – mix & pump 30sxs Class C Cement from surface of 5 ½ to surface in 7", cement stayed in place then RD pump & ND Bop, RDSU.

Well Name: BURCH KEELY UNIT

Well Location: T17S / R30E / SEC 30 / NWNW /

County or Parish/State: EDDY / NM

Well Number: 142

Type of Well: OIL WELL

Allottee or Tribe Name:

Lease Number: NMLC028784B

Unit or CA Name: BURCH KEELY UNIT

Unit or CA Number: NMNM88525X

US Well Number: 3001504388

Well Status: Abandoned

Operator: SPUR ENERGY PARTNERS LLC

SR Attachments

Actual Procedure

Spur_Burch_Keely_Unit_142_Plugged_WBD_20221102084413.pdf

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: SARAH CHAPMAN

Signed on: NOV 02, 2022 08:44 AM

Name: SPUR ENERGY PARTNERS LLC

Title: Regulatory Directory

Street Address: 9655 KATY FREEWAY, SUITE 500

City: Houston

State: TX

Phone: (832) 930-8613

Email address: SCHAPMAN@SPUREPLLC.COM

Field

Representative Name:

Street Address:

City:

State:

Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: JAMES A AMOS

BLM POC Title: Acting Assistant Field Manager

BLM POC Phone: 5752345927

BLM POC Email Address: jamos@blm.gov

Disposition: Accepted

Disposition Date: 12/14/2022

Signature: James A. Amos

Burch Keely Unit #142

Eddy County, NM
API# 30-015-04388

CURRENT WBD

Plug #4 - 125 sxs
100' - Surface Class C

SPUD DATE: 4/05/1994

CONVERT TO INJ:

perforations @ 100'

Plug #3 - 45 sxs Class C
550' - 440'

perforations @ 550'

Plug #2 - 25 sxs Class C
2300' - 2048'

PERF'D 2.350' - 2.800'

Plug #1 - 120 sxs Class C
3015' - 2390'

PERF'D 2.891' - 3.240'

PERF'D 4.478' - 4.744'


8-5/8" CSG @ 502'
CMT W/ ASSUMED 50 SX

CIBP @ 2300'

7" CSG @ 2.891'
CMT W/ 100 SX

TENSION PACKER @ ~4,324'

5-1/2" CSG @ 4.900'
CMT W/ 225 SX



District I
 1625 N. French Dr., Hobbs, NM 88240
 Phone:(575) 393-6161 Fax:(575) 393-0720

District II
 811 S. First St., Artesia, NM 88210
 Phone:(575) 748-1283 Fax:(575) 748-9720

District III
 1000 Rio Brazos Rd., Aztec, NM 87410
 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
 1220 S. St Francis Dr., Santa Fe, NM 87505
 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 167264

CONDITIONS

Operator: Spur Energy Partners LLC 9655 Katy Freeway Houston, TX 77024	OGRID: 328947
	Action Number: 167264
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
gcordero	None	12/23/2022