Received by OCD: 12/30/2022 3:12:28 PM

Plug #5: 110 sxs Type III cmt circulated out casing and annulus. Circulated some cement out surface holes; lost circulating age 1 of 6

well and WOC overnight. 12/21/22: Held JSA. RU DXP and check WH pressures, no pressures. TIH w/ tbg to tag Plug #5, no tag to 200'. TOOH and LD

tbg. TIH 1 joint w/7" packer and test casing, did not test, started to circulate, circulated clean.

Plug #5A: 30 sxs Type III cmt circulated to surface. LD tbg joint and packer. Prep to MOL January 2, 2023

Note: P&A marker will be set once is tested by Welldone. A follow up sundry will be submitted when marker is set.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Ill Lambe	TITLE ENCINEERING tech	
Type or print name Well Condenneyer For State Use Only	E-mail address: nell eaplus well. com	PHONE: <u>505486 6958</u>
APPROVED BY: Conditions of Approval (if any):	TITLE	DATE

Received by OCD: 12/30/2022 3:12:28 PM   State of New Mexico	Form C-103 Revised July 18, 2013  WELL API NO. 30-025-11105  5. Indicate Type of Lease STATE FEE X  6. State Oil & Gas Lease No. FEE  7. Lease Name or Unit Agreement Name Fowler Hair  8. Well Number. #3  9. OGRID Number 37636  10. Pool name or Wildcat	
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)  1. Type of Well: Oil Well X Gas Well Other Injection		
Name of Operator     State of New Mexico formerly Primal Energy Corporation     Address of Operator		
1625 N. French Drive, Hobbs, N 88240 4. Well Location	Langlie Mattix / 7 Rivers  feet from the W line	
Unit Letter D : 660 feet from the N line and 660  Section 14 Township 24S Range 37E  11. Elevation (Show whether DR, RKB, RT, GR, etc.)	NMPM Lea County	
PERFORM REMEDIAL WORK PLUG AND ABANDON COMMENCE DE COMMENCE DE COMMENCE DE CASING/CEMENT CASING DOWNHOLE COMMINGLE CLOSED-LOOP SYSTEM OTHER:  13. Describe proposed or completed operations. (Clearly state all pertinent details, a	BSEQUENT REPORT OF:  RK	
of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Coproposed completion or recompletion.  12/13/22: MOL. Dig out BH @ 5' bgs. 0# on casing. Fix casing and BH valves. 12/14/22: Held JSA. RU DXP to BD well, 0# on casing. TOOH with rods. Wo BOP. POH w/tbg. RU A-Plus WL RIH to 3320' with 7" GR. RIH w/ WL set 7" 12/15/22: Held JSA.RU DXP to BD well, no pressures; 100 ppm H2S on Csg bc CIBP @ 3263'; circulate csg w/ 190 bbls Brine gel. P/T csg; surface leak. TOOF 500#, held for 30 min. RU A-Plus WL, run CBL from top of CIBP @ 3263' to scirculate csg w/ 10 bbls brine gel.  Plug #1: 26 sxs Type III cmt from 3263'-3115', PUH. Plug #2: 29 sxs Type III 12/16/22: Held JSA.RU DXP to BD well, no pressures. Tag Plug #2 @ 2686' w/ 2455', RD WL; TIH w/ 7" packer to try to circulate, pressured up to 1000#, held change to inside plug. SDFD due to 30 mph winds with 40 mph gusts.  12/19/22: Held JSA. RU DXP to BD well, no pressures. LD 7" packer., TIH w/ 2505'-2305'. PUH and WOC. Tag @ 2285'. POOH w/ tbg. Perforate @ 1345'. Plug #4: 40 sxs Type III cmt out perfs @ 1355' - 1200'. POOH w/ 7" packer. W 12/20/22: Held JSA. RU DXP, BD well. RIH w/ tbg to tag Plug #4, no tag. RIH Type III cmt out perfs @ 1355' -1200'. POOH and RIH w/ 7" packer, set @ circulation, well pressured up to 800#. LD packer. RIH w/ tbg to 1400'. Plug #4 POOH w/ tbg. Perforate @ 150'. TIH w/ 1 joint tbg w/ 7" packer to establish circulation.	rk on wellhead, wellhead seized. NU and test CIBP @ 3260'. SI well SDFD efore circulating. TIH w/ 2-3/8" work string, tag H. RIH w/ 7"packer and set @ 30', test csg @ aurface. RD WL. RIH w/ tbg to 3263' and emt from 2886'-2720'. POH and WOC. SDFD. tbg. POOH w/ tbg. RU A-plus WL, perf @ for 15 minutes. Call into get verbal approval to tbg to 2505'. Plug #3: 35 sxs Type III emt from RIH w/ 7" packer, establish injection rate. OCC.  w/ 7" packer, set @ 1000'. Plug #4A: 50 sxs Type III sediment wash returns during Plug 1000' and try to establish circulation, no B: 35 sxs Type III cmt inside from 1400'-1200'.	





# Fowler Hair #3 As Plugged

Langlie Mattix 7 Rivers Grbrg Field Unit D, 660' FNL & 660' FWL, Section 14, T24S, R37E Lea County, NM, API #30-025-11105

P&A Marker to be set following testing by Welldone, follow up with marker info will be submitted when marker is set.

TOC unknown, Plug #5: 150' - Surface Type III cmt, 110 sxs No Tag Perforate @ 150' Plug #5A: 150' - Surface Type III cmt, 30 sxs TOC Unknown 8-5/8" 28# SH casing Plug #4: 1345' - 1200' set @ 1295' Cement with 50 sxs cement Type III cmt, 50 sxs 10-3/4" hole No Tag Plug #4A: 1345'-1200' Type III cmt, 50 sxs No Tag Perforate @ 1345' Plug #4B: 1400'-1200' Type III cmt, 35 sxs Plug #3: 2505' - 2305' Type III cmt, 35 sxs Tagged @ 2285' Plug #2: 2886' - 2720' Type III cmt, 29 sxs Tagged @ 2686 Plug #1: 3263' - 3115' Type III cmt, 26 sxs Set CIBP @ 3263' 7", 20# New Casing set @ 3313' Cement with 100 sxs 8-5/8" hole

Open Hole Perforations:

3356' - 3531'

TD est 3563'

Yates @ 2820'

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

## **State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505**

COMMENTS

Action 171383

#### **COMMENTS**

Operator:	OGRID:
A-PLUS WELL SERVICE, INC.	370317
P.O. Box 1979	Action Number:
Farmington, NM 87499	171383
I I	Action Type:
	[C-103] Sub. Plugging (C-103P)

#### COMMENTS

Created B	y Comment	Comment Date
jwrinkle	jwrinkle Inspected by compliance officer David Alvarado on 01-06-2023. Well is plugged, but needing final reclamation work and abandonment marker installed.	

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505** 

CONDITIONS

Action 171383

### **CONDITIONS**

Operator:	OGRID:
A-PLUS WELL SERVICE, INC.	370317
P.O. Box 1979	Action Number:
Farmington, NM 87499	171383
	Action Type:
	[C-103] Sub. Plugging (C-103P)

#### CONDITIONS

Created By		Condition Date
jwrinkle	None	1/9/2023