

Well Name: RODEO UNIT	Well Location: T23N / R8W / SEC 31 / NWNW / 36.19001 / -107.728343	County or Parish/State: SAN JUAN / NM
Well Number: 494H	Type of Well: OIL WELL	Allottee or Tribe Name: EASTERN NAVAJO
Lease Number: NMNM120377	Unit or CA Name:	Unit or CA Number: NMNM136328A
US Well Number: 3004535923	Well Status: Approved Application for Permit to Drill	Operator: ENDURING RESOURCES LLC

Subsequent Report

Sundry ID: 2701558

Type of Submission: Subsequent Report

Type of Action: Casing

Date Sundry Submitted: 11/04/2022

Time Sundry Submitted: 01:18

Date Operation Actually Began: 10/26/2022

Actual Procedure: 10/26/2022- MIRU. PSI tested 13 3/8" csg to 1500# for 30 minutes – Test good 10/26/2022 through 10/28/2022 12-1/4" Drilling ahead Intermediate TD @ 2,808'. Casing Summary: Float Shoe, 1 jt 9-5/8 36# J55 LTC, Float Collar, 69 jts 9-5/8 36# J55 LTC, pup joint, mandrel hanger, & landing joint. Set Depth: 2,808' MD PBDT: 2,798 ft MD - Float Collar Depth: 2,755.1 ft MD. Pumped 10 bbls FW, 10 bbls D-Mud Breaker, & 10 bbls of FW. Pumped Lead Cement: 155 bbls (539 sx) 90:10 Poz:Type III at 12.5 ppg, 2.14 ft3/sk, 12.05 gal H2O/sk. Pumped Tail Cement: 33.4 bbls (136 sx) Type III Blend at 14.6 ppg, 1.38 ft3/sk, 6.64 gal H2O/sk. Dropped plug & began displacement. Displaced with 212.9 bbls FW. FCP at 800 psi and Bump Plug, bled off floats held. Maintained returns throughout job. Calculated 70 bbls to surface and got 73 bbls of good cement to surface. Top of Lead to surface and top of tail at 2,156ft MD. Total sacks: 675 Rig released @ 06:00 10/29/2022

SR Attachments

Actual Procedure

3_intermediate_surface_casing_Rodeo_494H_20221104131843.pdf

Well Name: RODEO UNIT

Well Location: T23N / R8W / SEC 31 / NWNW / 36.19001 / -107.728343

County or Parish/State: SAN JUAN / NM

Well Number: 494H

Type of Well: OIL WELL

Allottee or Tribe Name: EASTERN NAVAJO

Lease Number: NMNM120377

Unit or CA Name:

Unit or CA Number: NMNM136328A

US Well Number: 3004535923

Well Status: Approved Application for Permit to Drill

Operator: ENDURING RESOURCES LLC

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: KAYLA WHITE

Signed on: NOV 04, 2022 01:18 PM

Name: ENDURING RESOURCES LLC

Title: Staff Engineer

Street Address: 9446 CLERMONT ST

City: THORNTON State: CO

Phone: (720) 768-3575

Email address: KWHITE@CDHCONSULT.COM

Field

Representative Name:

Street Address:

City: State: Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: KENNETH G RENNICK

BLM POC Title: Petroleum Engineer

BLM POC Phone: 5055647742

BLM POC Email Address: krennick@blm.gov

Disposition: Accepted

Disposition Date: 11/04/2022

Signature: Kenneth Rennick

Form 3160-5
(June 2015)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0137
Expires: January 31, 2018

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

5. Lease Serial No.
NO-G-1402-1893

6. If Indian, Allottee or Tribe Name

SUBMIT IN TRIPLICATE - Other instructions on page 2

1. Type of Well

Oil Well Gas Well Other

7. If Unit of CA/Agreement, Name and/or No.
NMNM136328A

8. Well Name and No.
Rodeo Unit 494H

2. Name of Operator
Enduring Resources IV LLC

9. API Well No.
30-045-35923

3a. Address
200 Energy Court Farmington NM 87401

3b. Phone No. (include area code)
505-636-9743

10. Field and Pool or Exploratory Area
Mancos/Basin Mancos

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
SHL: 225' FNL & 935' FWL, Sec 31 T23N, R8W
BHL: 233' FSL & 746' FWL, Sec 32 T23N, R8W

11. Country or Parish, State
San Juan, NM

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Hydraulic Fracturing	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other Intermediate Casing
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.)

10/26/2022- MIRU. PSI tested 13 3/8" csg to 1500# for 30 minutes – Test good

10/26/2022 through 10/28/2022 12-1/4" Drilling ahead

Intermediate TD @ 2,808'.

Casing Summary: Float Shoe, 1 jt 9-5/8 36# J55 LTC, Float Collar, 69 jts 9-5/8 36# J55 LTC, pup joint, mandrel hanger, & landing joint. **Set Depth: 2,808' MD**

PBTD: 2,798 ft MD - Float Collar Depth: 2,755.1 ft MD.


Pumped 10 bbls FW, 10 bbls D-Mud Breaker, & 10 bbls of FW. **Pumped Lead Cement: 155 bbls (539 sx)** 90:10 Poz:Type III at 12.5 ppg, 2.14 ft3/sk, 12.05 gal H2O/sk. **Pumped Tail Cement: 33.4 bbls (136 sx)** Type III Blend at 14.6 ppg, 1.38 ft3/sk, 6.64 gal H2O/sk. Dropped plug & began displacement. Displaced with 212.9 bbls FW. FCP at 800 psi and Bump Plug, bled off floats held. Maintained returns throughout job. Calculated 70 bbls to surface and got 73 bbls of good cement to surface. Top of Lead to surface and top of tail at 2,156ft MD. **Total sacks: 675**

Rig released @ 06:00 10/29/2022

14. I hereby certify that the foregoing is true and correct. Name (Printed/Typed)

Kayla White

Title: **Environmental Engineer**



Date: 11/4/2022

THE SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by

Title

Date

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

District I
 1625 N. French Dr., Hobbs, NM 88240
 Phone:(575) 393-6161 Fax:(575) 393-0720

District II
 811 S. First St., Artesia, NM 88210
 Phone:(575) 748-1283 Fax:(575) 748-9720

District III
 1000 Rio Brazos Rd., Aztec, NM 87410
 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
 1220 S. St Francis Dr., Santa Fe, NM 87505
 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 156405

CONDITIONS

Operator: ENDURING RESOURCES, LLC 6300 S Syracuse Way, Suite 525 Centennial, CO 80111	OGRID: 372286
	Action Number: 156405
	Action Type: [C-103] Sub. Drilling (C-103N)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	None	1/9/2023