

District I

1625 N. French Dr., Hobbs, NM 88240

District II

811 S. First St., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural ResourcesForm C-104
Revised August 1, 2011Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT**I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT**

¹ Operator name and Address TAP ROCK OPERATING, LLC 523 PARK POINT DRIVE, SUITE 200 GOLDEN, CO 80401		² OGRID Number 372043
		³ Reason for Filing Code/ Effective Date NW
⁴ API Number 30 - 0 25-49119	⁵ Pool Name JAL; Wolfcamp	⁶ Pool Code 33813
⁷ Property Code 331189	⁸ Property Name Blue Marlin Fed Com	⁹ Well Number 205H

II. ¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
M	18 19	25-S	36-E	-	282'	SOUTH	789'	WEST	LEA

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
D	18 18	25-S	36-E	-	30'	NORTH	1195'	WEST	LEA
¹² Lse Code F	¹³ Producing Method Code F	¹⁴ Gas Connection Date 12/30/2021	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date				


III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
373554	SALT CREEK MIDSTREAM, LLC 20329 STATE HIGHWAY 249 HOUSTON, TX U.S.A 77070	O
371960	LUCID ENERGY GROUP 3100 MCKINNON ST #800 DALLAS, TX 75201	G

IV. Well Completion Data

²¹ Spud Date	²² Ready Date	²³ TD	²⁴ PBTB	²⁵ Perforations	²⁶ DHC, MC
8/21/2021	12/30/2021	21980'	21916	11740 ft to 21846 ft	
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
17.5"	13.375"	1282'	1130 sks		
12.25"	9.625"	5443'	1573 sks		
8.75"	7.625"	11009'	414 sks		
6.75"	5.5"	21670'	1017 sks		

V. Well Test Data

³¹ Date New Oil	³² Gas Delivery Date	³³ Test Date	³⁴ Test Length	³⁵ Tbg. Pressure	³⁶ Csg. Pressure
1/9/2022	1/9/2022	2/2/2022	24 hrs	0	1825
³⁷ Choke Size	³⁸ Oil	³⁹ Water	⁴⁰ Gas		⁴¹ Test Method
34/64	1855	4120	3269		Flowing
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: 			OIL CONSERVATION DIVISION		
Printed name: Jeff Trlica			Approved by: PATRICIA MARTINEZ		
Title: Regulatory Analyst			Title: PETROLEUM SPECIALIST		
E-mail Address: jtrlica@taprk.com			Approval Date: 1/11/2023		
Date: 3/3/2022		Phone: 720-772-5901			

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources
Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

FORM C-102

Revised August 1, 2011

Submit one copy to appropriate

District Office

☐ AMENDED REPORT

As-Drilled

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-025-49119		² Pool Code 33813	³ Pool Name JAL; WOLFCAMP, WEST
⁴ Property Code 331189	⁵ Property Name BLUE MARLIN FED COM		⁶ Well Number 205H
⁷ OGRID No. #372043	⁸ Operator Name TAP ROCK OPERATING, LLC.		⁹ Elevation 3073'

¹⁰Surface Location


UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
M	19	25-S	36-E	-	282'	SOUTH	798'	WEST	LEA


¹¹Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
D	18	25-S	36-E	-	30'	NORTH	1195'	WEST	LEA

¹² Dedicated Acres 640	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.
--------------------------------------	-------------------------------	----------------------------------	-------------------------

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.



SECTION 18, TOWNSHIP 25-S, RANGE 36-E, N.M.P.M.
LEA COUNTY, NEW MEXICO

TAP
ROCK



TOPOGRAPHIC
LOYALTY INNOVATION LEGACY

1400 EVERMAN PARKWAY, Ste. 146 • FT. WORTH, TEXAS 76140
TELEPHONE: (817) 744-7512 • FAX (817) 744-7554
2903 NORTH BIG SPRING • MIDLAND, TEXAS 79705
TELEPHONE: (432) 682-1653 OR (800) 767-1653 • FAX (432) 682-1743
WWW.TOPOGRAPHIC.COM

**INTERNAL
PRE-COMPLETION
PLAT**

BLUE MARLIN FED COM 205H PRE-COMPLETION	REVISION:	
	INT	DATE
DATE: 11/11/2021		
FILE: C:\BLUE_MARLIN_FED_COM_205H		
DRAWN BY: IMU		
SHEET: 2 OF 2		

NOTES:

1. ORIGINAL DOCUMENT SIZE: 8.5" X 11"
2. ALL BEARINGS, DISTANCES, AND COORDINATE VALUES CONTAINED HEREIN ARE GRID BASED UPON THE NEW MEXICO COORDINATE SYSTEM OF 1983, EAST ZONE, U.S. SURVEY FEET.
3. THIS WELL LOCATION SHOWN HEREON HAS BEEN SURVEYED ON THE GROUND UNDER MY SUPERVISION AND PREPARED ACCORDING TO THE EVIDENCE FOUND AT THE TIME OF SURVEY, AND DATA PROVIDED BY TAP ROCK OPERATING, LLC. THIS CERTIFICATION IS MADE AND LIMITED TO THOSE PERSONS OR ENTITIES SHOWN ON THE FACE OF THIS PLAT AND IS NON-TRANSFERABLE. THIS SURVEY IS CERTIFIED FOR THIS TRANSACTION ONLY.



Operator: TapRock Resources, LLC.
Well Name: Blue Marlin Fed Com 205H
County: Lea
State: New Mexico
Rig Name: H&P 264
API: 30-025-49119

Intrepid Directional Drilling Specialists certifies that the surveys performed on the above referenced well are true and correct MWD surveys, data provided as follows:

Surveyor: Intrepid Directional Drilling Specialists
Survey Depths: 176' MD – 21,915' MD
Projection to Bit: 21,980' MD
Dates Performed: 08/21/2021 – 10/22/2021
Type of Survey: MWD

Sincerely,

A handwritten signature in black ink, appearing to read "T. Henk".

Travis Henk
MWD Operations Manager
Intrepid Directional Drilling Specialists





Operator:

Well Name:

Job Number:

Survey Company:

Rig Name:

Tap Rock Resources, LLC.

Blue Marlin Fed Com 205H

ID3010

Intrepid Directional Drilling Specialists

H&P 264

Target KBTVD: 11675.00

Target Inclination: 90.00°

Declination Correction: 5.79°

DF Elevation: 3099

Vertical Section Calculated Along Azimuth: 359.45°

Survey Calculation Method: Minimum Curvature

TIE PT. TYPE	SVY #	Survey Depth	INC deg.	AZM deg.	Course Length	TVD Ft.	V'Sect FT.	+N/-S Ft.	+E/-W Ft.	Dogleg %/100'
Tie In	0	0	0.00	0.00	0	0	0	0	0	0.00
MWD	1	176	0.48	282.13	176	176.00	0.16	0.15	-0.72	0.27
MWD	2	237	0.40	249.52	61	237.00	0.15	0.13	-1.17	0.42
MWD	3	330	0.31	263.93	93	329.99	0.01	-0.01	-1.72	0.14
MWD	4	421	0.40	297.95	91	420.99	0.14	0.12	-2.25	0.25
MWD	5	512	0.09	266.75	91	511.99	0.29	0.26	-2.60	0.36
MWD	6	603	0.26	350.51	91	602.99	0.49	0.46	-2.71	0.29
MWD	7	694	0.62	37.00	91	693.99	1.08	1.06	-2.44	0.53
MWD	8	784	0.35	302.69	90	783.99	1.62	1.60	-2.38	0.82
MWD	9	875	0.70	290.13	91	874.98	1.97	1.94	-3.14	0.40
MWD	10	966	0.92	266.40	91	965.97	2.12	2.08	-4.39	0.44
MWD	11	1056	0.13	80.24	90	1055.97	2.10	2.05	-5.01	1.17
MWD	12	1147	1.32	84.99	91	1146.96	2.20	2.16	-3.86	1.31
MWD	13	1231	1.45	89.74	84	1230.94	2.27	2.25	-1.84	0.21
MWD	14	1334	1.27	90.70	103	1333.91	2.24	2.24	0.61	0.18
MWD	15	1429	1.76	98.88	95	1428.87	1.98	2.01	3.10	0.56
MWD	16	1524	2.77	108.90	95	1523.80	0.97	1.04	6.71	1.14
MWD	17	1617	2.99	113.03	93	1616.68	-0.75	-0.64	11.07	0.33
MWD	18	1711	2.86	109.60	94	1710.56	-2.53	-2.38	15.54	0.23
MWD	19	1805	2.46	111.01	94	1804.46	-4.08	-3.89	19.63	0.43
MWD	20	1899	3.12	114.52	94	1898.35	-5.91	-5.68	23.84	0.72
MWD	21	1994	4.13	117.68	95	1993.16	-8.62	-8.34	29.22	1.08
MWD	22	2087	4.97	117.51	93	2085.86	-12.10	-11.76	35.76	0.90
MWD	23	2182	6.73	121.02	95	2180.36	-16.95	-16.53	44.18	1.89
MWD	24	2276	7.74	123.57	94	2273.61	-23.39	-22.87	54.18	1.13
MWD	25	2370	7.30	121.46	94	2366.81	-30.10	-29.48	64.55	0.55
MWD	26	2464	7.16	119.53	94	2460.06	-36.20	-35.49	74.74	0.30
MWD	27	2558	7.12	116.54	94	2553.33	-41.79	-40.98	85.05	0.40
MWD	28	2653	7.08	114.61	95	2647.60	-46.96	-46.05	95.64	0.25
MWD	29	2746	6.99	113.29	93	2739.90	-51.69	-50.67	106.04	0.20
MWD	30	2840	6.95	115.93	94	2833.21	-56.53	-55.42	116.41	0.34
MWD	31	2934	7.12	119.62	94	2926.50	-62.00	-60.79	126.59	0.51
MWD	32	3029	6.86	117.16	95	3020.79	-67.60	-66.29	136.76	0.42
MWD	33	3123	6.68	114.78	94	3114.14	-72.54	-71.14	146.72	0.35
MWD	34	3218	6.29	114.70	95	3208.53	-77.13	-75.63	156.46	0.41
MWD	35	3312	5.41	113.91	94	3302.04	-81.16	-79.58	165.19	0.94
MWD	36	3405	5.58	119.97	93	3394.61	-85.27	-83.61	173.11	0.65
MWD	37	3500	6.02	128.32	95	3489.13	-90.74	-89.01	181.02	1.00
MWD	38	3594	6.42	127.62	94	3582.57	-97.08	-95.27	189.05	0.43
MWD	39	3688	7.34	128.41	94	3675.90	-104.11	-102.21	197.92	0.98
MWD	40	3782	7.03	128.85	94	3769.16	-111.53	-109.55	207.11	0.33
MWD	41	3876	7.03	128.76	94	3862.45	-118.83	-116.76	216.07	0.01
MWD	42	3969	6.77	124.01	93	3954.78	-125.55	-123.39	225.05	0.67
MWD	43	4063	6.64	120.85	94	4048.14	-131.52	-129.28	234.31	0.42
MWD	44	4157	6.46	122.52	94	4141.52	-137.24	-134.91	243.44	0.28
MWD	45	4250	6.81	119.88	93	4233.90	-142.88	-140.47	252.63	0.50
MWD	46	4344	7.56	116.10	94	4327.16	-148.48	-145.96	263.02	0.94
MWD	47	4437	7.21	118.65	93	4419.39	-154.07	-151.45	273.63	0.52
MWD	48	4531	7.16	115.75	94	4512.65	-159.55	-156.83	284.08	0.39
MWD	49	4626	8.35	112.94	95	4606.78	-164.92	-162.09	295.77	1.31
MWD	50	4720	8.00	114.87	94	4699.83	-170.45	-167.50	307.99	0.47
MWD	51	4813	7.69	115.66	93	4791.96	-175.97	-172.91	319.47	0.35
MWD	52	4908	7.34	117.25	95	4886.14	-181.61	-178.44	330.59	0.43
MWD	53	5002	7.25	117.68	94	4979.38	-187.22	-183.95	341.18	0.11
MWD	54	5096	7.08	117.51	94	5072.65	-192.75	-189.38	351.57	0.18
MWD	55	5190	6.81	118.48	94	5165.96	-198.18	-194.71	361.61	0.31
MWD	56	5284	6.11	118.56	94	5259.36	-203.31	-199.76	370.90	0.74
MWD	57	5378	5.58	117.33	94	5352.87	-207.89	-204.25	379.36	0.58
MWD	58	5395	5.58	117.77	17	5369.79	-208.66	-205.02	380.82	0.25
MWD	59	5461	5.27	116.81	66	5435.49	-211.58	-207.88	386.37	0.49
MWD	60	5555	5.27	115.22	94	5529.10	-215.44	-211.67	394.13	0.16
MWD	61	5650	4.62	114.78	95	5623.74	-218.97	-215.13	401.55	0.69
MWD	62	5745	2.86	110.74	95	5718.54	-221.47	-217.57	407.24	1.87
MWD	63	5839	2.24	143.79	94	5812.45	-223.82	-219.88	410.52	1.67
MWD	64	5933	1.76	159.87	94	5906.39	-226.67	-222.72	412.10	0.78
MWD	65	6027	0.4	160.4	94	6000.37	-228.34	-224.39	412.71	1.45

MWD	66	6122	0.62	340.58	95	6095.37	-228.17	-224.21	412.65	1.07
MWD	67	6216	0.35	357.71	94	6189.37	-227.40	-223.45	412.46	0.32
MWD	68	6310	0.4	1.32	94	6283.36	-226.78	-222.83	412.46	0.06
MWD	69	6405	0.53	314.91	95	6378.36	-226.14	-222.19	412.16	0.41
MWD	70	6499	0.22	336.27	94	6472.36	-225.66	-221.72	411.78	0.36
MWD	71	6593	0.4	346.82	94	6566.36	-225.18	-221.23	411.63	0.20
MWD	72	6686	0.18	304.45	93	6659.36	-224.77	-220.84	411.43	0.32
MWD	73	6780	0.4	37.97	94	6753.36	-224.43	-220.49	411.52	0.48
MWD	74	6874	0.62	3.87	94	6847.35	-223.67	-219.73	411.75	0.39
MWD	75	6968	0.7	355.87	94	6941.35	-222.59	-218.65	411.74	0.13
MWD	76	7063	0.66	23.38	95	7036.34	-221.51	-217.57	411.92	0.34
MWD	77	7158	0.48	13.62	95	7131.34	-220.62	-216.68	412.23	0.21
MWD	78	7251	0.31	45.26	93	7224.33	-220.07	-216.12	412.50	0.29
MWD	79	7346	0.44	0.97	95	7319.33	-219.53	-215.58	412.69	0.32
MWD	80	7439	0.18	349.28	93	7412.33	-219.03	-215.08	412.67	0.29
MWD	81	7533	0.66	25.14	94	7506.33	-218.39	-214.44	412.87	0.56
MWD	82	7628	0.66	47.02	95	7601.32	-217.53	-213.57	413.50	0.26
MWD	83	7724	0.79	37.09	96	7697.31	-216.63	-212.67	414.31	0.19
MWD	84	7818	1.32	29.79	94	7791.30	-215.19	-211.21	415.24	0.58
MWD	85	7912	1.49	33.75	94	7885.27	-213.24	-209.25	416.45	0.21
MWD	86	8007	1.93	39.81	95	7980.23	-211.00	-207.00	418.16	0.50
MWD	87	8102	0.48	106.79	95	8075.21	-209.90	-205.88	419.57	1.89
MWD	88	8196	0.66	111.62	94	8169.20	-210.22	-206.20	420.45	0.20
MWD	89	8291	1.27	99.58	95	8264.19	-210.62	-206.57	422.00	0.67
MWD	90	8385	1.63	92.2	94	8358.16	-210.86	-206.80	424.36	0.43
MWD	91	8479	0.75	171.03	94	8452.14	-211.54	-207.46	425.79	1.76
MWD	92	8574	0.79	156.62	95	8547.13	-212.75	-208.67	426.15	0.21
MWD	93	8669	0.7	179.56	95	8642.12	-213.94	-209.86	426.41	0.33
MWD	94	8763	0.31	140.27	94	8736.12	-214.71	-210.63	426.58	0.53
MWD	95	8856	0.18	222.54	93	8829.12	-215.01	-210.93	426.64	0.36
MWD	96	8951	0.84	289.25	95	8924.12	-214.89	-210.81	425.88	0.83
MWD	97	9045	1.14	328.89	94	9018.10	-213.85	-209.78	424.75	0.77
MWD	98	9140	1.05	339.78	95	9113.09	-212.21	-208.15	423.96	0.24
MWD	99	9232	1.54	326.07	92	9205.06	-210.39	-206.34	422.98	0.63
MWD	100	9326	2.07	339.96	94	9299.02	-207.73	-203.69	421.69	0.73
MWD	101	9420	2.64	345.50	94	9392.94	-204.03	-200.00	420.57	0.65
MWD	102	9515	2.59	347.34	95	9487.84	-199.81	-195.79	419.55	0.10
MWD	103	9609	2.07	339.43	94	9581.76	-196.14	-192.13	418.49	0.65
MWD	104	9703	1.89	318.69	94	9675.70	-193.37	-189.37	416.87	0.78
MWD	105	9797	1.01	179.12	94	9769.69	-193.02	-189.04	415.86	2.91
MWD	106	9891	1.01	176.04	94	9863.67	-194.68	-190.69	415.93	0.06
MWD	107	9986	1.05	151.96	95	9958.66	-196.28	-192.30	416.39	0.45
MWD	108	10081	0.92	135.18	95	10053.65	-197.60	-193.61	417.34	0.33
MWD	109	10176	1.58	168.31	95	10148.62	-199.43	-195.43	418.14	1.00
MWD	110	10271	1.71	165.67	95	10243.58	-202.10	-198.09	418.76	0.16
MWD	111	10364	1.45	178.24	94	10336.55	-204.62	-200.61	419.14	0.46
MWD	112	10458	1.49	178.77	94	10430.52	-207.03	-203.02	419.20	0.04
MWD	113	10552	1.19	173.06	94	10524.49	-209.22	-205.21	419.35	0.35
MWD	114	10646	2.64	198.90	94	10618.44	-212.23	-208.22	418.76	1.76
MWD	115	10740	3.87	213.40	94	10712.29	-216.91	-212.92	416.32	1.56
MWD	116	10834	3.03	226.76	94	10806.12	-221.22	-217.27	412.76	1.23
MWD	117	10929	4.13	235.11	94	10900.93	-224.86	-220.95	408.12	1.28
MWD	118	11024	4.84	234.93	95	10995.64	-229.06	-225.21	402.04	0.75
MWD	119	11034	4.75	235.02	10	11005.61	-229.53	-225.69	401.35	0.90
MWD	120	11063	4.18	235.54	29	11034.52	-230.80	-226.97	399.50	1.97
MWD	121	11157	3.96	345.05	94	11128.38	-229.56	-225.78	395.83	7.07
MWD	122	11251	15.78	10.71	94	11220.86	-213.82	-210.02	397.38	13.11
MWD	123	11346	22.86	4.30	95	11310.46	-182.73	-178.88	401.17	7.77
MWD	124	11440	28.53	354.10	94	11395.17	-142.13	-138.29	400.23	7.63
MWD	125	11474	29.14	349.44	34	11424.96	-125.89	-122.08	397.87	6.85
MWD	126	11533	29.71	349.53	59	11476.35	-97.34	-93.58	392.58	0.97
MWD	127	11626	44.48	348.48	93	11550.33	-42.35	-38.69	381.83	15.90
MWD	128	11720	57.05	353.75	94	11609.69	29.54	33.10	370.91	14.05
MWD	129	11814	68.70	359.11	94	11652.50	112.91	116.43	365.92	13.39
MWD	130	11908	75.12	1.04	94	11681.67	202.21	205.73	366.06	7.10
MWD	131	12002	85.93	0.87	94	11697.12	294.76	298.30	367.60	11.50
MWD	132	12026	86.90	0.96	24	11698.62	318.70	322.25	367.98	4.06
MWD	133	12121	90.20	2.89	95	11701.03	413.56	417.15	371.18	4.02
MWD	134	12216	90.55	2.98	95	11700.40	508.39	512.02	376.04	0.38
MWD	135	12310	89.89	2.89	94	11700.04	602.21	605.89	380.85	0.71
MWD	136	12405	89.93	2.89	95	11700.19	697.04	700.77	385.64	0.04
MWD	137	12500	90.73	2.54	95	11699.65	791.88	795.66	390.14	0.92
MWD	138	12594	88.88	2.19	94	11699.97	885.76	889.58	394.02	2.00
MWD	139	12688	87.69	1.83	94	11702.78	979.62	983.48	397.32	1.32
MWD	140	12782	87.38	2.01	94	11706.82	1073.44	1077.34	400.46	0.38
MWD	141	12876	86.55	1.13	94	11711.80	1167.25	1171.17	403.04	1.29
MWD	142	12971	86.20	0.87	95	11717.81	1262.02	1265.96	404.69	0.46
MWD	143	13066	86.55	359.55	95	11723.81	1356.82	1360.77	405.04	1.43
MWD	144	13161	86.59	358.58	95	11729.50	1451.65	1455.59	403.49	1.02

MWD	145	13255	87.47	358.76	94	11734.37	1545.51	1549.43	401.31	0.96
MWD	146	13349	90.99	0.25	94	11735.63	1639.49	1643.41	400.50	4.07
MWD	147	13443	91.03	0.34	94	11733.97	1733.46	1737.39	400.98	0.10
MWD	148	13537	90.33	0.17	94	11732.86	1827.44	1831.38	401.40	0.77
MWD	149	13631	89.05	359.81	94	11733.37	1921.44	1925.38	401.39	1.41
MWD	150	13725	88.66	358.76	94	11735.24	2015.42	2019.35	400.21	1.19
MWD	151	13819	91.78	359.81	94	11734.88	2109.40	2113.33	399.04	3.50
MWD	152	13913	88.84	358.76	94	11734.37	2203.39	2207.31	397.87	3.32
MWD	153	14007	90.99	359.46	94	11734.51	2297.38	2301.29	396.41	2.41
MWD	154	14102	91.03	358.14	95	11732.84	2392.36	2396.25	394.42	1.39
MWD	155	14196	87.21	355.77	94	11734.28	2486.23	2490.09	389.43	4.78
MWD	156	14291	90.73	356.56	95	11735.99	2581.05	2584.84	383.08	3.80
MWD	157	14386	91.25	356.91	95	11734.35	2675.92	2679.67	377.67	0.66
MWD	158	14479	89.63	357.97	93	11733.63	2768.86	2772.57	373.51	2.08
MWD	159	14572	90.37	358.32	93	11733.63	2861.84	2865.52	370.50	0.88
MWD	160	14665	93.49	0.78	93	11730.50	2954.76	2958.45	369.77	4.27
MWD	161	14759	92.40	359.99	94	11725.67	3048.63	3052.32	370.40	1.43
MWD	162	14853	92.70	1.13	94	11721.49	3142.51	3146.22	371.32	1.25
MWD	163	14948	91.03	359.64	95	11718.40	3237.44	3241.16	371.96	2.36
MWD	164	15042	92.00	0.87	94	11715.91	3331.40	3335.13	372.37	1.67
MWD	165	15135	92.57	1.13	93	11712.21	3424.29	3428.04	374.00	0.67
MWD	166	15229	93.36	0.78	94	11707.34	3518.13	3521.90	375.56	0.92
MWD	167	15324	91.16	0.60	95	11703.60	3613.03	3616.81	376.70	2.32
MWD	168	15419	89.89	359.64	95	11702.73	3708.02	3711.80	376.90	1.68
MWD	169	15513	88.88	358.23	94	11703.74	3802.00	3805.78	375.16	1.85
MWD	170	15607	89.27	359.11	94	11705.25	3895.98	3899.74	372.97	1.02
MWD	171	15703	90.29	358.93	96	11705.62	3991.98	3995.72	371.33	1.08
MWD	172	15796	91.25	0.25	93	11704.37	4084.96	4088.71	370.67	1.75
MWD	173	15889	92.22	0.43	93	11701.56	4177.91	4181.67	371.22	1.06
MWD	174	15983	93.67	0.34	94	11696.73	4271.77	4275.54	371.85	1.55
MWD	175	16078	92.88	359.90	95	11691.30	4366.61	4370.38	372.05	0.95
MWD	176	16172	92.53	359.73	94	11686.86	4460.50	4464.27	371.74	0.41
MWD	177	16265	91.69	359.46	93	11683.44	4553.44	4557.21	371.09	0.95
MWD	178	16360	87.56	358.67	95	11684.06	4648.41	4652.17	369.54	4.43
MWD	179	16454	88.84	359.02	94	11687.01	4742.36	4746.10	367.64	1.41
MWD	180	16548	92.97	0.52	94	11685.53	4836.32	4840.07	367.27	4.67
MWD	181	16642	92.13	0.25	94	11681.35	4930.21	4933.97	367.90	0.94
MWD	182	16735	93.98	0.25	93	11676.39	5023.07	5026.84	368.30	1.99
MWD	183	16830	95.03	0.43	95	11668.93	5117.76	5121.54	368.86	1.12
MWD	184	16923	91.74	359.81	93	11663.44	5210.58	5214.36	369.06	3.60
MWD	185	17016	90.37	359.02	93	11661.73	5303.56	5307.34	368.11	1.70
MWD	186	17110	89.67	358.14	94	11661.69	5397.55	5401.31	365.78	1.20
MWD	187	17204	87.96	357.18	94	11663.64	5491.48	5495.21	361.94	2.09
MWD	188	17298	86.24	357.79	94	11668.39	5585.30	5588.99	357.82	1.94
MWD	189	17393	90.90	358.67	95	11670.76	5680.22	5683.89	354.89	4.99
MWD	190	17487	90.29	358.23	94	11669.79	5774.20	5777.85	352.35	0.80
MWD	191	17582	88.22	357.09	95	11671.02	5869.14	5872.76	348.47	2.49
MWD	192	17676	88.53	358.41	94	11673.69	5963.06	5966.64	344.78	1.44
MWD	193	17771	91.21	0.43	95	11673.90	6058.05	6061.62	343.82	3.53
MWD	194	17865	89.45	359.64	94	11673.36	6152.03	6155.62	343.88	2.05
MWD	195	17959	88.13	359.55	94	11675.35	6246.01	6249.59	343.21	1.41
MWD	196	18053	89.89	359.37	94	11676.97	6339.99	6343.57	342.33	1.88
MWD	197	18148	90.68	359.81	95	11676.50	6434.99	6438.57	341.65	0.95
MWD	198	18242	91.12	0.34	94	11675.02	6528.97	6532.55	341.77	0.73
MWD	199	18335	90.99	1.66	93	11673.31	6621.92	6625.52	343.39	1.43
MWD	200	18429	91.47	2.10	94	11671.29	6715.81	6719.45	346.48	0.69
MWD	201	18522	90.64	1.40	93	11669.58	6808.72	6812.39	349.32	1.17
MWD	202	18617	91.82	1.57	95	11667.54	6903.64	6907.33	351.78	1.25
MWD	203	18712	93.89	1.48	95	11662.81	6998.45	7002.18	354.30	2.18
MWD	204	18806	93.45	1.04	94	11656.79	7092.21	7095.96	356.36	0.66
MWD	205	18900	89.80	0.34	94	11654.13	7186.14	7189.90	357.50	3.95
MWD	206	18994	90.33	1.66	94	11654.02	7280.10	7283.88	359.14	1.51
MWD	207	19088	94.77	1.04	94	11649.84	7373.93	7377.74	361.35	4.77
MWD	208	19183	93.27	359.90	95	11643.18	7468.68	7472.50	362.12	1.98
MWD	209	19278	96.57	358.58	95	11635.03	7563.31	7567.13	360.87	3.74
MWD	210	19373	95.43	358.32	95	11625.10	7657.78	7661.57	358.32	1.23
MWD	211	19467	95.38	358.67	94	11616.25	7751.35	7755.12	355.86	0.37
MWD	212	19561	92.48	358.76	94	11609.81	7845.11	7848.86	353.76	3.09
MWD	213	19656	90.33	357.88	95	11607.48	7940.05	7943.79	350.97	2.45
MWD	214	19750	89.49	357.18	94	11607.62	8034.00	8037.70	346.92	1.16
MWD	215	19844	89.89	357.35	94	11608.13	8127.93	8131.59	342.44	0.46
MWD	216	19937	90.07	357.00	93	11608.17	8220.86	8224.48	337.85	0.42
MWD	217	20031	91.25	358.41	94	11607.08	8314.80	8318.39	334.09	1.96
MWD	218	20125	94.24	359.11	94	11602.58	8408.68	8412.25	332.06	3.27
MWD	219	20217	90.77	357.97	92	11598.56	8500.56	8504.12	329.71	3.97
MWD	220	20311	91.87	359.02	94	11596.40	8594.52	8598.06	327.24	1.62
MWD	221	20406	92.97	0.52	95	11592.38	8689.43	8692.97	326.86	1.96
MWD	222	20500	93.05	0.17	94	11587.45	8783.29	8786.84	327.43	0.38
MWD	223	20594	92.40	0.08	94	11582.98	8877.17	8880.73	327.63	0.70

MWD	224	20689	90.73	359.99	95	11580.38	8972.13	8975.69	327.69	1.76
MWD	225	20783	90.42	359.81	94	11579.44	9066.12	9069.69	327.53	0.38
MWD	226	20878	89.10	358.67	95	11579.84	9161.12	9164.67	326.27	1.84
MWD	227	20973	90.07	359.20	95	11580.53	9256.11	9259.65	324.50	1.16
MWD	228	21067	91.47	359.99	94	11579.26	9350.10	9353.64	323.84	1.71
MWD	229	21161	91.34	359.20	94	11576.96	9444.07	9447.61	323.17	0.85
MWD	230	21256	90.59	358.67	95	11575.36	9539.05	9542.58	321.41	0.97
MWD	231	21351	93.98	359.46	95	11571.57	9633.96	9637.47	319.86	3.66
MWD	232	21446	93.93	359.02	95	11565.02	9728.73	9732.24	318.60	0.47
MWD	233	21539	93.93	358.32	93	11558.65	9821.50	9824.99	316.45	0.75
MWD	234	21633	93.98	358.14	94	11552.16	9915.26	9918.73	313.55	0.20
MWD	235	21727	93.80	358.06	94	11545.78	10009.02	10012.46	310.44	0.21
MWD	236	21821	93.10	357.44	94	11540.13	10102.80	10106.21	306.76	0.99
MWD	237	21915	92.31	356.91	94	11535.69	10196.62	10199.99	302.13	1.01
PTB	238	21980	92.31	356.91	65	11533.07	10261.51	10264.85	298.63	0.00

Well Name: BLUE MARLIN FED COM	Well Location: T25S / R36E / SEC 19 / LOT 4 / 32.109383 / -103.3101402	County or Parish/State: LEA / NM
Well Number: 205H	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMNM127448	Unit or CA Name:	Unit or CA Number:
US Well Number: 3002549119	Well Status: Drilling Well	Operator: TAP ROCK OPERATING LLC

Subsequent Report

Sundry ID: 2651139	
Type of Submission: Subsequent Report	Type of Action: Drilling Operations
Date Sundry Submitted: 01/05/2022	Time Sundry Submitted: 09:53
Date Operation Actually Began: 11/27/2021	

Actual Procedure: 11/27/2021: Pressure test casing to 5011 psi for 30 minutes, good test. 12/1/2021 to 12/24/2021: Perforate from 11740 ft to 21846 ft, 1 SPF, .55 inch holes with 507 total shots. 39 stage frac with 27,987,150 lbs of 100 mesh sand. 12/27/2021 to 12/29/2021: Drill out plugs Plug Back Measured depth at 21916 ft MD, 11536 ft TVD. 12/30/2021: Ready to produce

Well Name: BLUE MARLIN FED COM	Well Location: T25S / R36E / SEC 19 / LOT 4 / 32.109383 / -103.3101402	County or Parish/State: LEA / NM
Well Number: 205H	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMNM127448	Unit or CA Name:	Unit or CA Number:
US Well Number: 3002549119	Well Status: Drilling Well	Operator: TAP ROCK OPERATING LLC

Operator Certification

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

Operator Electronic Signature: JEFFREY TRLICA	Signed on: JAN 05, 2022 09:53 AM
Name: TAP ROCK OPERATING LLC	
Title: Regulatory Analyst	
Street Address: 523 PARK POINT DRIVE SUITE 200	
City: GOLDEN	State: CO
Phone: (720) 772-5910	
Email address: JTRLICA@TAPRK.COM	

Field Representative

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact

BLM POC Name: Jonathon W Shepard	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5752345972	BLM POC Email Address: jshepard@blm.gov
Disposition: Accepted	Disposition Date: 01/19/2022
Signature: Jonathon Shepard	

Submit To Appropriate District Office Two Copies <u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 <u>District II</u> 811 S. First St., Artesia, NM 88210 <u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 <u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505			Form C-105 Revised April 3, 2017													
WELL COMPLETION OR RECOMPLETION REPORT AND LOG								1. WELL API NO. 30-025-49119										
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)								5. Lease Name or Unit Agreement Name BLUE MARLIN FED COM										
								6. Well Number: 205H										
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER																		
8. Name of Operator TAP ROCK OPERATING, LLC							9. OGRID 372043											
10. Address of Operator 523 PARK POINT DRIVE, SUITE 200, GOLDEN, CO							11. Pool name or Wildcat JAL; WOLFCAMP											
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County								
Surface:	M	18	25-S	36-E	-	282'	SOUTH	798'	WEST	LEA								
BH:	D	19	25-S	36-E	-	30'	NORTH	1195'	WEST	LEA								
13. Date Spudded 8/21/2021	14. Date T.D. Reached 10/22/2021		15. Date Rig Released 10/26/2021			16. Date Completed (Ready to Produce) 12/30/2021		17. Elevations (DF and RKB, RT, GR, etc.) 3073 GR										
18. Total Measured Depth of Well 21980'			19. Plug Back Measured Depth 21916'			20. Was Directional Survey Made? YES		21. Type Electric and Other Logs Run GAMMA										
22. Producing Interval(s), of this completion - Top, Bottom, Name 11740 ft to 21846 ft, WOLFCAMP																		
23. CASING RECORD (Report all strings set in well)																		
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED								
13.375"		54.5		1282'		17.5"		1130 SKS		0								
9.625"		40		5443'		12.25"		1573 SKS		0								
7.625"		29.7		11009'		8.75"		414 SKS		0								
5.5"		23		21670'		6.75"		1017 sks		0								
24. LINER RECORD						25. TUBING RECORD												
SIZE	TOP	BOTTOM		SACKS CEMENT	SCREEN	SIZE	DEPTH SET		PACKER SET									
26. Perforation record (interval, size, and number) Perforate from 11740 ft to 21846 ft, 1 SPF, .55 inch holes with 507 total shots						27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC. <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>DEPTH INTERVAL</th> <th>AMOUNT AND KIND MATERIAL USED</th> </tr> <tr> <td>11740 ft to 21846 ft</td> <td>39 stage frac with 27,987,150 lbs of 100 mesh sand</td> </tr> <tr> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> </tr> </table>					DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED	11740 ft to 21846 ft	39 stage frac with 27,987,150 lbs of 100 mesh sand				
DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED																	
11740 ft to 21846 ft	39 stage frac with 27,987,150 lbs of 100 mesh sand																	
28. PRODUCTION																		
Date First Production 1/9/2022		Production Method (Flowing, gas lift, pumping - Size and type pump) FLOWING				Well Status (Prod. or Shut-in) PRODUCING												
Date of Test 2/2/2022	Hours Tested 24	Choke Size 34/64	Prod'n For Test Period	Oil - Bbl 1855	Gas - MCF 4120	Water - Bbl. 3269		Gas - Oil Ratio 450										
Flow Tubing Press. 0	Casing Pressure 1825	Calculated 24-Hour Rate	Oil - Bbl. 1855	Gas - MCF 4120	Water - Bbl. 3269		Oil Gravity - API - (Corr.)											
29. Disposition of Gas (Sold, used for fuel, vented, etc.) SOLD							30. Test Witnessed By											
31. List Attachments DIRECTIONAL SURVEY, C-102 AS DRILLED																		
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.							33. Rig Release Date:											
34. If an on-site burial was used at the well, report the exact location of the on-site burial:																		
Latitude			Longitude			NAD83												
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief																		
Signature		Printed Name			Title			Date										
		Jeff Trlica			Regulatory Analyst			3/3/2022										
E-mail Address jtrlica@taprllc.com																		

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

[illegible]

No. 1, from.....to.....
No. 2, from.....to.....
No. 3, from.....to.....
No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology		From	To	Thickness In Feet	Lithology
0	1219		QUATERNARY					
1219	1359		RUSTLER					
1359	5059		TOP OF SALT					
5059	5159		BASE OF SALT					
5159	5168		DELAWARE					
5168	6126		BELL CANYON					
6126	7251		CHERRY CANYON					
7251	8431		BRUSHY CANYON					
8431	8794		BONE SPRING LIME					
8794	9753		AVALON					
9753	10296		1ST BONE SPRING SAND					
10296	10905		2ND BONE SPRING SAND					
10905	11378		3RD BONE SPRING SAND					
11378			WOLFCAMP					

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 137644

ACKNOWLEDGMENTS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 137644
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 137644

CONDITIONS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 137644
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	File 3160-4 Completion Report within 10 days to NMOCD after BLM approval.	1/11/2023