

Well Name: JICARILLA APACHE D	Well Location: T23N / R5W / SEC 1 / NENE /	County or Parish/State: RIO ARRIBA / NM
Well Number: 3	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name: JICARILLA APACHE
Lease Number: JIC40	Unit or CA Name:	Unit or CA Number:
US Well Number: 3003922922	Well Status: Abandoned	Operator: DJR OPERATING LLC

Subsequent Report

Sundry ID: 2709377

Type of Submission: Subsequent Report

Date Sundry Submitted: 01/04/2023

Date Operation Actually Began: 12/22/2022

Type of Action: Plug and Abandonment

Time Sundry Submitted: 10:20

Actual Procedure: The subject well was Plugged & Abandoned on 12/22/2022 per the attached End of Well Report, As Plugged Wellbore Diagram, and Marker.

SR Attachments

Actual Procedure

00\_EOWR\_BLM\_Submittal\_20230104101955.pdf

Well Name: JICARILLA APACHE D	Well Location: T23N / R5W / SEC 1 / NENE /	County or Parish/State: RIO ARRIBA / NM
Well Number: 3	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name: JICARILLA APACHE
Lease Number: JIC40	Unit or CA Name:	Unit or CA Number:
US Well Number: 3003922922	Well Status: Abandoned	Operator: DJR OPERATING LLC

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: MARYA COLLARD  
Signed on: JAN 04, 2023 10:20 AM  
Name: DJR OPERATING LLC  
Title: Regulatory Technician  
Street Address: 1 ROAD 3263  
City: AZTEC State: NM  
Phone: (505) 634-6722  
Email address: MCOLLARD@DJRLLC.COM

Field

Representative Name:  
Street Address:  
City: State: Zip:  
Phone:  
Email address:

BLM Point of Contact

BLM POC Name: KENNETH G RENNICK  
BLM POC Title: Petroleum Engineer  
BLM POC Phone: 5055647742  
BLM POC Email Address: krennick@blm.gov  
Disposition: Accepted  
Disposition Date: 01/04/2023  
Signature: Kenneth Rennick

DJR Operating, LLC  
P&A End of Well Report  
Jicarilla Apache D 3  
API # 30-039-22922  
NE/NE Unit A. Sec 1, T23N, R5W  
Rio Arriba County, NM  
Spud Date: 3-30-1982  
Plug Date: 12-22-2022

12-20-2022:

MIRU rig and equipment. SITP = 0, SICP = 20, BH = 0. NDWH, NUBOP. LD 80 joints buttress production tubing. RIH with gauge ring to 850', could not get past 850'. POOH.

12-21-2022:

TIH with scraper to 2400'. TOO. TIH with retainer, set retainer at 2390'. Load and roll hole, PT casing, did not test.

P&A Plug 1: Pictured Cliffs open hole. Mix and pump plug of 12 sx under retainer. Reverse out from 2390'. TOO.

RIH, run CBL from 2390' to surface. TOC 170'. POOH.

TIH with workstring to 2390'.

P&A Plug 2: Pictured Cliffs, Fruitland, Kirtland and Ojo Alamo formation tops: Mix and spot a balanced plug of 74 sx from 2390'. Pull up hole. WOC.

12-22-2022:

TIH with workstring, tag Plug 2 at 1775'. PT casing, good test. Pull up to 356'.

P&A Plug 3: Nacimiento formation top and surface casing shoe: Mix and pump balanced plug of 27 sx from 356' to 135'. TOO.

RIH, perforate holes at 135'. POOH.

Establish circulation down casing and out BH.

P&A Plug 4: Surface casing from 135' to surface: Mix and pump plug of 42 sx down casing and out BH. Good cement returns out BH.

Cut off WH. TOC at surface in casing and annulus. Install P&A marker. Top off cellar with 16 sx.

Release Rig.

All cement used was Class G mixed at 15.8 ppg, yield 1.15 cuft/sx

Regulatory representative: Dustin Porch, BLM, and Monica Kuehling, NMOCD via phone.

GPS Coordinates: Lat; 36.2567120 N, Long; 107.3081701 W

DJR Operating, LLC  
P&A Marker  
Jicarilla Apache D 3  
API # 30-039-22922  
NE/NE Unit A. Sec 1, T23N, R5W  
Rio Arriba County, NM  
Spud Date: 3-30-1982  
Plug Date: 12-22-2022





# United States Department of the Interior

BUREAU OF INDIAN AFFAIRS

Jicarilla Agency

P.O. Box 167

Dulce, New Mexico 87528

IN REPLY REFER TO:

Branch of Real Estate Services

November 15, 2019

## Memorandum

To: Robert Switzer, Environmental Protection Specialist  
Bureau of Land Management, Farmington Field Office

From: Kurt Sandoval, Realty Officer  
Bureau of Indian Affairs, Jicarilla Agency

Subject: BIA Concurrence concerning Well Pad Monument Makers

Let this serve as concurrence for the agreed upon preferred method to be used when constructing well pad monument markers on Jicarilla Apache Tribal Lands. We will eliminate the 6 ft. dry hole marker and use a permanent metal plate that will be installed at ground level, effective September 2019. The marker will contain the following information:

- Well Pad Lease Number
- Well Pad Location Name and Number
- Well Pad Legal Description, specifically Section, Township and Range
- Well Pad API Number
- Well Pad Plug Date
- Well Pad Operator Name

You may contact our office if you have any questions or concerns at (575) 759-3936. Thank you.

  
Realty Officer

cc: Jicarilla Oil and Gas Administration

12" x 18" MINIMUM



**End of Well Report  
DJR Operating, LLC  
Jicarilla Apache D 3**

30-039-22922  
NE/NE Unit A, Sec 1, T23N, R5W  
Rio Arriba County, NM

GL 6785'  
KB 6797'  
Spud Date 3/30/1982

**SURF CSG**

Hole size 12.25"  
Csg Size: 8.625"  
Wt: 24#  
Grade: K-55  
ID: 8.097"  
Depth 275'  
Csg cap ft<sup>3</sup>: 0.3576  
TOC: Surface


**FORMATION TOPS**

San Jose	Surface
Nacimiento	306'
Ojo Alamo	1916'
Kirtland	2044'
Fruitland	2260'
Pictured Cliffs	2417'

**PROD CSG**

Hole size 7.875"  
Csg Size: 5.5"  
Wt: 14#  
Grade: K-55  
ID: 5.012"  
Depth 2423'  
Csg cap ft<sup>3</sup>: 0.137  
Csg/Csg Ann ft<sup>3</sup>: 0.1926  
Csg/OH cap ft<sup>3</sup>: 0.1733  
TOC: 1000' TS

4 3/4" OH 2421' - 2526'



12-22-2022: Cut off WH, TOC at surface in casing and annulus. Install P&A marker. Top off cellar with 16 sx.

12-22-2022: Plug 4: Surface casing from TOC to surface: Perforate holes at 135'. Establish circulation down casing and out BH. Mix and pump plug of 42 sx down casing and out BH, good cement returns out BH.

12-22-2022: Plug 3: Nacimiento and surface casing shoe. Mix and spot balanced plug of 27 sx from 356' to 135'. Reverse out.

12-22-2022: PT casing, good test.

12-21-2022: Plug 2: Pictured Cliffs, Fruitland, Kirtland and Ojo Alamo: Mix and spot balanced plug of 74 sx from 2390'. WOC. 12-22-2022, tagged Plug 2 at 1775'.

12-21-2022: Run CBL from 2390' to surface. TOC 170'.

12-21-2022: Plug 1: Set CR at 2390'. Load and roll hole. PT casing, did not test. Mix and pump 12 sx under CR into open hole.

All cement used was Class G mixed at 15.8 ppg, yield 1.15 cuft/sx

Regulatory representative: Dustin Porch, BLM and Monica Kuehling, NMOCD via phone

GPS Coordinates: Lat; 36.2567120 N, Long; 107.3081701 W

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

COMMENTS

Action 173180

COMMENTS

Operator: DJR OPERATING, LLC 1 Road 3263 Aztec, NM 87410	OGRID: 371838
	Action Number: 173180
	Action Type: [C-103] Sub. Plugging (C-103P)

COMMENTS

Created By	Comment	Comment Date
mkuehling	did not follow string pressures for each day - well plugged 12/22/22	1/10/2023

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

CONDITIONS

Action 173180

CONDITIONS

Operator: DJR OPERATING, LLC 1 Road 3263 Aztec, NM 87410	OGRID: 371838
	Action Number: 173180
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
smcgrath	None	1/12/2023