

Well Name: DELTA WING FED	Well Location: T17S / R29E / SEC 15 / NWNE /	County or Parish/State: EDDY / NM
Well Number: 1	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMLC028731B	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001526309	Well Status: Water Disposal Well	Operator: SPUR ENERGY PARTNERS LLC

Accepted for record – NMOCD gc12/8/2022

Notice of Intent

Sundry ID: 2697008

Type of Submission: Notice of Intent

Type of Action: Temporary Abandonment

Date Sundry Submitted: 10/07/2022

Time Sundry Submitted: 08:35

Date proposed operation will begin: 10/07/2022

Procedure Description: Spur respectfully requests to put this well in TA status while we await an approved injection order. Once we have an approved injection order, we plan to work the well over and bring it back online. Please find proposed TA procedure and WBDs attached for your use.

Surface Disturbance

Is any additional surface disturbance proposed?: No

NOI Attachments

Procedure Description

Delta_Wing_Federal__1_SWD__TA_Procedure_20221007083418.pdf

Delta_Wing_Federal__1_SWD_WBD_20221007083418.pdf

Well Name: DELTA WING FED

Well Location: T17S / R29E / SEC 15 / NWNE /

County or Parish/State: EDDY / NM

Well Number: 1

Type of Well: CONVENTIONAL GAS WELL

Allottee or Tribe Name:

Lease Number: NMLC028731B

Unit or CA Name:

Unit or CA Number:

US Well Number: 3001526309

Well Status: Water Disposal Well

Operator: SPUR ENERGY PARTNERS LLC

Conditions of Approval

Specialist Review

TA_COA_20221202131617.pdf

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: SARAH CHAPMAN

Signed on: OCT 07, 2022 08:34 AM

Name: SPUR ENERGY PARTNERS LLC

Title: Regulatory Directory

Street Address: 9655 KATY FREEWAY, SUITE 500

City: Houston

State: TX

Phone: (832) 930-8613

Email address: SCHAPMAN@SPUREPLLC.COM

Field

Representative Name:

Street Address:

City:

State:

Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: Jonathon W Shepard

BLM POC Title: Petroleum Engineer

BLM POC Phone: 5752345972

BLM POC Email Address: jshepard@blm.gov

Disposition: Approved

Disposition Date: 12/02/2022

Signature: Jonathon Shepard

Delta Wing Federal #001

30-015-26309

Proposed TA Procedure

Notify OCD and BLM 24hrs prior to rigging up

Notify OCD and BLM 48hrs prior to MIT test

1. Move in, rig up well service unit.
2. Nipple down wellhead, nipple up BOP.
3. Unset packer, kill well if needed.
4. POOH with injection tubing while inspecting. If condition is good, rack back. If condition is bad, LD and order 8rd L80 work string.
5. Pick up & run in hole w/ bit & casing scraper. Pull out of hole.
6. Run in hole w/ 5.5" CIBP & set at 8,276.
7. Pressure test CIBP to 500 psi for 15 minutes.
8. Circulate packer fluid.
9. Spot 35' (.8 bbls) Class H cmt on top of CIBP.
10. Pull out of hole laying down workstring.
11. Nipple down BOP, nipple up wellhead.
12. Rig down, move out well service unit.
13. Perform MIT test – Notify OCD and BLM 48hrs prior to test - pressure test casing to 500 psi for 30 minutes and record chart and fill out all pertinent information.

17-1/2" HOLE

13-3/8" 54.5# K-55 @ 446'

CMT W 425 SX
CIRC 30 SX TO SURFACE

11" HOLE

8-5/8" 32# K-55 @ 4,500'

CMT W/ 2300 SX
TOC @ 45' FROM TEMP SURVEY


7-7/8" HOLE

5.5" 17# N-80/K-55 @ 10,950'

950 SX CLASS C
TOC 6400' FROM TEMP SURVEY

CIBP @ 10,545'

W/ 35' CEMENT ON TOP



TUBING DETAIL (06/25/2014)

260 JTS 2 7/8" IPC TBG
PACKER @ ~8,245'

UPPER PENN PERFS (8,291' - 8,650') 10/10/96

WOLFCAMP PERFS (8,390' - 8,802') 10/8/91
SQUEEZED

MORROW PERFS (10,654' - 10,778') 3/21/91
SQUEEZED

TD @ 10,950
PBTD @ 10,803'

17-1/2" HOLE

13-3/8" 54.5# K-55 @ 446'

CMT W 425 SX
CIRC 30 SX TO SURFACE

11" HOLE

8-5/8" 32# K-55 @ 4,500'

CMT W/ 2300 SX
TOC @ 45' FROM TEMP SURVEY

7-7/8" HOLE

5.5" 17# N-80/K-55 @ 10,950'

950 SX CLASS C
TOC 6400' FROM TEMP SURVEY


**PROPOSED
CIBP @ 8,276'**
W/ 25 SX CEMENT ON TOP

UPPER PENN PERFS (8,291' - 8,650') 10/10/96

WOLFCAMP PERFS (8,390' - 8,802') 10/8/91
SQUEEZED

MORROW PERFS (10,654' - 10,778') 3/21/91
SQUEEZED

CIBP @ 10,545'
W/ 35' CEMENT ON TOP



TD @ 10,950
PBD @ 10,803'

District I
 1625 N. French Dr., Hobbs, NM 88240
 Phone:(575) 393-6161 Fax:(575) 393-0720

District II
 811 S. First St., Artesia, NM 88210
 Phone:(575) 748-1283 Fax:(575) 748-9720

District III
 1000 Rio Brazos Rd., Aztec, NM 87410
 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
 1220 S. St Francis Dr., Santa Fe, NM 87505
 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 163793

CONDITIONS

Operator: Spur Energy Partners LLC 9655 Katy Freeway Houston, TX 77024	OGRID: 328947
	Action Number: 163793
	Action Type: [C-103] NOI Temporary Abandonment (C-103I)

CONDITIONS

Created By	Condition	Condition Date
gcordero	None	12/8/2022