

Office
 District I – (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II – (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III – (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV – (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM
 87505

State of New Mexico
 Energy, Minerals and Natural Resources

Form C-103
 Revised July 18, 2013

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

WELL API NO. 30-015-47589
5. Indicate Type of Lease STATE ☐ FEE ☐
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name HEADS CC 9_4 FEDERAL COM
8. Well Number 44H
9. OGRID Number 16696
10. Pool name or Wildcat PURPLE SAGE WOLFCAMP (GAS)

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐	
2. Name of Operator OXY USA INC	
3. Address of Operator 5 GREENWAY PLAZA SUITE 110, HOUSTON TX 77046	
4. Well Location	
Unit Letter <u>B</u> : <u>949</u> feet from the <u>NORTH</u> line and <u>1805</u> feet from the <u>EAST</u> line	
Section <u>16</u> Township <u>24S</u> Range <u>29E</u> NMPM County <u>EDDY</u>	
11. Elevation (Show whether DR, RKB, RT, GR, etc.)	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK ☐	PLUG AND ABANDON ☐	REMEDIAL WORK ☐	ALTERING CASING ☐
TEMPORARILY ABANDON ☐	CHANGE PLANS ☐	COMMENCE DRILLING OPNS. ☐	P AND A ☐
PULL OR ALTER CASING ☐	MULTIPLE COMPL ☐	CASING/CEMENT JOB ☐	
DOWNHOLE COMMINGLE ☐			
CLOSED-LOOP SYSTEM ☐			
OTHER: SURFACE COMMINGLE – PLC 750-E ☒		OTHER: ☐	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

OXY USA INC requests approval to add HEADS CC 9_4 FEDERAL COM #44H to PLC 750-E. This well will be included in a currently approved pools of PURPLE SAGE WOLFCAMP (GAS) and currently approved proposed consolidated leases (CA WC 9-4 T24S R29E) in PLC 750-E.

The facilities described in PLC 750-E are unchanged – each facility has a sales-quality orifice meter (BLM gas FMP or equivalent meter) that continuously measures gas volume before it leaves the facility. Production upstream of the facility gas FMP or equivalent meter is allocated to each well based on well test.

This request is for gas production only. Oil production will be handled through an amendment to OLM-259 for Whomping Willow CTB Train #3 (F-15-T24S-R29E).

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Eric Fortier TITLE REGULATORY ENGINEER DATE 01/04/2023

Type or print name ERIC FORTIER E-mail address: ERIC_FORTIER@OXY.COM PHONE: 713.497.2203

For State Use Only

APPROVED BY: Dean R McIlure TITLE Petroleum Engineer DATE 01/20/2023

Conditions of Approval (if any):

DISTRICT I
1625 N. FRENCH DR., HOBBS, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

DISTRICT II
811 S. FIRST ST., ARTESIA, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720

DISTRICT III
1000 RIO BRAZOS RD., AZTEC, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170

DISTRICT IV
1220 S. ST. FRANCIS DR., SANTA FE, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 SOUTH ST. FRANCIS DR.
Santa Fe, New Mexico 87505

Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office

☒ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

API Number 30-015-47589	Pool Code 98220	Pool Name PURPLE SAGE WOLFCAMP (GAS)
Property Code 328290	Property Name HEADS CC 9_4 FEDERAL COM	Well Number 44H
OGRID No. 16696	Operator Name OXY USA INC.	Elevation 2927.1'

Surface Location

UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
B	16	24-S	29-E		949	NORTH	1805	EAST	EDDY

Bottom Hole Location If Different From Surface

UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
1	4	24-S	29-E		20	NORTH	380	EAST	EDDY

Dedicated Acres 1280	Joint or Infill Y	Consolidation Code	Order No.
--------------------------------	-----------------------------	--------------------	-----------

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED
OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

<u>PROPOSED BOTTOM HOLE LOCATION NAD 83</u> Y=456308.9 N X=649882.8 E LAT.=32.253981° N LONG.=103.982203° W <u>LTP NAD 83</u> 100' FNL & 380' FEL Y=456228.9 N X=649883.2 E LAT.=32.253761° N LONG.=103.982203° W <table border="1" style="width: 100%; font-size: 8px;"> <tr><th>POINT</th><th>LEGEND</th><th>NAD83</th></tr> <tr><td>1</td><td>Y=456311.0 N</td><td></td></tr> <tr><td></td><td>X=644969.9 E</td><td></td></tr> <tr><td>2</td><td>Y=453660.3 N</td><td></td></tr> <tr><td></td><td>X=644983.6 E</td><td></td></tr> <tr><td>3</td><td>Y=451006.8 N</td><td></td></tr> <tr><td></td><td>X=644997.4 E</td><td></td></tr> <tr><td>4</td><td>Y=448351.8 N</td><td></td></tr> <tr><td></td><td>X=645008.9 E</td><td></td></tr> <tr><td>5</td><td>Y=445695.4 N</td><td></td></tr> <tr><td></td><td>X=645021.1 E</td><td></td></tr> <tr><td>6</td><td>Y=456320.9 N</td><td></td></tr> <tr><td></td><td>X=647615.9 E</td><td></td></tr> <tr><td>7</td><td>Y=451020.7 N</td><td></td></tr> <tr><td></td><td>X=647641.0 E</td><td></td></tr> <tr><td>8</td><td>Y=445710.8 N</td><td></td></tr> <tr><td></td><td>X=647666.6 E</td><td></td></tr> <tr><td>9</td><td>Y=456330.3 N</td><td></td></tr> <tr><td></td><td>X=650262.8 E</td><td></td></tr> <tr><td>10</td><td>Y=453688.3 N</td><td></td></tr> <tr><td></td><td>X=650273.5 E</td><td></td></tr> <tr><td>11</td><td>Y=451034.0 N</td><td></td></tr> <tr><td></td><td>X=650284.7 E</td><td></td></tr> <tr><td>12</td><td>Y=448382.0 N</td><td></td></tr> <tr><td></td><td>X=650298.1 E</td><td></td></tr> <tr><td>13</td><td>Y=445726.2 N</td><td></td></tr> <tr><td></td><td>X=650312.0 E</td><td></td></tr> </table> <u>FTP NAD 83</u> 100' FSL & 380' FEL Y=445824.0 N X=649931.5 E LAT.=32.225159° N LONG.=103.982157° W <u>KOP NAD 83</u> 50' FSL & 380' FEL Y=445774.0 N X=649931.8 E LAT.=32.225021° N LONG.=103.982156° W <u>SURFACE LOCATION NAD 83</u> Y=444766.5 N X=648513.8 E LAT.=32.222265° N LONG.=103.986752° W	POINT	LEGEND	NAD83	1	Y=456311.0 N			X=644969.9 E		2	Y=453660.3 N			X=644983.6 E		3	Y=451006.8 N			X=644997.4 E		4	Y=448351.8 N			X=645008.9 E		5	Y=445695.4 N			X=645021.1 E		6	Y=456320.9 N			X=647615.9 E		7	Y=451020.7 N			X=647641.0 E		8	Y=445710.8 N			X=647666.6 E		9	Y=456330.3 N			X=650262.8 E		10	Y=453688.3 N			X=650273.5 E		11	Y=451034.0 N			X=650284.7 E		12	Y=448382.0 N			X=650298.1 E		13	Y=445726.2 N			X=650312.0 E		<u>PROPOSED BOTTOM HOLE LOCATION NAD 27</u> Y=456249.7 N X=608699.2 E LAT.=32.253858° N LONG.=103.981713° W <u>LTP NAD 27</u> 100' FNL & 380' FEL Y=456169.7 N X=608699.6 E LAT.=32.253638° N LONG.=103.981713° W <table border="1" style="width: 100%; font-size: 8px;"> <tr><th>POINT</th><th>LEGEND</th><th>NAD27</th></tr> <tr><td>1</td><td>Y=456251.8 N</td><td></td></tr> <tr><td></td><td>X=603786.3 E</td><td></td></tr> <tr><td>2</td><td>Y=453601.2 N</td><td></td></tr> <tr><td></td><td>X=603800.0 E</td><td></td></tr> <tr><td>3</td><td>Y=450947.8 N</td><td></td></tr> <tr><td></td><td>X=603813.7 E</td><td></td></tr> <tr><td>4</td><td>Y=448292.8 N</td><td></td></tr> <tr><td></td><td>X=603825.1 E</td><td></td></tr> <tr><td>5</td><td>Y=445636.4 N</td><td></td></tr> <tr><td></td><td>X=603837.3 E</td><td></td></tr> <tr><td>6</td><td>Y=456261.7 N</td><td></td></tr> <tr><td></td><td>X=606432.9 E</td><td></td></tr> <tr><td>7</td><td>Y=450981.7 N</td><td></td></tr> <tr><td></td><td>X=606457.3 E</td><td></td></tr> <tr><td>8</td><td>Y=445651.8 N</td><td></td></tr> <tr><td></td><td>X=606482.7 E</td><td></td></tr> <tr><td>9</td><td>Y=456271.1 N</td><td></td></tr> <tr><td></td><td>X=609079.2 E</td><td></td></tr> <tr><td>10</td><td>Y=453629.2 N</td><td></td></tr> <tr><td></td><td>X=609089.8 E</td><td></td></tr> <tr><td>11</td><td>Y=450974.9 N</td><td></td></tr> <tr><td></td><td>X=609101.0 E</td><td></td></tr> <tr><td>12</td><td>Y=448323.3 N</td><td></td></tr> <tr><td></td><td>X=609114.4 E</td><td></td></tr> <tr><td>13</td><td>Y=445667.2 N</td><td></td></tr> <tr><td></td><td>X=609128.2 E</td><td></td></tr> </table> <u>FTP NAD 27</u> 100' FSL & 380' FEL Y=445765.0 N X=608747.7 E LAT.=32.225036° N LONG.=103.981668° W <u>KOP NAD 27</u> 50' FSL & 380' FEL Y=445715.0 N X=608747.9 E LAT.=32.224898° N LONG.=103.981668° W <u>SURFACE LOCATION NAD 27</u> Y=444707.6 N X=607330.0 E LAT.=32.222142° N LONG.=103.986263° W	POINT	LEGEND	NAD27	1	Y=456251.8 N			X=603786.3 E		2	Y=453601.2 N			X=603800.0 E		3	Y=450947.8 N			X=603813.7 E		4	Y=448292.8 N			X=603825.1 E		5	Y=445636.4 N			X=603837.3 E		6	Y=456261.7 N			X=606432.9 E		7	Y=450981.7 N			X=606457.3 E		8	Y=445651.8 N			X=606482.7 E		9	Y=456271.1 N			X=609079.2 E		10	Y=453629.2 N			X=609089.8 E		11	Y=450974.9 N			X=609101.0 E		12	Y=448323.3 N			X=609114.4 E		13	Y=445667.2 N			X=609128.2 E		OPERATOR CERTIFICATION <i>I hereby certify that the information herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.</i> <u>Stephen Janacek</u> 12/09/22 Signature Date STEPHEN JANACEK Printed Name <u>STEPHEN_JANACEK@OXY.COM</u> E-mail Address SURVEYOR CERTIFICATION <i>I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.</i> OCTOBER 31, 2022 Date of Survey Signature & Seal of Professional Surveyor  <u>Chad Harcrow</u> 11/3/22 Certificate No. CHAD HARCROW 17777 W.O. # 22-1035 DRAWN BY: WN
POINT	LEGEND	NAD83																																																																																																																																																																		
1	Y=456311.0 N																																																																																																																																																																			
	X=644969.9 E																																																																																																																																																																			
2	Y=453660.3 N																																																																																																																																																																			
	X=644983.6 E																																																																																																																																																																			
3	Y=451006.8 N																																																																																																																																																																			
	X=644997.4 E																																																																																																																																																																			
4	Y=448351.8 N																																																																																																																																																																			
	X=645008.9 E																																																																																																																																																																			
5	Y=445695.4 N																																																																																																																																																																			
	X=645021.1 E																																																																																																																																																																			
6	Y=456320.9 N																																																																																																																																																																			
	X=647615.9 E																																																																																																																																																																			
7	Y=451020.7 N																																																																																																																																																																			
	X=647641.0 E																																																																																																																																																																			
8	Y=445710.8 N																																																																																																																																																																			
	X=647666.6 E																																																																																																																																																																			
9	Y=456330.3 N																																																																																																																																																																			
	X=650262.8 E																																																																																																																																																																			
10	Y=453688.3 N																																																																																																																																																																			
	X=650273.5 E																																																																																																																																																																			
11	Y=451034.0 N																																																																																																																																																																			
	X=650284.7 E																																																																																																																																																																			
12	Y=448382.0 N																																																																																																																																																																			
	X=650298.1 E																																																																																																																																																																			
13	Y=445726.2 N																																																																																																																																																																			
	X=650312.0 E																																																																																																																																																																			
POINT	LEGEND	NAD27																																																																																																																																																																		
1	Y=456251.8 N																																																																																																																																																																			
	X=603786.3 E																																																																																																																																																																			
2	Y=453601.2 N																																																																																																																																																																			
	X=603800.0 E																																																																																																																																																																			
3	Y=450947.8 N																																																																																																																																																																			
	X=603813.7 E																																																																																																																																																																			
4	Y=448292.8 N																																																																																																																																																																			
	X=603825.1 E																																																																																																																																																																			
5	Y=445636.4 N																																																																																																																																																																			
	X=603837.3 E																																																																																																																																																																			
6	Y=456261.7 N																																																																																																																																																																			
	X=606432.9 E																																																																																																																																																																			
7	Y=450981.7 N																																																																																																																																																																			
	X=606457.3 E																																																																																																																																																																			
8	Y=445651.8 N																																																																																																																																																																			
	X=606482.7 E																																																																																																																																																																			
9	Y=456271.1 N																																																																																																																																																																			
	X=609079.2 E																																																																																																																																																																			
10	Y=453629.2 N																																																																																																																																																																			
	X=609089.8 E																																																																																																																																																																			
11	Y=450974.9 N																																																																																																																																																																			
	X=609101.0 E																																																																																																																																																																			
12	Y=448323.3 N																																																																																																																																																																			
	X=609114.4 E																																																																																																																																																																			
13	Y=445667.2 N																																																																																																																																																																			
	X=609128.2 E																																																																																																																																																																			

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 172203

CONDITIONS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 172203
	Action Type: [C-103] NOI General Sundry (C-103X)

CONDITIONS

Created By	Condition	Condition Date
dmcclure	Please review the content of the order to ensure you are familiar with the authorities granted and any conditions of approval. If you have any questions regarding this matter, please contact me.	1/20/2023