

Office
District I – (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II – (575) 748-1283
811 S. First St., Artesia, NM 88210
District III – (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV – (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-103
Revised July 18, 2013

WELL API NO. 30-025-11919	
5. Indicate Type of Lease STATE ☐ FEE ☒	
6. State Oil & Gas Lease No.	
7. Lease Name or Unit Agreement Name SOUTH JUSTIS UNIT	
8. Well Number G 30	
9. OGRID Number 240974	
10. Pool name or Wildcat JUSTIS;BLINEBRY-TUBB-DRINKARD	
SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: Oil Well ☒ Gas Well ☐ Other	
2. Name of Operator LEGACY RESERVES OPERATING LP	
3. Address of Operator 15 SMITH ROAD, SUITE 3000, MIDLAND, TX 79705	
4. Well Location Unit Letter <u>O</u> : <u>990</u> feet from the <u>SOUTH</u> line and <u>1980</u> feet from the <u>EAST</u> line Section <u>36</u> Township <u>25S</u> Range <u>37E</u> NMPM County <u>LEA</u>	
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3039' GR	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK ☐	REMEDIAL WORK ☐
TEMPORARILY ABANDON ☐	ALTERING CASING ☐
PULL OR ALTER CASING ☐	COMMENCE DRILLING OPNS. ☐
DOWNHOLE COMMINGLE ☐	P AND A ☐
CLOSED-LOOP SYSTEM ☐	CASING/CEMENT JOB ☐
OTHER: ☐	OTHER: TA Well/Ran MIT ☒

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

11/7/22 MIRU. Notified Kerry Fortner NMOCD.

Set CIBP @ 5000'. Dump Bailed 6 Sacks Class C cmt @ 5000 – 4965'.

11/9/22 Tag TOC @ 4959'. Circulated with 200 bbls fresh water mix with Packer Fluid. PSI test Chart to 500 psi, tested good.
Notified Kerry Fortner OCD.

FINAL TA STATUS- EXTENSION

Approval of TA EXPIRES: 11/10/27
Well needs to be **PLUGGED OR RETURNED**
to **PRODUCTION**
BY THE DATE STATED ABOVE: X 7

Spud Date:

Rig Release Date:


I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Melanie Reyes TITLE Regulatory Tech DATE 11/30/2022

Type or print name Melanie Reyes E-mail address mreyes@legacyreserves.com PHONE: (432 221-6358)

For State Use Only

APPROVED BY: Kerry Fortner TITLE Compliance Officer A DATE 1/19/23
Conditions of Approval:



District I
1421 N. French Dr., Hobbs, NM 88246
Phone: (575) 392-6151 Fax: (575) 392-6729

State of New Mexico
Energy, Minerals and Natural Resources Department
Oil Conservation Division Hobbs District Office

BRADENHEAD TEST REPORT

Operator Name LEGACY		API Number 30-025-11919	
Property Name S. JUSTIS		Well No. #30	

1. Surface Location									
UL - Lot 0	Section 36	Township 25S	Range 37E	Feet from 990	N/S Line S	Feet From 1980	E/W Line E	County LEA	

Well Status

☒ YES	☐ NO	☒ YES	☐ NO	☐ INJ	☐ INJECTOR	☐ SWD	☒ OIL	☐ GAS	DATE 11-10-22
--------------------------------------	--------------------------	--------------------------------------	--------------------------	---------------------------	--------------------------------	---------------------------	--------------------------------------	---------------------------	-------------------------

OBSERVED DATA

	(A) Surface	(B) Interm (1)	(C) Interm (2)	(D) Prod Casing	(E) Tubing
Pressure	0			0	NONE
Flow Characteristics					
Puff	Y/N	Y/N	Y/N	Y/N	CO2
Steady Flow	Y/N	Y/N	Y/N	Y/N	WTR
Surges	Y/N	Y/N	Y/N	Y/N	GAS
Down to nothing	Y/N	Y/N	Y/N	Y/N	Type of Fluid
Gas or Oil	Y/N	Y/N	Y/N	Y/N	Exposed for
Water	Y/N	Y/N	Y/N	Y/N	Waterflooded or

Remarks - Please state for each string (A,B,C,D,E) pertinent information regarding bleed down or continuous build up if applies.

T/A MIT/BAT

Signature:		OIL CONSERVATION DIVISION	
Printed name:		Entered into RBDMS	
Title:		Re-test	
E-mail Address:			
Date:	Phone:		
Witness:	[Signature]		

INSTRUCTIONS ON BACK OF THIS FORM

[Signature]

Wellbore Schematic

Subsequent TA

Printed: 7/28/2022

Page 1

South Justis Unit # G30

BOLO ID: 300054.35.05

API # 3002511919

South Justis Unit # G30, 7/28/2022

990 FSL & 1980 FEL	GL Elev:	3,027.00	KOP:	
Section 36, Township 25S, Range 37E			EOC:	
County, State: Lea, NM			Fill Depth:	
Aux ID: 18160			PBTD:	
'KB' correction: 12'; All Depths Corr To:			TD:	5,885.00
			BOP:	

Hole Size

Diameter	Top At	Btm At	Date Drilled
12.2500	0.00	926.00	7/3/1962
8.7500	926.00	5,885.00	7/20/1962
6.1250	5,885.00	6,100.00	10/30/1995

Surface Casing

Date Ran: 7/3/1962

Description	#	Diameter	Weight	Grade	Length	Top At	Btm At
Set Below GL					13.00		
Casing	1	9.6250	36.00	J55	9.84	25.00	34.84
Casing	22	9.6250	36.00	J55	872.55	34.84	907.39
Float Insert	1	9.6250				907.39	
Casing	1	9.6250	36.00	J55	29.41	907.39	936.80
Guide Shoe	1	9.6250			1.20	936.80	938.00

Production Casing

Date Ran: 7/20/1962

Description	#	Diameter	Weight	Grade	Length	Top At	Btm At
Set Below GL					10.50		
Casing	1	7.6250	26.40	J55	4.55	22.50	27.05
Casing	2	7.6250	26.40	J55	63.01	27.05	90.06
Casing	1	7.6250			1.50	90.06	91.56
Swage & collar							
Casing	143	7.0000	23.00	J55	4,526.70	91.56	4,618.26
DV Tool	1	7.0000			2.08	4,618.26	4,620.34
Casing	39	7.0000	23.00	J55	1,248.26	4,620.34	5,868.60
Float Insert	1	7.0000				5,868.60	
Casing	1	7.0000	23.00	J55	27.40	5,868.60	5,896.00
Guide Shoe	1	7.0000			1.00	5,896.00	5,897.00

Cement

Top At	Btm At	I D	O D	TOC Per	# - Type	# Sx	Class	Wt.
0.00	926.00	9.625	12.250	Circ	10	300		
2,188.00	5,885.00	7.000	8.750	TS	20	625		

Zone and Perfs

BLINEBRY

Perforations

Top	Bottom	Formation	Status	Opened	Closed	# / Ft	Ttl #
5,028.00	5,398.00	Blinbry	A				119
5,460.00	5,688.00	Blinbry-Tubb/Drinkard	A				18
5,764.00	5,812.00	Tubb/Drinkard	A	7/29/1962			
set cement & CIBP to close off perfs. Drilled out in 1993. Added perfs and acidized all.							
5,764.00	5,836.00	Blinbry-Tubb/Drinkard	A				39
5,885.00	6,100.00	Blinbry-Tubb/Drinkard	PA	10/30/1995	3/17/1997		

Wellbore Plugs and Junk

Top	Bottom	Type	Diameter	Solid	Date
5,000.00	5,005.00	CIBP	7.000	Yes	7/28/2022
TA, CIBP @ 5000', Dump bailed 6 sx Class C cmt, TOC @ 4959' (11/9/2022)					
5,860.00	5,885.00	CIBP	7.000	Yes	3/17/1997

◇ = Fluid Level with Gas

◆ = Net Fluid Level

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

COMMENTS

Action 162542

COMMENTS

Operator: LEGACY RESERVES OPERATING, LP 15 Smith Road Midland, TX 79705	OGRID: 240974
	Action Number: 162542
	Action Type: [C-103] Sub. Temporary Abandonment (C-103U)

COMMENTS

Created By	Comment	Comment Date
plmartinez	DATA ENTRY PM	1/20/2023

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 162542

CONDITIONS

Operator: LEGACY RESERVES OPERATING, LP 15 Smith Road Midland, TX 79705	OGRID: 240974
	Action Number: 162542
	Action Type: [C-103] Sub. Temporary Abandonment (C-103U)

CONDITIONS

Created By	Condition	Condition Date
kfortner	TA status extended to 11/10/27	1/19/2023