

1625 N. French Dr., Hobbs, NM 88240

State of New Mexico
Energy, Minerals & Natural Resources

Form C-104

Revised August 1, 2011

District II

811 S. First St., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address OXY USA INC. P.O. BOX 50250 MIDLAND, TX 79710		² OGRID Number: 16696
		³ Reason for Filing Code/ Effective Date: NW - 08/16/2022
⁴ API Number 30 - 025-48951	⁵ Pool Name WC-025 G-09 S233216K; UPR WOLFCAMP	⁶ Pool Code 98166
⁷ Property Code: 332769	⁸ Property Name: DR PI FEDERAL UNIT 17-8 DA	⁹ Well Number: 34H

II. ¹⁰ Surface Location

Ul or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
O	17	22S	32E		275	SOUTH	1570	EAST	LEA

¹¹ Bottom Hole Location

FTP- 169' FSL 1402' FEL LTP- 186' FNL 1363' FEL

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
B	8	22S	32E		50	NORTH	1364	EAST	LEA
¹² Lse Code F	¹³ Producing Method Code : P		¹⁴ Gas Connection Date: 8/17/22		¹⁵ C-129 Permit Number		¹⁶ C-129 Effective Date		¹⁷ C-129 Expiration Date

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
237722	CENTURION PIPELINE L.P.	O
248749	DCP MIDSTREAM, LP	G

IV. Well Completion Data

²¹ Spud Date	²² Ready Date	²³ TD	²⁴ PBSD	²⁵ Perforations	²⁶ DHC, MC
01/22/22	08/16/2022	22608'M 12069'V	22544'M 12068'V	12246-22472'	
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
17-1/2"	13-3/8"	942'	1140		
9-7/8"	7-5/8"	11288'	3011		
6-3/4"	5-1/2"	22588'	877		
	2-3/8" TBG	11971'	NA		

V. Well Test Data

³¹ Date New Oil	³² Gas Delivery Date	³³ Test Date	³⁴ Test Length	³⁵ Tbg. Pressure	³⁶ Csg. Pressure
8/19/22	8/17/22	8/30/22	24 HRS		1341
³⁷ Choke Size	³⁸ Oil	³⁹ Water	⁴⁰ Gas	⁴¹ Test Method	
128/128	5024	7499	8787	F	

⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.

Signature: 

Printed name: JANA MENDIOLA

Title: SR. REGULATORY ANALYST

E-mail Address:
Janalyn_mendiola@oxy.com

Date: 11/14/2022 Phone: 432-685-5036

OIL CONSERVATION DIVISION

Approved by: Sarah McGrath

Title: Petroleum Specialist - A

Approval Date: 01/20/2023

File 3160-4 within 10 days of BLM Approval
Upload CBL to OCD Permitting/Well Logs

District I

1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720

District III

1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico

Energy, Minerals & Natural Resources Department

OIL CONSERVATION DIVISION

1220 South St. Francis Dr.

Santa Fe, NM 87505

Form C-102

Revised August 1, 2011

Submit one copy to appropriate

District Office

☒ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-025-48951	² Pool Code 98166	³ Pool Name WC-025 G-09 S233216K; UPR WOLFCAMP
⁴ Property Code 332769	⁵ Property Name DR PI FED UNIT 17_8 DA	⁶ Well Number 34H
⁷ OGRID No. 16696	⁸ Operator Name OXY USA INC.	⁹ Elevation 3673'

¹⁰ Surface Location


UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
O	17	22S	32E		275	SOUTH	1570	EAST	LEA

¹¹ Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
B	8	22S	32E		50	NORTH	1364	EAST	LEA

¹² Dedicated Acres 640.0	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.
--	-------------------------------	----------------------------------	-------------------------

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.



Distances/areas relative to NAD 83 Combined Scale Factor: 0.99995379 Convergence Angle: 00°20'34.08"

Schlumberger



OXY



Borehole:	Well:	Field:	Structure:
Dr Pi Fed Unit 17_8 DA 34H	Dr Pi Fed Unit 17_8 DA 34H	NM Lea County (NAD 83)	Oxy Dr Pi Fed Unit 17_8 DA Patterson 882 (Pad)

Gravity & Magnetic Parameters				Surface Location				Miscellaneous			
Model:	IFR1	Dip:	60.153°	Date:	16-May-2022	Lat:	N 32 23 6.45	Northing:	504430.54FUS	Grid Conv:	0.3428°
MagDec:	6.7°	FS:	47865.7nT	Gravity FS:	998.453mgn (9.80665 Based)	Lon:	W 103 41 35.91	Easting:	738905.25FUS	Scale Fact:	0.99995379
								Slot:	Dr Pi Fed Unit 17_8 DA 34H	TVD Ref:	RKB(3697.8ft above MSL)
								Plan:	Oxy Dr Pi Fed Unit 17_8 DA 34H Gyro-MWD 0' to 22608'MD		

Critical Points								
Critical Point	MD	INCL	AZIM	TVD	VSEC	N(+)/S(-)	E(+)/W(-)	DLS
WRP	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
SHL	25.00	0.00	0.00	25.00	0.00	0.00	0.00	
First Gyro Survey	98.01	0.49	11.54	98.01	0.31	0.31	0.06	0.67
Last Gyro Survey	939.23	0.92	221.24	939.14	-8.23	-8.19	-3.17	0.29
First SLB Survey	1018.00	0.14	23.62	1017.91	-8.62	-8.58	-3.55	1.34
Actual KOP	11469.50	3.20	282.07	11424.87	-513.33	-515.41	153.23	5.71
Wolfcamp A Intersection	11855.99	36.27	4.50	11788.80	-403.81	-405.74	142.48	11.46
100' FSL Crossing	12170.00	63.12	3.02	11995.14	-172.08	-174.29	165.39	10.91
100' FNL Crossing	22558.00	89.39	358.82	12068.22	10190.05	10189.17	133.75	1.37
Final MWD Survey	22561.00	89.37	358.79	12068.25	10193.05	10192.17	133.68	1.37
Proj to TD	22608.00	89.37	358.79	12068.77	10240.02	10239.16	132.69	0.00



Vertical Section (ft) Azim = 0.76° Scale = 1:2400.00(ft) Origin = 0N/-S, 0E/-W

Schlumberger



Oxy Dr Pi Fed Unit 17_8 DA 34H Gyro+MWD 0' to 22608'MD Survey Geodetic Report

(Def Survey)

Report Date: June 09, 2022 - 08:22 AM Client: OXY Field: NM Lea County (NAD 83) Structure / Slot: Oxy Dr Pi Fed Unit 17_8 DA_34H Patterson 882 (Pad) / Dr Pi Fed Unit 17_8 DA 34H Well: Dr Pi Fed Unit 17_8 DA 34H Borehole: Dr Pi Fed Unit 17_8 DA 34H UWI / API#: Unknown / Unknown Survey Name: Oxy Dr Pi Fed Unit 17_8 DA 34H Gyro+MWD 0' to 22608'MD Survey Date: April 07, 2022 Tort / AHD / DDI / ERD Ratio: 321.134 " / 11338.891 ft / 6.832 / 0.935 Coordinate Reference System: NAD83 New Mexico State Plane, Eastern Zone, US Feet Location Lat / Long: N 32° 23' 6.44529", W 103° 41' 35.91413" Location Grid N/E Y/X: N 504430.540 ftUS, E 738905.250 ftUS CRS Grid Convergence Angle: 0.3428 ° Grid Scale Factor: 0.99995379 Version / Patch: 2.10.823.1	Survey / DLS Computation: Minimum Curvature / Lubinski Vertical Section Azimuth: 0.762 ° (Grid North) Vertical Section Origin: 0.000 ft, 0.000 ft TVD Reference Datum: RKB TVD Reference Elevation: 3697.800 ft above MSL Seabed / Ground Elevation: 3672.800 ft above MSL Magnetic Declination: 6.700 ° Total Gravity Field Strength: 986.452mgm (9.80665 Based) Gravity Model: GARM Total Magnetic Field Strength: 47865.700 nT Magnetic Dip Angle: 60.153 ° Declination Date: May 16, 2022 Magnetic Declination Model: IFR1 North Reference: Grid North Grid Convergence Used: 0.3400 ° Total Corr Mag North->Grid North: 6.3600 ° Local Coord Referenced To: Well Head	
---	--	--

Comments	MD (ft)	Incl (°)	Azim Grid (°)	TVD (ft)	VSEC (ft)	NS (ft)	EW (ft)	DLS (ft/100ft)	Closure (ft)	Closure Azimuth (°)	Northing (ftUS)	Easting (ftUS)	Latitude (N/S ° ' ")	Longitude (E/W ° ' ")
WRP	0.00	0.00	0.00	0.00	0.00	0.00	0.00	N/A	0.00	0.00	504430.54	738905.25	N 32° 23' 6.45"	W 103° 41' 35.91"
SHL	25.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	504430.54	738905.25	N 32° 23' 6.45"	W 103° 41' 35.91"
First Gyro Survey	98.01	0.49	18.54	98.01	0.31	0.31	0.00	0.67	0.31	11.54	504430.85	738905.31	N 32° 23' 6.45"	W 103° 41' 35.91"
	185.89	0.24	6.03	185.89	0.86	0.86	0.16	0.29	0.87	10.38	504431.40	738905.41	N 32° 23' 6.45"	W 103° 41' 35.91"
	279.29	0.29	249.48	279.29	0.97	0.97	-0.04	0.48	0.97	357.41	504431.51	738905.21	N 32° 23' 6.45"	W 103° 41' 35.91"
	373.64	0.50	167.70	373.64	0.48	0.48	-0.18	0.57	0.52	339.58	504431.02	738905.07	N 32° 23' 6.45"	W 103° 41' 35.92"
	468.07	0.69	177.16	468.06	-0.49	-0.49	-0.06	0.23	0.49	187.46	504430.05	738905.19	N 32° 23' 6.44"	W 103° 41' 35.91"
Last Gyro Survey	562.37	0.92	197.56	562.35	-1.78	-1.78	-0.26	0.39	1.80	188.46	504428.76	738904.99	N 32° 23' 6.43"	W 103° 41' 35.92"
	656.65	1.16	202.34	656.62	-3.38	-3.38	-0.86	0.62	3.49	194.20	504427.16	738904.39	N 32° 23' 6.41"	W 103° 41' 35.92"
	759.90	1.14	197.39	759.85	-5.16	-5.16	-1.30	0.11	5.37	96.20	504425.38	738903.75	N 32° 23' 6.39"	W 103° 41' 35.93"
	845.17	1.10	209.74	845.10	-6.84	-6.84	-2.23	0.26	7.19	198.04	504423.70	738903.02	N 32° 23' 6.38"	W 103° 41' 35.94"
	939.23	0.92	221.24	939.14	-8.19	-8.19	-3.17	0.29	8.78	201.18	504422.35	738902.08	N 32° 23' 6.36"	W 103° 41' 35.95"
First SLB Survey	1018.00	0.14	23.62	1017.91	-8.58	-8.58	-3.55	1.34	9.28	202.49	504421.96	738901.70	N 32° 23' 6.36"	W 103° 41' 35.96"
	1112.00	0.17	87.16	1111.91	-8.47	-8.47	-3.37	0.18	9.11	201.68	504422.08	738901.88	N 32° 23' 6.36"	W 103° 41' 35.95"
	1206.00	0.12	319.27	1205.91	-8.38	-8.38	-3.29	0.28	9.01	201.43	504422.16	738901.96	N 32° 23' 6.36"	W 103° 41' 35.95"
	1301.00	0.12	3.00	1300.91	-8.21	-8.21	-3.35	0.09	8.87	202.20	504422.33	738901.90	N 32° 23' 6.36"	W 103° 41' 35.95"
	1394.00	0.12	26.98	1393.91	-8.03	-8.03	-3.30	0.05	8.68	202.36	504422.52	738901.95	N 32° 23' 6.37"	W 103° 41' 35.95"
	1488.00	0.09	343.83	1487.91	-7.87	-7.87	-3.28	0.09	8.52	202.62	504422.67	738901.97	N 32° 23' 6.37"	W 103° 41' 35.95"
	1582.00	0.13	224.30	1581.91	-7.87	-7.87	-3.37	0.20	8.56	203.19	504422.67	738901.88	N 32° 23' 6.37"	W 103° 41' 35.95"
	1676.00	0.11	241.03	1675.91	-7.99	-7.99	-3.53	0.04	8.74	203.80	504422.55	738901.72	N 32° 23' 6.37"	W 103° 41' 35.96"
	1771.00	0.10	298.34	1770.91	-8.00	-8.00	-3.68	0.11	8.80	204.70	504422.54	738901.57	N 32° 23' 6.37"	W 103° 41' 35.96"
	1866.00	0.11	290.75	1865.91	-7.93	-7.93	-3.94	0.02	8.81	205.83	504422.62	738901.41	N 32° 23' 6.37"	W 103° 41' 35.96"
	1960.00	0.14	357.73	1959.91	-7.78	-7.78	-3.93	0.15	8.71	206.78	504422.76	738901.32	N 32° 23' 6.37"	W 103° 41' 35.96"
	2055.00	0.10	278.75	2054.91	-7.65	-7.65	-4.01	0.16	8.64	207.68	504422.89	738901.24	N 32° 23' 6.37"	W 103° 41' 35.96"
	2149.00	0.13	103.09	2148.91	-7.66	-7.66	-3.99	0.24	8.64	207.51	504422.88	738901.26	N 32° 23' 6.37"	W 103° 41' 35.96"
	2244.00	0.10	231.48	2243.91	-7.74	-7.74	-3.95	0.22	8.69	207.04	504422.80	738901.30	N 32° 23' 6.37"	W 103° 41' 35.96"
	2339.00	0.14	243.69	2338.91	-7.84	-7.84	-4.12	0.05	8.86	207.71	504422.70	738901.13	N 32° 23' 6.37"	W 103° 41' 35.96"
	2434.00	0.03	243.60	2433.91	-7.87	-7.87	-4.23	0.15	8.93	208.26	504422.67	738901.02	N 32° 23' 6.37"	W 103° 41' 35.96"
	2528.00	0.13	37.97	2527.91	-7.76	-7.76	-4.17	0.12	8.81	208.26	504422.78	738901.08	N 32° 23' 6.37"	W 103° 41' 35.96"
	2623.00	0.14	171.05	2622.91	-7.79	-7.79	-4.09	0.26	8.80	207.69	504422.75	738901.16	N 32° 23' 6.37"	W 103° 41' 35.96"
	2718.00	0.16	274.41	2717.91	-7.90	-7.90	-4.20	0.25	8.94	208.03	504422.65	738901.05	N 32° 23' 6.37"	W 103° 41' 35.96"
	2812.00	0.13	72.10	2811.91	-7.85	-7.85	-4.23	0.30	8.92	208.32	504422.69	738901.02	N 32° 23' 6.37"	W 103° 41' 35.96"
	2907.00	0.26	289.79	2906.91	-7.75	-7.75	-4.33	0.39	8.88	209.22	504422.79	738900.92	N 32° 23' 6.37"	W 103° 41' 35.97"
	3002.00	0.13	76.32	3001.91	-7.65	-7.65	-4.43	0.40	8.94	210.08	504422.69	738900.82	N 32° 23' 6.37"	W 103° 41' 35.97"
	3096.00	0.12	238.30	3095.91	-7.67	-7.67	-4.41	0.26	8.85	209.89	504422.87	738900.84	N 32° 23' 6.37"	W 103° 41' 35.97"
	3191.00	0.12	293.56	3190.91	-7.69	-7.69	-4.59	0.12	8.95	210.82	504422.85	738900.66	N 32° 23' 6.37"	W 103° 41' 35.97"
	3286.00	0.91	13.89	3285.90	-6.92	-6.92	-4.50	0.94	8.25	213.03	504423.63	738900.75	N 32° 23' 6.38"	W 103° 41' 35.97"
	3381.00	0.24	63.01	3380.90	-6.09	-6.09	-4.14	0.82	7.36	214.19	504424.45	738901.11	N 32° 23' 6.39"	W 103° 41' 35.96"
	3475.00	0.23	82.73	3474.90	-5.98	-5.98	-3.78	0.09	7.07	212.27	504424.56	738901.47	N 32° 23' 6.39"	W 103° 41' 35.96"
	3570.00	0.22	284.30	3569.90	-5.91	-5.91	-3.76	0.47	7.01	212.49	504424.63	738901.49	N 32° 23' 6.39"	W 103° 41' 35.96"
	3665.00	0.79	110.14	3664.89	-6.09	-6.09	-3.33	1.06	5.99	209.04	504424.45	738901.92	N 32° 23' 6.39"	W 103° 41' 35.95"
	3759.00	0.15	317.69	3758.89	-6.22	-6.22	-2.80	0.98	6.82	204.22	504424.32	738902.45	N 32° 23' 6.38"	W 103° 41' 35.95"
	3854.00	0.16	122.95	3853.89	-6.20	-6.20	-2.77	0.32	6.79	204.08	504424.34	738902.48	N 32° 23' 6.38"	W 103° 41' 35.95"
	3949.00	0.47	353.25	3948.89	-5.89	-5.89	-2.71	0.62	6.48	204.69	504424.65	738902.54	N 32° 23' 6.39"	W 103° 41' 35.95"
	4043.00	0.28	206.36	4042.89	-5.71	-5.71	-2.85	0.77	6.38	206.55	504424.83	738902.40	N 32° 23' 6.39"	W 103° 41' 35.95"
	4138.00	0.15	323.96	4137.89	-5.82	-5.82	-3.03	0.39	6.56	207.51	504424.72	738902.22	N 32° 23' 6.39"	W 103° 41' 35.95"
	4233.00	0.12	247.71	4232.89	-5.76	-5.76	-3.20	0.18	6.59	209.04	504424.79	738902.19	N 32° 23' 6.39"	W 103° 41' 35.95"
	4328.00	0.06	348.76	4327.89	-5.74	-5.74	-3.30	0.15	6.62	209.85	504424.80	738901.95	N 32° 23' 6.39"	W 103° 41' 35.95"
	4423.00	0.12	95.93	4422.89	-5.71	-5.71	-3.21	0.16	6.55	209.34	504424.83	738902.04	N 32° 23' 6.39"	W 103° 41' 35.95"
	4517.00	0.10	114.98	4516.89	-5.75	-5.75	-3.04	0.04	6.50	207.83	504424.79	738902.21	N 32° 23' 6.39"	W 103° 41' 35.95"
	4612.00	0.10	2.56	4611.89	-5.70	-5.70	-2.96	0.17	6.42	207.40	504424.84	738902.29	N 32° 23' 6.39"	W 103° 41' 35.95"
	4707.00	0.11	165.13	4706.89	-5.71	-5.71	-2.93	0.22	6.42	207.17	504424.83	738902.32	N 32° 23' 6.39"	W 103° 41' 35.95"
	4802.00	0.12	271.88	4801.89	-5.79	-5.79	-3.01	0.19	6.53	209.42	504424.75	738902.24	N 32° 23' 6.39"	W 103° 41' 35.95"
	4896.00	0.07	67.49	4895.89	-5.77	-5.77	-3.05	0.20	6.53	207.87	504424.77	738902.20	N 32° 23' 6.39"	W 103° 41' 35.95"
	4991.00	0.10	230.81	4990.89	-5.80	-5.80	-3.06	0.18	6.56	207.83	504424.74	738902.19	N 32° 23' 6.39"	W 103° 41' 35.95"
	5086.00	0.13	348.27	5085.89	-5.75	-5.75	-3.15	0.21	6.55	208.71	504424.79	738902.10	N 32° 23' 6.39"	W 103° 41' 35.95"
	5181.00	0.18	327.07	5180.89	-5.51	-5.51	-3.25	0.08	6.40	210.52	504425.03	738902.00	N 32° 23' 6.39"	W 103° 41' 35.95"
	5275.00	0.11	162.00	5274.89	-5.48	-5.48	-3.30	0.31	6.40	211.87	504425.06	738901.95	N 32° 23' 6.39"	W 103° 41' 35.95"
	5370.00	0.10	66.42	5369.89	-5.52	-5.52	-3.17	0.25	6.36	209.87	504425.02	738901.92	N 32° 23' 6.39"	W 103° 41' 35.95"
	5465.00	0.16	267.62	5464.89	-5.47	-5.47	-3.14	0.25	6.31	209.88	504425.07	738902.10	N 32° 23' 6.39"	W 103° 41' 35.95"
	5559.00	0.04	35.57	5558.89	-5.45	-5.45	-3.21	0.14	6.32	210.48	504425.09	738902.04	N 32° 23' 6.39"	

	MD (ft)	Incl (°)	Azim Grid (°)	TVD (ft)	VSEC (ft)	NS (ft)	EW (ft)	DLS (ft/100ft)	Closure (ft)	Closure Azimuth (°)	Northing (ftUS)	Easting (ftUS)	Latitude (N/S ° ' ")	Longitude (E/W ° ' ")
	9442.00	7.32	181.31	9426.25	-208.25	-208.25	48.81	1.17	213.89	166.81	504222.30	738954.06	N 32° 23 43" W	W 103° 41 35.36"
	9537.00	7.53	180.90	9520.45	-220.52	-220.52	48.58	0.23	225.81	167.58	504210.03	738953.82	N 32° 23 42" W	W 103° 41 35.36"
	9631.00	8.01	188.51	9613.59	-233.16	-233.16	47.51	1.21	237.95	168.48	504197.39	738952.76	N 32° 23 41" W	W 103° 41 35.38"
	9726.00	8.01	180.50	9707.67	-246.32	-246.32	46.47	1.17	250.67	169.32	504184.23	738951.72	N 32° 23 40" W	W 103° 41 35.39"
	9821.00	8.85	170.31	9801.64	-260.15	-260.15	47.64	1.80	264.47	169.62	504170.41	738952.89	N 32° 23 38" W	W 103° 41 35.38"
	9916.00	10.73	162.09	9895.26	-275.77	-275.77	51.60	2.46	280.55	169.40	504154.79	738956.84	N 32° 23 3.71" W	W 103° 41 35.33"
	10010.00	10.63	157.49	9927.64	-292.10	-292.10	57.61	0.91	297.73	168.94	504138.45	738962.85	N 32° 23 3.55" W	W 103° 41 35.26"
	10105.00	10.49	153.03	10081.03	-307.91	-307.91	64.88	0.87	314.67	168.10	504122.65	738970.13	N 32° 23 3.39" W	W 103° 41 35.18"
	10200.00	10.95	154.62	10174.37	-323.76	-323.76	72.67	0.58	331.82	167.35	504106.79	738977.92	N 32° 23 3.24" W	W 103° 41 35.09"
	10294.00	10.17	158.62	10266.78	-339.56	-339.56	79.52	1.14	348.75	166.82	504091.00	738984.77	N 32° 23 3.08" W	W 103° 41 35.01"
	10389.00	9.60	162.77	10360.37	-354.94	-354.94	84.93	0.96	364.95	166.54	504075.62	738990.17	N 32° 23 2.93" W	W 103° 41 34.95"
	10484.00	9.73	161.62	10454.02	-370.12	-370.12	89.81	0.25	380.86	166.36	504060.44	738995.05	N 32° 23 2.78" W	W 103° 41 34.89"
	10579.00	10.29	156.78	10547.58	-385.54	-385.54	95.68	1.06	397.23	166.06	504045.02	739000.39	N 32° 23 2.62" W	W 103° 41 34.83"
	10673.00	10.79	155.20	10639.99	-401.24	-401.24	102.68	0.61	414.17	165.85	504029.32	739007.93	N 32° 23 2.47" W	W 103° 41 34.74"
	10768.00	11.99	157.81	10733.12	-418.45	-418.45	110.14	1.37	432.70	165.25	504012.11	739015.38	N 32° 23 2.30" W	W 103° 41 34.66"
	10863.00	11.91	156.95	10826.06	-436.61	-436.61	117.71	0.21	452.19	164.91	503993.96	739022.95	N 32° 23 2.12" W	W 103° 41 34.57"
	10957.00	12.03	152.25	10918.02	-454.20	-454.20	126.06	1.04	471.37	164.49	503976.36	739031.31	N 32° 23 1.94" W	W 103° 41 34.48"
	11052.00	11.26	150.65	11011.06	-471.05	-471.05	135.22	0.88	490.07	163.98	503959.52	739040.46	N 32° 23 1.78" W	W 103° 41 34.37"
	11146.00	9.69	153.24	11103.49	-486.11	-486.11	143.28	1.74	506.79	163.58	503944.45	739048.52	N 32° 23 1.63" W	W 103° 41 34.28"
	11241.00	8.17	154.31	11197.34	-499.33	-499.33	149.81	1.61	521.32	163.30	503931.23	739055.05	N 32° 23 1.50" W	W 103° 41 34.20"
Actual KOP	11279.00	7.62	155.55	11234.98	-504.06	-504.06	152.02	1.52	526.49	163.22	503926.50	739057.26	N 32° 23 1.45" W	W 103° 41 34.18"
	11303.00	7.23	154.88	11258.78	-506.88	-506.88	153.32	1.66	529.56	163.17	503923.69	739058.56	N 32° 23 1.42" W	W 103° 41 34.16"
	11469.50	3.20	282.07	11424.87	-515.41	-515.41	153.23	5.71	537.71	163.44	503915.15	739058.47	N 32° 23 1.34" W	W 103° 41 34.16"
	11493.00	4.34	292.90	11448.32	-514.93	-514.93	151.77	5.71	536.83	163.58	503915.64	739057.01	N 32° 23 1.34" W	W 103° 41 34.18"
	11587.00	11.00	352.77	11541.53	-504.62	-504.62	147.35	10.19	525.70	163.72	503925.94	739052.60	N 32° 23 1.44" W	W 103° 41 34.23"
	11682.00	9.99	350.24	11633.88	-482.72	-482.72	143.99	5.29	503.74	163.39	503947.84	739049.23	N 32° 23 1.66" W	W 103° 41 34.27"
	11777.00	27.81	358.42	11721.89	-447.54	-447.54	141.15	12.82	469.27	162.50	503983.02	739046.40	N 32° 23 2.01" W	W 103° 41 34.30"
	11855.99	36.27	4.50	11788.80	-405.74	-405.74	142.48	11.46	430.03	160.65	504024.82	739047.72	N 32° 23 2.42" W	W 103° 41 34.28"
	11871.00	37.91	5.38	11800.78	-396.72	-396.72	143.26	11.46	421.80	160.14	504033.84	739048.50	N 32° 23 2.51" W	W 103° 41 34.27"
	11966.00	42.69	9.13	11873.22	-335.82	-335.82	151.11	5.64	368.26	155.77	504094.73	739056.36	N 32° 23 3.11" W	W 103° 41 34.18"
Wolfcamp A Intersection	12061.00	52.66	4.74	11937.12	-266.20	-266.20	159.37	11.03	310.25	149.09	504164.36	739064.61	N 32° 23 3.80" W	W 103° 41 34.07"
	12156.00	61.59	3.06	11988.64	-186.67	-186.67	164.73	9.52	248.96	136.57	504243.87	739069.97	N 32° 23 4.59" W	W 103° 41 34.01"
	12170.00	63.12	3.02	11995.14	-174.29	-174.29	165.39	10.91	240.27	136.50	504266.26	739070.63	N 32° 23 4.71" W	W 103° 41 34.00"
	12250.00	71.84	2.84	12025.75	-100.56	-100.56	169.16	10.91	196.79	120.73	504329.99	739074.40	N 32° 23 5.44" W	W 103° 41 33.95"
	12345.00	81.92	1.52	12047.29	-8.23	-8.23	172.65	10.70	172.85	92.73	504422.31	739077.99	N 32° 23 6.35" W	W 103° 41 33.90"
	12440.00	80.92	2.11	12061.46	85.66	85.66	175.63	1.22	195.41	64.00	504516.20	739080.87	N 32° 23 7.28" W	W 103° 41 33.86"
	12535.00	88.01	359.93	12070.62	180.14	180.14	177.30	7.80	252.75	44.55	504610.67	739082.54	N 32° 23 8.22" W	W 103° 41 33.83"
	12629.00	90.47	0.33	12071.86	274.12	274.12	177.51	2.65	326.58	32.93	504704.65	739082.75	N 32° 23 9.15" W	W 103° 41 33.82"
	12646.00	90.48	0.07	12071.72	291.12	291.12	177.57	3.41	341.00	31.38	504721.65	739082.81	N 32° 23 9.32" W	W 103° 41 33.82"
	12716.00	89.30	357.93	12071.86	361.10	361.10	176.35	3.49	401.87	26.03	504791.63	739081.59	N 32° 23 10.01" W	W 103° 41 33.83"
100' FSL Crossing	12811.00	88.66	357.30	12073.55	456.01	456.01	172.40	0.95	487.51	20.71	504886.52	739077.64	N 32° 23 10.95" W	W 103° 41 33.87"
	12906.00	88.01	358.64	12076.31	550.90	550.90	169.03	1.57	576.25	17.06	504981.42	739074.28	N 32° 23 11.89" W	W 103° 41 33.90"
	13001.00	87.23	357.23	12080.25	645.76	645.76	165.62	1.70	666.66	14.38	505076.27	739070.86	N 32° 23 12.83" W	W 103° 41 33.94"
	13095.00	87.29	357.46	12084.75	739.55	739.55	161.27	0.25	756.93	12.30	505170.05	739066.51	N 32° 23 13.75" W	W 103° 41 33.98"
	13190.00	87.95	358.29	12089.58	834.44	834.44	159.49	0.35	849.57	9.35	505264.94	739064.90	N 32° 23 14.69" W	W 103° 41 33.99"
	13284.00	87.90	359.83	12092.10	928.38	928.38	159.98	0.80	942.06	9.78	505358.87	739065.22	N 32° 23 15.62" W	W 103° 41 33.98"
	13379.00	88.16	2.60	12095.36	1023.29	1023.29	161.99	2.93	1036.03	9.00	505453.78	739067.23	N 32° 23 16.56" W	W 103° 41 33.95"
	13474.00	88.59	3.72	12098.06	1118.11	1118.11	167.23	1.26	1130.54	8.51	505548.59	739072.47	N 32° 23 17.50" W	W 103° 41 33.89"
	13568.00	87.85	5.37	12100.98	1211.76	1211.76	161.77	1.92	1224.29	8.20	505642.24	739079.91	N 32° 23 18.42" W	W 103° 41 33.79"
	13663.00	89.51	10.85	12103.17	1301.75	1301.75	188.07	6.03	1319.22	8.20	505736.22	739093.31	N 32° 23 19.35" W	W 103° 41 33.63"
	13758.00	88.86	7.62	12104.52	1399.49	1399.49	203.31	9.29	1414.18	8.20	505828.97	739106.55	N 32° 23 20.27" W	W 103° 41 33.45"
	13853.00	90.08	6.74	12105.40	1493.74	1493.74	215.18	1.58	1509.16	8.20	505924.21	739120.65	N 32° 23 21.21" W	W 103° 41 33.30"
	13947.00	89.80	2.09	12105.50	1587.44	1587.44	222.42	4.96	1602.94	7.98	506017.90	739127.85	N 32° 23 22.14" W	W 103° 41 33.21"
	14042.00	89.50	359.24	12106.08	1682.42	1682.42	223.52	3.02	1697.20	7.57	506112.88	739128.76	N 32° 23 23.08" W	W 103° 41 33.19"
	14137.00	89.71	359.04	12106.73	1777.41	1777.41	222.09	0.31	1791.23	7.12	506207.86	739127.33	N 32° 23 24.02" W	W 103° 41 33.20"
	14231.00	91.31												

Comments	MD (ft)	Incl (°)	Azim Grid (°)	TVD (ft)	VSEC (ft)	NS (ft)	EW (ft)	DLS (°/100ft)	Closure (ft)	Closure Azimuth (°)	Northing (ftUS)	Easting (ftUS)	Latitude (N/S ° ' ")	Longitude (E/W ° ' ")
100' FNL Crossing Final MWD Survey Prot to TD	21520.00	90.95	357.26	12068.26	9151.86	9151.86	118.71	1.57	9152.63	0.74	513581.96	739023.96	N 32 24 36.89	W 103 41 33.88
	21614.00	90.48	358.55	12067.09	9245.79	9245.79	115.28	1.46	9246.51	0.71	513675.88	739020.52	N 32 24 37.92	W 103 41 33.92
	21709.00	89.66	0.31	12068.97	9340.78	9340.78	114.33	2.04	9341.48	0.70	513770.87	739019.58	N 32 24 38.86	W 103 41 33.93
	21804.00	88.89	0.36	12068.18	9435.77	9435.77	114.89	0.81	9436.47	0.70	513865.85	739020.13	N 32 24 39.80	W 103 41 33.92
	21899.00	89.50	0.33	12069.51	9530.76	9530.76	115.46	0.64	9531.46	0.69	513960.84	739020.70	N 32 24 40.74	W 103 41 33.90
	21993.00	90.78	3.08	12069.28	9624.70	9624.70	118.26	3.23	9625.43	0.70	514054.78	739023.50	N 32 24 41.67	W 103 41 33.86
	22088.00	90.31	5.46	12068.38	9719.43	9719.43	125.33	2.55	9720.24	0.74	514149.50	739030.57	N 32 24 42.61	W 103 41 33.77
	22182.00	89.11	1.76	12068.85	9813.22	9813.22	131.25	4.14	9814.10	0.77	514243.29	739036.49	N 32 24 43.54	W 103 41 33.70
	22277.00	90.09	0.20	12069.52	9908.20	9908.20	132.87	1.94	9909.09	0.77	514338.27	739038.12	N 32 24 44.48	W 103 41 33.67
	22372.00	90.96	1.12	12068.65	10003.19	10003.19	133.97	1.33	10004.09	0.77	514433.25	739039.21	N 32 24 45.42	W 103 41 33.65
	22466.00	90.08	359.88	12067.79	10097.18	10097.18	134.79	1.62	10098.08	0.76	514527.23	739040.03	N 32 24 46.35	W 103 41 33.64
	22558.00	89.39	358.82	12068.22	10189.17	10189.17	133.75	1.37	10190.05	0.75	514619.22	739038.99	N 32 24 47.26	W 103 41 33.64
	22561.00	89.37	358.79	12068.25	10192.17	10192.17	133.68	1.37	10193.05	0.75	514622.22	739038.93	N 32 24 47.29	W 103 41 33.64
	22608.00	89.37	358.79	12068.77	10239.16	10239.16	132.69	0.00	10240.02	0.74	514669.20	739037.93	N 32 24 47.75	W 103 41 33.65

Survey Type: Def Survey

Survey Error Model: ISCSWA Rev 3 *** 3-D 95.000% Confidence 2.7955 sigma
Survey Program:

Description	Part	MD From (ft)	MD To (ft)	EOU Freq (ft)	Hole Size (in)	Casing Diameter (in)	Survey Tool Type	Borehole / Survey
	1	0.000	25.000	1/98.425	26.400	26.400	GYD_GC+DROP+OH-Depth Only	Dr PI Fed Unit 17_8 DA 34H / Oxy Gyro+MWD 0' to 22608MD
	1	25.000	25.000	Act Stns	26.400	26.400	GYD_GC+DROP+OH-Depth Only	Dr PI Fed Unit 17_8 DA 34H / Oxy Gyro+MWD 0' to 22608MD
	1	25.000	939.230	Act Stns	26.400	26.400	GYD_GC+DROP+OH	Dr PI Fed Unit 17_8 DA 34H / Oxy Dr PI Fed Unit 17_8 DA 34H
	1	939.230	22608.000	Act Stns	26.400	26.400	A010Mb_MWD+IFR1+SAG+MS	Dr PI Fed Unit 17_8 DA 34H / Oxy Gyro+MWD 0' to 22608MD

Intent ☐ As Drilled ☐

API #		
Operator Name:	Property Name:	Well Number

Kick Off Point (KOP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

First Take Point (FTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Last Take Point (LTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Is this well the defining well for the Horizontal Spacing Unit? ☐Is this well an infill well? ☐

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API #		
Operator Name:	Property Name:	Well Number

KZ 06/29/2018

Well Name: DR PI FED UNIT 17-8 DA	Well Location: T22S / R32E / SEC 17 / SWSE / 32.3851237 / -103.6933095	County or Parish/State: EDDY / NM
Well Number: 34H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM128362	Unit or CA Name: DR PI (DEEP)	Unit or CA Number: NMNM143828X
US Well Number: 3002548951	Well Status: Producing Oil Well	Operator: OXY USA INCORPORATED

Subsequent Report

Sundry ID: 2703010	
Type of Submission: Subsequent Report	Type of Action: Workover Operations
Date Sundry Submitted: 11/14/2022	Time Sundry Submitted: 04:43
Date Operation Actually Began: 07/18/2022	

Actual Procedure: RUPU 07/18/22, RIH & clean out to PBTD @ 22544', pressure test casing to 6000# for 30 min, good test. RIH & perf @ 12246-22472' Total 1230 holes. Frac in 41 stages w/ 2168BBL Produced Water + 384789BBL Brackish Water (> 1,000 mg/I TDS and 10,000 mg/I TDS) w/ 25724678# sand, RD NexTier 08/10/22. Well ready to produce 08/16/22. 10/06/22 RIH with 2-3/8" L80 tbg & gas lift set @ 11971', RD 10/07/22. Formation Tops for this completion are as follows: Rustler 904'M 904'V Salado 1242'M 1242'V Castile 3212'M 3212'V Lamar/Delaware 4760'M 4760'V Bell Canyon 4798'M 4798'V Cherry Canyon 5614'M 5614'V Brushy Canyon 6822'M 6822'V Bone Spring 8616'M 8610'V Ist Bone Springs 9714'M 9696'V 2nd Bone Springs 10346'M 10318'V 3rd Bone Springs 11490'M 11445'V Wolfcamp 11887'M 11814'V

Received by OCD: 1/9/2023 1:13:35 PM

Page 9 of 14

Well Name: DR PI FED UNIT 17-8 DA	Well Location: T22S / R32E / SEC 17 / SWSE / 32.3851237 / -103.6933095	County or Parish/State: EDDY / NM
Well Number: 34H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM128362	Unit or CA Name: DR PI (DEEP)	Unit or CA Number: NMNM143828X
US Well Number: 3002548951	Well Status: Producing Oil Well	Operator: OXY USA INCORPORATED

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a


Operator Electronic Signature: JANA MENDIOLA	Signed on: NOV 14, 2022 04:42 PM
Name: OXY USA INCORPORATED	
Title: Regulatory Coordinator	
Street Address: PO BOX 50250	
City: Midland	State: TX
Phone: (432) 685-5936	
Email address: Janalyn_mendiola@oxy.com	

Field

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact

BLM POC Name: Jonathon W Shepard	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5752345972	BLM POC Email Address: jshepard@blm.gov
Disposition: Accepted	Disposition Date: 12/15/2022
Signature: Jonathon Shepard	

Submit To Appropriate District Office Two Copies <u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 <u>District II</u> 811 S. First St., Artesia, NM 88210 <u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 <u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505			Form C-105 Revised April 3, 2017					
WELL COMPLETION OR RECOMPLETION REPORT AND LOG							1. WELL API NO. 30-025-48951			
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)							2. Type of Lease ☐ STATE ☐ FEE ☒ FED/INDIAN			
							3. State Oil & Gas Lease No.			
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER							5. Lease Name or Unit Agreement Name DR PI FEDERAL UNIT 17-8 DA			
8. Name of Operator: OXY USA INC.						9. OGRID: 16696				
10. Address of Operator: P.O. BOX 50250 MIDLAND, TX 79710						11. Pool name or Wildcat WC-025-G-09 S233216K; UPR WOLFCAMP				
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	O	17	22S	32E		275	SOUTH	1570	EAST	LEA
BH:	B	8	22S	32E		50	NORTH	1364	EAST	LEA
13. Date Spudded 01/22/22	14. Date T.D. Reached 06/07/2022		15. Date Rig Released 06/10/2022		16. Date Completed (Ready to Produce) 08/16/2022		17. Elevations (DF and RKB, RT, GR, etc.) 3673' GL			
18. Total Measured Depth of Well 22608'M 12609'V			19. Plug Back Measured Depth 22544'M 12068'V		20. Was Directional Survey Made? YES		21. Type Electric and Other Logs Run CBL			
22. Producing Interval(s), of this completion - Top, Bottom, Name 12246-22472' WOLFCAMP										
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
13.375" J55		54.5		942'		17.5"		1140sx-surf circ		
7.625" HCL80		26.4		11288'		9.875"		3011sx-surf		
5.5" P110		20		22588'		6.75"		877sx-TOC@10788'		
24. LINER RECORD										
SIZE	TOP	BOTTOM		SACKS CEMENT		SCREEN		25. TUBING RECORD		
								SIZE		
								2-3/8"		
								DEPTH SET		
								11971'		
26. Perforation record (interval, size, and number) 12246-22472' Total 1230 holes, Hole Size=0.42						27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.				
						DEPTH INTERVAL		AMOUNT AND KIND MATERIAL USED		
						12246-22472'		2168BBL Produced Water + 384789BBL Brackish Water (> 1,000 mg/l TDS and < 10,000 mg/l TDS) w/ 25724678# sand		
28. PRODUCTION										
Date First Production		Production Method (Flowing, gas lift, pumping - Size and type pump)				Well Status (Prod. or Shut-in)				
08/19/2022		Gas Lift				Prod.				
Date of Test	Hours Tested	Choke Size	Prod'n For	Oil - Bbl	Gas - MCF	Water - Bbl.	Gas - Oil Ratio			
08/30/2022	24 hrs.	128/128	Test Period	5024	8787	7499	1749			
Flow Tubing Press.	Casing Pressure	Calculated 24-Hour Rate	Oil - Bbl.	Gas - MCF	Water - Bbl.	Oil Gravity - API - (Corr.)				
	1341		5024	8787	7499					
29. Disposition of Gas (Sold, used for fuel, vented, etc.) SOLD							30. Test Witnessed By			
31. List Attachments WBD										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.							33. Rig Release Date:			
34. If an on-site burial was used at the well, report the exact location of the on-site burial:										
Latitude _____ Longitude _____ NAD83										
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Signature: 		Name: <u>Jana Mendiola</u>			Title: <u>Sr. Regulatory Analyst</u>			Date: <u>11/14/2022</u>		
E-mail Address: <u>janalyn_mendiola@oxy.com</u>										

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

Southeastern New Mexico		Northwestern New Mexico	
T. Rustler 904'	T. Bell Canyon 4798'	T. Ojo Alamo	T. Penn A"
T. Salado 1242'	T. Strawn	T. Kirtland	T. Penn. "B"
T. Castile 3212'	T. Atoka	T. Fruitland	T. Penn. "C"
T. Delaware 4760'	T. Miss	T. Pictured Cliffs	T. Penn. "D"
T. Cherry Canyon 5614'	T. Devonian	T. Cliff House	T. Leadville
T. Brushy Canyon 6822'	T. Silurian	T. Menefee	T. Madison
T. Grayburg	T. Montoya	T. Point Lookout	T. Elbert
T. San Andres	T. Simpson	T. Mancos	T. McCracken
T. Glorieta	T. McKee	T. Gallup	T. Ignacio Otzte
T. Paddock	T. Ellenburger	Base Greenhorn	T. Granite
T. Blinebry	T. Gr. Wash	T. Dakota	
T. Tubb	T. Delaware Sand	T. Morrison	
T. Drinkard	T. Bone Springs 8616'	T. Todilto	
T. Abo	T. 1 st Bone Springs 9714'	T. Entrada	
T. Wolfcamp 11887'	T. 2 nd Bone Springs 10346'	T. Wingate	
T. Penn	T. 3 rd Bone Springs 11490'	T. Chinle	
T. Cisco (Bough C)	T.	T. Permian	

No. 1, from.....to.....

No. 2, from.....to.....

No. 3, from.....to.....


No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology

OXY USA Inc.
DR PI FEDERAL UNIT 17-8 DA 34H
API No. 30-025-48951



2-3/8" tbg & gas lift @ 11971'

Perfs @ 12246-22472'

TD- 22608'M 12069'V

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 174132

ACKNOWLEDGMENTS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 174132
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 174132

CONDITIONS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 174132
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
smcgrath	File 3160-4 within 10 days of BLM Approval	1/20/2023
smcgrath	Upload CBL to OCD Permitting/Well Logs	1/20/2023