

District I
1625 N. French Dr., Hobbs, NM 88240

State of New Mexico
Energy, Minerals & Natural Resources

Form C-104
Revised August 1, 2011

District II
811 S. First St., Artesia, NM 88210

District III
1000 Rio Brazos Rd., Aztec, NM 87410

District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☒ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address OXY USA INC. P.O. BOX 50250 MIDLAND, TX 79710		² OGRID Number: 16696
		³ Reason for Filing Code/ Effective Date: NW - 08/29/2022
⁴ API Number 30 - 025-49147	⁵ Pool Name WC-025 G-09 S233216K; UPR WOLFCAMP	⁶ Pool Code 98166
⁷ Property Code: 332769	⁸ Property Name: DR PI FEDERAL UNIT 17-8 DA	⁹ Well Number: 31H

II. ¹⁰ Surface Location

Ul or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
M	17	22S	32E		350	SOUTH	1075	WEST	LEA

¹¹ Bottom Hole Location

FTP- 239' FSL 500' FWL LTP- 185' FNL 489' FWL

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
D	8	22S	32E		45	NORTH	481	WEST	LEA
¹² Lse Code F	¹³ Producing Method Code : P		¹⁴ Gas Connection Date: 9/2/22		¹⁵ C-129 Permit Number		¹⁶ C-129 Effective Date		¹⁷ C-129 Expiration Date

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
237722	CENTURION PIPELINE L.P.	O
248749	DCP MIDSTREAM, LP	G

IV. Well Completion Data

²¹ Spud Date 01/26/22	²² Ready Date 08/29/2022	²³ TD 22313'M 12050'V	²⁴ PBSD 22268'M 12049'V	²⁵ Perforations 11947-22173'	²⁶ DHC, MC
²⁷ Hole Size		²⁸ Casing & Tubing Size		²⁹ Depth Set	³⁰ Sacks Cement
17-1/2"		13-3/8"		952'	1140
9-7/8"		7-5/8"		11405'	2048
6-3/4"		5-1/2"		22293'	877
		2-3/8" TBG		11889'	NA

V. Well Test Data

³¹ Date New Oil 9/6/22	³² Gas Delivery Date 9/2/22	³³ Test Date 9/29/22	³⁴ Test Length 24 HRS	³⁵ Tbg. Pressure	³⁶ Csg. Pressure 1980
³⁷ Choke Size 128/128	³⁸ Oil 6581	³⁹ Water 4368	⁴⁰ Gas 8946		⁴¹ Test Method F

⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.

Signature: 

Printed name: JANA MENDIOLA

Title: SR. REGULATORY ANALYST

E-mail Address:
Janalyn_mendiola@oxy.com

Date: 01/10/2023 Phone: 432-685-5036

OIL CONSERVATION DIVISION

Approved by:

PATRICIA MARTINEZ

Title: PETROLEUM SPECIALIST

Approval Date: 1/20/2023

1625 N. French Dr., Hobbs, NM 88240
 Phone: (575) 393-6161 Fax: (575) 393-0720
District II
 811 S. First St., Artesia, NM 88210
 Phone: (575) 748-1283 Fax: (575) 748-9720
District III
 1000 Rio Brazos Road, Aztec, NM 87410
 Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
 1220 S. St. Francis Dr., Santa Fe, NM 87505
 Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
 Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

Revised August 1, 2011
 Submit one copy to appropriate
 District Office

☒ AMENDED REPORT



WELL LOCATION AND ACREAGE DEDICATION AS-DRILLED PLAT

¹ API Number 30-025-49147	² Pool Code 98166	³ Pool Name WC-025 G-09 S233216K; UPR WOLFCAMP
⁴ Property Code 332769	Property Name DR PI FEDERAL UNIT 17-8 DA	
⁷ OGRID No. 16696	⁸ Operator Name OXY USA INC.	⁶ Well Number 31H
		⁹ Elevation 3683'

¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
M	17	22S	32E		350	SOUTH	1075	WEST	LEA
¹¹ Bottom Hole Location If Different From Surface									
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
D	8	22S	32E		45	NORTH	481	WEST	LEA
¹² Dedicated Acres 320.0	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.						

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

CORNER COORDINATES NAD 83, SPCS NM EAST A - X: 736439.52' / Y: 514688.72' B - X: 736477.05' / Y: 509412.17' C - X: 736514.69' / Y: 504130.63' D - X: 735193.40' / Y: 504116.89' E - X: 735157.00' / Y: 509399.20' F - X: 735118.90' / Y: 514673.22'		CORNER COORDINATES NAD 27, SPCS NM EAST A - X: 695257.40' / Y: 514628.01' B - X: 695294.79' / Y: 509351.60' C - X: 695332.27' / Y: 504070.20' D - X: 694010.99' / Y: 504056.46' E - X: 693974.74' / Y: 509338.63' F - X: 693936.79' / Y: 514612.51'		17 OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.  8/26/2022 Signature _____ Date _____ JANA MENDIOLA Printed Name _____ janalyn_mendiola@oxy.com E-mail Address _____	
BOTTOM HOLE LOCATION 45' FNL 481' FWL, SECTION 8 22313' MEASURED DEPTH IN FEET NAD 83, SPCS NM EAST X: 735599.71' / Y: 514634.01' LAT: 32.41322351N / LON: 103.70382268W NAD 27, SPCS NM EAST X: 694417.60' / Y: 514573.30' LAT: 32.41310086N / LON: 103.70333360W		LAST TAKE POINT 185' FNL 489' FWL, SECTION 8 22173' MEASURED DEPTH IN FEET NAD 83, SPCS NM EAST X: 735609.16' / Y: 514494.35' LAT: 32.41283947N / LON: 103.70379474W NAD 27, SPCS NM EAST X: 694427.04' / Y: 514433.64' LAT: 32.41271682N / LON: 103.70330568W		18 SURVEYOR CERTIFICATION I hereby certify that the well surface location shown on this plat was plotted from field notes of the as-staked surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. Data used for underground measurements were provided by others for reference only and does not constitute field measurements performed by R-Squared Global. AUGUST 26, 2022 Date of Survey _____ Signature and Seal of Professional Surveyor: 	
FIRST TAKE POINT 239' FSL 500' FWL, SECTION 17 11947' MEASURED DEPTH IN FEET NAD 83, SPCS NM EAST X: 735691.34' / Y: 504361.24' LAT: 32.38498562N / LON: 103.70372175W NAD 27, SPCS NM EAST X: 694508.94' / Y: 504300.80' LAT: 32.38486284N / LON: 103.70323376W		KICK OFF POINT 118' FSL 658' FWL, SECTION 17 11478' MEASURED DEPTH IN FEET NAD 83, SPCS NM EAST X: 735851.01' / Y: 504242.12' LAT: 32.38465563N / LON: 103.70320681W NAD 27, SPCS NM EAST X: 694468.60' / Y: 504181.69' LAT: 32.38453285N / LON: 103.70271885W		SURFACE HOLE LOCATION 350' FSL 1075' FWL, SECTION 17 NAD 83, SPCS NM EAST X: 736265.89' / Y: 504478.16' LAT: 32.38529770N / LON: 103.70185837W NAD 27, SPCS NM EAST X: 695083.49' / Y: 504417.72' LAT: 32.38517491N / LON: 103.70137042W	

SHEET 1 OF 1
 JOB No. R4279_001
 REV 0 BM 8/26/2022

Distances/areas relative to NAD 83 Combined Scale Factor: 0.99995379 Convergence Angle: 00°20'34.08"



Released to Imaging: 1/20/2023 3:41:47 PM

Schlumberger



Oxy Dr Pi Fed Unit 17_8 DA 31H Gyro+MWD 0' to 22313'MD Survey Geodetic Report

(Def Survey)

Report Date: July 11, 2022 - 09:02 PM Client: OXY Field: NM Lea County (NAD 83) Structure / Slot: Oxy Dr Pi Fed Unit 17_8_DA_Citadel 2 (Pad) / Dr Pi Fed Unit 17_8 DA 31H Well: Dr Pi Fed Unit 17_8 DA 31H Borehole: Dr Pi Fed Unit 17_8 DA 31H UWI / API#: Unknown / Unknown Survey Name: Oxy Dr Pi Fed Unit 17_8 DA 31H Gyro+MWD 0' to 22313'MD Survey Date: April 08, 2022 Tort / AHD / DDI / ERD Ratio: 328.004' / 11047.393 ft / 6.825 / 0.913 Coordinate Reference System: NAD83 New Mexico State Plane, Eastern Zone, US Feet Location Lat / Long: N 32° 23' 7.07172", W 103° 42' 6.69012" Location Grid N/E Y/X: N 504478.160 NUS, E 736265.890 NUS CRS Grid Convergence Angle: 0.3382 Grid Scale Factor: 0.99995261 Version / Patch: 2.10.829.1	Survey / DLS Computation: Minimum Curvature / Lubinski Vertical Section Azimuth: 356.030' (Grid North) Vertical Section Origin: 0.000 ft, 0.000 ft TVD Reference Datum: RKB TVD Reference Elevation: 3706.600 ft above MSL Seabed / Ground Elevation: 3682.600 ft above MSL Magnetic Declination: 6.720 ° Total Gravity Field Strength: 998.4513mgn (9.80665 Based) Gravity Model: GARM Total Magnetic Field Strength: 47855.200 nT Magnetic Dip Angle: 60.151 ° Declination Date: May 24, 2022 Magnetic Declination Model: IFR1 North Reference: Grid North Grid Convergence Used: 0.3400 ° Total Corr Mag North->Grid North: 6.3800 ° Local Coord Referenced To: Well Head	
---	--	--

Comments	MD (ft)	Incl (°)	Azin Grid (°)	TVD (ft)	VSEC (ft)	NS (ft)	EW (ft)	DLS (°/100ft)	Closure (ft)	Closure Azimuth (°)	Northing (ftUS)	Easting (ftUS)	Latitude (N/S ° ' ")	Longitude (E/W ° ' ")
WRP	0.00	0.00	0.00	0.00	0.00	0.00	0.00	N/A	0.00	0.00	504478.16	736265.89	N 32° 23' 7.07	W 103° 42' 6.69
SHL	24.00	0.00	0.00	24.00	0.00	0.00	0.00	0.00	0.00	0.00	504478.16	736265.89	N 32° 23' 7.07	W 103° 42' 6.69
First Gyro Survey	96.34	0.29	3.62	96.34	0.18	0.18	0.01	0.40	0.18	3.62	504478.34	736265.90	N 32° 23' 7.07	W 103° 42' 6.69
	187.15	0.15	307.46	187.15	0.49	0.48	-0.07	0.27	0.49	351.98	504478.64	736265.82	N 32° 23' 7.08	W 103° 42' 6.69
	278.28	0.19	193.51	278.28	0.42	0.41	-0.20	0.31	0.46	334.19	504478.57	736265.69	N 32° 23' 7.08	W 103° 42' 6.69
	372.77	0.42	126.56	372.77	0.05	0.05	0.04	0.41	0.07	40.13	504478.21	736265.93	N 32° 23' 7.07	W 103° 42' 6.69
	467.08	0.26	54.16	467.08	-0.06	-0.03	0.49	0.45	0.50	93.38	504478.13	736266.38	N 32° 23' 7.07	W 103° 42' 6.68
	561.44	0.31	175.35	561.44	-0.21	-0.16	0.69	0.53	0.71	102.95	504478.00	736266.58	N 32° 23' 7.07	W 103° 42' 6.68
	655.60	0.41	146.82	655.59	-0.75	-0.69	0.89	0.21	1.13	127.84	504477.47	736266.78	N 32° 23' 7.06	W 103° 42' 6.68
	749.91	0.38	6.58	749.90	-0.74	-0.67	1.11	0.79	1.30	120.86	504477.49	736267.00	N 32° 23' 7.07	W 103° 42' 6.68
	844.19	0.36	29.63	844.18	-0.19	-0.10	1.30	0.16	1.30	94.32	504478.06	736267.19	N 32° 23' 7.07	W 103° 42' 6.68
	939.09	0.74	19.48	939.08	0.62	0.74	1.65	0.41	1.81	65.85	504478.90	736267.54	N 32° 23' 7.08	W 103° 42' 6.67
	1034.00	0.05	94.16	1033.98	1.18	1.31	1.89	0.77	2.31	55.25	504479.47	736267.78	N 32° 23' 7.08	W 103° 42' 6.67
	1127.00	0.07	109.98	1126.98	1.15	1.29	1.99	0.03	2.37	56.99	504479.45	736267.88	N 32° 23' 7.08	W 103° 42' 6.67
	1219.00	0.03	220.07	1218.98	1.11	1.25	2.03	0.09	2.38	58.24	504479.41	736267.92	N 32° 23' 7.08	W 103° 42' 6.67
	1312.00	0.05	33.93	1311.98	1.13	1.27	2.03	0.09	2.40	58.02	504479.43	736267.92	N 32° 23' 7.08	W 103° 42' 6.67
	1405.00	0.05	168.12	1404.98	1.12	1.26	2.06	0.10	2.42	58.53	504479.42	736267.95	N 32° 23' 7.08	W 103° 42' 6.67
	1543.00	0.04	315.24	1542.98	1.09	1.24	2.04	0.06	2.39	58.76	504479.40	736267.93	N 32° 23' 7.08	W 103° 42' 6.67
	1630.00	0.10	286.42	1629.98	1.14	1.28	1.95	0.08	2.33	56.66	504479.44	736267.84	N 32° 23' 7.08	W 103° 42' 6.67
	1691.00	0.06	195.42	1690.98	1.13	1.27	1.89	0.19	2.27	56.17	504479.43	736267.78	N 32° 23' 7.08	W 103° 42' 6.67
	1786.00	0.05	47.54	1785.98	1.11	1.25	1.91	0.11	2.28	56.83	504479.41	736267.80	N 32° 23' 7.08	W 103° 42' 6.67
	1881.00	0.05	167.14	1880.98	1.10	1.23	1.94	0.09	2.30	57.63	504479.39	736267.84	N 32° 23' 7.08	W 103° 42' 6.67
	1976.00	0.05	335.21	1975.98	1.09	1.23	1.94	0.10	2.29	57.58	504479.39	736267.83	N 32° 23' 7.08	W 103° 42' 6.67
	2070.00	0.04	107.62	2069.98	1.12	1.26	1.95	0.09	2.32	57.19	504479.42	736267.84	N 32° 23' 7.08	W 103° 42' 6.67
	2165.00	0.07	165.33	2164.98	1.05	1.19	2.00	0.06	2.33	59.18	504479.35	736267.89	N 32° 23' 7.08	W 103° 42' 6.67
	2260.00	0.03	68.79	2259.98	1.00	1.14	2.04	0.08	2.33	60.65	504479.30	736267.93	N 32° 23' 7.08	W 103° 42' 6.67
	2354.00	0.04	41.36	2353.98	1.03	1.18	2.08	0.02	2.39	60.48	504479.34	736267.97	N 32° 23' 7.08	W 103° 42' 6.67
	2449.00	0.04	32.49	2448.98	1.08	1.23	2.12	0.01	2.45	59.86	504479.39	736268.01	N 32° 23' 7.08	W 103° 42' 6.67
	2544.00	0.04	137.45	2543.98	1.08	1.23	2.16	0.07	2.49	60.25	504479.39	736268.05	N 32° 23' 7.08	W 103° 42' 6.66
	2639.00	0.03	329.60	2638.98	1.08	1.23	2.17	0.07	2.49	60.43	504479.39	736268.06	N 32° 23' 7.08	W 103° 42' 6.66
	2733.00	0.05	33.92	2732.98	1.13	1.29	2.18	0.05	2.53	59.45	504479.45	736268.07	N 32° 23' 7.08	W 103° 42' 6.66
	2828.00	0.09	51.11	2827.98	1.21	1.37	2.26	0.05	2.64	58.83	504479.53	736268.15	N 32° 23' 7.09	W 103° 42' 6.66
	2923.00	0.08	26.03	2922.98	1.31	1.47	2.35	0.04	2.77	57.88	504479.63	736268.24	N 32° 23' 7.09	W 103° 42' 6.66
	3017.00	0.06	2.91	3016.98	1.41	1.58	2.38	0.04	2.86	56.38	504479.74	736268.27	N 32° 23' 7.09	W 103° 42' 6.66
	3112.00	0.06	117.98	3111.98	1.44	1.61	2.43	0.11	2.91	56.45	504479.77	736268.32	N 32° 23' 7.09	W 103° 42' 6.66
	3207.00	0.07	72.61	3206.98	1.42	1.60	2.53	0.05	2.99	57.60	504479.76	736268.42	N 32° 23' 7.09	W 103° 42' 6.66
	3302.00	0.49	79.93	3301.98	1.48	1.69	2.98	0.44	3.43	60.43	504479.85	736268.87	N 32° 23' 7.09	W 103° 42' 6.66
	3397.00	0.87	78.91	3396.97	1.61	1.90	4.09	0.40	4.51	65.07	504480.06	736269.98	N 32° 23' 7.09	W 103° 42' 6.64
	3491.00	0.74	73.87	3490.97	1.83	2.21	5.37	0.16	5.81	67.67	504480.37	736271.26	N 32° 23' 7.09	W 103° 42' 6.63
	3586.00	0.58	63.99	3585.96	2.14	2.59	6.39	0.21	6.90	67.96	504480.75	736272.28	N 32° 23' 7.10	W 103° 42' 6.62
	3681.00	0.82	97.08	3680.95	2.19	2.71	7.50	0.48	7.98	70.10	504480.87	736273.39	N 32° 23' 7.10	W 103° 42' 6.60
	3776.00	0.15	164.64	3775.95	1.94	2.51	8.21	0.82	8.58	72.99	504480.67	736274.10	N 32° 23' 7.10	W 103° 42' 6.59
	3870.00	0.61	168.25	3869.95	1.32	1.90	8.34	0.49	8.56	77.15	504480.06	736274.23	N 32° 23' 7.09	W 103° 42' 6.59
	3965.00	0.26	239.30	3964.94	0.72	1.30	8.26	0.61	8.36	81.07	504479.46	736274.15	N 32° 23' 7.08	W 103° 42' 6.59
	4060.00	0.75	196.28	4059.94	0.04	0.59	7.90	0.62	7.92	85.72	504478.75	736273.79	N 32° 23' 7.08	W 103° 42' 6.60
	4155.00	1.40	167.01	4154.92	-1.69	-1.14	7.99	0.87	8.07	98.10	504477.02	736273.88	N 32° 23' 7.06	W 103° 42' 6.60
	4249.00	1.71	165.89	4248.89	-4.20	-3.62	8.59	0.33	9.32	112.84	504474.54	736274.48	N 32° 23' 7.04	W 103° 42' 6.59
	4344.00	1.59	176.70	4343.85	-6.92	-6.31	9.01	0.35	11.00	125.00	504471.85	736274.90	N 32° 23' 7.01	W 103° 42' 6.59
	4439.00	0.94	185.28	4438.83	-9.00	-8.40	9.01	0.71	12.32	132.98	504469.76	736274.90	N 32° 23' 6.99	W 103° 42' 6.59
	4534.00	0.52	303.11	4533.82	-9.51	-8.94	8.58	1.34	12.39	136.18	504469.22	736274.47	N 32° 23' 6.98	W 103° 42' 6.59
	4629.00	1.86	325.77	4628.80	-7.92	-7.43	7.35	1.47	13.35	135.30	504470.73	736273.24	N 32° 23' 7.00	W 103° 42' 6.60
	4723.00	3.38	332.14	4722.70	-4.07	-3.72	5.20	1.64	6.39	125.57	504474.44	736271.09	N 32° 23' 7.03	W 103° 42' 6.63
	4818.00	4.77	332.45	4817.46	2.11	2.26	2.06	1.46	3.06	42.37	504480.42	736267.95	N 32° 23' 7.09	W 103° 42' 6.67
	4913.00	4.18	328.90	4912.17	8.81	8.73	-1.55	0.69	8.86	349.91	504486.89	736264.34	N 32° 23' 7.16	W 103° 42' 6.71
	5008.00	0.51	298.58	5007.07	12.12	11.90	-3.71	3.95	12.46	342.66	504490.06	736262.18	N 32° 23' 7.19	W 103° 42' 6.73
	5102.00	0.05	298.06	5101.07	12.37	12.12	-4.12	0.49	12.80	341.23	504490.27	736261.77	N 32° 23' 7.19	W 103° 42' 6.74
	5197.00	0.04	283.63	5196.07	12.40	12.14	-4.19	0.02	12.84	340.98	504490.30	736261.70	N 32° 23' 7.19	W 103° 42' 6.74
	5292.00	0.03	14.09	5291.07	12.44	12.17	-4.21	0.05	12.88	340.92	504490.33	736261.68	N 32° 23' 7.19	W 103° 42' 6.74
	5386.00	0.04	225.67	5385.07	12.44	12.18	-4.23	0.07	12.89	340.84	504490.33	736261.66	N 32° 23' 7.19	W 103° 42' 6.74
	5481.00	0.09	163.49	5480.07	12.34	12.08	-4.23	0.08	12.80	340.69	504490.24	736261.66	N 32° 23' 7.19	W 103° 42' 6.74
	5576.00	0.03	336.25	5575.07	12.30	12.03	-4.22	0.13	12.75	340.67	504490.19	736261.67	N 32° 23' 7.19	W 103° 42' 6.74
	5671.00	0.06	182.06	5670.07	12.27	12.01	-4.23	0.09	12.73	340.58	504490.16	736261.66	N 32° 23' 7.19	W 103° 42' 6.74
	5766.00	0.05	219.40	5765.07	12.19	11.92	-4.26	0.04	12.66	340.34	504490.08	736261.63	N 32° 23' 7.19	W 103° 42' 6.74
	5861.00	0.11	236.17	5860.07	12.11	11.84	-4.36	0.07	12.62	339.77	504490.00	736261.53	N 32° 23' 7.19	W 103° 42' 6.74
	5955.00	0.06	107.90	5954.07	12.05	11.78	-4.39							

Comments	MD (ft)	Incl (°)	Azim Grid (°)	TVD (ft)	VSEC (ft)	NS (ft)	EW (ft)	DLS (°/100ft)	Closure (ft)	Closure Azimuth (°)	Northing (RUS)	Easting (RUS)	Latitude (N S ° ' ")	Longitude (E W ° ' ")
Actual KOP	9143.00	5.48	222.59	9140.58	-15.31	-18.51	-45.53	0.52	49.14	247.87	504459.65	736220.37	N 32 23 6.89	W 103 42 7.22
	9238.00	5.52	231.10	9235.14	-21.05	-24.72	-52.15	0.86	57.71	244.64	504453.44	736213.74	N 32 23 6.83	W 103 42 7.50
	9333.00	3.41	241.48	9329.85	-24.84	-28.94	-58.19	2.37	64.99	243.56	504449.22	736207.70	N 32 23 6.77	W 103 42 7.37
	9428.00	1.73	265.76	9424.75	-26.02	-30.39	-62.10	2.07	69.14	243.92	504447.77	736203.79	N 32 23 6.77	W 103 42 7.42
	9523.00	1.33	254.16	9519.72	-26.25	-30.80	-64.59	0.53	71.56	244.51	504447.36	736201.30	N 32 23 6.77	W 103 42 7.45
	9617.00	3.43	226.04	9613.64	-28.28	-33.05	-67.67	2.49	75.31	243.97	504445.11	736198.23	N 32 23 6.75	W 103 42 7.48
	9712.00	6.47	227.71	9708.27	-33.43	-38.62	-73.67	3.20	83.19	242.33	504439.54	736192.22	N 32 23 6.69	W 103 42 7.55
	9807.00	9.11	226.36	9802.39	-41.55	-47.42	-83.08	2.79	95.66	240.28	504430.74	736182.62	N 32 23 6.61	W 103 42 7.66
	9901.00	10.67	227.79	9894.99	-51.69	-58.40	-94.91	1.11	114.44	238.99	504419.76	736170.99	N 32 23 6.50	W 103 42 7.80
	9996.00	11.44	232.72	9988.23	-62.31	-70.02	-108.92	1.28	129.48	237.27	504408.15	736156.97	N 32 23 6.39	W 103 42 7.97
	10091.00	11.39	240.45	10081.35	-71.53	-80.35	-124.58	1.61	148.24	237.18	504397.81	736141.32	N 32 23 6.28	W 103 42 8.15
	10186.00	11.69	240.72	10174.43	-79.70	-89.68	-141.13	0.32	167.22	237.57	504388.48	736124.76	N 32 23 6.19	W 103 42 8.34
	10281.00	11.74	238.53	10267.45	-88.27	-99.44	-157.77	0.47	186.49	237.78	504378.73	736108.13	N 32 23 6.10	W 103 42 8.54
	10376.00	12.50	233.43	10360.34	-98.28	-110.61	-174.27	1.38	206.41	237.60	504367.56	736091.63	N 32 23 5.99	W 103 42 8.74
	10470.00	13.63	233.97	10451.90	-109.64	-123.18	-191.40	1.21	227.61	237.23	504359.88	736074.50	N 32 23 5.86	W 103 42 8.93
	10565.00	15.45	234.57	10543.86	-122.18	-137.10	-210.76	1.92	251.43	236.96	504341.06	736055.14	N 32 23 5.73	W 103 42 9.16
	10660.00	16.81	237.32	10635.12	-135.39	-151.86	-232.64	1.64	277.82	236.87	504326.31	736033.26	N 32 23 5.58	W 103 42 9.41
	10754.00	17.71	241.81	10724.89	-147.78	-165.95	-256.68	1.71	305.66	237.12	504312.22	736009.22	N 32 23 5.44	W 103 42 9.69
	10849.00	17.60	247.44	10815.42	-158.29	-178.29	-282.68	1.80	334.21	237.76	504299.88	735983.22	N 32 23 5.32	W 103 42 10.00
	10944.00	14.34	248.86	10906.74	-166.34	-188.04	-306.93	3.46	359.95	238.51	504290.12	735968.98	N 32 23 5.23	W 103 42 10.28
	11039.00	13.28	247.76	10998.99	-173.24	-196.42	-328.00	1.15	382.31	239.09	504281.75	735937.91	N 32 23 5.15	W 103 42 10.53
	11134.00	12.80	245.60	11091.58	-180.28	-204.83	-347.54	0.88	403.41	239.49	504273.34	735918.37	N 32 23 5.07	W 103 42 10.76
	11228.00	12.77	245.77	11183.29	-187.33	-213.20	-366.40	0.98	423.60	239.42	504269.97	735899.42	N 32 23 4.98	W 103 42 10.99
	11323.00	12.69	245.35	11275.95	-194.52	-221.74	-385.51	0.28	444.74	240.09	504256.43	735880.40	N 32 23 4.90	W 103 42 11.20
	11394.00	12.37	244.56	11345.26	-200.06	-228.26	-399.47	0.51	460.09	240.26	504249.91	735866.44	N 32 23 4.84	W 103 42 11.36
	11477.00	11.37	241.82	11426.48	-206.67	-235.94	-414.71	1.38	477.13	240.36	504242.23	735851.20	N 32 23 4.76	W 103 42 11.54
	11478.00	11.44	242.42	11427.46	-206.75	-236.04	-414.88	13.72	477.33	240.36	504242.14	735851.03	N 32 23 4.76	W 103 42 11.54
	11572.00	21.14	274.51	11517.75	-207.99	-239.03	-440.15	13.72	500.87	241.50	504239.14	735825.76	N 32 23 4.73	W 103 42 11.84
	11667.00	27.94	296.77	11604.30	-194.04	-222.62	-477.22	11.97	528.73	244.50	504205.55	735788.69	N 32 23 4.65	W 103 42 12.27
	11762.00	31.62	312.22	11696.98	-205.46	-231.46	-505.46	8.78	553.23	244.50	504177.22	735750.45	N 32 23 4.52	W 103 42 12.71
	11856.00	33.80	312.70	11766.40	-212.88	-240.49	-549.09	5.76	572.88	243.76	504161.34	735715.83	N 32 23 4.49	W 103 42 13.10
11868.48	34.26	325.85	11776.60	-119.02	-157.70	-553.11	10.33	575.15	254.09	504320.47	735712.80	N 32 23 5.94	W 103 42 13.15	
11951.00	38.17	338.71	11843.26	-74.52	-114.63	-575.45	10.33	586.76	258.73	504363.53	735690.47	N 32 23 5.97	W 103 42 13.41	
12045.00	48.25	342.57	11911.70	-12.52	-53.95	-596.56	11.08	598.99	264.83	504424.21	735669.36	N 32 23 6.57	W 103 42 13.65	
12139.00	58.15	346.98	11967.95	61.22	18.61	-616.11	11.18	616.39	271.73	504496.77	735649.81	N 32 23 7.29	W 103 42 13.87	
12234.00	69.29	352.45	12009.97	145.73	102.28	-631.10	12.81	639.33	279.21	504580.43	735634.82	N 32 23 8.12	W 103 42 14.04	
12329.00	71.89	356.26	12042.155	236.26	191.42	-639.86	12.86	659.57	286.65	504629.57	735626.04	N 32 23 9.00	W 103 42 14.21	
12424.00	78.80	359.40	12065.52	327.08	283.19	-650.78	7.94	702.90	293.76	504671.34	735622.60	N 32 23 9.49	W 103 42 14.17	
12519.00	87.08	356.41	12077.25	421.19	377.32	-646.79	9.26	748.80	300.26	504855.46	735619.14	N 32 23 10.84	W 103 42 14.14	
12613.00	88.98	358.11	12080.48	515.11	471.15	-651.28	2.71	803.83	305.88	504949.28	735614.65	N 32 23 11.77	W 103 42 14.25	
12670.00	92.22	0.03	12079.88	572.01	528.13	-652.20	6.61	839.22	309.00	505006.26	735613.72	N 32 23 12.34	W 103 42 14.26	
12765.00	90.62	359.44	12077.53	666.78	623.09	-652.64	1.79	902.32	313.67	505101.22	735613.28	N 32 23 13.28	W 103 42 14.26	
12860.00	90.01	359.91	12077.01	761.59	718.09	-653.18	0.81	970.72	317.71	505196.21	735612.74	N 32 23 14.22	W 103 42 14.26	
12954.00	89.21	359.78	12077.65	853.38	812.09	-653.43	0.86	1042.36	321.18	505292.49	735612.49	N 32 23 15.15	W 103 42 14.25	
13049.00	90.16	0.23	12078.17	950.15	907.08	-653.17	1.11	1117.93	324.23	505385.20	735612.50	N 32 23 16.09	W 103 42 14.25	
13143.00	90.02	0.27	12078.02	1043.89	1001.08	-653.02	0.15	1195.24	326.88	505479.19	735612.91	N 32 23 17.02	W 103 42 14.24	
13238.00	90.22	0.40	12077.82	1138.62	1096.08	-652.46	0.25	1275.58	329.24	505574.19	735613.46	N 32 23 17.96	W 103 42 14.22	
13333.00	90.37	359.83	12077.33	1233.38	1191.08	-652.27	0.62	1357.98	331.29	505669.18	735613.65	N 32 23 18.90	W 103 42 14.21	
13427.00	89.73	359.72	12077.25	1327.18	1285.08	-652.64	0.69	1441.30	333.08	505763.17	735613.28	N 32 23 19.83	W 103 42 14.21	
13522.00	89.65	359.80	12077.76	1421.98	1380.07	-653.04	0.12	1526.78	334.68	505868.17	735612.89	N 32 23 20.77	W 103 42 14.21	
13617.00	89.63	0.11	12076.36	1516.75	1475.07	-653.11	0.33	1613.19	336.12	505963.16	735612.81	N 32 23 21.71	W 103 42 14.20	
13711.00	89.44	0.44	12076.77	1568.05	1552.42	-652.42	1.43	1698.52	337.42	506061.50	735612.74	N 32 23 22.64	W 103 42 14.19	
13806.00	90.86	2.30	12080.52	1705.01	1664.01	-649.91	3.04	1786.42	338.67	506142.09	735616.01	N 32 23 23.57	W 103 42 14.15	
13900.00	89.94	2.52	12079.87	1798.43	1757.92	-645.96	1.01	1872.85	339.82	506236.00	735619.96	N 32 23 24.50	W 103 42 14.10	
13995.00	91.14	3.84	12078.97	1892.68	1852.77	-640.69	1.88	1960.42	340.92	506330.84	735625.23	N 32 23 25.44	W 103 42 14.03	
14089.00	89.55	3.80	12078.41	1985.81	1946.56	-634.43	1.69	2047.33	341.95	506424.62	735631.49	N 32 23 26.37	W 103 42 13.95	
14184.00	89.66	4.07	12079.06	2079.90	20.									

Comments	MD (ft)	Incl (°)	Azim Grid (°)	TVD (ft)	VSEC (ft)	NS (ft)	EW (ft)	DLS (°/100ft)	Closure (ft)	Closure Azimuth (°)	Northing (ftUS)	Easting (ftUS)	Latitude (N/S ° ' ")	Longitude (E/W ° ' ")
	20914.00	89.30	356.59	12074.93	8787.70	8761.02	-888.98	2.12	8788.07	355.50	513238.75	735576.95	N 32 24 33.80	W 103 42 14.12
	21008.00	89.21	357.94	12076.16	8881.67	8854.91	-893.46	1.44	8882.02	355.52	513332.63	735572.46	N 32 24 34.73	W 103 42 14.17
	21103.00	89.03	358.40	12077.61	8976.59	8949.85	-896.50	0.52	8976.91	355.55	513427.56	735569.43	N 32 24 35.67	W 103 42 14.20
	21293.00	89.27	0.71	12080.43	9166.20	9139.81	-697.97	1.22	9166.42	355.63	513617.51	735567.95	N 32 24 37.55	W 103 42 14.20
	21388.00	90.34	3.22	12080.76	9260.68	9234.74	-694.71	2.87	9260.83	355.70	513712.44	735571.21	N 32 24 38.49	W 103 42 14.16
	21483.00	90.69	4.97	12079.90	9354.73	9329.49	-687.93	1.88	9354.82	355.78	513807.19	735577.99	N 32 24 39.42	W 103 42 14.07
	21577.00	90.87	7.43	12078.62	9447.24	9422.92	-677.78	2.62	9447.27	355.89	513900.62	735588.14	N 32 24 40.35	W 103 42 13.95
	21672.00	90.58	8.06	12077.42	9540.25	9517.05	-664.98	0.73	9540.25	356.00	513994.74	735600.94	N 32 24 41.28	W 103 42 13.79
	21767.00	92.35	4.84	12074.99	9633.64	9611.40	-654.31	3.87	9633.65	356.11	514089.09	735611.61	N 32 24 42.21	W 103 42 13.66
Exit Target Box	21768.00	92.37	4.81	12074.95	9634.63	9612.40	-654.23	3.46	9634.63	356.11	514090.08	735611.70	N 32 24 42.22	W 103 42 13.66
	21862.00	93.78	1.88	12069.91	9727.71	9706.09	-648.75	3.46	9727.75	356.18	514183.77	735617.17	N 32 24 43.15	W 103 42 13.59
	21956.00	94.85	359.11	12062.84	9821.15	9799.81	-647.94	3.15	9821.21	356.22	514277.48	735617.98	N 32 24 44.08	W 103 42 13.57
	22051.00	93.80	357.86	12055.67	9915.79	9894.50	-650.44	1.72	9915.86	356.24	514372.17	735615.48	N 32 24 45.01	W 103 42 13.60
Enter Target Box	22146.00	92.26	356.54	12050.65	10010.63	9989.25	-655.08	2.13	10010.71	356.25	514466.92	735610.84	N 32 24 45.95	W 103 42 13.64
	22147.00	92.23	356.54	12050.61	10011.63	9990.25	-655.14	2.65	10011.71	356.25	514467.91	735610.78	N 32 24 45.96	W 103 42 13.64
100' FNL Crossing	22240.00	89.80	356.13	12048.96	10104.61	10083.04	-661.09	2.65	10104.68	356.25	514560.70	735604.84	N 32 24 46.88	W 103 42 13.71
Final MWD Survey	22257.00	89.57	356.05	12049.05	10121.61	10100.00	-662.24	1.42	10121.68	356.25	514577.66	735603.68	N 32 24 47.05	W 103 42 13.72
Proj to TD	22280.00	89.26	355.95	12049.29	10144.61	10122.94	-663.85	1.42	10144.68	356.25	514600.60	735602.07	N 32 24 47.27	W 103 42 13.74
	22313.00	89.26	355.95	12049.72	10177.61	10155.85	-666.18	0.00	10177.68	356.25	514633.51	735599.74	N 32 24 47.60	W 103 42 13.76

Survey Type: Def Survey

Survey Error Model: ISCWSA Rev 3 *** 3-D 95.000% Confidence 2.7955 sigma
Survey Program:

Description	Part	MD From (ft)	MD To (ft)	EOU Freq (ft)	Hole Size (in)	Casing Diameter (in)	Survey Tool Type	Borehole / Survey
	1	0.000	24.000	1/98.425	26.400	26.400	GYD_GC+DROP+OH-Depth Only	Dr Pi Fed Unit 17_8 DA 31H / Oxy Dr Pi Fed Unit 17_8 DA 31H Gyro+MWD 0' to 22313MD
	1	24.000	24.000	Act Stns	26.400	26.400	GYD_GC+DROP+OH-Depth Only	Dr Pi Fed Unit 17_8 DA 31H / Oxy Dr Pi Fed Unit 17_8 DA 31H Gyro+MWD 0' to 22313MD
	1	24.000	939.090	Act Stns	26.400	26.400	GYD_GC+DROP+OH	Dr Pi Fed Unit 17_8 DA 31H / Oxy Dr Pi Fed Unit 17_8 DA 31H Dr Pi Fed Unit 17_8 DA 31H / Oxy
	1	939.090	22313.000	Act Stns	26.400	26.400	A010Mb_MWD+IFR1+SAG+MS	Dr Pi Fed Unit 17_8 DA 31H / Oxy Dr Pi Fed Unit 17_8 DA 31H Gyro+MWD 0' to 22313MD

Intent ☐ As Drilled ☐

API #		
Operator Name:	Property Name:	Well Number

Kick Off Point (KOP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

First Take Point (FTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Last Take Point (LTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Is this well the defining well for the Horizontal Spacing Unit? ☐Is this well an infill well? ☐

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API #		
Operator Name:	Property Name:	Well Number

KZ 06/29/2018

Well Name: DR PI FED UNIT 17-8 DA	Well Location: T22S / R32E / SEC 17 / SWSW / 32.3852977 / -103.7018584	County or Parish/State: LEA / NM
Well Number: 31H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM128362	Unit or CA Name: DR PI (DEEP)	Unit or CA Number: NMNM143828X
US Well Number: 3002549147	Well Status: Producing Oil Well	Operator: OXY USA INCORPORATED

Subsequent Report

Sundry ID: 2707526

Type of Submission: Subsequent Report	Type of Action: Workover Operations
Date Sundry Submitted: 12/14/2022	Time Sundry Submitted: 04:12
Date Operation Actually Began: 08/03/2022	

Actual Procedure: RUPU 08/03/22, RIH & clean out to PBTD @ 22268', pressure test casing to 6000# for 30 min, good test. RIH & perf @ 11947-22173' Total 1230 holes. Frac in 41 stages w/ 188090BBL Produced Water + 189,897BBL Brackish Water (> 1,000 mg/l TDS and 10,000 mg/l TDS) w/ 26256260# sand, RD Liberty Oilfield Services 08/24/22. Well ready to produce 08/29/22. 11/29/22 RIH with 2-3/8" L80 tbg & gas lift set @ 11889', RD 12/01/22. Formation Tops for this completion are as follows: Rustler 903'M 903'V Salado 1241'M 1241'V Castile 3231'M 3231'V Lamar/Delaware 4717'M 4717'V Bell Canyon 4762'M 4762'V Cherry Canyon 5645'M 5645'V Brushy Canyon 6836'M 6835'V Bone Spring 8615'M 8615'V 1st Bone Springs 9628'M 9625'V 2nd Bone Springs 10347'M 10333'V 3rd Bone Springs 11374'M 11326'V Wolfcamp 11851'M 11763'V

Received by OCD: 1/10/2023 1:32:39 PM

Page 9 of 14

Well Name: DR PIFIED UNIT 17-8 DA	Well Location: T22S / R32E / SEC 17 / SWSW / 32.3852977 / -103.7018584	County or Parish/State: LEA / NM
Well Number: 31H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM128362	Unit or CA Name: DR PI (DEEP)	Unit or CA Number: NMNM143828X
US Well Number: 3002549147	Well Status: Producing Oil Well	Operator: OXY USA INCORPORATED

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a


Operator Electronic Signature: JANA MENDIOLA	Signed on: DEC 14, 2022 04:11 PM
Name: OXY USA INCORPORATED	
Title: Regulatory Coordinator	
Street Address: PO BOX 50250	
City: Midland	State: TX
Phone: (432) 685-5936	
Email address: Janalyn_mendiola@oxy.com	

Field

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact

BLM POC Name: Jonathon W Shepard	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5752345972	BLM POC Email Address: jshepard@blm.gov
Disposition: Accepted	Disposition Date: 12/15/2022
Signature: Jonathon Shepard	

Submit To Appropriate District Office Two Copies <u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 <u>District II</u> 811 S. First St., Artesia, NM 88210 <u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 <u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505			Form C-105 Revised April 3, 2017					
WELL COMPLETION OR RECOMPLETION REPORT AND LOG							1. WELL API NO. 30-025-49147			
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)							2. Type of Lease ☐ STATE ☐ FEE ☒ FED/INDIAN			
							3. State Oil & Gas Lease No.			
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER							5. Lease Name or Unit Agreement Name DR PI FEDERAL UNIT 17-8 DA			
8. Name of Operator: OXY USA INC.							6. Well Number: 31H			
10. Address of Operator: P.O. BOX 50250 MIDLAND, TX 79710							11. Pool name or Wildcat WC-025 G-09 S233216K; UPR WOLFCAMP			
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	M	17	22S	32E		350	SOUTH	1075	WEST	LEA
BH:	D	8	22S	32E		45	NORTH	481	WEST	LEA
13. Date Spudded 01/26/22	14. Date T.D. Reached 07/10/2022		15. Date Rig Released 07/14/2022		16. Date Completed (Ready to Produce) 08/29/2022		17. Elevations (DF and RKB, RT, GR, etc.) 3683' GL			
18. Total Measured Depth of Well 22313'M 12050'V			19. Plug Back Measured Depth 22268'M 12049'V		20. Was Directional Survey Made? YES		21. Type Electric and Other Logs Run CBL			
22. Producing Interval(s), of this completion - Top, Bottom, Name 11947-22173' Wolfcamp										
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
13.375" J55		54.5		952'		17.5"		1140sx-surf circ		
7.625" HCL80		26.4		11405'		9.875"		2048sx-surf		
5.5" P110		20		22293'		6.75"		877sx-TOC@11600'		
24. LINER RECORD										
SIZE	TOP	BOTTOM		SACKS CEMENT	SCREEN		25. TUBING RECORD			
							SIZE		DEPTH SET	
							2-3/8"		11889'	
26. Perforation record (interval, size, and number) 11947-22173' Total 1230 holes, Hole Size=0.42										
27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.						DEPTH INTERVAL				
						AMOUNT AND KIND MATERIAL USED				
						11947-22173'				
						188090BBL Produced Water + 189,897BBL Brackish Water (> 1,000 mg/l TDS and 10,000 mg/l TDS) w/ 26256260# sand				
28. PRODUCTION										
Date First Production		Production Method (Flowing, gas lift, pumping - Size and type pump)				Well Status (Prod. or Shut-in)				
09/6/2022		Gas Lift				Prod.				
Date of Test	Hours Tested	Choke Size	Prod'n For	Oil - Bbl	Gas - MCF	Water - Bbl.	Gas - Oil Ratio			
09/29/2022	24 hrs.	128/128	Test Period	6581	8946	4368	1359			
Flow Tubing Press.	Casing Pressure	Calculated 24-Hour Rate	Oil - Bbl.	Gas - MCF	Water - Bbl.	Oil Gravity - API - (Corr.)				
	1980		6581	8946	4368					
29. Disposition of Gas (Sold, used for fuel, vented, etc.) SOLD							30. Test Witnessed By			
31. List Attachments WBD										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.							33. Rig Release Date:			
34. If an on-site burial was used at the well, report the exact location of the on-site burial: Latitude Longitude NAD83										
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Signature: 			Name: <u>Jana Mendiola</u>			Title: <u>Sr. Regulatory Analyst</u>			Date: <u>01/10/2023</u>	
E-mail Address: <u>janalyn_mendiola@oxy.com</u>										

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

Southeastern New Mexico		Northwestern New Mexico	
T. Rustler 903'	T. Bell Canyon 4762'	T. Ojo Alamo	T. Penn A"
T. Salado 1241'	T. Strawn	T. Kirtland	T. Penn. "B"
T. Castile 3231'	T. Atoka	T. Fruitland	T. Penn. "C"
T. Delaware 4717'	T. Miss	T. Pictured Cliffs	T. Penn. "D"
T. Cherry Canyon 5645'	T. Devonian	T. Cliff House	T. Leadville
T. Brushy Canyon 6836'	T. Silurian	T. Menefee	T. Madison
T. Grayburg	T. Montoya	T. Point Lookout	T. Elbert
T. San Andres	T. Simpson	T. Mancos	T. McCracken
T. Glorieta	T. McKee	T. Gallup	T. Ignacio Otzte
T. Paddock	T. Ellenburger	Base Greenhorn	T. Granite
T. Blinebry	T. Gr. Wash	T. Dakota	
T. Tubb	T. Delaware Sand	T. Morrison	
T. Drinkard	T. Bone Springs 8615'	T. Todilto	
T. Abo	T. 1 st Bone Springs 9628'	T. Entrada	
T. Wolfcamp 11851'	T. 2 nd Bone Springs 10347'	T. Wingate	
T. Penn	T. 3 rd Bone Springs 11374'	T. Chinle	
T. Cisco (Bough C)	T.	T. Permian	

No. 1, from.....to.....

No. 2, from.....to.....

No. 3, from.....to.....


No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology

OXY USA Inc.
DR PI FEDERAL UNIT 17-8 DA 31H
API No. 30-025-49147



2-3/8" tbg & gas lift @ 11889'

Perfs @ 11947-22173'

TD- 22313'M 12050'V

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 174730

ACKNOWLEDGMENTS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 174730
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 174730

CONDITIONS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 174730
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	File 3160-4 Completion Report within 10 days to NMOCD after BLM approval.	1/20/2023