

1625 N. French Dr., Hobbs, NM 88240

State of New Mexico
Energy, Minerals & Natural Resources

Form C-104

Revised August 1, 2011

District II

811 S. First St., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT**I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT**

¹ Operator name and Address OXY USA INC. P.O. BOX 50250 MIDLAND, TX 79710		² OGRID Number: 16696
		³ Reason for Filing Code/ Effective Date: NW - 08/15/2022
⁴ API Number 30 - 025-48952	⁵ Pool Name BILBREY BASIN; BONE SPRING, SOUTH	⁶ Pool Code 97366
⁷ Property Code: 332769	⁸ Property Name: DR PI FEDERAL UNIT 17-8 DA	⁹ Well Number: 35H

II. ¹⁰ Surface Location

Ul or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
O	17	22S	32E		275	SOUTH	1500	EAST	LEA

¹¹ Bottom Hole Location

FTP- 246' FSL 360' FEL LTP- 190' FNL 367' FEL

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
A	8	22S	32E		53	NORTH	368	EAST	LEA
¹² Lse Code F	¹³ Producing Method Code : P		¹⁴ Gas Connection Date: 8/16/22		¹⁵ C-129 Permit Number		¹⁶ C-129 Effective Date		¹⁷ C-129 Expiration Date

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
237722	CENTURION PIPELINE L.P.	O
248749	DCP MIDSTREAM, LP	G

IV. Well Completion Data

²¹ Spud Date 01/18/22	²² Ready Date 08/15/2022	²³ TD 22507'M 11765'V	²⁴ PBTB 22464'M 11765'V	²⁵ Perforations 12234-22370'	²⁶ DHC, MC
²⁷ Hole Size		²⁸ Casing & Tubing Size		²⁹ Depth Set	³⁰ Sacks Cement
17-1/2"		13-3/8"		944'	1140
9-7/8"		7-5/8"		11189'	1364
6-3/4"		5-1/2"		22487'	863
		2-3/8" tbg		11670'	NA

V. Well Test Data

³¹ Date New Oil 8/18/22	³² Gas Delivery Date 8/16/22	³³ Test Date 8/24/22	³⁴ Test Length 24 hrs	³⁵ Tbg. Pressure	³⁶ Csg. Pressure 1250
³⁷ Choke Size 78/128	³⁸ Oil 3086	³⁹ Water 10055	⁴⁰ Gas 4780		⁴¹ Test Method F

⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.

Signature: 

Printed name: JANA MENDIOLA

Title: SR. REGULATORY ANALYST

E-mail Address:
Janalyn_mendiola@oxy.com

Date: 11/13/2022 Phone: 432-685-5936

OIL CONSERVATION DIVISION

Approved by: Sarah McGrath

Title: Petroleum Specialist - A

Approval Date: 01/23/2023

File 3160-4 within 10 days of BLM Approval
Upload CBL to OCD Permitting/Well Logs

1625 N. French Dr., Hobbs, NM 88240
 Phone: (575) 393-6161 Fax: (575) 393-0720
District II
 811 S. First St., Artesia, NM 88210
 Phone: (575) 748-1283 Fax: (575) 748-9720
District III
 1000 Rio Brazos Road, Aztec, NM 87410
 Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
 1220 S. St. Francis Dr., Santa Fe, NM 87505
 Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
 Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

Revised August 1, 2011
 Submit one copy to appropriate
 District Office

☒ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION AS-DRILLED PLAT

¹ API Number 30-025-48952	² Pool Code 97366	³ Pool Name BILBREY BASIN; BONE SPRING, SOUTH
⁴ Property Code 332769	Property Name DR PI FED UNIT 17_8 DA	
⁷ OGRID No. 16696	⁸ Operator Name OXY USA INC.	
		⁶ Well Number 35H
		⁹ Elevation 3674'

¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
O	17	22S	32E		275	SOUTH	1500	EAST	LEA
¹¹ Bottom Hole Location If Different From Surface									
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
A	8	22S	32E		53	NORTH	368	EAST	LEA
¹² Dedicated Acres 320.0	¹³ Joint or Infill	¹⁴ Consolidation Code		¹⁵ Order No.					

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

	CORNER COORDINATES NAD 83, SPCS NM EAST A - X: 740401.36' / Y: 514735.23' B - X: 740420.51' / Y: 512091.09' C - X: 740439.76' / Y: 509452.87' D - X: 740458.84' / Y: 506812.70' E - X: 740477.13' / Y: 504171.78' F - X: 739156.55' / Y: 504158.08' G - X: 739118.44' / Y: 509439.01' H - X: 739080.74' / Y: 514719.73' CORNER COORDINATES NAD 27, SPCS NM EAST A - X: 699219.21' / Y: 514674.51' B - X: 699238.29' / Y: 512030.44' C - X: 699257.47' / Y: 509392.29' D - X: 699276.47' / Y: 506752.19' E - X: 699294.69' / Y: 504111.34' F - X: 697974.12' / Y: 504097.64' G - X: 697936.15' / Y: 509376.43' H - X: 697898.61' / Y: 514659.01' BOTTOM HOLE LOCATION 53' FNL 368' FEL, SECTION 8 22507' MEASURED DEPTH IN FEET NAD 83, SPCS NM EAST X: 740034.13' / Y: 514678.11' LAT: 32.41327212N / LON: 103.68945276W NAD 27, SPCS NM EAST X: 698851.98' / Y: 514617.39' LAT: 32.41314940N / LON: 103.68896412W LAST TAKE POINT 190' FNL 367' FEL, SECTION 8 22370' MEASURED DEPTH IN FEET NAD 83, SPCS NM EAST X: 740036.06' / Y: 514541.13' LAT: 32.41289558N / LON: 103.68944918W NAD 27, SPCS NM EAST X: 698853.91' / Y: 514480.41' LAT: 32.41277285N / LON: 103.68896055W FIRST TAKE POINT 246' FSL 360' FEL, SECTION 17 12234' MEASURED DEPTH IN FEET NAD 83, SPCS NM EAST X: 740115.27' / Y: 504441.43' LAT: 32.38505945N / LON: 103.68939013W NAD 27, SPCS NM EAST X: 698932.84' / Y: 504353.99' LAT: 32.38493660N / LON: 103.68890255W KICK OFF POINT 246' FNL 717' FEL, SECTION 20 11201' MEASURED DEPTH IN FEET NAD 83, SPCS NM EAST X: 739762.01' / Y: 503918.77' LAT: 32.38370289N / LON: 103.69035441W NAD 27, SPCS NM EAST X: 698579.57' / Y: 503858.34' LAT: 32.38358004N / LON: 103.69005654W SURFACE HOLE LOCATION 275' FSL 1500' FEL, SECTION 17 NAD 83, SPCS NM EAST X: 738975.25' / Y: 504431.27' LAT: 32.38512455N / LON: 103.69308271W NAD 27, SPCS NM EAST X: 697792.83' / Y: 504370.83' LAT: 32.38500172N / LON: 103.69259502W	¹⁷ OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division. Signature: Date: 8/13/22 Printed Name: JANA MENDIOLA E-mail Address: janalyn_mendiola@oxy.com ¹⁸ SURVEYOR CERTIFICATION I hereby certify that the well surface location shown on this plat was plotted from field notes of the as-staked surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. Data used for underground measurements were provided by others for reference only and does not constitute field measurements performed by R-Squared Global. Date of Survey: AUGUST 12, 2022 Signature and Seal of Professional Surveyor: Certificate Number: LLOYD P. SHORT 21653
--	---	---

Distances/areas relative to NAD 83 Combined Scale Factor: 0.99995379 Convergence Angle: 00°20'34.08"

Schlumberger



OXY



Borehole:	Well:	Field:	Structure:
Dr Pi Fed Unit 17_8 DA 35H	Dr Pi Fed Unit 17_8 DA 35H	NM Lea County (NAD 83)	Oxy Dr Pi Fed Unit 17_8 DA Patterson 882 (Pad)

Gravity & Magnetic Parameters					Surface Location		NAD83 New Mexico State Plane, Eastern Zone, US Feet				Miscellaneous				
Model:	IFR1	Dip:	60.149°	Date:	25-May-2022	Lat:	N 32 23 6.45	Northing:	504431.27RUS	Grid Conv:	0.3429°	Slot:	Dr Pi Fed Unit 17_8 DA 35H	TVD Ref:	RKB(3699ft above MSL)
MagDec:	6.69°	FS:	47860.6nT	Gravity FS:	998.453mgn (9.80665 Based)	Lon:	W 103 41 35.10	Easting:	738975.25RUS	Scale Fact:	0.99995383	Plan:	Oxy Dr Pi Fed Unit 17_8 DA 35H Gyro+MWD 0' to 22507MD		

Critical Points							
Critical Point	MD	INCL	AZIM	TVD	VSEC	N(+)/S(-)	E(+)/W(-)
WRP	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SHL	25.00	0.00	0.00	25.00	0.00	0.00	0.00
First Gyro Survey	98.01	0.32	167.81	98.01	-0.20	-0.20	0.04
Last Gyro Survey	933.00	0.75	216.99	932.92	-8.87	-8.87	-6.52
First SLB Survey	1012.00	0.11	246.12	1011.92	-9.32	-9.32	-6.90
Actual KOP	11201.00	7.01	205.94	11114.41	-512.52	-512.52	786.80
Bone Spring 3rd Intersection	11485.60	28.26	69.83	11382.00	-526.68	-526.68	864.21
100' FSL Crossing	12079.00	71.95	10.57	11729.87	-165.06	-165.06	1132.57
Exit Target Box	12709.00	88.22	354.41	11790.87	456.13	456.13	1117.42
Enter Target Box	13013.00	87.76	4.89	11803.87	759.24	759.24	1111.91
100' FNL Crossing	22460.00	90.25	358.86	11765.28	10200.34	10200.34	1059.88
Final MWD Survey	22461.00	90.26	358.85	11765.28	10201.34	10201.34	1059.86
Proj to TD	22507.00	90.26	358.85	11765.07	10247.33	10247.33	1058.94



Vertical Section (ft) Azim = 6.09° Scale = 1:2400.00(ft) Origin = 0N/-S, 0E/-W

Schlumberger



Oxy Dr Pi Fed Unit 17_8 DA 35H Gyro+MWD 0' to 22507MD Survey Geodetic Report

(Def Survey)

Report Date: June 22, 2022 - 09:44 AM Client: OXY Field: NM Lea County (NAD 83) Structure / Slot: Oxy Dr Pi Fed Unit 17_8 DA_Patterson 882 (Pad) / Dr Pi Fed Unit 17_8 DA 35H Well: Dr Pi Fed Unit 17_8 DA 35H Borehole: Dr Pi Fed Unit 17_8 DA 35H UWI / API#: Unknown / Unknown Survey Name: Oxy Dr Pi Fed Unit 17_8 DA 35H Gyro+MWD 0' to 22507MD Survey Date: April 10, 2022 Tort / AHD / DDI / ERD Ratio: 349.941' / 11992.906 ft / 6.903 / 1.015 Coordinate Reference System: NAD83 New Mexico State Plane, Eastern Zone, US Feet Location Lat / Long: N 32° 23' 6.44837", W 103° 41' 35.09775" Location Grid N/E Y/X: N 504431.270 ftUS, E 738975.250 ftUS CRS Grid Convergence Angle: 0.3429° Grid Scale Factor: 0.99995383 Version / Patch: 2.10.823.1	Survey / DLS Computation: Minimum Curvature / Lubinski Vertical Section Azimuth: 6.088° (Grid North) Vertical Section Origin: 0.000 ft, 0.000 ft TVD Reference Datum: RKB TVD Reference Elevation: 3699.000 ft above MSL Seabed / Ground Elevation: 3674.000 ft above MSL Magnetic Declination: 6.690° Total Gravity Field Strength: 986.4527mgn (9.80665 Based) Gravity Model: GARM Total Magnetic Field Strength: 47860.800 nT Magnetic Dip Angle: 60.149° Declination Date: May 25, 2022 Magnetic Declination Model: IFR1 North Reference: Grid North Grid Convergence Used: 0.3400° Total Corr Mag North->Grid North: 6.3500° Local Coord Referenced To: Well Head	
--	--	--

Comments	MD (ft)	Incl (°)	Azim Grid (°)	TVD (ft)	VSEC (ft)	NS (ft)	EW (ft)	DLS (°/100ft)	Closure (ft)	Closure Azimuth (°)	Northings (ftUS)	Eastings (ftUS)	Latitude (N/S ° ' ")	Longitude (E/W ° ' ")
WRP	0.00	0.00	0.00	0.00	0.00	0.00	0.00	N/A	0.00	0.00	504431.27	738975.25	N 32° 23' 6.45"	W 103° 41' 35.10"
SHL	25.00	0.00	0.00	25.00	0.00	0.00	0.00	0.00	0.00	0.00	504431.27	738975.25	N 32° 23' 6.45"	W 103° 41' 35.10"
First Gyro Survey	98.01	0.32	167.81	98.01	-0.19	-0.20	0.04	0.44	0.20	167.81	504431.07	738975.29	N 32° 23' 6.44"	W 103° 41' 35.10"
	185.89	0.47	206.03	185.89	-0.77	-0.76	-0.06	0.34	0.77	184.74	504430.51	738975.19	N 32° 23' 6.44"	W 103° 41' 35.10"
	279.29	0.61	198.64	279.28	-1.61	-1.58	-0.39	0.17	1.63	193.89	504429.69	738974.86	N 32° 23' 6.43"	W 103° 41' 35.10"
	373.64	0.53	217.41	373.63	-2.47	-2.40	-0.82	0.21	2.54	198.77	504428.87	738974.43	N 32° 23' 6.42"	W 103° 41' 35.11"
	468.07	0.84	229.28	468.05	-3.35	-3.26	-1.61	0.36	3.58	206.65	504428.07	738973.64	N 32° 23' 6.42"	W 103° 41' 35.12"
Last Gyro Survey First SLB Survey	562.37	0.94	212.09	562.34	-4.55	-4.31	-2.54	0.30	5.00	210.54	504426.96	738972.71	N 32° 23' 6.41"	W 103° 41' 35.13"
	656.65	0.99	210.36	656.61	-5.99	-5.66	-3.36	0.06	6.59	210.70	504425.61	738971.89	N 32° 23' 6.39"	W 103° 41' 35.14"
	750.90	1.03	229.86	750.84	-7.34	-6.91	-4.42	0.37	8.21	212.61	504424.36	738970.83	N 32° 23' 6.38"	W 103° 41' 35.15"
	845.17	0.92	229.09	845.10	-8.51	-7.95	-5.64	0.12	9.75	215.35	504423.32	738969.61	N 32° 23' 6.37"	W 103° 41' 35.16"
	933.00	0.75	216.99	932.92	-9.52	-8.87	-6.52	0.28	11.01	216.31	504422.40	738968.73	N 32° 23' 6.36"	W 103° 41' 35.17"
	1012.00	0.11	246.12	1011.92	-10.00	-9.32	-6.90	0.83	11.60	216.52	504421.95	738968.35	N 32° 23' 6.36"	W 103° 41' 35.18"
	1106.00	0.11	95.41	1105.92	-10.04	-9.36	-6.89	0.23	11.63	216.36	504421.91	738968.36	N 32° 23' 6.36"	W 103° 41' 35.18"
	1201.00	0.14	341.38	1200.92	-9.94	-9.26	-6.84	0.22	11.51	216.45	504422.01	738968.41	N 32° 23' 6.36"	W 103° 41' 35.18"
	1295.00	0.11	179.60	1294.92	-9.92	-9.24	-6.88	0.26	11.52	216.64	504422.03	738968.37	N 32° 23' 6.36"	W 103° 41' 35.18"
	1389.00	0.12	292.13	1388.92	-9.98	-9.30	-6.97	0.20	11.62	216.85	504421.97	738968.28	N 32° 23' 6.36"	W 103° 41' 35.18"
	1482.00	0.12	34.19	1481.92	-9.87	-9.18	-7.00	0.20	11.55	217.34	504422.09	738968.25	N 32° 23' 6.36"	W 103° 41' 35.18"
	1576.00	0.06	157.98	1575.92	-9.83	-9.14	-6.93	0.17	11.47	217.15	504422.13	738968.32	N 32° 23' 6.36"	W 103° 41' 35.18"
	1671.00	0.11	185.76	1670.92	-9.96	-9.28	-6.92	0.07	11.58	216.71	504421.99	738968.33	N 32° 23' 6.36"	W 103° 41' 35.18"
	1765.00	0.08	310.50	1764.92	-10.02	-9.33	-6.98	0.18	11.65	216.80	504421.94	738968.27	N 32° 23' 6.36"	W 103° 41' 35.18"
	1860.00	0.13	266.24	1859.92	-10.00	-9.29	-7.14	0.10	11.72	217.52	504421.98	738968.11	N 32° 23' 6.36"	W 103° 41' 35.18"
	1954.00	0.14	214.13	1953.92	-10.12	-9.39	-7.31	0.13	11.90	217.88	504421.88	738967.94	N 32° 23' 6.36"	W 103° 41' 35.18"
	2049.00	0.08	73.29	2048.92	-10.19	-9.47	-7.31	0.22	11.96	217.66	504421.80	738967.94	N 32° 23' 6.36"	W 103° 41' 35.18"
	2144.00	0.13	161.76	2143.92	-10.27	-9.55	-7.21	0.16	11.97	217.04	504421.72	738968.04	N 32° 23' 6.35"	W 103° 41' 35.18"
	2238.00	0.11	298.40	2237.92	-10.33	-9.61	-7.26	0.24	12.04	217.05	504421.66	738967.99	N 32° 23' 6.35"	W 103° 41' 35.18"
	2333.00	0.15	207.27	2332.92	-10.41	-9.68	-7.39	0.20	12.18	217.38	504421.59	738967.86	N 32° 23' 6.35"	W 103° 41' 35.18"
	2428.00	0.13	296.96	2427.92	-10.49	-9.74	-7.55	0.21	12.32	217.77	504421.53	738967.70	N 32° 23' 6.35"	W 103° 41' 35.19"
	2523.00	0.10	308.36	2522.92	-10.40	-9.64	-7.71	0.04	12.34	218.64	504421.63	738967.54	N 32° 23' 6.35"	W 103° 41' 35.19"
	2617.00	0.09	2.29	2616.92	-10.29	-9.52	-7.77	0.09	12.29	219.23	504421.75	738967.48	N 32° 23' 6.35"	W 103° 41' 35.19"
	2712.00	0.09	62.74	2711.92	-10.17	-9.41	-7.70	0.10	12.16	219.30	504421.86	738967.55	N 32° 23' 6.36"	W 103° 41' 35.19"
	2807.00	0.08	216.60	2806.92	-10.19	-9.43	-7.67	0.17	12.16	219.15	504421.84	738967.58	N 32° 23' 6.36"	W 103° 41' 35.19"
2901.00	0.13	63.01	2900.92	-10.19	-9.43	-7.62	0.22	12.12	218.93	504421.84	738967.63	N 32° 23' 6.36"	W 103° 41' 35.19"	
2996.00	0.08	27.56	2995.92	-10.07	-9.32	-7.49	0.08	11.96	219.78	504421.95	738967.76	N 32° 23' 6.36"	W 103° 41' 35.19"	
3091.00	0.05	275.84	3090.92	-10.00	-9.26	-7.50	0.11	11.92	219.01	504422.01	738967.75	N 32° 23' 6.36"	W 103° 41' 35.19"	
3185.00	0.15	186.95	3184.92	-10.13	-9.38	-7.56	0.17	12.04	218.86	504421.89	738967.69	N 32° 23' 6.36"	W 103° 41' 35.19"	
3280.00	0.13	322.19	3279.91	-10.17	-9.42	-7.64	0.27	12.13	219.05	504421.85	738967.61	N 32° 23' 6.36"	W 103° 41' 35.19"	
3375.00	0.11	123.99	3374.91	-10.14	-9.38	-7.63	0.25	12.09	219.11	504421.89	738967.62	N 32° 23' 6.36"	W 103° 41' 35.19"	
3470.00	0.10	113.70	3469.91	-10.21	-9.47	-7.48	0.08	12.06	218.30	504421.80	738967.77	N 32° 23' 6.36"	W 103° 41' 35.19"	
3564.00	0.12	154.22	3563.91	-10.31	-9.57	-7.36	0.02	12.09	217.51	504421.89	738967.89	N 32° 23' 6.35"	W 103° 41' 35.18"	
3659.00	0.16	99.26	3658.91	-10.41	-9.70	-7.19	0.14	12.07	216.53	504421.57	738968.07	N 32° 23' 6.35"	W 103° 41' 35.18"	
3754.00	0.11	103.34	3753.91	-10.43	-9.74	-6.97	0.05	11.98	215.57	504421.53	738968.28	N 32° 23' 6.35"	W 103° 41' 35.18"	
3848.00	0.15	214.61	3847.91	-10.54	-9.86	-6.95	0.23	12.06	215.16	504421.41	738968.30	N 32° 23' 6.35"	W 103° 41' 35.18"	
3943.00	0.07	212.21	3942.91	-10.71	-10.02	-7.05	0.08	12.25	215.14	504421.26	738968.20	N 32° 23' 6.35"	W 103° 41' 35.18"	
4038.00	0.07	177.04	4037.91	-10.82	-10.12	-7.08	0.04	12.35	214.96	504421.15	738968.17	N 32° 23' 6.35"	W 103° 41' 35.18"	
4133.00	0.16	178.55	4132.91	-11.00	-10.31	-7.07	0.09	12.50	214.44	504420.96	738968.18	N 32° 23' 6.35"	W 103° 41' 35.18"	
4227.00	0.17	180.54	4226.91	-11.04	-10.34	-7.09	0.05	12.70	213.91	504420.73	738968.16	N 32° 23' 6.34"	W 103° 41' 35.18"	
4322.00	0.07	291.14	4321.91	-11.32	-10.62	-7.16	0.16	12.81	213.99	504420.65	738968.09	N 32° 23' 6.34"	W 103° 41' 35.18"	
4417.00	0.10	71.74	4416.91	-11.27	-10.57	-7.13	0.17	12.75	214.01	504420.70	738968.12	N 32° 23' 6.34"	W 103° 41' 35.18"	
4511.00	0.14	326.26	4510.91	-11.15	-10.45	-7.12	0.20	12.64	214.27	504420.82	738968.13	N 32° 23' 6.35"	W 103° 41' 35.18"	
4606.00	0.10	340.74	4605.91	-10.98	-10.27	-7.21	0.05	12.55	215.06	504421.00	738968.04	N 32° 23' 6.35"	W 103° 41' 35.18"	
4701.00	0.16	118.16	4700.91	-10.96	-10.26	-7.12	0.26	12.49	214.77	504421.01	738968.13	N 32° 23' 6.35"	W 103° 41' 35.18"	
4796.00	0.19	107.49	4795.91	-11.03	-10.43	-6.16	0.89	21.13	214.34	504420.86	738968.09	N 32° 23' 6.35"	W 103° 41' 35.17"	
4891.00	1.78	104.67	4890.88	-11.27	-10.91	-3.95	0.85	11.60	199.90	504420.36	738971.30	N 32° 23' 6.34"	W 103° 41' 35.14"	
4986.00	2.78	111.31	4985.80	-12.09	-12.12	-0.38	1.09	12.13	181.78	504419.15	738974.87	N 32° 23' 6.33"	W 103° 41' 35.10"	
5080.00	3.61	109.22	5079.66	-13.36	-13.92	4.54	0.89	14.65	161.93	504417.35	738979.79	N 32° 23' 6.31"	W 103° 41' 35.05"	
5175.00	4.49	110.56	5174.42	-14.97	-16.21	10.85	0.93	19.51	146.21	504415.06	738986.10	N 32° 23' 6.29"	W 103° 41' 34.97"	
5269.00	5.10	111.16	5268.09	-16.98	-19.01	18.19	0.65	26.31	136.27	504412.26	738993.44	N 32° 23' 6.26"	W 103° 41' 34.89"	
5364.00	6.24	114.47	5362.68	-19.70	-22.68	28.83	0.35	35.13	130.21	504408.55	739002.08	N 32° 23' 6.22"	W 103° 41' 34.79"	
5459.00	7.16	117.31	5456.97	-23.47	-27.53	36.75	0.13	45.95	127.81	504403.74	739012.04	N 32° 23' 6.17"	W 103° 41' 34.67"	
5553.00	7.10	120.94	5550.25	-28.04	-33.21	46.97	0.47	57.53	125.26	504398.07	739022.22	N 32° 23' 6.12"	W 103° 41' 34.55"	
5648.00	7.34	121.30	5644.49	-33.09	-39.38	57.20	0.26	69.44	124.55	504391.89	739032.44	N 32° 23' 6.06"	W 103° 41' 34.43"	
5743.00	7.52	122.33	5738.69	-38.42	-45.85	67.63	0.24	81.71	124.14	504385.42	739042.88	N 32° 23' 5.99"	W 103° 41' 34.31"	
5837.00	9.76	121.70	5831.62	-44.59	-53.33	79.61	2.39	95.82	123.82	504377.94	739054.86	N 32° 23' 5.92"	W 103° 41' 34.17"	
5932.00	9.89	119.24	5925.23	-51.28	-61.55	93.58	14.26	112.01	123.33	504369.72	739066.83	N 32° 23' 5.83"	W 103° 41' 34.01"	
6027.00	11.67	107.40	6015.43	-57.40	-69.31	106.67	128.61	126.54	120.96	504361.96	739078.61	N 32° 23' 5.76"	W 103° 41' 33.84"	
6122.00	12.19	112.69	6111.82	-63.18	-76.96	125.84	1.70	147.51	121.45	504354.32	739101.08	N 32° 23' 5.68"	W 103° 41' 33.64"	
6216.006														

Comments	MD (ft)	Incl (°)	Azim Grid (°)	TVD (ft)	VSEC (ft)	NS (ft)	EW (ft)	DLS (ft/100ft)	Closure (ft)	Closure Azimuth (°)	Northing (RUS)	Easting (RUS)	Latitude (N/S '' °)	Longitude (E/W '' °)
	9447.00	10.01	128.52	9376.83	-273.91	-348.23	682.26	1.59	765.99	117.04	504083.06	739657.48	N 32°23' 2.86"	W 103°41' 27.17"
	9541.00	9.97	120.15	9469.41	-281.61	-357.41	695.69	1.54	782.13	117.19	504073.88	739670.91	N 32°23' 2.87"	W 103°41' 27.01"
	9636.00	10.07	119.50	9562.96	-288.26	-365.63	710.03	0.16	798.64	117.25	504065.66	739685.25	N 32°23' 2.79"	W 103°41' 26.84"
	9730.00	10.60	120.17	9655.44	-295.05	-374.02	724.66	0.58	815.49	117.30	504057.27	739699.87	N 32°23' 2.70"	W 103°41' 26.67"
	9825.00	10.21	121.47	9748.88	-302.23	-382.80	739.39	0.48	832.61	117.37	504048.48	739714.61	N 32°23' 2.62"	W 103°41' 26.50"
	9920.00	9.93	124.13	9842.41	-309.69	-391.80	753.35	0.57	849.14	117.48	504039.49	739728.57	N 32°23' 2.53"	W 103°41' 26.34"
	10015.00	8.71	130.84	9936.16	-317.36	-400.84	765.79	0.46	864.35	117.63	504030.45	739741.00	N 32°23' 2.45"	W 103°41' 26.16"
	10109.00	7.68	130.12	10029.20	-324.66	-409.29	776.18	1.13	877.49	117.80	504022.00	739751.40	N 32°23' 2.35"	W 103°41' 26.08"
	10204.00	7.26	132.80	10123.39	-331.80	-417.46	785.44	0.57	889.49	117.99	504013.83	739767.66	N 32°23' 2.27"	W 103°41' 25.97"
	10299.00	6.50	144.69	10217.71	-339.43	-425.93	792.96	1.70	900.11	118.24	504005.36	739768.17	N 32°23' 2.19"	W 103°41' 25.88"
	10393.00	4.97	153.99	10311.24	-346.87	-433.93	797.82	1.90	908.19	118.54	503997.36	739773.03	N 32°23' 2.11"	W 103°41' 25.82"
	10488.00	3.86	140.06	10405.96	-352.57	-440.08	801.68	1.62	914.52	118.76	503991.21	739776.89	N 32°23' 2.05"	W 103°41' 25.78"
	10583.00	3.90	153.05	10500.74	-357.50	-445.41	805.19	0.92	920.18	118.95	503985.88	739780.40	N 32°23' 1.98"	W 103°41' 25.74"
	10678.00	5.02	170.80	10596.46	-364.22	-452.39	807.34	1.85	925.44	119.26	503978.90	739782.55	N 32°23' 1.92"	W 103°41' 25.72"
	10772.00	7.58	186.48	10688.89	-374.38	-462.61	807.31	3.27	930.46	119.81	503968.68	739782.52	N 32°23' 1.82"	W 103°41' 25.72"
	10867.00	7.90	195.52	10783.03	-387.09	-475.13	804.85	1.32	934.63	120.55	503956.17	739780.06	N 32°23' 1.70"	W 103°41' 25.75"
	10962.00	7.23	201.30	10877.20	-399.30	-486.99	800.93	1.07	937.37	121.30	503944.31	739776.15	N 32°23' 1.58"	W 103°41' 25.79"
	11056.00	6.89	210.93	10970.49	-410.12	-497.34	795.89	1.31	938.50	122.00	503933.96	739771.10	N 32°23' 1.48"	W 103°41' 25.85"
	11151.00	7.04	212.04	11064.79	-420.53	-507.16	789.87	0.21	938.67	122.70	503924.14	739765.08	N 32°23' 1.38"	W 103°41' 25.92"
	11182.00	7.18	209.42	11095.55	-424.02	-510.46	787.91	1.14	938.81	122.94	503920.84	739763.12	N 32°23' 1.35"	W 103°41' 25.95"
Actual KOP	11200.00	7.03	207.29	11113.41	-426.08	-512.42	786.85	1.68	938.99	123.07	503918.88	739762.07	N 32°23' 1.33"	W 103°41' 25.96"
	11201.00	7.01	205.94	11114.41	-426.19	-512.52	786.80	1.60	939.01	123.08	503918.77	739762.01	N 32°23' 1.33"	W 103°41' 25.96"
	11295.00	16.46	135.04	11206.70	-440.04	-527.20	793.74	16.60	952.87	123.59	503904.10	739768.95	N 32°23' 1.18"	W 103°41' 25.88"
	11390.00	24.48	86.56	11296.23	-445.29	-535.61	823.14	19.03	982.06	123.05	503895.68	739798.35	N 32°23' 1.10"	W 103°41' 25.54"
	11484.00	28.12	70.23	11380.59	-432.38	-526.94	863.50	8.58	1011.58	121.39	503904.36	739838.71	N 32°23' 1.18"	W 103°41' 25.07"
	11485.60	28.26	69.83	11382.00	-432.05	-526.66	864.21	14.77	1012.05	121.36	503904.62	739839.42	N 32°23' 1.19"	W 103°41' 25.07"
	11579.00	37.97	51.66	11460.33	-402.01	-501.11	907.71	14.77	1036.84	118.90	503930.91	739882.91	N 32°23' 1.44"	W 103°41' 24.55"
	11674.00	44.53	41.73	11531.79	-354.38	-458.02	952.90	9.74	1057.26	115.67	503973.27	739928.11	N 32°23' 1.86"	W 103°41' 24.02"
	11768.00	52.45	39.19	11594.05	-296.28	-404.45	998.46	8.66	1077.27	112.05	504026.84	739973.67	N 32°23' 2.39"	W 103°41' 23.48"
	11863.00	60.63	38.40	11646.38	-229.63	-342.72	1048.06	8.64	1102.67	108.11	504088.57	740023.26	N 32°23' 3.00"	W 103°41' 22.90"
Bone Spring 3rd Intersection	11958.00	67.08	28.81	11688.30	-154.07	-271.74	1094.99	11.31	1128.20	103.94	504159.55	740070.19	N 32°23' 3.69"	W 103°41' 22.35"
	12053.00	71.84	14.15	11721.78	-88.57	-189.20	1127.28	15.28	1143.05	99.53	504242.08	740102.48	N 32°23' 4.51"	W 103°41' 21.97"
	12079.00	71.95	10.57	11729.87	-44.01	-165.06	1132.57	13.10	1144.53	98.29	504266.22	740107.76	N 32°23' 4.75"	W 103°41' 21.90"
	12147.00	72.53	1.23	11750.65	20.66	-100.73	1139.21	13.10	1143.65	95.05	504330.55	740114.40	N 32°23' 5.38"	W 103°41' 21.82"
	12242.00	77.23	359.77	11775.43	111.90	-9.05	1139.99	5.16	1140.03	90.45	504422.22	740115.19	N 32°23' 6.29"	W 103°41' 21.80"
	12337.00	86.77	359.06	11788.63	205.23	84.91	1139.03	10.07	1142.19	85.74	504516.18	740114.22	N 32°23' 7.22"	W 103°41' 21.81"
	12431.00	90.95	357.49	11790.50	298.32	178.83	1136.20	1.03	1150.18	81.06	504610.09	740111.39	N 32°23' 8.01"	W 103°41' 21.84"
	12518.00	90.87	356.60	11789.12	384.23	265.70	1131.71	1.03	1162.48	76.79	504696.96	740106.91	N 32°23' 9.01"	W 103°41' 21.88"
	12612.00	89.43	355.96	11788.88	476.85	359.50	1126.61	1.68	1181.63	72.99	504790.75	740100.81	N 32°23' 9.94"	W 103°41' 21.95"
	12707.00	88.24	354.38	11790.81	570.11	454.14	1117.62	2.08	1206.36	67.89	504885.39	740092.81	N 32°23' 10.88"	W 103°41' 22.03"
Exit Target Box	12709.00	88.22	354.41	11790.87	572.06	456.13	1117.42	1.75	1206.93	67.79	504887.37	740092.62	N 32°23' 10.90"	W 103°41' 22.04"
	12802.00	87.47	355.85	11794.36	663.30	548.72	1109.53	1.75	1237.80	63.69	504979.97	740084.73	N 32°23' 11.81"	W 103°41' 22.12"
	12897.00	87.55	0.11	11798.49	757.24	643.55	1106.19	4.48	1279.77	59.81	505074.79	740081.39	N 32°23' 12.75"	W 103°41' 22.15"
	12991.00	87.10	4.65	11802.88	850.92	737.34	1110.09	4.85	1332.65	56.41	505168.58	740085.28	N 32°23' 13.68"	W 103°41' 22.10"
	13013.00	87.76	9.77	11803.87	911.59	797.89	1111.89	3.18	1346.40	52.95	505190.48	740087.11	N 32°23' 13.89"	W 103°41' 22.08"
	13086.00	89.04	5.69	11805.34	945.86	831.91	1116.64	1.18	1394.07	53.61	505263.14	740093.84	N 32°23' 14.61"	W 103°41' 21.99"
	13180.00	90.79	3.52	11804.74	1039.82	925.60	1126.19	2.48	1457.75	50.58	505356.83	740101.39	N 32°23' 15.54"	W 103°41' 21.90"
	13275.00	90.84	1.93	11803.39	1134.64	1020.48	1130.71	1.67	1523.12	47.93	505451.70	740105.90	N 32°23' 16.48"	W 103°41' 21.84"
	13370.00	90.60	0.49	11802.19	1229.29	1115.45	1132.71	1.54	1589.74	45.44	505546.67	740107.91	N 32°23' 17.42"	W 103°41' 21.81"
	13464.00	91.05	1.13	11800.84	1322.88	1209.43	1134.04	0.83	1657.94	43.16	505640.64	740109.24	N 32°23' 18.35"	W 103°41' 21.79"
100' FSL Crossing	13559.00	90.03	1.42	11799.94	1417.54	1304.40	1136.15	1.12	1729.83	41.06	505735.61	740111.35	N 32°23' 19.29"	W 103°41' 21.76"
	13654.00	90.85	2.57	11799.21	1512.29	1399.34	1136.45	1.49	1804.58	37.06	505830.54	740114.66	N 32°23' 20.23"	W 103°41' 21.71"
	13749.00	90.42	2.50	11798.16	1607.10	1494.24	1143.66	0.46	1881.68	37.43	505925.44	740118.86	N 32°23' 21.17"	W 103°41' 21.66"
	13843.00	90.26	0.29	11797.60	1700.78	1588.20	1145.95	2.36	1958.47	35.81	506019.40	740121.15	N 32°23' 22.10"	W 103°41' 21.62"
	13938.00	88.57	0.56	11798.57	1795.31	1683.19	1146.66	1.80	2036.65	34.26	506114.38	740121.85	N 32°23' 23.03"	W 103°41' 21.61"
	14033.00	88.85	356.54	11800.71	1889.45									

Comments	MD (ft)	Incl (°)	Azim Grid (°)	TVD (ft)	VSEC (ft)	NS (ft)	EW (ft)	DLS (°/100ft)	Closure (ft)	Closure Azimuth (°)	Northing (ftUS)	Easting (ftUS)	Latitude (N/S ° ' ")	Longitude (E/W ° ' ")
100' FNL Crossing Final MWD Survey Prot to TD	21420.00	90.06	358.80	11761.39	9222.39	9160.48	1070.93	1.91	9222.86	6.57	513591.30	740046.13	N 32 24 37.02	W 103 41 21.97
	21514.00	89.73	359.68	11761.56	9315.70	9254.46	1069.52	1.20	9316.06	6.59	513685.29	740044.72	N 32 24 37.95	W 103 41 21.98
	21609.00	90.13	358.14	11761.67	9409.95	9349.44	1067.72	1.67	9410.21	6.52	513780.26	740042.91	N 32 24 38.89	W 103 41 21.99
	21704.00	89.04	358.84	11762.36	9504.11	9444.41	1065.21	1.36	9504.29	6.44	513875.22	740040.41	N 32 24 39.83	W 103 41 22.01
	21798.00	90.06	0.93	11763.10	9597.55	9538.40	1065.02	2.47	9597.67	6.37	513969.21	740040.22	N 32 24 40.76	W 103 41 22.01
	21893.00	89.86	358.83	11763.17	9691.99	9633.39	1064.83	2.22	9692.06	6.31	514064.20	740040.02	N 32 24 41.70	W 103 41 22.00
	21988.00	89.78	359.15	11763.47	9786.26	9728.37	1063.15	0.35	9786.29	6.24	514159.18	740038.35	N 32 24 42.64	W 103 41 22.02
	22082.00	89.75	359.46	11763.85	9879.60	9822.37	1062.01	0.33	9879.61	6.17	514253.16	740037.21	N 32 24 43.57	W 103 41 22.02
	22177.00	90.03	359.01	11764.03	9973.92	9917.36	1060.74	0.56	9973.92	6.11	514348.15	740035.94	N 32 24 44.51	W 103 41 22.03
	22272.00	89.39	0.61	11764.51	10068.35	10012.35	1060.43	1.81	10068.35	6.05	514443.14	740035.63	N 32 24 45.45	W 103 41 22.03
	22366.00	89.71	359.93	11765.25	10161.86	10106.35	1060.87	0.80	10161.88	5.99	514537.13	740036.07	N 32 24 46.38	W 103 41 22.02
	22460.00	90.25	358.86	11765.28	10255.22	10200.34	1059.88	1.28	10255.26	5.93	514631.12	740035.08	N 32 24 47.31	W 103 41 22.02
	22461.00	90.26	358.85	11765.28	10256.21	10201.34	1059.86	1.28	10256.25	5.93	514632.12	740035.06	N 32 24 47.32	W 103 41 22.02
	22507.00	90.26	358.85	11765.07	10301.84	10247.33	1058.94	0.00	10301.90	5.90	514678.11	740034.13	N 32 24 47.78	W 103 41 22.03

Survey Type: Def Survey

Survey Error Model: ISCWSA Rev 3 *** 3-D 95.000% Confidence 2.7955 sigma
Survey Program:

Description	Part	MD From (ft)	MD To (ft)	EOU Freq (ft)	Hole Size (in)	Casing Diameter (in)	Survey Tool Type	Borehole / Survey
	1	0.000	25.000	1/98.425	26.400	26.400	GVD_GC+DROP+OH-Depth Only	Dr PI Fed Unit 17_8 DA 35H / Oxy Gyro+MWD 0' to 22507MD
	1	25.000	25.000	Act Stns	26.400	26.400	GVD_GC+DROP+OH-Depth Only	Dr PI Fed Unit 17_8 DA 35H / Oxy Gyro+MWD 0' to 22507MD
	1	25.000	933.000	Act Stns	26.400	26.400	GVD_GC+DROP+OH	Dr PI Fed Unit 17_8 DA 35H / Oxy Dr PI Fed Unit 17_8 DA 35H
	1	933.000	22507.000	Act Stns	26.400	26.400	A010Mb_MWD+IFR1+SAG+MS	Dr PI Fed Unit 17_8 DA 35H / Oxy Dr PI Fed Unit 17_8 DA 35H Gyro+MWD 0' to 22507MD

Intent ☐ As Drilled ☐

API #		
Operator Name:	Property Name:	Well Number

Kick Off Point (KOP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

First Take Point (FTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Last Take Point (LTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Is this well the defining well for the Horizontal Spacing Unit? ☐Is this well an infill well? ☐

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API #		
Operator Name:	Property Name:	Well Number

KZ 06/29/2018

Well Name: DR PI FED UNIT 17-8 DA	Well Location: T22S / R32E / SEC 17 / SWSE / 32.3851245 / -103.6930827	County or Parish/State: EDDY / NM
Well Number: 35H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM128362	Unit or CA Name: DR PI (DEEP)	Unit or CA Number: NMNM143828X
US Well Number: 3002548952	Well Status: Producing Oil Well	Operator: OXY USA INCORPORATED

Subsequent Report

Sundry ID: 2702735

Type of Submission: Subsequent Report	Type of Action: Workover Operations
Date Sundry Submitted: 11/13/2022	Time Sundry Submitted: 08:43
Date Operation Actually Began: 07/18/2022	

Actual Procedure: RUPU 07/18/22, RIH & clean out to PBTD @ 22464', pressure test casing to 6000# for 30 min, good test. RIH & perf @ 12234-22370' Total 1200 holes. Frac in 40 stages w/ 371939BBL Brackish Water (> 1,000 mg/l TDS and 10,000 mg/l TDS) w/ 25097407# sand, RD NexTier 08/10/22. Well ready to produce 08/15/22. 10/03/22 RIH with 2-3/8" L80 tbg & gas lift set @ 11670', RD 10/04/22. Formation Tops for this completion are as follows: Rustler 899'M 899'V Salado 1224'M 1224'V Castile 3228'M 3228'V Lamar/Delaware 4760'M 4760'V Bell Canyon 4805'M 4805'V Cherry Canyon 5623'M 5620'V Brushy Canyon 6846'M 6820'V Bone Spring 8660'M 8599'V 1st Bone Springs 9761'M 9686'V 2nd Bone Springs 10409'M 10328'V 3rd Bone Springs 11581'M 11462'V

Well Name: DR PI FED UNIT 17-8 DA	Well Location: T22S / R32E / SEC 17 / SWSE / 32.3851245 / -103.6930827	County or Parish/State: EDDY / NM
Well Number: 35H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM128362	Unit or CA Name: DR PI (DEEP)	Unit or CA Number: NMNM143828X
US Well Number: 3002548952	Well Status: Producing Oil Well	Operator: OXY USA INCORPORATED

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: JANA MENDIOLA	Signed on: NOV 13, 2022 08:40 PM
Name: OXY USA INCORPORATED	
Title: Regulatory Coordinator	
Street Address: PO BOX 50250	
City: Midland	State: TX
Phone: (432) 685-5936	
Email address: Janalyn_mendiola@oxy.com	

Field

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact

BLM POC Name: Jonathon W Shepard	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5752345972	BLM POC Email Address: jshepard@blm.gov
Disposition: Accepted	Disposition Date: 12/15/2022
Signature: Jonathon Shepard	

Submit To Appropriate District Office Two Copies <u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 <u>District II</u> 811 S. First St., Artesia, NM 88210 <u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 <u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505			Form C-105 Revised April 3, 2017					
WELL COMPLETION OR RECOMPLETION REPORT AND LOG							1. WELL API NO. 30-025-48952			
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)							2. Type of Lease ☐ STATE ☐ FEE ☒ FED/INDIAN			
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER							3. State Oil & Gas Lease No.			
8. Name of Operator: OXY USA INC.						9. OGRID: 16696				
10. Address of Operator: P.O. BOX 50250 MIDLAND, TX 79710						11. Pool name or Wildcat BILBREY BASIN; BONE SPRING, SOUTH				
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	O	17	22S	32E		275	SOUTH	1500	EAST	LEA
BH:	A	8	22S	32E		53	NORTH	368	EAST	LEA
13. Date Spudded 01/18/22	14. Date T.D. Reached 06/20/2022		15. Date Rig Released 06/22/2022		16. Date Completed (Ready to Produce) 08/15/2022			17. Elevations (DF and RKB, RT, GR, etc.) 3674' GL		
18. Total Measured Depth of Well 22507'M 11765'V			19. Plug Back Measured Depth 22464'M 11765'V		20. Was Directional Survey Made? YES			21. Type Electric and Other Logs Run CBL		
22. Producing Interval(s), of this completion - Top, Bottom, Name 12234-22370' 3 rd Bone Spring										
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
13.375" J55		54.5		944'		17.5"		1140sx-surf circ		
7.625" HCL80		26.4		11189'		9.875"		1364sx-surf		
5.5" P110		20		22487'		6.75"		863sx-TOC@10689'		
24. LINER RECORD										
SIZE	TOP	BOTTOM		SACKS CEMENT	SCREEN		25. TUBING RECORD			
							SIZE		DEPTH SET	
							2-3/8"		11670'	
26. Perforation record (interval, size, and number) 12234-22370' Total 1200 holes, Hole Size=0.42						27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.				
						DEPTH INTERVAL		AMOUNT AND KIND MATERIAL USED		
						12234-22370'		371939BBL Brackish Water (> 1,000 mg/l TDS and < 10,000 mg/l TDS) w/ 25097407# sand		
28. PRODUCTION										
Date First Production		Production Method (Flowing, gas lift, pumping - Size and type pump)				Well Status (Prod. or Shut-in)				
08/18/2022		Gas Lift				Prod.				
Date of Test	Hours Tested	Choke Size	Prod'n For	Oil - Bbl	Gas - MCF	Water - Bbl.	Gas - Oil Ratio			
08/24/2022	24 hrs.	78/128	Test Period	3086	4780	10055	1549			
Flow Tubing Press.	Casing Pressure	Calculated 24-Hour Rate	Oil - Bbl.	Gas - MCF	Water - Bbl.	Oil Gravity - API - (Corr.)				
	1250		3086	4780	10055					
29. Disposition of Gas (Sold, used for fuel, vented, etc.) SOLD							30. Test Witnessed By			
31. List Attachments WBD										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.							33. Rig Release Date:			
34. If an on-site burial was used at the well, report the exact location of the on-site burial:										
Latitude _____ Longitude _____ NAD83										
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Printed										
Signature:		Name: Jana Mendiola			Title: Sr. Regulatory Analyst			Date: 11/13/2022		
E-mail Address: janalyn_mendiola@oxy.com										

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

Southeastern New Mexico		Northwestern New Mexico	
T. Rustler 899'	T. Bell Canyon 4805'	T. Ojo Alamo	T. Penn A"
T. Salado 1224'	T. Strawn	T. Kirtland	T. Penn. "B"
T. Castile 3228'	T. Atoka	T. Fruitland	T. Penn. "C"
T. Delaware 4760'	T. Miss	T. Pictured Cliffs	T. Penn. "D"
T. Cherry Canyon 5623'	T. Devonian	T. Cliff House	T. Leadville
T. Brushy Canyon 6846'	T. Silurian	T. Menefee	T. Madison
T. Grayburg	T. Montoya	T. Point Lookout	T. Elbert
T. San Andres	T. Simpson	T. Mancos	T. McCracken
T. Glorieta	T. McKee	T. Gallup	T. Ignacio Otzte
T. Paddock	T. Ellenburger	Base Greenhorn	T. Granite
T. Blinebry	T. Gr. Wash	T. Dakota	
T. Tubb	T. Delaware Sand	T. Morrison	
T. Drinkard	T. Bone Springs 8660'	T. Todilto	
T. Abo	T. 1 st Bone Springs 9761'	T. Entrada	
T. Wolfcamp	T. 2 nd Bone Springs 10409'	T. Wingate	
T. Penn	T. 3 rd Bone Springs 11581'	T. Chinle	
T. Cisco (Bough C)	T.	T. Permian	


No. 1, from.....to.....
No. 2, from.....to.....
No. 3, from.....to.....
No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology

OXY USA Inc.
DR PI FEDERAL UNIT 17-8 DA 35H
API No. 30-025-48952



2-3/8" tbg & gas lift @ 11670'

Perfs @ 12234-22370'

TD- 22507'M 11765'V

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 174139

ACKNOWLEDGMENTS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 174139
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 174139

CONDITIONS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 174139
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
smcgrath	File 3160-4 within 10 days of BLM Approval	1/23/2023
smcgrath	Upload CBL to OCD Permitting/Well Logs	1/23/2023