

1625 N. French Dr., Hobbs, NM 88240

District I

811 S. First St., Artesia, NM 88210

District II

1000 Rio Brazos Rd., Aztec, NM 87410

District III

1220 S. St. Francis Dr., Santa Fe, NM 87505

District IV

State of New Mexico
Energy, Minerals & Natural Resources

Form C-104

Revised August 1, 2011

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☒ AMENDED REPORT**I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT**

¹ Operator name and Address OXY USA INC. P.O. BOX 50250 MIDLAND, TX 79710		² OGRID Number: 16696
		³ Reason for Filing Code/ Effective Date: NW - 08/29/2022
⁴ API Number 30 - 025-49148	⁵ Pool Name WC-025 G-09 S233216K; UPR WOLFCAMP	⁶ Pool Code 98166
⁷ Property Code: 332769	⁸ Property Name: DR PI FEDERAL UNIT 17-8 DA	⁹ Well Number: 32H

II. ¹⁰ Surface Location

Ul or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
M	17	22S	32E		350	SOUTH	1140	WEST	LEA

¹¹ Bottom Hole Location

FTP- 152' FSL 2089' FWL LTP- 174' FNL 2152' FWL

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
C	8	22S	32E		40	NORTH	2151	WEST	LEA
¹² Lse Code F	¹³ Producing Method Code : P		¹⁴ Gas Connection Date: 8/31/22		¹⁵ C-129 Permit Number		¹⁶ C-129 Effective Date		¹⁷ C-129 Expiration Date

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
237722	CENTURION PIPELINE L.P.	O
248749	DCP MIDSTREAM, LP	G

IV. Well Completion Data

²¹ Spud Date 01/29/22	²² Ready Date 08/29/2022	²³ TD 22617'M 12089'V	²⁴ PBSD 22573'M 12089'V	²⁵ Perforations 12216-22483'	²⁶ DHC, MC
²⁷ Hole Size		²⁸ Casing & Tubing Size		²⁹ Depth Set	³⁰ Sacks Cement
17-1/2"		13-3/8"		945'	1140
9-7/8"		7-5/8"		11370'	3107
6-3/4"		5-1/2"		22597'	877
		2-3/8" TBG		12006'	NA

V. Well Test Data

³¹ Date New Oil 9/1/22	³² Gas Delivery Date 8/31/22	³³ Test Date 9/17/22	³⁴ Test Length 24 HRS	³⁵ Tbg. Pressure	³⁶ Csg. Pressure 915
³⁷ Choke Size 128/128	³⁸ Oil 7169	³⁹ Water 6525	⁴⁰ Gas 12297		⁴¹ Test Method F

⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.

Signature: 

Printed name: JANA MENDIOLA

Title: SR. REGULATORY ANALYST

E-mail Address:
Janalyn_mendiola@oxy.com

Date: 01/10/2023 Phone: 432-685-5936

OIL CONSERVATION DIVISION

Approved by:

PATRICIA MARTINEZ

Title: PETROLEUM SPECIALIST

Approval Date: 1/23/2023

1625 N. French Dr., Hobbs, NM 88240
 Phone: (575) 393-6161 Fax: (575) 393-0720
District II
 811 S. First St., Artesia, NM 88210
 Phone: (575) 748-1283 Fax: (575) 748-9720
District III
 1000 Rio Brazos Road, Aztec, NM 87410
 Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
 1220 S. St. Francis Dr., Santa Fe, NM 87505
 Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
 Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

Revised August 1, 2011
 Submit one copy to appropriate
 District Office

☒ AMENDED REPORT


WELL LOCATION AND ACREAGE DEDICATION AS-DRILLED PLAT

¹ API Number 30-025-49148	² Pool Code 98166	³ Pool Name WC-025 G-09 S233216K; UPR WOLFCAMP
⁴ Property Code 332769	Property Name DR PI FEDERAL UNIT 17-8 DA	
⁷ OGRID No. 16696	⁸ Operator Name OXY USA INC.	⁶ Well Number 32H
		⁹ Elevation 3684'

¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
M	17	22S	32E		350	SOUTH	1140	WEST	LEA
¹¹ Bottom Hole Location If Different From Surface									
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
C	8	22S	32E		40	NORTH	2151	WEST	LEA
¹² Dedicated Acres 320.0	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.						

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.



Distances/areas relative to NAD 83 Combined Scale Factor: 0.99995379 Convergence Angle: 00°20'34.08"

Schlumberger



OXY



Borehole:	Well:	Field:	Structure:
Dr Pi Fed Unit 17_8 DA 32H	Dr Pi Fed Unit 17_8 DA 32H	NM Lea County (NAD 83)	Oxy Dr Pi Fed Unit 17_8 DA_Citadel 2 (Pad)

Gravity & Magnetic Parameters				Surface Location NAD83 New Mexico State Plane, Eastern Zone, US Feet				Miscellaneous	
Model: IFR1	Dip: 60.15"	Date: 04-Jun-2022		Lat: N 32 23 7.07	Northing: 504478.831US	Grid Conv: 0.3383"		Slot: Dr Pi Fed Unit 17_8 DA 32H	TVD Ref: RKB(3707.8ft above MSL)
MagDec: 6.71"	FS: 47856.3nT	Gravity FS: 998.451mgn (9.80665 Based)		Lon: W 103 42 5.93	Easting: 736330.891US	Scale Fct: 0.99995264		Plan: Oxy Dr Pi Fed Unit 17_8 DA 32H Gyro-MWD 0' to 22617MD-A	

Critical Points							
Critical Point	MD	INCL	AZIM	TVD	VSEC	N(+)/S(-)	E(+)/W(-)
WRP	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SHL	24.00	0.00	0.00	24.00	0.00	0.00	0.00
First Gyro Survey	96.34	0.34	211.97	96.34	-0.19	-0.18	-0.11
Last Gyro Survey	907.12	0.47	31.77	907.11	0.89	0.77	1.30
First SLB Survey	1039.00	0.01	113.18	1038.99	1.37	1.23	1.60
Actual KOP	11474.00	5.06	95.75	11391.92	-463.41	-536.35	771.77
Wolfcamp A Intersection	11914.30	39.88	23.80	11785.80	-320.20	-402.43	879.39
100' FSL Crossing	12153.00	55.62	14.15	11950.47	-154.46	-241.42	938.37
Exit Target Box	13714.00	90.67	3.55	12042.79	1384.67	1294.24	1046.72
Enter Target Box	15127.00	88.16	356.47	12081.98	2787.56	2703.54	1041.48
Exit Target Box	16077.00	89.79	4.38	12088.10	3731.85	3652.47	1034.32
Enter Target Box	16905.00	92.56	354.41	12104.33	4552.69	4477.23	1029.41
Exit Target Box	19490.00	88.15	353.21	12085.46	7108.49	7054.63	911.85
Enter Target Box	19966.00	90.37	0.81	12090.20	7581.32	7529.92	906.78
100' FNL Crossing	22559.00	90.04	359.26	12089.20	10165.30	10121.74	940.14
Final MWD Survey	22586.00	89.95	359.33	12089.21	10192.15	10148.73	939.81
Proj to TD	22617.00	89.55	359.33	12089.34	10222.99	10179.73	939.45





Oxy Dr Pi Fed Unit 17_8 DA 32H Gyro+MWD 0' to 22617'MD Survey Geodetic Report

(Def Survey)

Report Date: June 20, 2022 - 11:57 AM Client: OXY Field: NM Lea County (NAD 83) Structure / Slot: Oxy Dr Pi Fed Unit 17_8 DA_Citadel 2 (Pad) / Dr Pi Fed Unit 17_8 DA 32H Well: Dr Pi Fed Unit 17_8 DA 32H Borehole: Dr Pi Fed Unit 17_8 DA 32H UWI / API#: Unknown / Unknown Survey Name: Oxy Dr Pi Fed Unit 17_8 DA 32H Gyro+MWD 0' to 22617'MD Survey Date: April 07, 2022 Tort / AHD / DDI / ERD Ratio: 344.094 " / 11769.029 ft / 6.879 / 0.971 Coordinate Reference System: NAD83 New Mexico State Plane, Eastern Zone, US Feet Location Lat / Long: N 32° 23' 7.07455", W 103° 42' 5.93206" Location Grid N/E Y/X: N 504478.830 ftUS, E 736330.890 ftUS CRS Grid Convergence Angle: 0.3383 ° Grid Scale Factor: 0.99995264 Version / Patch: 2.10.829.1	Survey / DLS Computation: Minimum Curvature / Lubinski Vertical Section Azimuth: 5.255 ° (Grid North) Vertical Section Origin: 0.000 ft, 0.000 ft TVD Reference Datum: RKB TVD Reference Elevation: 3707.800 ft above MSL Seabed / Ground Elevation: 3683.800 ft above MSL Magnetic Declination: 6.710 ° Total Gravity Field Strength: 998.4512mgn (9.80665 Based) Gravity Model: GARM Total Magnetic Field Strength: 47856.300 nT Magnetic Dip Angle: 60.150 ° Declination Date: June 04, 2022 Magnetic Declination Model: IFR1 North Reference: Grid North Grid Convergence Used: 0.3400 ° Total Corr Mag North->Grid North: 6.3700 ° Local Coord Referenced To: Well Head	
--	--	--

Comments	MD (ft)	Incl (°)	Azin Grid (°)	TVD (ft)	VSEC (ft)	NS (ft)	EW (ft)	DLS (°/100ft)	Closure (ft)	Closure Azimuth (°)	Northing (ftUS)	Easting (ftUS)	Latitude (N/S ° ' ")	Longitude (E/W ° ' ")
WRP SHL First Gyro Survey	0.00	0.00	0.00	0.00	0.00	0.00	0.00	N/A	0.00	0.00	504478.83	736330.89	N 32° 23' 7.07"	W 103° 42' 5.93"
	24.00	0.00	0.00	24.00	0.00	0.00	0.00	0.00	0.00	0.00	504478.83	736330.89	N 32° 23' 7.07"	W 103° 42' 5.93"
	96.34	0.34	211.97	96.34	-0.19	-0.18	-0.11	0.47	0.21	211.97	504478.65	736330.78	N 32° 23' 7.07"	W 103° 42' 5.93"
	187.15	0.33	101.58	187.15	-0.46	-0.46	0.00	0.61	0.46	180.01	504478.37	736330.89	N 32° 23' 7.07"	W 103° 42' 5.93"
	278.28	0.19	13.54	278.28	-0.34	-0.37	0.29	0.41	0.47	141.61	504478.46	736331.18	N 32° 23' 7.07"	W 103° 42' 5.93"
	372.77	0.27	182.67	372.77	-0.41	-0.44	0.32	0.48	0.54	144.03	504478.39	736331.21	N 32° 23' 7.07"	W 103° 42' 5.93"
	467.08	0.28	60.88	467.08	-0.51	-0.50	0.51	0.51	0.75	137.12	504478.28	736331.40	N 32° 23' 7.07"	W 103° 42' 5.93"
	561.44	0.12	249.98	561.44	-0.41	-0.47	0.62	0.42	0.78	127.27	504478.36	736331.51	N 32° 23' 7.07"	W 103° 42' 5.92"
	655.60	0.30	124.73	655.60	-0.58	-0.64	0.73	0.41	0.97	131.52	504478.19	736331.62	N 32° 23' 7.07"	W 103° 42' 5.92"
	749.91	0.47	15.03	749.91	-0.32	-0.41	1.03	0.68	1.11	111.76	504478.42	736331.92	N 32° 23' 7.07"	W 103° 42' 5.92"
Last Gyro Survey First SLB Survey	844.19	0.43	3.39	844.18	0.42	0.31	1.15	0.11	1.19	74.72	504479.14	736332.04	N 32° 23' 7.08"	W 103° 42' 5.92"
	907.12	0.47	31.77	907.11	0.89	0.77	1.30	0.36	1.51	59.41	504479.60	736332.19	N 32° 23' 7.08"	W 103° 42' 5.92"
	1039.00	0.01	113.18	1038.99	1.37	1.23	1.60	0.36	2.01	52.52	504480.06	736332.49	N 32° 23' 7.09"	W 103° 42' 5.91"
	1133.00	0.04	291.90	1132.99	1.37	1.23	1.57	0.05	2.00	51.91	504480.06	736332.46	N 32° 23' 7.09"	W 103° 42' 5.91"
	1224.00	0.13	236.53	1223.99	1.32	1.19	1.46	0.12	1.88	50.82	504480.02	736332.35	N 32° 23' 7.09"	W 103° 42' 5.91"
	1318.00	0.05	31.92	1317.99	1.29	1.17	1.39	0.19	1.82	50.07	504480.00	736332.28	N 32° 23' 7.09"	W 103° 42' 5.92"
	1410.00	0.19	341.46	1409.99	1.46	1.34	1.36	0.18	1.92	45.44	504480.17	736332.25	N 32° 23' 7.09"	W 103° 42' 5.92"
	1504.00	0.09	216.01	1503.99	1.54	1.43	1.27	0.27	1.92	41.61	504480.26	736332.16	N 32° 23' 7.09"	W 103° 42' 5.92"
	1690.00	0.32	211.71	1689.99	0.95	0.87	0.91	0.12	1.26	46.31	504479.70	736331.80	N 32° 23' 7.08"	W 103° 42' 5.92"
	1752.00	0.23	227.49	1751.99	0.70	0.64	0.73	0.19	0.97	48.74	504479.47	736331.62	N 32° 23' 7.08"	W 103° 42' 5.92"
	1847.00	0.11	211.22	1846.99	0.48	0.43	0.54	0.13	0.69	51.35	504479.26	736331.43	N 32° 23' 7.08"	W 103° 42' 5.93"
	1942.00	0.28	139.64	1941.99	0.24	0.18	0.65	0.28	0.67	74.51	504479.01	736331.54	N 32° 23' 7.08"	W 103° 42' 5.92"
	2037.00	0.27	105.07	2036.98	0.04	-0.06	1.01	0.17	1.01	93.18	504478.77	736331.90	N 32° 23' 7.07"	W 103° 42' 5.92"
	2131.00	0.34	71.41	2130.98	0.11	-0.02	1.49	0.20	1.49	90.95	504478.81	736332.38	N 32° 23' 7.07"	W 103° 42' 5.91"
	2321.00	0.45	89.91	2320.98	0.41	0.16	2.77	0.09	2.77	86.78	504478.99	736333.66	N 32° 23' 7.08"	W 103° 42' 5.90"
	2415.00	0.20	96.97	2414.98	0.44	0.14	3.30	0.27	3.31	87.63	504478.97	736334.19	N 32° 23' 7.08"	W 103° 42' 5.89"
	2510.00	0.33	94.39	2509.98	0.44	0.10	3.74	0.14	3.74	88.53	504478.93	736334.63	N 32° 23' 7.08"	W 103° 42' 5.89"
	2605.00	0.53	107.58	2604.97	0.35	-0.06	4.43	0.23	4.43	90.75	504478.77	736335.32	N 32° 23' 7.07"	W 103° 42' 5.88"
	2699.00	0.43	73.05	2698.97	0.39	-0.09	5.18	0.32	5.18	90.96	504478.74	736336.07	N 32° 23' 7.07"	W 103° 42' 5.87"
	2794.00	0.25	36.74	2793.97	0.70	0.18	5.65	0.29	5.65	88.14	504479.01	736336.54	N 32° 23' 7.08"	W 103° 42' 5.87"
	2889.00	0.21	22.36	2888.97	1.04	0.51	5.84	0.07	5.86	85.00	504479.34	736336.73	N 32° 23' 7.08"	W 103° 42' 5.86"
	2984.00	0.49	27.54	2983.97	1.59	1.03	6.09	0.30	6.18	80.39	504479.86	736336.98	N 32° 23' 7.08"	W 103° 42' 5.86"
	3078.00	0.44	40.71	3077.96	2.25	1.66	6.51	0.13	7.59	75.69	504480.49	736337.40	N 32° 23' 7.09"	W 103° 42' 5.86"
	3173.00	0.51	45.30	3172.96	2.87	2.24	7.05	0.08	7.40	72.41	504481.07	736337.94	N 32° 23' 7.10"	W 103° 42' 5.85"
	3268.00	0.55	53.49	3267.96	3.50	2.80	7.72	0.09	8.21	70.03	504481.63	736338.61	N 32° 23' 7.10"	W 103° 42' 5.84"
	3363.00	0.66	64.10	3362.95	4.09	3.31	8.58	0.16	9.20	68.87	504482.14	736339.47	N 32° 23' 7.11"	W 103° 42' 5.83"
	3458.00	0.75	65.27	3457.94	4.68	3.81	9.63	0.10	10.36	68.40	504482.64	736340.52	N 32° 23' 7.11"	W 103° 42' 5.82"
	3552.00	0.63	84.53	3551.94	5.08	4.12	10.71	0.28	11.47	68.95	504482.95	736341.60	N 32° 23' 7.11"	W 103° 42' 5.81"
	3647.00	0.83	78.14	3646.93	5.38	4.31	11.90	0.23	12.66	70.09	504483.14	736342.79	N 32° 23' 7.12"	W 103° 42' 5.79"
	3742.00	0.66	114.44	3741.92	5.41	4.23	13.07	0.52	13.74	72.08	504483.06	736343.96	N 32° 23' 7.12"	W 103° 42' 5.78"
	3837.00	0.57	95.32	3836.92	5.23	3.96	14.04	0.23	14.59	74.26	504482.79	736344.93	N 32° 23' 7.11"	W 103° 42' 5.77"
	3931.00	0.22	129.54	3930.91	5.12	3.80	14.65	0.43	15.13	75.46	504482.63	736345.54	N 32° 23' 7.11"	W 103° 42' 5.76"
	4026.00	0.31	192.40	4025.91	4.77	3.43	14.73	0.30	15.13	76.89	504482.26	736345.62	N 32° 23' 7.11"	W 103° 42' 5.76"
	4121.00	0.71	93.92	4120.91	4.52	3.14	15.26	0.86	15.58	78.38	504481.97	736346.15	N 32° 23' 7.10"	W 103° 42' 5.75"
	4216.00	0.89	91.03	4215.90	4.59	3.09	16.59	0.19	16.87	79.46	504481.92	736347.48	N 32° 23' 7.10"	W 103° 42' 5.74"
	4310.00	0.94	104.31	4309.89	4.53	2.88	18.07	0.23	18.29	80.93	504481.71	736348.95	N 32° 23' 7.10"	W 103° 42' 5.72"
	4405.00	0.78	106.24	4404.98	4.28	2.51	19.44	0.17	19.69	82.65	504481.34	736350.19	N 32° 23' 7.10"	W 103° 42' 5.71"
	4500.00	0.83	57.52	4499.87	4.58	2.70	20.64	0.70	20.82	82.55	504481.53	736351.53	N 32° 23' 7.10"	W 103° 42' 5.69"
	4595.00	0.95	40.57	4594.86	5.64	3.67	21.74	0.30	22.04	80.43	504482.50	736352.62	N 32° 23' 7.11"	W 103° 42' 5.68"
	4784.00	0.35	324.12	4783.85	7.35	5.32	22.42	0.49	23.04	76.64	504484.15	736353.31	N 32° 23' 7.13"	W 103° 42' 5.67"
	4879.00	0.06	115.19	4878.85	7.56	5.54	22.29	0.42	22.97	76.05	504484.37	736353.18	N 32° 23' 7.13"	W 103° 42' 5.67"
	4974.00	0.05	302.07	4973.85	7.56	5.54	22.30	0.12	22.98	76.19	504484.37	736353.19	N 32° 23' 7.13"	W 103° 42' 5.67"
	5069.00	0.11	151.07	5068.88	7.50	5.20	22.31	0.16	22.97	76.19	504484.31	736353.23	N 32° 23' 7.13"	W 103° 42' 5.67"
	5164.00	0.11	337.81	5163.85	7.51	5.49	22.32	0.23	22.98	76.19	504484.31	736353.21	N 32° 23' 7.13"	W 103° 42' 5.67"
	5258.00	0.11	145.72	5257.85	7.52	5.49	22.34	0.23	23.00	76.18	504484.32	736353.23	N 32° 23' 7.13"	W 103° 42' 5.67"
	5353.00	0.12	289.25	5352.85	7.47	5.45	22.29	0.23	22.95	76.26	504484.28	736353.18	N 32° 23' 7.13"	W 103° 42' 5.67"
	5448.00	0.05	162.44	5447.85	7.46	5.44	22.21	0.16	22.87	76.23	504484.27	736353.10	N 32° 23' 7.13"	W 103° 42' 5.67"
	5543.00	1.26	122.76	5542.84	6.94	4.84	23.10	1.29	23.60	78.17	504483.67	736353.99	N 32° 23' 7.12"	W 103° 42' 5.66"
	5637.00	2.85	127.39	5636.78	5.72	2.86	25.83	1.70	25.99	83.68	504481.69	736356.72	N 32° 23' 7.10"	W 103° 42' 5.63"
	5732.00	1.71	122.53	5731.51	5.17	2.87	27.17	1.98	27.67	81.24	504478.18	736361.88	N 32° 23' 7.07"	W 103° 42' 5.57"
	5827.00	6.09	122.13	5826.14	-1.89	-5.45	38.55	1.45	38.93	98.04	504473.38	736369.44	N 32° 23' 7.02"	W 103° 42' 5.48"
	5922.00	7.52	121.32	5920.47	-6.90	-11.36	48.13	1.51	49.45	103.28	504467.47	736379.02	N 32° 23' 6.96"	W 103° 42' 5.37"
	6016.00	9.50	122.80	6013.43	-13.19	-18.76	59.91	2.12	62.77	107.39	504460.07	736390.79	N 32° 23' 6.89"	W 103° 42' 5.23"
	6111.00	10.96	122.34	6106.92	-20.93	-27.84	74.13	1.54	79.18	110.58	504450.99	736405.01	N 32° 23' 6.79"	W 103° 42' 5.07"
	6205.00	11.16	122.61	6199.17	-29.18	-37.52	89.34	1.22	96.90	112.78	504441.31	736420.22	N 32° 23' 6.70"	W 103° 42' 4.89"
	6300.00	11.18	122.49	6202.43	-37.62	-47.23	104.81	1.03	115.03	114.34	504431.74	736435.74	N 32° 23' 6.71"	W 103° 42' 4.71"
	6395.00	11.05	122.60	6385.59	-46.02	-57.27	120.29	0.14	133.23	115.46	504421.56	736451.17	N 32° 23' 6.50"	W 103° 42' 4.53"
	6490.00	11.07	122.86	6478.83	-54.42	-67.13	135.62	0.06	151.33	116.33	504411.70	736466.50	N 32° 23' 6.40"	W 103° 42' 4.36"
	6584.00	11.25	122.99	6571.05	-62.87	-77.02								

Comments	MD (ft)	Incl (°)	Azim Grid (°)	TVD (ft)	VSEC (ft)	NS (ft)	EW (ft)	DLS (°/100ft)	Closure (ft)	Closure Azimuth (°)	Northing (RUS)	Easting (RUS)	Latitude (N/S ° ' ")	Longitude (E/W ° ' ")
	9711.00	4.49	148.19	9650.02	-336.65	-391.58	581.85	1.67	701.35	123.94	504087.27	7369.12.71	N 32.23 3.17	W 103.41 58.17
	9806.00	5.18	160.81	9744.68	-343.52	-398.79	585.22	1.33	708.18	124.27	504080.06	7369.16.08	N 32.23 3.09	W 103.41 58.14
	9901.00	6.34	169.29	9839.21	-352.46	-408.00	587.61	1.51	715.36	124.77	504070.85	7369.18.47	N 32.23 3.00	W 103.41 58.11
	9996.00	6.57	175.11	9933.60	-362.86	-418.57	589.04	1.73	722.61	125.40	504060.28	7369.19.91	N 32.23 2.99	W 103.41 58.09
	10091.00	5.63	188.19	10028.07	-372.86	-428.59	588.84	1.76	728.31	126.05	504050.26	7369.19.70	N 32.23 2.80	W 103.41 58.10
	10192.00	4.56	175.50	10128.67	-381.77	-437.50	588.45	1.53	733.27	126.63	504041.35	7369.19.31	N 32.23 2.71	W 103.41 58.10
	10286.00	6.32	135.91	10222.28	-388.82	-444.95	592.35	1.40	740.85	126.91	504035.91	7369.23.21	N 32.23 2.64	W 103.41 58.06
	10381.00	8.92	123.16	10316.44	-395.68	-452.73	602.15	3.25	753.36	126.94	504026.12	7369.33.01	N 32.23 2.56	W 103.41 58.94
	10476.00	11.53	121.53	10409.92	-403.33	-461.73	616.41	2.76	770.17	126.84	504017.13	7369.47.27	N 32.23 2.47	W 103.41 58.78
	10571.00	12.95	121.74	10502.76	-412.28	-472.29	633.56	1.50	790.23	126.70	504006.56	7369.64.42	N 32.23 2.36	W 103.41 58.58
	10665.00	12.60	121.98	10594.43	-421.59	-483.26	651.22	0.38	810.94	126.58	503995.59	7369.82.07	N 32.23 2.25	W 103.41 58.37
	10760.00	12.07	120.38	10687.24	-430.47	-493.77	668.57	0.66	831.15	126.45	503985.08	7369.99.43	N 32.23 2.15	W 103.41 58.17
	10855.00	10.87	115.44	10780.34	-437.77	-502.65	685.23	1.63	849.82	126.26	503976.21	7370.16.09	N 32.23 2.06	W 103.41 57.98
	10950.00	10.32	119.23	10873.72	-444.32	-510.85	700.75	0.93	867.07	126.08	503968.21	7370.31.60	N 32.23 1.98	W 103.41 57.80
	11044.00	9.05	120.33	10966.38	-450.88	-518.49	714.48	1.37	882.79	125.97	503960.36	7370.45.33	N 32.23 1.90	W 103.41 57.64
	11139.00	9.75	118.50	11060.10	-457.22	-526.11	728.00	0.80	898.20	125.85	503952.75	7370.58.85	N 32.23 1.83	W 103.41 57.48
	11234.00	8.85	106.53	11153.86	-461.82	-532.02	742.07	2.24	913.08	125.64	503946.83	7370.72.93	N 32.23 1.77	W 103.41 57.32
	11329.00	7.78	97.05	11247.87	-463.45	-534.89	755.46	1.83	925.65	125.30	503943.96	7370.86.31	N 32.23 1.74	W 103.41 57.16
	11357.00	7.45	93.91	11275.62	-463.47	-535.25	759.15	1.90	928.87	125.19	503943.61	7370.90.00	N 32.23 1.73	W 103.41 57.12
	11473.00	5.00	96.61	11390.93	-463.41	-536.34	771.68	2.13	939.76	124.80	503942.51	7371.02.53	N 32.23 1.72	W 103.41 56.97
Actual KOP	11474.00	5.06	95.75	11391.92	-463.41	-536.35	771.77	9.38	939.84	124.80	503942.50	7371.02.82	N 32.23 1.72	W 103.41 56.97
	11568.00	12.52	61.35	11484.81	-457.76	-531.87	784.85	9.38	948.10	124.12	503946.98	7371.15.70	N 32.23 1.77	W 103.41 56.82
	11663.00	21.08	47.44	11575.70	-439.31	-515.35	806.52	9.89	957.11	122.58	503963.51	7371.37.37	N 32.23 1.93	W 103.41 56.56
	11758.00	31.57	38.61	11660.76	-405.77	-484.26	834.71	11.76	965.01	120.12	503994.59	7371.65.56	N 32.23 2.23	W 103.41 56.23
	11852.00	38.84	25.61	11737.63	-357.45	-438.32	862.89	11.07	967.83	116.93	504040.53	7371.93.73	N 32.23 2.69	W 103.41 55.90
	11914.30	39.88	23.80	11785.80	-320.20	-402.43	879.39	12.48	967.10	114.59	504076.42	7372.10.45	N 32.23 3.04	W 103.41 55.71
	11947.00	40.43	22.88	11837.69	-300.16	-383.07	887.74	2.48	966.87	113.34	504095.78	7372.18.59	N 32.23 3.23	W 103.41 55.61
	12041.00	45.97	22.01	11879.29	-238.70	-323.62	912.28	5.93	967.98	109.53	504155.23	7372.43.12	N 32.23 3.82	W 103.41 55.32
	12136.00	53.60	14.82	11940.63	-168.14	-254.84	934.91	9.89	969.02	105.25	504224.00	7372.65.75	N 32.23 4.50	W 103.41 55.05
	12153.00	55.62	14.15	11950.47	-154.46	-241.42	938.37	12.33	968.93	104.43	504237.42	7372.69.22	N 32.23 4.63	W 103.41 55.01
Wolfcamp A Intersection	12230.00	64.83	11.47	11988.67	-88.28	-176.31	953.10	12.33	969.27	100.48	504302.53	7372.83.95	N 32.23 5.27	W 103.41 54.83
	12325.00	73.78	0.22	12022.22	0.21	-88.84	968.21	9.95	972.28	95.24	504389.99	7372.99.05	N 32.23 6.14	W 103.41 54.65
	12420.00	81.37	3.50	12042.66	92.88	3.36	977.61	9.35	977.62	89.80	504482.19	7373.08.49	N 32.23 7.05	W 103.41 54.53
	12515.00	88.72	1.52	12050.86	187.35	97.84	981.75	8.01	986.61	84.31	504576.67	7373.12.59	N 32.23 7.99	W 103.41 54.48
	12610.00	91.65	2.93	12050.55	282.20	192.76	985.43	3.42	1004.11	78.93	504671.58	7373.16.28	N 32.23 8.92	W 103.41 54.43
	12631.00	90.64	0.96	12050.13	303.16	213.74	986.15	10.54	1009.05	77.77	504692.56	7373.16.99	N 32.23 9.13	W 103.41 54.42
	12671.00	91.08	359.71	12049.53	343.01	253.74	986.38	3.31	1018.49	75.57	504732.55	7373.17.22	N 32.23 9.53	W 103.41 54.41
	12765.00	91.09	0.13	12047.75	436.59	347.72	986.25	0.45	1045.75	70.58	504826.53	7373.17.09	N 32.23 10.46	W 103.41 54.41
	12860.00	89.80	0.24	12047.01	531.21	442.71	986.56	1.36	1081.34	65.83	504921.52	7373.17.40	N 32.23 11.40	W 103.41 54.40
	12955.00	90.04	2.23	12047.14	625.97	537.69	988.60	2.11	1125.36	61.46	505016.49	7373.19.45	N 32.23 12.34	W 103.41 54.37
100' FSL Crossing	13049.00	89.59	1.63	12047.45	719.81	631.63	991.77	0.80	1175.83	57.51	505110.43	7373.22.61	N 32.23 13.27	W 103.41 54.32
	13144.00	91.07	5.27	12046.90	814.74	726.44	997.49	4.14	1233.97	53.94	505205.23	7373.28.33	N 32.23 14.20	W 103.41 54.25
	13238.00	89.37	5.44	12046.54	908.74	820.03	1006.26	1.82	1298.07	50.82	505298.81	7373.37.10	N 32.23 15.13	W 103.41 54.14
	13333.00	90.20	5.63	12046.90	1003.74	914.58	1015.42	0.90	1368.58	47.99	505393.37	7373.46.26	N 32.23 16.06	W 103.41 54.03
	13428.00	89.87	4.91	12046.81	1098.74	1008.74	1021.15	1.43	1437.83	45.42	505491.96	7373.54.92	N 32.23 17.00	W 103.41 53.92
	13522.00	90.50	4.33	12046.53	1192.73	1102.87	1033.72	0.91	1510.22	43.09	505581.65	7373.56.52	N 32.23 17.93	W 103.41 53.82
	13617.00	91.64	5.04	12044.76	1287.71	1197.54	1039.48	1.41	1585.75	40.96	505676.31	7373.70.31	N 32.23 18.86	W 103.41 53.73
	13712.00	90.71	3.56	12042.81	1382.67	1292.24	1046.60	1.84	1662.91	39.00	505771.01	7373.77.43	N 32.23 19.80	W 103.41 53.64
	13714.00	90.67	3.55	12042.79	1384.67	1294.24	1046.72	1.97	1664.54	38.96	505773.01	7373.77.56	N 32.23 19.82	W 103.41 53.64
	13806.00	88.94	3.02	12043.10	1476.61	1386.09	1051.99	1.97	1740.09	37.20	505884.85	7373.82.83	N 32.23 20.73	W 103.41 53.57
Exit Target Box	13901.00	88.27	2.35	12045.41	1571.49	1480.95	1056.44	1.00	1819.14	35.50	505959.71	7373.87.28	N 32.23 21.67	W 103.41 53.51
	13995.00	89.75	3.88	12047.04	1665.40	1574.79	1061.55	2.26	1899.17	33.98	506053.35	7373.92.38	N 32.23 22.59	W 103.41 53.44
	14090.00	90.27	5.62	12047.02	1760.39	1669.46	1069.41	1.91	1982.61	32.64	506148.21	7374.00.25	N 32.23 23.53	W 103.41 53.35
	14185.00	89.81	2.61	12046.95	1855.36	1764.21	1076.23	3.21	2066.57	31.38	506242.95	7374.07.07	N 32.23 24.47	W 103.41 53.26
	14279.00	91.20	3.72	12046.12	1949.29	1858.06	1081.42	1.89	2149.85	30.20	506336.79	7374.12.26	N 32.23 25.40	W 103.41 53.19
	14374.00	90.49	358.69	12044.72	2044.01	1952.99	1083.42	3.35	2233.38					

Comments	MD (ft)	Incl (°)	Azim Grid (°)	TVD (ft)	VSEC (ft)	NS (ft)	EW (ft)	DLS (°/100ft)	Closure (ft)	Closure Azimuth (°)	Northing (ftUS)	Easting (ftUS)	Latitude (N/S ° ' ")	Longitude (E/W ° ' ")
	21290.00	90.24	3.15	12094.99	8902.35	8853.06	944.43	0.17	8903.29	6.09	513331.45	737275.27	N 32 24 34.62	W 103 41 54.31
	21385.00	90.61	1.96	12094.28	8907.24	8947.96	948.66	1.31	8908.11	6.05	513426.35	737279.51	N 32 24 35.66	W 103 41 54.25
	21480.00	90.44	358.61	12093.41	9091.86	9042.94	949.14	3.53	9092.62	5.99	513521.33	737279.98	N 32 24 36.50	W 103 41 54.24
	21575.00	90.12	357.90	12092.95	9186.15	9137.90	946.24	0.82	9186.76	5.91	513616.28	737277.09	N 32 24 37.44	W 103 41 54.27
	21670.00	89.72	357.88	12093.08	9280.37	9232.83	942.75	0.42	9280.84	5.83	513711.21	737273.59	N 32 24 38.38	W 103 41 54.30
	21764.00	89.99	359.35	12093.32	9373.74	9326.80	940.47	1.59	9374.10	5.76	513805.17	737271.32	N 32 24 39.31	W 103 41 54.32
	21859.00	89.97	359.36	12093.35	9468.23	9421.80	939.40	0.02	9468.51	5.69	513900.16	737270.25	N 32 24 40.25	W 103 41 54.33
	21954.00	89.81	0.26	12093.53	9562.80	9516.79	939.09	0.96	9563.01	5.64	513995.15	737269.93	N 32 24 41.19	W 103 41 54.32
	22049.00	89.50	359.94	12094.11	9657.42	9611.79	939.26	0.47	9657.57	5.58	514090.15	737270.10	N 32 24 42.13	W 103 41 54.31
	22143.00	90.38	359.80	12094.20	9751.00	9705.79	939.04	0.95	9751.11	5.53	514184.14	737269.89	N 32 24 43.06	W 103 41 54.31
	22238.00	90.57	0.63	12093.42	9845.63	9800.79	939.40	0.90	9845.70	5.48	514279.13	737270.24	N 32 24 44.00	W 103 41 54.30
	22333.00	90.41	0.18	12092.60	9940.29	9895.78	940.07	0.50	9940.33	5.43	514374.12	737270.91	N 32 24 44.94	W 103 41 54.28
	22427.00	91.73	0.68	12090.85	10033.93	9989.76	940.78	1.50	10033.96	5.38	514468.09	737271.62	N 32 24 45.87	W 103 41 54.27
	22522.00	90.17	359.17	12089.27	10128.51	10084.74	940.65	2.29	10128.51	5.33	514563.07	737271.49	N 32 24 46.80	W 103 41 54.26
100' FNL Crossing	22559.00	90.04	359.26	12089.20	10165.30	10121.74	940.14	0.43	10165.30	5.31	514600.07	737270.99	N 32 24 47.17	W 103 41 54.27
Final MWD Survey	22586.00	89.95	359.33	12089.21	10192.15	10148.73	939.81	0.43	10192.16	5.29	514627.06	737270.66	N 32 24 47.44	W 103 41 54.27
Proj to TD	22617.00	89.55	359.33	12089.34	10222.99	10179.73	939.45	1.29	10222.99	5.27	514658.06	737270.29	N 32 24 47.74	W 103 41 54.27

Survey Type: Def Survey

Survey Error Model: ISCWSA Rev 3 *** 3-D 95.000% Confidence 2.7955 sigma
Survey Program:

Description	Part	MD From (ft)	MD To (ft)	EOU Freq (ft)	Hole Size (in)	Casing Diameter (in)	Survey Tool Type	Borehole / Survey
	1	0.000	24.000	1/98.425	26.400	26.400	GYD_GC+DROP+OH-Depth Only	Dr Pi Fed Unit 17_8 DA 32H / Oxy Dr Pi Fed Unit 17_8 DA 32H Gyro+MWD 0' to 22617MD
	1	24.000	24.000	Act Stns	26.400	26.400	GYD_GC+DROP+OH-Depth Only	Dr Pi Fed Unit 17_8 DA 32H / Oxy Dr Pi Fed Unit 17_8 DA 32H Gyro+MWD 0' to 22617MD
	1	24.000	907.120	Act Stns	26.400	26.400	GYD_GC+DROP+OH	Dr Pi Fed Unit 17_8 DA 32H / Oxy Dr Pi Fed Unit 17_8 DA 32H
	1	907.120	22617.000	Act Stns	26.400	26.400	A010Mb_MWD+IFR1+SAG+MS	Dr Pi Fed Unit 17_8 DA 32H / Oxy Dr Pi Fed Unit 17_8 DA 32H Gyro+MWD 0' to 22617MD

Intent ☐ As Drilled ☐

API #		
Operator Name:	Property Name:	Well Number

Kick Off Point (KOP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

First Take Point (FTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Last Take Point (LTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Is this well the defining well for the Horizontal Spacing Unit? ☐Is this well an infill well? ☐

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API #		
Operator Name:	Property Name:	Well Number

KZ 06/29/2018

Well Name: Dr Pi Fed Unit 17_8 DA	Well Location: T22S / R32E / SEC 17 / SWSW /	County or Parish/State:
Well Number: 32H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM128362	Unit or CA Name:	Unit or CA Number:
US Well Number: 3002549148	Well Status: Approved Application for Permit to Drill	Operator: OXY USA INCORPORATED

Subsequent Report

Sundry ID: 2707527

Type of Submission: Subsequent Report	Type of Action: Workover Operations
Date Sundry Submitted: 12/14/2022	Time Sundry Submitted: 04:14
Date Operation Actually Began: 07/31/2022	

Actual Procedure: RUPU 07/31/22, RIH & clean out to PBTD @ 22573', pressure test casing to 6000# for 30 min, good test. RIH & perf @ 12216-22483' Total 1170 holes. Frac in 39 stages w/ 178895BBL Produced Water + 178895BBL Brackish Water (> 1,000 mg/I TDS and 10,000 mg/I TDS) w/ 24453020# sand, RD Liberty Oilfield Services 08/24/22. Well ready to produce 08/29/22. 11/08/22 RIH with 2-3/8" L80 tbg & gas lift set @ 12006', RD 11/09/22. Formation Tops for this completion are as follows: Rustler 914'M 914'V Salado 1267'M 1267'V Castile 3245'M 3245'V Lamar/Delaware 4730'M 4730'V Bell Canyon 4815'M 4815'V Cherry Canyon 5644'M 5644'V Brushy Canyon 6852'M 6834'V Bone Spring 8660'M 8608'V Ist Bone Springs 9736'M 9675'V 2nd Bone Springs 10454'M 10388'V 3rd Bone Springs 11522'M 11440'V Wolfcamp 11904'M 11778'V

Well Name: Dr Pi Fed Unit 17_8 DA	Well Location: T22S / R32E / SEC 17 / SWSW /	County or Parish/State:
Well Number: 32H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM128362	Unit or CA Name:	Unit or CA Number:
US Well Number: 3002549148	Well Status: Approved Application for Permit to Drill	Operator: OXY USA INCORPORATED

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a


Operator Electronic Signature: JANA MENDIOLA	Signed on: DEC 14, 2022 04:13 PM
Name: OXY USA INCORPORATED	
Title: Regulatory Coordinator	
Street Address: PO BOX 50250	
City: Midland	State: TX
Phone: (432) 685-5936	
Email address: Janalyn_mendiola@oxy.com	

Field

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact

BLM POC Name: Jonathon W Shepard	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5752345972	BLM POC Email Address: jshepard@blm.gov
Disposition: Accepted	Disposition Date: 12/15/2022
Signature: Jonathon Shepard	

Submit To Appropriate District Office Two Copies <u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 <u>District II</u> 811 S. First St., Artesia, NM 88210 <u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 <u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505			Form C-105 Revised April 3, 2017					
WELL COMPLETION OR RECOMPLETION REPORT AND LOG							1. WELL API NO. 30-025-49148			
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)							2. Type of Lease ☐ STATE ☐ FEE ☒ FED/INDIAN			
							3. State Oil & Gas Lease No.			
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER							5. Lease Name or Unit Agreement Name DR PI FEDERAL UNIT 17-8 DA			
8. Name of Operator: OXY USA INC.							6. Well Number: 32H			
10. Address of Operator: P.O. BOX 50250 MIDLAND, TX 79710							11. Pool name or Wildcat WC-025 G-09 S233216K; UPR WOLFCAMP			
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	M	17	22S	32E		350	SOUTH	1140	WEST	LEA
BH:	C	8	22S	32E		40	NORTH	2151	WEST	LEA
13. Date Spudded 01/29/22	14. Date T.D. Reached 06/17/2022		15. Date Rig Released 06/21/2022		16. Date Completed (Ready to Produce) 08/29/2022		17. Elevations (DF and RKB, RT, GR, etc.) 3684' GL			
18. Total Measured Depth of Well 22617'M 12089'V			19. Plug Back Measured Depth 22573'M 12089'V		20. Was Directional Survey Made? YES		21. Type Electric and Other Logs Run CBL			
22. Producing Interval(s), of this completion - Top, Bottom, Name 12216-22483' Wolfcamp										
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
13.375" J55		54.5		945'		17.5"		1140sx-surf circ		
7.625" HCL80		26.4		11370'		9.875"		3107sx-surf		
5.5" P110		20		22597'		6.75"		877sx-TOC@10870'		
24. LINER RECORD										
SIZE	TOP	BOTTOM		SACKS CEMENT	SCREEN		25. TUBING RECORD			
							SIZE		DEPTH SET	
							2-3/8"		12006'	
26. Perforation record (interval, size, and number) 12216-22483' Total 1170 holes, Hole Size=0.42										
27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.										
DEPTH INTERVAL						AMOUNT AND KIND MATERIAL USED				
12216-22483'						178895BBL Produced Water + 178895BBL Brackish Water (> 1,000 mg/l TDS and 10,000 mg/l TDS) w/ 24453020# sand				
28. PRODUCTION										
Date First Production		Production Method (Flowing, gas lift, pumping - Size and type pump)				Well Status (Prod. or Shut-in)				
09/1/2022		Gas Lift				Prod.				
Date of Test	Hours Tested	Choke Size	Prod'n For	Oil - Bbl	Gas - MCF	Water - Bbl.	Gas - Oil Ratio			
09/17/2022	24 hrs.	128/128	Test Period	7169	12297	6525	1715			
Flow Tubing Press.	Casing Pressure	Calculated 24-Hour Rate	Oil - Bbl.	Gas - MCF	Water - Bbl.	Oil Gravity - API - (Corr.)				
	915		7169	12297	6525					
29. Disposition of Gas (Sold, used for fuel, vented, etc.) SOLD							30. Test Witnessed By			
31. List Attachments WBD										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.							33. Rig Release Date:			
34. If an on-site burial was used at the well, report the exact location of the on-site burial:										
Latitude _____ Longitude _____ NAD83										
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Signature:  Printed										
Name: <u>Jana Mendiola</u> Title: <u>Sr. Regulatory Analyst</u> Date: <u>01/10/2023</u>										
E-mail Address: janalyn_mendiola@oxy.com										

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

Southeastern New Mexico		Northwestern New Mexico	
T. Rustler 914'	T. Bell Canyon 4815'	T. Ojo Alamo	T. Penn A"
T. Salado 1267'	T. Strawn	T. Kirtland	T. Penn. "B"
T. Castile 3245'	T. Atoka	T. Fruitland	T. Penn. "C"
T. Delaware 4730'	T. Miss	T. Pictured Cliffs	T. Penn. "D"
T. Cherry Canyon 5644'	T. Devonian	T. Cliff House	T. Leadville
T. Brushy Canyon 6852'	T. Silurian	T. Menefee	T. Madison
T. Grayburg	T. Montoya	T. Point Lookout	T. Elbert
T. San Andres	T. Simpson	T. Mancos	T. McCracken
T. Glorieta	T. McKee	T. Gallup	T. Ignacio Otzte
T. Paddock	T. Ellenburger	Base Greenhorn	T. Granite
T. Blinebry	T. Gr. Wash	T. Dakota	
T. Tubb	T. Delaware Sand	T. Morrison	
T. Drinkard	T. Bone Springs 8660'	T. Todilto	
T. Abo	T. 1 st Bone Springs 9736'	T. Entrada	
T. Wolfcamp 11904'	T. 2 nd Bone Springs 10454'	T. Wingate	
T. Penn	T. 3 rd Bone Springs 11522'	T. Chinle	
T. Cisco (Bough C)	T.	T. Permian	

No. 1, from.....to.....
No. 2, from.....to.....
No. 3, from.....to.....
No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....


No. 2, from.....to.....feet.....

No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology

From	To	Thickness In Feet	Lithology

OXY USA Inc.
DR PI FEDERAL UNIT 17-8 DA 32H
API No. 30-025-49148



17-1/2" hole @ 955'
13-3/8" csg @ 945'
w/ 1140sx-TOC-Surf Circ.

9-7/8" hole @ 11390'
7-5/8" csg @ 11370'
w/ 3107sx-TOC-Surf.

6-3/4" hole @ 22617'
5-1/2" csg @ 22597'
w/ 877sx-TOC-10870'

2-3/8" tbg & gas lift @ 12006'

Perfs @ 12216-22483'

TD- 22617'M 12089'V

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 174445

ACKNOWLEDGMENTS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 174445
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 174445

CONDITIONS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 174445
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	File 3160-4 Completion Report within 10 days to NMOCD after BLM approval.	1/23/2023