

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT Sundry Print Repor

Well Name: JICARILLA L Well Location: T23N / R2W / SEC 15 / County or Parish/State: RIO

NWNE / ARRIBA / NM

Well Number: 1 Type of Well: CONVENTIONAL GAS **Allottee or Tribe Name:** WELL

JICARILLA APACHE

Lease Number: JIC160 **Unit or CA Name: Unit or CA Number:** 

**US Well Number: 3003908147** Well Status: Abandoned Operator: DJR OPERATING LLC

# **Subsequent Report**

**Sundry ID: 2711777** 

Type of Submission: Subsequent Report Type of Action: Plug and Abandonment

Date Sundry Submitted: 01/20/2023 Time Sundry Submitted: 06:46

**Date Operation Actually Began: 01/17/2023** 

Actual Procedure: The subject well was Plugged & Abandoned on 01/17/2023 per the attached End of Well Report, As Plugged Wellbore Diagram, and Marker.

### **SR Attachments**

#### **Actual Procedure**

00\_EOWR\_BLM\_Submittal\_20230120064533.pdf

eceived by OCD: 1/24/2023 8:30:41 AM Well Name: JICARILLA L

Well Location: T23N / R2W / SEC 15 /

NWNE /

County or Parish/State: RIPage 2 o

ARRIBA / NM

Well Number: 1

Type of Well: CONVENTIONAL GAS

NELL

**Allottee or Tribe Name:** JICARILLA APACHE

Lease Number: JIC160

**Unit or CA Name:** 

**Unit or CA Number:** 

**US Well Number: 3003908147** 

Well Status: Abandoned

Operator: DJR OPERATING LLC

# **Operator**

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: MARYA COLLARD Signed on: JAN 20, 2023 06:45 AM

Name: DJR OPERATING LLC

Title: Regulatory Technician

Street Address: 1 ROAD 3263

City: AZTEC State: NM

Phone: (505) 634-6722

Email address: MCOLLARD@DJRLLC.COM

# **Field**

**Representative Name:** 

**Street Address:** 

Citv:

State:

Zip:

Phone:

Email address:

## **BLM Point of Contact**

BLM POC Name: KENNETH G RENNICK BLM POC Title: Petroleum Engineer

BLM POC Phone: 5055647742 BLM POC Email Address: krennick@blm.gov

**Disposition:** Accepted **Disposition Date:** 01/20/2023

Signature: Kenneth Rennick

DJR Operating, LLC
P&A End of Well Report
Jicarilla L 160 1
API # 30-039-08147
NW/NE Unit B. Sec 15, T23N, R2W
Rio Arriba County, NM

Spud Date: 8-28-1963 Plug Date: 1-17-2023

#### 1-11-2023:

MIRU rig and equipment. SITP = 0 psi, SICP = 340 psi, BH = 0 psi.

#### 1-12-2023:

Bad casing at surface, could not NU BOP. Killed well, NDWH, with water flowing down well, TOOH with 1" EUE tubing. TIH with 1 joint tubing and packer, set packer, load hole above packer, cut off old WH, weld on bell nipple so BOP could be NU. NU BOP.

RIH with gauge ring to 3000', POOH.

TIH with retainer, set retainer at 2978'. Load and roll hole. PT casing, did not test.

#### 1-13-2023:

P&A Plug 1: Pictured Cliffs perforations, Pictured Cliffs, Fruitland, Kirtland and Ojo Alamo formation tops: Mix and pump 10 sx below retainer, sting out and place 38 sx above retainer. PU and reverse out at 2528'. TOOH. WOC.

RIH and run CBL from 2528' to surface, TOC at 2442'.

TIH, tagged Plug 1 at 2528', PT casing, did not test. TOOH.

RIH, perforate holes at 1440'. POOH.

TIH with retainer, set retainer at 1403'. PT casing above retainer, good test.

P&A Plug 2: Nacimiento formation top: Mix and pump plug of 35 sx, (24 sx outside, 3 sx under retainer and 8 sx above retainer). TOOH.

RIH and perforate holes at 140'. POOH.

Establish rate down casing and out BH.

P&A Plug 3: Surface casing shoe to surface: Mix and pump plug of 84 sx down casing and out BH, good cement returns out BH.

#### 1-17-2023:

Cut off WH. TOC at surface in surface casing and 23' in 4 ½" casing. Install P&A marker. Top off cellar and casing with 14 sx.

Release Rig.

All cement used was Class G mixed at 15.8 ppg, yield 1.15 cuft/sx

Regulatory representative: Jimmie Dobson, BLM, and Monica Kuehling, NMOCD via phone.

GPS Coordinates: Lat; 36.228964 N, Long; 107.034444 W

DJR Operating, LLC
P&A Marker
Jicarilla L 160 1
API # 30-039-08147
NW/NE Unit B. Sec 15, T23N, R2W
Rio Arriba County, NM

Rio Arriba County, NM Spud Date: 8-28-1963 Plug Date: 1-17-2023





# United States Department of the Interior

BUREAU OF INDIAN AFFAIRS
Jicarilla Agency
P.O. Box 167
Dulce, New Mexico 87528

IN REPLY REFER TO: Branch of Real Estate Services

November 15, 2019

#### Memorandum

To:

Robert Switzer, Environmental Protection Specialist

Bureau of Land Management, Farmington Field Office

From:

Kurt Sandoval, Realty Officer

Bureau of Indian Affairs, Jicarilla Agency

Subject:

BIA Concurrence concerning Well Pad Monument Makers

Let this serve as concurrence for the agreed upon preferred method to be used when constructing well pad monument markers on Jicarilla Apache Tribal Lands. We will eliminate the 6 ft. dry hole marker and use a permanent metal plate that will be installed at ground level, effective September 2019. The marker will contain the following information:

- Well Pad Lease Number
- Well Pad Location Name and Number
- Well Pad Legal Description, specifically Section, Township and Range
- Well Pad API Number
- Well Pad Plug Date
- Well Pad Operator Name

You may contact our office if you have any questions or concerns at (575) 759-3936. Thank you.

Realty Officer

cc:

Jicarilla Oil and Gas Administration

12" x 18" MINIMUM

1-17-2023: Cut off WH, TOC

# End of Well Report DJR Operating, LLC

Jicarilla L 160 1 API # 30-039-08147 NW/NE, Unit B, Sec 15, T23N, R2W Rio Arriba County, NM

GL 7281' KB 7291' Spud Date 8/28/1963

surface in surface casing and 23' in 4 1/2" casing. Install P&A marker. Top off with 14 sx. SURF CSG **FORMATION TOPS** 1-13-2023: Plug 3: Surface shoe to Hole size 12.25" surface: Perforate holes at 140'. Csg Size: San Jose Surf 8.625" Establish rate down casing and out Wt: 24# Nacimiento 1403' BH. Mix and pump plug of 84 sx Grade: J-55 Ojo Alamo 2628' down casing and out BH, good ID: 8.097" Kirtland 2830' cement returns out BH. Depth 98' Fruitland 2944' cap cf/ft: 0.3575 Pictured Cliffs 2992' 1-13-2023: Plug 2: Nacimiento top: TOC: N/A Perforate holes at 1440'. Set CR at 1403', PT above CR, good test. Mix and pump plug of 35 sx, (24 sx PROD CSG outside, 3 sx below CR and 8 sx 6.75" Hole size above CR.) Csg Size: 4.5" Wt: 9.5" 1-13-2023: Run CBL from 2528' to Grade: J-55 ID: 4.090" surface, TOC at 2442'. 3112' Depth 1-12-2023: Plug 1: Perforations, cap cf/ft: 0.0912 Pictured Cliffs, Fruitland, Kirtland, Csg/Csg and Ojo Alamo tops: Set CR at 0.2318 Ann, cf/ft: 2978', PT casing, did not test: 1-13-Csg/OH Ann, 0.1381 2023: Mix and pump plug of 48 sx, cf/ft: (10 sx below CR, sting out and TOC: (CBL) 2442' place 38 sx above CR). Reverse out at 2528'. 1-13-2023, tagged Plug 1 at 2528'. Perfs 3005-20' PBTD 3090' TD 3127'

All cement used was Class G mixed at 15.8 ppg, yield 1.15 cuft/sx
Regulatory representative: Jimmie Dobson, BLM and Monica Kuehling, NMOCD via phone
GPS Coordinates: Lat; 36.228964 N, Long; 107.034444 W

District III

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505** 

COMMENTS

Action 178910

#### **COMMENTS**

Operator:	OGRID:
DJR OPERATING, LLC	371838
1 Road 3263	Action Number:
Aztec, NM 87410	178910
	Action Type:
	[C-103] Sub. Plugging (C-103P)

#### COMMENTS

Created By	Comment	Comment Date
mkuehling	did not record string pressures daily well plugged 1/17/23	1/25/2023

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505** 

CONDITIONS

Action 178910

#### **CONDITIONS**

Operator:	OGRID:
DJR OPERATING, LLC	371838
1 Road 3263	Action Number:
Aztec, NM 87410	178910
	Action Type:
	[C-103] Sub. Plugging (C-103P)

#### CONDITIONS

Created B	Condition	Condition Date
smcgra	h None	1/25/2023