Sundry Print Report

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

COM

Well Name: DOME NAVAJO 12-26-13 Well Location: T26N / R13W / SEC 12 / County or Parish/State: SAN

SESE / JUAN / NM

Well Number: 90S Type of Well: OTHER Allottee or Tribe Name:

Lease Number: NMNM10757 Unit or CA Name: Unit or CA Number:

NMNM99324

US Well Number: 300453373400S1 Well Status: Abandoned Operator: DUGAN

PRODUCTION CORPORATION

Subsequent Report

Sundry ID: 2711335

Type of Submission: Subsequent Report

Type of Action: Plug and Abandonment

Date Sundry Submitted: 01/17/2023 Time Sundry Submitted: 04:04

Date Operation Actually Began: 12/22/2022

Actual Procedure: Dugan Production plugged to abandon the well as per the following procedure on 12/22/22: MI&RU Aztec Rig 481. 1) PU tubing and tag CIBP @ 980'. EOT @ 980'. Pumped 2 bbls water and circulate to surface. 2) Pressure test casing to 650 psi for 30 minutes. Casing test passed. 3) Pump Plug I w/31 sks (35.6 cu ft, 1.15 cu ft/sk, 5.0 gal/sk) to 709'. Displace w/2.7 bbls fresh water displacement. Plug I, inside 5½" casing, 31 sks, 35.6 cu ft, 709'-980', Fruitland. TOOH & LD 24 joints to 191'. 4) Spot Plug II w/27 sks (31.05 cu ft) Class G cement. No displacement. Wash and LD tubing to surface. WOC 4 hrs. Cut off wellhead. TOC @ surface inside 5½" & 14' in annulus. Mixed up 25 sks (28.8 cu ft) Class G cement to fill up cellar and install dry hole marker. Plug II, inside 5½" casing, 27 sks total, 31.05 cu ft, Kirtland-Surface, 0-191'. 5) Clean location. Rig down Aztec Rig 481. Well P&A'd 12/22/22. Bill Diers w/BLM FFO witnessed job.

SR Attachments

Actual Procedure

Dome_Navajo_12_26_13_Com_90S_Post_PA_schematic_20230117155550.pdf

Page 1 of 2

County or Parish/State: SAN 200 eived by OCD: 1/18/2023 9:19:33 AM Well Name: DOME NAVAJO 12-26-13 Well Location: T26N / R13W / SEC 12 /

COM SESE /

JUAN / NM

Type of Well: OTHER

Lease Number: NMNM10757 **Unit or CA Name: Unit or CA Number:** NMNM99324

US Well Number: 300453373400S1 Well Status: Abandoned **Operator: DUGAN**

PRODUCTION CORPORATION

Allottee or Tribe Name:

Operator

Well Number: 90S

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: TYRA FEIL Signed on: JAN 17, 2023 03:55 PM

Name: DUGAN PRODUCTION CORPORATION

Title: Authorized Representative Street Address: PO Box 420

State: NM City: Farmington

Phone: (505) 325-1821

Email address: tyrafeil@duganproduction.com

Field

Representative Name: ALIPH REENA

Street Address: PO BOX 420

City: FARMINGTON State: NM **Zip:** 87499-0420

Phone: (505)325-1821

Email address: Aliph.Reena@duganproduction.com

BLM Point of Contact

BLM POC Name: KENNETH G RENNICK BLM POC Title: Petroleum Engineer

BLM POC Phone: 5055647742 BLM POC Email Address: krennick@blm.gov


Disposition: Accepted Disposition Date: 01/18/2023

Signature: Kenneth Rennick

Page 2 of 2

Completed P & A Wellbore Schematic

Dome Navajo 12-26-13 Com 90S 30-045-33734 Basin Fruitland 660' FSL & 1300' FEL S12 T26N R13W San Juan County, NM Lat: 36.49727, Long: -108.16598



8-5/8" 24# J-55 casing @ 131'. Cemented with 95 sks Type 5 cement w/2% CaCl2 . Circulated 3 bbls cement to surface. Hole size $12\frac{1}{4}$ ".

Spot inside plug II from 191' w/ 27 sks Class G Cement (31 cu.ft) Plug II, Inside 5 $\frac{1}{2}$ ", Surface-Ojo Alamo-Kirtland, 0'-191'

5 ½" 15.5# casing @ 1367'. Hole size: 7"

Cement production casing w/ $130~{\rm sks}$, $231~{\rm cu}$.ft Type 5 Cement blend. Circulated $10~{\rm bbls}$ cement to surface.

 $5\frac{1}{2}$ " CIBP @ 980'. Spot Inside Plug I with 31 sks (35.6 cu.ft) @ 709'-980' Class G cement. Plug I, Inside $5\frac{1}{2}$ ", Fruitland, 709'-980'

Fruitland Coal Perforated @ 1022' - 1190'

PBTD @ 1324', TD 1380'

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

COMMENTS

Action 176975

COMMENTS

Operator:	OGRID:
DUGAN PRODUCTION CORP	6515
PO Box 420	Action Number:
Farmington, NM 87499	176975
	Action Type:
	[C-103] Sub. Plugging (C-103P)

COMMENTS

Created By	Comment	Comment Date
mkuehling	well plugged 12/22/22	1/25/2023
mkuehling	did not record all string pressures	1/25/2023

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 176975

CONDITIONS

Operator:	OGRID:
DUGAN PRODUCTION CORP	6515
PO Box 420	Action Number:
Farmington, NM 87499	176975
	Action Type:
	[C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By		Condition Date
smcgrath	None	1/25/2023