

Submit 1 Copy To Appropriate District Office
 District I – (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II – (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III – (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV – (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
 Energy, Minerals and Natural Resources

Form C-103
 Revised July 18, 2013

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

WELL API NO. 30-025-03837
5. Indicate Type of Lease STATE ☒ FEE ☐
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name LOVINGTON SAN ANDRES UNIT
8. Well Number 031
9. OGRID Number 241333
10. Pool name or Wildcat [40580] LOVINGTON, GRAYBURG-SAN ANDRES

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: Oil Well ☐ Gas Well ☐ Other INJECTOR	
2. Name of Operator CHEVRON MIDCONTINENT, L.P.	
3. Address of Operator 6301 Deauville BLVD, Midland TX 79706	
4. Well Location Unit Letter <u>C</u> : <u>660</u> feet from the <u>NORTH</u> line and <u>1980</u> feet from the <u>WEST</u> line Section <u>01</u> Township <u>17S</u> Range <u>36E</u> NMPM County <u>LEA</u>	
11. Elevation (Show whether DR, RKB, RT, GR, etc.)	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK ☐	PLUG AND ABANDON ☐	REMEDIAL WORK ☐	ALTERING CASING ☐
TEMPORARILY ABANDON ☐	CHANGE PLANS ☐	COMMENCE DRILLING OPNS. ☐	P AND A ☒
PULL OR ALTER CASING ☐	MULTIPLE COMPL ☐	CASING/CEMENT JOB ☐	PNR ☐
DOWNHOLE COMMINGLE ☐			
CLOSED-LOOP SYSTEM ☐			
OTHER: ☐		OTHER: ☐	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

See attached plugging report and as plugged wellbore diagram.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Mark Torres TITLE P&A Engineer DATE 1/23/2023

Type or print name Mark Torres E-mail address: marktorres@chevron.com PHONE: 989-264-2525

For State Use Only

APPROVED BY: Kerry Fortner TITLE Compliance Officer A DATE 1/31/23

Conditions of Approval (if any):

**AS PLUGGED
WELLBORE DIAGRAM
LSAU 31**

Created: 8/25/2008
 Updated: _____
 Lease: Lovington San Andres
 Surf Location: 660' FNL & 1980' FWL
 BH Location: _____
 County: Lea
 Current Status: Active Water Injector
 State: NM

By: da Silva
 By: _____
 CHEVNO: FA4984
 KB: 3846'
 DF: 3845'
 GL: 3834'

Field: Lovington
 Well No.: 31
 Twp/Rng: 17S 36E
 Unit Ltr & Section: C/1
 API: 30-025-03837
 Original Spud Date: 11/4/1939
 Original Compl. Date: 12/22/1939
 Formation: Grayburg/San Andres

Surface Csg.

Size: 13"
 Wt.: 50#/ft
 Set @: 291'
 Sxs cmt: 200
 Circ: YES
 TOC: Surface
 Hole Size: 15"

Intermediate Csg.


Size: 8-5/8"
 Wt.: 28#/ft
 Set @: 3109'
 Sxs Cmt: 500
 Circ: No
 TOC: surface, Calc
 Hole Size: 9-7/8"

Production Csg.

Size: 5-1/2"
 Wt.: 17#
 Set @: 4541'
 Sxs Cmt: 325
 Circ: No
 TOC: 2890' (calc)
 Hole Size: 7-7/8"

Open Hole: 4541-5125'
 Size: 4-3/4"

Rustler	2,015
Salt	2,108
Tansil	2,914
Seven Rivers	3,302
Queen	3,881
Grayburg	4,322
San Andres	4,596
TD	5,125





EMC Ops Summary - External

Well Name LOVINGTON SAN ANDRES UNIT 031	Field Name Lovington	Lease Lovington San Andres Unit	Area Central		
Business Unit EMC	County/ Parish Lea	Global Metrics Region EMC US East	Surface UWI 3002503837		
Basic Well Data					
Current RKB Elevation	Original RKB Elevation (ft)	Latitude (°)	Longitude (°)		
Phases					
Actual Start Date	Actual End Date	Phase 1	Phase 2	Time Log Hrs (hr)	Percent Problem Time (%)
9/14/2022 07:00	9/14/2022 14:00	PREP	FAC	7.00	
1/11/2023 11:30	1/11/2023 12:30	MOB	MOVEON	1.00	
1/12/2023 07:30	1/13/2023 13:09	ABAN	TBGPULL	12.15	
1/13/2023 13:00	1/19/2023 14:00	ABAN	CMTPLUG	42.00	
		REST	FAC		
Start Date		Summary			
9/14/2022		Review JSA, check well fro pressure, production had 310 PSI, inter and surf had 0 PSI. Crew T'ed surface due to VR plug, and installed new risers on intermediate and production. Crew hot bolted head, removed flow line and graded location.			
1/11/2023		Road WSU From LPU 56 to LSAU 31, Spot In P&A, Flow Back PSI, Est. Inj. Rate, Squeeze 50 sx Cement, WOC Overnight			
1/12/2023		Rewview JSA, Check PSI, Complete RU of WSU, PSI Test TBG, BOP Function Test Fail, Swap Out BOP			
1/13/2023		Review JSA, Check PSI , NU BOP, Spot 25 sx 14.8 ppg, 1.32 yield , Class C Cement @ 4510 , TOH SB TBG, WOC, TIH TAG TOC, Circulate MLF,			
1/16/2023		Review JSA, Check PSI , TIH TAG TOC, LD TBG to 3881, Circulate 85 BBLS MLF, Spot 68 sacks Class C cement from 3881' to 3200', SB 46 Joints 2 3/8 IPC TBG, LD Access, PU Tension PKR, Locate CSG Holes, Prepare To Run WireLine Operations in AM			
1/17/2023		Review JSA, Check PSI, RU Wireline Unit, Perforate @ 2158, PU PKR, Establish INJ, Rate, Squeeze 120sx Class C Cement @ 2158-1658, WOC, Dig Out Cellar, Locate Hole			
1/18/2023		Review JSA, Check PSI, Perform Bubble Test , RU WL, RIH WL , TAG TOC, LD TBG, RU WL, Perforate @ 650, LD WL, PU PKR w1 Joint 2 3/8 IPC TBG, Est. Inj. Rate, Circulate Class C Cement to Surface, ND BOP , TOP of CSG w Cement, RD WSU, Prepare to Road P&A Package From LSAU 31 to LPU 85			
1/19/2023		RU WL, Perf @ 341 Per OCD Plug Plan, RD WL, PU PKR, Set PKR @ 32ft. Establish Inj, Rate. Rate @ 1.5 bpm @ 800 PSI, out of 8 5/8, Loss of Circulation out 13", Attempt to Restablish on 13", Unable , Mark T, and Kerry F. w OCD Ok Squeeze Cement out 8 5/8, Shut In 8 5/8, Complete Cement out 13", Disp to 291, WOC Tag, Perforate @ 50pft From Surface, Attempt to Circulate out 13".			
1/20/2023		Review JSA, RU WL, RIH WL, TAG TOC, PU to 50ft, Perforate @ 50ft Per OCD request, LD WL, PU PKR to 32 FT. EST. INJ. Rate, Circualte Class C Cement from 50ft to Surface, Top OFF Well, ND BOP, RD WSU, Prepare To Road P&A Package From LSAU 31 to LPU 85			

**AS PLUGGED
WELLBORE DIAGRAM
LSAU 31**

Created: <u>8/25/2008</u>	By: <u>da Silva</u>	Field: <u>Lovington</u>
Updated: _____	By: _____	Well No.: <u>31</u>
Lease: <u>Lovington San Andres</u>		Twp/Rng: <u>17S 36E</u>
Surf Location: <u>660' FNL & 1980' FWL</u>	CHEVNO: <u>FA4984</u>	Unit Ltr & Section: <u>C/1</u>
BH Location: _____		API: <u>30-025-03837</u>
County: <u>Lea</u>	KB: <u>3846'</u>	Original Spud Date: <u>11/4/1939</u>
Current Status: <u>Active Water Injector</u>	DF: <u>3845'</u>	Original Compl. Date: <u>12/22/1939</u>
State: <u>NM</u>	GL: <u>3834'</u>	Formation: <u>Grayburg/San Andres</u>

Surface Csg.

Size: 13"
 Wt.: 50#/ft
 Set @: 291'
 Sxs cmt: 200
 Circ: YES
 TOC: Surface
 Hole Size: 15"

Intermediate Csg.


Size: 8-5/8"
 Wt.: 28#/ft
 Set @: 3109'
 Sxs Cmt: 500
 Circ: No
 TOC: surface, Calc
 Hole Size: 9-7/8"

Production Csg.

Size: 5-1/2"
 Wt.: 17#
 Set @: 4541'
 Sxs Cmt: 325
 Circ: No
 TOC: 2890' (calc)
 Hole Size: 7-7/8"

Open Hole: 4541-5125'
 Size: 4-3/4"

Rustler	2,015
Salt	2,108
Tansil	2,914
Seven Rivers	3,302
Queen	3,881
Grayburg	4,322
San Andres	4,596
TD	5,125



District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

COMMENTS

Action 178415

COMMENTS

Operator: CHEVRON U S A INC 6301 Deauville Blvd Midland, TX 79706	OGRID: 4323
	Action Number: 178415
	Action Type: [C-103] Sub. Plugging (C-103P)

COMMENTS

Created By	Comment	Comment Date
plmartinez	DATA ENTRY PM	2/1/2023

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 178415

CONDITIONS

Operator: CHEVRON U S A INC 6301 Deauville Blvd Midland, TX 79706	OGRID: 4323
	Action Number: 178415
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
kfortner	Need C103Q and Marker Photo to release	1/31/2023