

District I
1625 N. French Dr., Hobbs, NM 88240

District II

811 S. First St., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources

Form C-104
Revised August 1, 2011

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address OXY USA INC. P.O. BOX 50250 MIDLAND, TX 79710		² OGRID Number: 16696
		³ Reason for Filing Code/ Effective Date: RT - 11/29/2022
⁴ API Number 30 - 015-49809	⁵ Pool Name PIERCE CROSSING; BONE SPRING	⁶ Pool Code 50371
⁷ Property Code: 321601	⁸ Property Name: SALT FLAT CC 20-29 FEDERAL COM	⁹ Well Number: 11H

II. ¹⁰ Surface Location

Ul or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
N	17	24S	29E		435	SOUTH	1700	WEST	EDDY

¹¹ Bottom Hole Location FTP- 197' FNL 433' FWL LTP- 221' FSL 456' FWL

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
M	29	24S	29E		41	SOUTH	450	WEST	EDDY
¹² Lse Code F	¹³ Producing Method Code : F		¹⁴ Gas Connection Date: TBD		¹⁵ C-129 Permit Number		¹⁶ C-129 Effective Date		¹⁷ C-129 Expiration Date

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
214754	LPC CRUDE OIL, INC.	O
151618	ENTERPRISE FIELD SERVICES LLC	G

IV. Well Completion Data

²¹ Spud Date 09/07/22	²² Ready Date 11/29/2022	²³ TD 18712'M 7666'V	²⁴ PBTD 18668'M 7655'V	²⁵ Perforations 8307-18532'	²⁶ DHC, MC
²⁷ Hole Size	²⁸ Casing & Tubing Size		²⁹ Depth Set		³⁰ Sacks Cement
17-1/2"	13-3/8"		469'		675
9-7/8"	7-5/8"		7216'		1878
6-3/4"	5-1/2"		18692'		1313

V. Well Test Data

³¹ Date New Oil	³² Gas Delivery Date	³³ Test Date	³⁴ Test Length	³⁵ Tbg. Pressure	³⁶ Csg. Pressure
³⁷ Choke Size	³⁸ Oil	³⁹ Water	⁴⁰ Gas		⁴¹ Test Method

⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.

Signature: 

Printed name: JANA MENDIOLA

Title: SR. REGULATORY ANALYST

E-mail Address:
Janalyn_mendiola@oxy.com

Date: 11/29/2022 Phone: 432-685-5936

OIL CONSERVATION DIVISION

Approved by: **PATRICIA MARTINEZ**

Title: **PETROLEUM SPECIALIST**

Approval Date: **2/2/2023**

RT EXPIRES 2/29/2023

1625 N. French Dr., Hobbs, NM 88240
 Phone: (575) 393-6161 Fax: (575) 393-0720
District II
 811 S. First St., Artesia, NM 88210
 Phone: (575) 748-1283 Fax: (575) 748-9720
District III
 1000 Rio Brazos Road, Aztec, NM 87410
 Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
 1220 S. St. Francis Dr., Santa Fe, NM 87505
 Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
 Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

Revised August 1, 2011
 Submit one copy to appropriate
 District Office

☒ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION AS-DRILLED PLAT

¹ API Number 30-015-49809	² Pool Code 50371	³ Pool Name PIERCE CROSSING; BONE SPRING
⁴ Property Code 321601	Property Name SALT FLAT CC 20_29 FEDERAL COM	
⁷ OGRID No. 16696	⁸ Operator Name OXY USA INC.	⁶ Well Number 11H
		⁹ Elevation 2936'

¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
N	17	24S	29E		435	SOUTH	1700	WEST	EDDY
¹¹ Bottom Hole Location If Different From Surface									
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
M	29	24S	29E		41	SOUTH	450	WEST	EDDY
¹² Dedicated Acres 640.0	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.						

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

CORNER COORDINATES NAD 83, SPCS NM EAST A - X: 639758.16' / Y: 432447.86' B - X: 639747.35' / Y: 435100.22' C - X: 639753.31' / Y: 437757.55' D - X: 639762.78' / Y: 440410.38' E - X: 642408.42' / Y: 440401.10' F - X: 642395.70' / Y: 435091.26' G - X: 642418.52' / Y: 429773.20' H - X: 639780.66' / Y: 429780.41'		CORNER COORDINATES NAD 27, SPCS NM EAST A - X: 598574.08' / Y: 432389.23' B - X: 598563.34' / Y: 435041.53' C - X: 598569.36' / Y: 437698.81' D - X: 598578.90' / Y: 440351.58' E - X: 601224.48' / Y: 440342.27' F - X: 601211.64' / Y: 435032.54' G - X: 601234.33' / Y: 429714.58' H - X: 598596.52' / Y: 429721.83'		17 OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division. Signature: <i>[Signature]</i> Date: 11/28/22 JANA MENDIOLA Printed Name janalyn_mendiola@oxy.com E-mail Address	
SURFACE HOLE LOCATION 435' FSL 1700' FWL, SECTION 17 0' MEASURED DEPTH IN FEET NAD 83, SPCS NM EAST X: 641556.26' / Y: 440838.69' LAT: 32.21152710N / LON: 104.00928917W NAD 27, SPCS NM EAST X: 600372.35' / Y: 440779.86' LAT: 32.21140440N / LON: 104.00879995W		KICK OFF POINT 516' FSL 700' FWL, SECTION 17 7275' MEASURED DEPTH IN FEET NAD 83, SPCS NM EAST X: 640458.45' / Y: 440923.57' LAT: 32.21176948N / LON: 104.01283793W NAD 27, SPCS NM EAST X: 599274.57' / Y: 440864.76' LAT: 32.21164683N / LON: 104.01234855W		18 SURVEYOR CERTIFICATION I hereby certify that the well surface location shown on this plat was plotted from field notes of the as-staked surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. Data used for underground measurements were provided by others for reference only and does not constitute field measurements performed by R-Squared Global. NOVEMBER 23, 2022 Date of Survey Signature and Seal of Professional Surveyor: <i>[Signature]</i> Certificate Number LOYD P. SHORT 21653	
FIRST TAKE POINT 197' FNL 433' FWL, SECTION 20 8307' MEASURED DEPTH IN FEET NAD 83, SPCS NM EAST X: 640195.13' / Y: 440212.03' LAT: 32.20981571N / LON: 104.01369618W NAD 27, SPCS NM EAST X: 599011.23' / Y: 440153.24' LAT: 32.20969305N / LON: 104.01320683W		LAST TAKE POINT 221' FSL 456' FWL, SECTION 29 18532' MEASURED DEPTH IN FEET NAD 83, SPCS NM EAST X: 640234.40' / Y: 429999.70' LAT: 32.18174295N / LON: 104.01366735W NAD 27, SPCS NM EAST X: 599050.26' / Y: 429941.11' LAT: 32.18161994N / LON: 104.01317895W		BOTTOM HOLE LOCATION 41' FSL 450' FWL, SECTION 29 18712' MEASURED DEPTH IN FEET NAD 83, SPCS NM EAST X: 640230.76' / Y: 429819.75' LAT: 32.18124832N / LON: 104.01368085W NAD 27, SPCS NM EAST X: 599046.61' / Y: 429761.16' LAT: 32.18112531N / LON: 104.01319246W	

Distances/areas relative to NAD 83 Combined Scale Factor: 0.9997801707 Convergence Angle: 00°10'21.400000"

Schlumberger


OXY



Borehole:	Well:	Field:	Structure:
Salt Flat CC 20_29 Federal Com 11H	Salt Flat CC 20_29 Federal Com 11H	NM Eddy County (NAD 83)	Oxy Salt Flat CC 20_29 Federal Com Pad (Patterson 882)

Gravity & Magnetic Parameters			Surface Location			NAD83 New Mexico State Plane, Eastern Zone, US Feet			Miscellaneous		
Model: IFR1	Dip: 59.901°	Date: 14-Sep-2022	Lat: N 32 12 41.50	Northing: 440839.03RUS	Grid Conv: 0.1726°	Slot: 20_29 Federal Com 11H	TVD Ref: RKB(2961.6ft above MSL)		Plan: Oxy Salt Flat CC 20_29 Federal Com 11H Gyro+MWD 0' to 18712MD		
MagDec: 6.74°	FS: 47549.2nT	Gravity FS: 998.468mgn (9.80665 Based)	Lon: W 104 0 34.60	Easting: 641456.26RUS	Scale Fact: 0.99992057						

Critical Points								
Critical Point	MD	INCL	AZIM	TVD	VSEC	N(+)S(-)	E(+)W(-)	DLS
WRP	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
SHL	25.00	0.00	0.00	25.00	0.00	0.00	0.00	
First Gyro Survey	94.29	0.52	112.93	94.29	0.09	-0.12	0.29	0.75
Last Gyro Survey	454.95	1.27	148.18	454.88	4.83	-5.47	5.01	0.16
First SLB Survey	539.00	0.09	75.37	538.92	5.53	-6.25	5.56	1.48
Actual KOP	7275.00	16.00	260.59	7104.32	48.60	84.88	-1097.81	8.19
1st Bone Spring Intersection	7747.83	53.18	207.15	7488.60	264.36	-113.67	-1250.39	6.56
100' FNL Crossing	8207.00	82.33	186.85	7637.06	687.52	-527.55	-1353.89	4.12
Exit Target Box	12704.00	89.68	171.96	7670.71	5136.66	-5015.15	-1308.64	3.95
Enter Target Box	13033.00	88.32	184.08	7679.67	5462.07	-5343.13	-1307.26	0.19
100' FSL Crossing	18651.00	89.34	181.45	7665.74	11037.71	-10957.95	-1324.57	2.99
Final MWD Survey	18681.00	89.82	180.69	7665.96	11067.55	-10987.95	-1325.13	2.99
Proj to TD	18712.00	89.82	180.69	7666.06	11098.37	-11018.94	-1325.50	0.00



Schlumberger



Oxy Salt Flat CC 20_29 Federal Com 11H Gyro+MWD 0' to 18712'MD Survey Geodetic Report (Def Survey)

Report Date:	October 24, 2022 - 08:34 AM	Survey / DLS Computation:	Minimum Curvature / Lubinski
Client:	OXY	Vertical Section Azimuth:	186.951 ° (Grid North)
Field:	NM Eddy County (NAD 83)	Vertical Section Origin:	0.000 ft, 0.000 ft
Structure / Slot:	Oxy Salt Flat CC 20_29 Federal Com Pad (Patterson 882) / Salt Flat CC 20_29 Federal Com 11H	TVD Reference Datum:	RKB
Well:	Salt Flat CC 20_29 Federal Com 11H	TVD Reference Elevation:	2961.600 ft above MSL
Borehole:	Salt Flat CC 20_29 Federal Com 11H	Seabed / Ground Elevation:	2936.600 ft above MSL
UWI / API#:	Unknown / Unknown	Magnetic Declination:	6.740 °
Survey Name:	Oxy Salt Flat CC 20_29 Federal Com 11H Gyro+MWD 0' to 18712'MD	Total Gravity Field Strength:	998.4679mgn (9.80665 Bases)
Survey Date:	August 26, 2022	Gravity Model:	GARM
Tort / AHD / DDI / ERD Ratio:	315.358 ° / 12406.501 ft / 6.979 / 1.615	Total Magnetic Field Strength:	47549.200 nT
Coordinate Reference System:	NAD83 New Mexico State Plane, Eastern Zone, US Feet	Magnetic Dip Angle:	59.901 °
Location Lat / Long:	N 32° 12' 41.50392", W 104° 0' 34.60499"	Declination Date:	September 14, 2022
Location Grid N/E Y/X:	N 440839.030 RUS, E 641456.260 RUS	Magnetic Declination Model:	IFR1
CRS Grid Convergence Angle:	0.1726 °	North Reference:	Grid North
Grid Scale Factor:	0.99992057	Grid Convergence Used:	0.1700 °
Version / Patch:	2.10.829.1	Total Corr Mag North->Grid North:	6.5700 °
		Local Coord Referenced To:	Well Head

Comments	MD (ft)	Incl (°)	Azim Grid (°)	TVD (ft)	VSEC (ft)	NS (ft)	EW (ft)	DLS (°/100ft)	Closure (ft)	Closure Azimuth (°)	Northing (RUS)	Easting (RUS)	Latitude (N/S ° ' ")	Longitude (E/W ° ' ")
WRP	0.00	0.00	0.00	0.00	0.00	0.00	0.00	N/A	0.00	0.00	440839.03	641456.26	N 32 12 41.50	W 104 0 34.60
SHL	25.00	0.00	0.00	25.00	0.00	0.00	0.00	0.00	0.00	0.00	440839.03	641456.26	N 32 12 41.50	W 104 0 34.60
First Gyro Survey	94.29	0.52	112.93	94.29	0.09	-0.12	0.29	0.75	0.31	112.93	440838.91	641456.55	N 32 12 41.50	W 104 0 34.60
	176.39	1.14	135.83	176.38	0.70	-0.85	1.20	0.84	1.47	125.38	440838.18	641457.46	N 32 12 41.50	W 104 0 34.59
	264.39	1.31	137.15	264.36	1.90	-2.22	2.50	0.20	3.34	131.64	440836.81	641458.76	N 32 12 41.48	W 104 0 34.58
	358.74	1.19	142.01	358.69	3.29	-3.78	3.83	0.17	5.38	134.62	440835.25	641460.09	N 32 12 41.47	W 104 0 34.56
Last Gyro Survey	454.95	1.27	148.18	454.88	4.83	-5.47	5.01	0.16	7.42	137.54	440833.56	641461.27	N 32 12 41.45	W 104 0 34.55
First SLS Survey	539.00	0.09	75.37	538.92	5.53	-6.25	5.56	1.48	8.37	138.32	440832.78	641461.82	N 32 12 41.44	W 104 0 34.54
	631.00	0.03	332.99	630.92	5.48	-6.21	5.62	0.11	8.38	137.84	440832.82	641461.88	N 32 12 41.44	W 104 0 34.54
	722.00	0.14	189.92	721.92	5.58	-6.30	5.59	0.18	8.42	138.39	440832.73	641461.85	N 32 12 41.44	W 104 0 34.54
	824.00	0.17	302.48	823.92	5.63	-6.34	5.44	0.25	8.36	139.35	440832.69	641461.70	N 32 12 41.44	W 104 0 34.54
	915.00	0.05	217.67	914.92	5.61	-6.30	5.31	0.19	8.24	139.89	440832.73	641461.57	N 32 12 41.44	W 104 0 34.54
	1007.00	0.08	329.85	1006.92	5.59	-6.28	5.25	0.12	8.18	140.09	440832.76	641461.51	N 32 12 41.44	W 104 0 34.54
	1098.00	0.05	13.27	1097.92	5.50	-6.18	5.23	0.06	8.09	139.78	440832.85	641461.49	N 32 12 41.44	W 104 0 34.54
	1189.00	0.06	326.82	1188.92	5.43	-6.10	5.21	0.05	8.02	139.51	440832.93	641461.47	N 32 12 41.44	W 104 0 34.54
	1280.00	0.09	357.70	1279.92	5.32	-5.99	5.18	0.05	7.92	139.15	440833.04	641461.44	N 32 12 41.44	W 104 0 34.54
	1371.00	0.08	139.14	1370.92	5.29	-5.97	5.22	0.18	7.93	138.83	440833.06	641461.48	N 32 12 41.44	W 104 0 34.54
	1461.00	0.12	332.17	1460.92	5.26	-5.93	5.22	0.22	7.90	138.67	440833.10	641461.48	N 32 12 41.45	W 104 0 34.54
	1553.00	0.08	350.66	1552.92	5.12	-5.78	5.16	0.06	7.75	138.26	440833.25	641461.42	N 32 12 41.45	W 104 0 34.55
	1645.00	0.05	325.22	1644.92	5.03	-5.69	5.13	0.04	7.66	137.96	440833.34	641461.39	N 32 12 41.45	W 104 0 34.55
	1744.00	0.09	277.31	1743.92	4.99	-5.64	5.03	0.07	7.56	138.31	440833.39	641461.29	N 32 12 41.45	W 104 0 34.55
	1839.00	0.13	314.81	1838.92	4.93	-5.56	4.88	0.08	7.39	138.74	440833.47	641461.14	N 32 12 41.45	W 104 0 34.55
	1934.00	0.06	53.18	1933.92	4.83	-5.45	4.84	0.16	7.29	138.40	440833.58	641461.10	N 32 12 41.45	W 104 0 34.55
	2029.00	0.09	157.62	2028.92	4.86	-5.49	4.91	0.13	7.36	138.21	440833.54	641461.17	N 32 12 41.45	W 104 0 34.55
	2124.00	0.14	175.65	2123.92	5.03	-5.67	4.94	0.06	7.53	138.94	440833.36	641461.20	N 32 12 41.45	W 104 0 34.55
	2219.00	0.06	101.69	2218.92	5.15	-5.80	5.00	0.14	7.66	139.23	440833.23	641461.26	N 32 12 41.45	W 104 0 34.55
	2314.00	0.07	50.63	2313.92	5.11	-5.77	5.10	0.06	7.70	138.57	440833.26	641461.36	N 32 12 41.45	W 104 0 34.55
	2409.00	0.16	192.77	2408.92	5.20	-5.87	5.11	0.23	7.78	138.94	440833.16	641461.37	N 32 12 41.45	W 104 0 34.55
	2504.00	0.16	164.54	2503.92	5.46	-6.12	5.12	0.08	7.98	140.12	440832.91	641461.38	N 32 12 41.44	W 104 0 34.55
	2599.00	0.82	8.68	2598.91	4.90	-5.58	5.25	1.02	7.66	136.72	440833.45	641461.51	N 32 12 41.45	W 104 0 34.54
	2694.00	3.51	337.91	2693.84	1.68	-2.21	4.26	2.99	4.80	117.42	440836.82	641460.52	N 32 12 41.48	W 104 0 34.56
	2789.00	5.48	334.54	2788.54	-4.69	4.58	1.22	2.09	4.74	14.92	440843.61	641457.48	N 32 12 41.55	W 104 0 34.59
	2883.00	7.03	334.22	2881.98	-13.32	13.81	-3.21	1.65	14.18	346.91	440852.84	641453.05	N 32 12 41.64	W 104 0 34.64
	2978.00	8.30	335.42	2976.13	-24.06	25.28	-8.59	1.93	26.70	341.23	440864.31	641447.67	N 32 12 41.75	W 104 0 34.70
	3073.00	9.15	336.31	3070.03	-36.40	38.44	-14.48	0.91	41.07	339.36	440877.46	641441.78	N 32 12 41.88	W 104 0 34.77
	3167.00	9.96	338.68	3162.72	-49.99	52.85	-20.44	0.96	56.67	338.86	440891.88	641435.82	N 32 12 42.03	W 104 0 34.84
	3262.00	10.98	337.33	3256.14	-65.09	68.85	-26.91	1.10	73.93	338.65	440907.88	641429.35	N 32 12 42.19	W 104 0 34.92
	3357.00	11.69	335.10	3349.29	-81.13	85.93	-33.45	0.88	92.58	338.15	440924.96	641421.81	N 32 12 42.36	W 104 0 35.00
	3451.00	12.11	328.00	3441.27	-96.89	102.93	-43.69	1.62	111.82	337.00	440941.95	641421.58	N 32 12 42.52	W 104 0 35.11
	3546.00	12.30	332.82	3534.04	-112.06	118.65	-55.47	1.57	131.88	335.03	440958.67	641400.80	N 32 12 42.69	W 104 0 35.25
	3641.00	12.91	313.38	3626.67	-125.78	135.21	-69.68	1.98	152.11	332.73	440974.23	641389.58	N 32 12 42.84	W 104 0 35.41
	3735.00	12.32	303.34	3718.41	-136.47	147.93	-85.69	2.41	170.96	329.92	440986.95	641370.57	N 32 12 42.97	W 104 0 35.60
	3829.00	12.36	296.89	3810.25	-144.36	158.00	-103.05	1.47	188.63	326.89	440997.01	641353.22	N 32 12 43.07	W 104 0 35.80
	3924.00	12.03	287.90	3903.11	-149.71	165.64	-121.54	2.03	205.44	323.73	441004.65	641334.73	N 32 12 43.15	W 104 0 36.01
	4019.00	12.62	279.33	3995.93	-152.02	170.36	-141.20	2.02	221.27	320.35	441009.38	641315.07	N 32 12 43.19	W 104 0 36.24
	4114.00	12.66	275.09	4088.63	-152.12	172.97	-161.81	0.98	236.86	316.91	441011.98	641294.46	N 32 12 43.22	W 104 0 36.40
	4208.00	12.86	277.99	4180.31	-151.97	175.34	-182.43	0.71	253.03	313.86	441014.35	641273.84	N 32 12 43.24	W 104 0 36.72
	4303.00	13.50	278.30	4272.80	-152.42	178.41	-203.87	0.68	270.91	311.19	441017.42	641252.40	N 32 12 43.28	W 104 0 36.97
	4398.00	14.95	277.51	4364.89	-152.80	181.61	-227.00	1.54	290.70	308.66	441020.62	641229.28	N 32 12 43.31	W 104 0 37.24
	4493.00	14.88	271.70	4456.69	-151.81	183.57	-251.34	1.58	311.24	306.14	441022.59	641204.94	N 32 12 43.33	W 104 0 37.52
	4587.00	15.37	272.08	4547.44	-149.64	184.38	-275.85	0.53	331.80	303.76	441023.40	641180.43	N 32 12 43.34	W 104 0 37.81
	4682.00	17.74	272.83	4638.49	-147.54	185.56	-302.89	2.50	355.21	301.49	441024.57	641153.39	N 32 12 43.35	W 104 0 38.12
	4777.00	17.94	269.19	4728.92	-144.52	186.08	-331.98	1.19	380.56	299.17	441025.08	641124.31	N 32 12 43.35	W 104 0 38.46
	4871.00	17.88	263.08	4818.38	-139.10	184.12	-360.78	2.00	405.05	297.04	441023.13	641095.51	N 32 12 43.34	W 104 0 38.80
	4966.00	17.92	262.63	4908.78	-131.99	180.49	-389.75	0.15	429.52	294.85	441019.50	641066.54	N 32 12 43.30	W 104 0 39.14
	5061.00	18.42	263.71	4999.05	-124.94	176.97	-419.17	0.63	454.99	292.89	441015.98	641037.13	N 32 12 43.27	W 104 0 39.48
	5155.00	18.19	262.05	5088.29	-117.94	173.49	-448.48	0.40	480.87	291.15	441012.51	641007.81	N 32 12 43.23	W 104 0 39.82
	5250.00	17.82	263.07	5178.64	-110.81	169.86	-477.62	0.40	506.93	289.58	441008.88	640978.68	N 32 12 43.20	W 104 0 40.16
	5344.00	17.55	262.44	5268.19	-103.81	165.26	-505.95	0.35	532.57	288.19	441005.28	640950.15	N 32 12 43.16	W 104 0 40.49
	5439.00	17.66	264.59	5358.77	-97.16	163.03	-534.42	0.68	558.73	286.96	441002.05	640921.89	N 32 12 43.13	W 104 0 40.82
	5534.00	18.58	264.19	5449.06	-90.73	160.14	-563.82	1.19	586.12	285.86	440999.15	640892.49	N 32 12 43.11	W 104 0 41.16
	5629.00	17.96	262.66	5539.24	-83.75	156.73	-593.44	0.75	613.93	284.79	440995.74	640862.83	N 32 12 43.08	W 104 0 41.51
	5723.00	18.28	263.70	5628.58	-76.79	153.26	-622.51	0.48	641.10	283.83	440992.27	640833.80	N 32 12 43.04	W 104 0 41.85
	5818.00	18.30	263.17	5718.78	-69.83	149.85	-652.13	0.18	669.12	282.94	440988.87	640804.19	N 32 12 43.01	W 104 0 42.19
	5913.00	18.53	262.50	5808.92	-62.51	146.10	-681.90	0.33	697.38	282.09	440985.12	640774.41	N 32 12 42.97	W 104 0 42.54
	6007.00	18.40	263.08	5898.08	-55.22	142.37	-711.44	0.24	725.54	281.32	44			

Comments	MD (ft)	Incl (°)	Azim Grid (°)	TVD (ft)	VSEC (ft)	NS (ft)	EW (ft)	DLS (ft/100ft)	Closure (ft)	Closure Azimuth (°)	Northing (RUS)	Easting (RUS)	Latitude (N/S ° ' ")	Longitude (E/W ° ' ")
	8979.00	89.65	179.60	7663.64	1452.56	-1298.07	-1355.39	0.90	1876.72	226.24	439541.06	640100.98	N 32 12 28.70	W 104 0 50.43
	9073.00	89.68	179.34	7664.19	1542.07	-1354.52	-1348.41	0.28	1942.32	224.22	439447.07	640101.85	N 32 12 27.77	W 104 0 50.42
	9168.00	88.87	178.99	7665.39	1639.88	-1487.05	-1353.14	0.93	2010.55	222.30	439352.10	640103.23	N 32 12 26.83	W 104 0 50.41
	9263.00	90.54	175.30	7665.88	1733.47	-1581.91	-1348.41	4.26	2078.62	220.44	439257.25	640107.96	N 32 12 25.89	W 104 0 50.35
	9358.00	90.21	178.65	7665.26	1827.02	-1676.76	-1343.40	3.54	2148.55	218.70	439162.40	640112.97	N 32 12 24.95	W 104 0 50.30
	9452.00	89.91	177.65	7665.16	1919.91	-1770.71	-1340.36	1.11	2220.81	217.12	439068.46	640116.01	N 32 12 24.02	W 104 0 50.27
	9547.00	89.95	179.69	7665.28	2013.91	-1865.68	-1338.16	2.15	2295.96	215.65	438973.50	640118.21	N 32 12 23.08	W 104 0 50.24
	9642.00	90.06	183.47	7665.27	2108.48	-1960.63	-1340.78	3.98	2375.24	214.37	438878.56	640115.59	N 32 12 22.14	W 104 0 50.28
	9736.00	89.77	186.28	7665.41	2202.41	-2054.28	-1348.76	3.01	2457.48	213.29	438784.92	640107.61	N 32 12 21.22	W 104 0 50.37
	9830.00	89.82	184.77	7665.75	2296.38	-2147.84	-1357.81	1.61	2541.04	212.30	438691.37	640098.56	N 32 12 20.29	W 104 0 50.48
	9924.00	89.79	185.13	7666.07	2390.32	-2241.49	-1365.92	0.38	2624.88	211.36	438597.72	640090.45	N 32 12 19.36	W 104 0 50.58
	10018.00	89.69	184.26	7666.49	2484.24	-2335.17	-1373.62	0.93	2709.22	210.47	438504.05	640082.75	N 32 12 18.44	W 104 0 50.67
	10115.00	89.54	181.63	7667.15	2581.00	-2432.03	-1378.60	2.72	2795.59	209.55	438407.20	640077.77	N 32 12 17.48	W 104 0 50.73
	10209.00	89.96	175.70	7667.56	2673.95	-2525.96	-1376.41	0.32	2878.63	208.59	438313.27	640070.96	N 32 12 16.55	W 104 0 50.71
	10303.00	90.00	175.52	7667.59	2766.14	-2619.69	-1369.22	0.20	2955.93	207.59	438219.56	640087.16	N 32 12 15.62	W 104 0 50.63
	10397.00	88.96	175.56	7668.44	2858.27	-2713.40	-1361.91	1.11	3036.00	206.65	438125.85	640094.46	N 32 12 14.69	W 104 0 50.55
	10491.00	89.60	175.50	7669.62	2950.40	-2807.10	-1354.58	0.68	3116.84	205.76	438032.15	640101.79	N 32 12 13.77	W 104 0 50.47
	10585.00	89.55	175.93	7670.32	3042.60	-2900.84	-1347.56	0.46	3198.56	204.92	437938.43	640108.81	N 32 12 12.84	W 104 0 50.39
	10680.00	89.55	176.85	7671.02	3135.99	-2995.65	-1341.58	0.97	3282.33	204.12	437843.63	640114.79	N 32 12 11.90	W 104 0 50.32
	10774.00	89.72	179.02	7671.62	3228.82	-3089.58	-1338.19	2.32	3366.93	203.42	437749.70	640118.18	N 32 12 10.97	W 104 0 50.29
	10869.00	89.44	181.15	7672.28	3323.13	-3184.57	-1338.33	2.27	3454.36	202.79	437654.72	640118.04	N 32 12 10.03	W 104 0 50.29
	10964.00	90.31	181.85	7672.49	3417.70	-3279.54	-1340.82	1.18	3543.04	202.24	437559.76	640115.55	N 32 12 9.09	W 104 0 50.32
	11153.00	89.33	182.26	7673.08	3606.00	-3468.41	-1347.59	0.56	3721.01	201.23	437370.90	640108.78	N 32 12 7.22	W 104 0 50.41
	11248.00	89.47	182.23	7674.08	3700.68	-3563.33	-1351.32	0.15	3810.96	200.77	437275.99	640105.05	N 32 12 6.28	W 104 0 50.46
	11343.00	90.79	183.93	7673.86	3795.46	-3658.19	-1356.42	2.27	3901.57	200.34	437181.14	640099.95	N 32 12 5.35	W 104 0 50.52
	11437.00	89.59	183.50	7673.55	3889.30	-3751.99	-1362.51	1.36	3991.72	199.86	437087.35	640093.86	N 32 12 4.42	W 104 0 50.59
	11532.00	91.61	184.27	7672.55	3984.16	-3846.76	-1368.95	2.28	4083.08	199.59	436992.58	640087.43	N 32 12 3.48	W 104 0 50.67
	11626.00	90.54	181.62	7670.79	4077.90	-3940.61	-1373.77	3.04	4173.21	199.22	436898.74	640082.60	N 32 12 2.55	W 104 0 50.73
	11721.00	90.88	179.19	7669.61	4172.27	-4035.59	-1374.45	2.58	4263.23	198.81	436803.77	640081.93	N 32 12 1.61	W 104 0 50.74
	11816.00	91.11	177.30	7667.96	4266.15	-4130.53	-1371.54	2.00	4352.28	198.37	436708.84	640084.84	N 32 12 0.67	W 104 0 50.71
	11910.00	90.49	177.23	7666.65	4358.80	-4224.41	-1367.05	0.66	4440.10	197.93	436614.96	640089.32	N 32 11 59.74	W 104 0 50.66
	12005.00	90.13	177.80	7666.14	4452.52	-4319.32	-1362.93	0.71	4529.25	197.51	436520.06	640093.44	N 32 11 58.80	W 104 0 50.62
	12100.00	90.44	178.56	7665.66	4546.40	-4414.27	-1359.92	0.86	4619.00	197.12	436425.12	640096.46	N 32 11 57.86	W 104 0 50.59
	12194.00	89.80	178.20	7665.47	4639.35	-4508.23	-1357.26	0.78	4708.11	196.76	436331.16	640099.11	N 32 11 56.93	W 104 0 50.56
	12289.00	89.62	176.28	7665.95	4732.99	-4603.12	-1352.68	2.03	4797.75	196.38	436236.29	640103.69	N 32 11 56.00	W 104 0 50.51
	12384.00	90.20	176.91	7666.10	4826.44	-4697.95	-1347.04	0.90	4887.25	196.00	436141.46	640109.33	N 32 11 55.06	W 104 0 50.45
	12479.00	89.62	176.73	7666.25	4919.96	-4792.80	-1341.77	0.64	4977.08	195.64	436046.62	640114.60	N 32 11 54.12	W 104 0 50.39
	12573.00	87.43	169.47	7668.67	5011.13	-4886.02	-1330.49	8.06	5063.93	195.23	435953.41	640125.87	N 32 11 53.20	W 104 0 50.26
	12668.00	90.17	170.63	7670.06	5101.99	-4979.56	-1314.08	3.13	5150.03	194.78	435859.87	640142.28	N 32 11 52.27	W 104 0 50.07
	12704.00	89.68	171.96	7670.71	5193.66	-5015.15	-1308.64	3.95	5183.07	194.62	435824.29	640147.73	N 32 11 51.92	W 104 0 50.01
	12763.00	88.87	174.15	7671.45	5193.92	-5073.71	-1301.51	3.95	5237.98	194.39	435765.74	640154.86	N 32 11 51.34	W 104 0 49.93
	12858.00	87.99	180.97	7674.06	5287.56	-5168.53	-1297.46	7.24	5328.89	194.09	435670.92	640158.90	N 32 11 50.40	W 104 0 49.88
	12953.00	88.18	184.03	7677.24	5382.21	-5263.37	-1301.61	3.23	5421.92	193.89	435576.09	640154.76	N 32 11 49.46	W 104 0 49.94
	13033.00	88.32	184.08	7679.67	5462.07	-5343.13	-1307.26	0.19	5500.73	193.75	435496.33	640148.11	N 32 11 48.67	W 104 0 50.01
	13047.00	88.35	184.09	7680.06	5476.04	-5357.08	-1308.26	0.19	5514.52	193.72	435460.37	640148.11	N 32 11 48.53	W 104 0 50.02
	13142.00	90.85	184.56	7680.74	5570.93	-5451.81	-1315.42	2.68	5608.26	193.57	435387.66	640140.95	N 32 11 47.60	W 104 0 50.10
	13237.00	91.02	185.01	7679.19	5665.85	-5546.47	-1323.35	0.51	5702.15	193.42	435293.01	640133.02	N 32 11 46.66	W 104 0 50.20
	13332.00	90.73	184.37	7677.74	5760.77	-5641.14	-1331.11	0.74	5796.06	193.28	435198.35	640125.26	N 32 11 45.72	W 104 0 50.29
	13427.00	90.71	182.68	7676.55	5855.59	-5735.95	-1336.95	1.78	5889.70	193.12	435103.55	640119.42	N 32 11 44.79	W 104 0 50.36
	13521.00	91.01	181.52	7675.14	5949.24	-5829.87	-1340.40	1.27	5981.98	192.96	435009.63	640115.97	N 32 11 43.86	W 104 0 50.41
	13711.00	91.27	182.23	7671.36	6138.37	-6019.73	-1346.61	6.18	6188.51	192.61	434919.79	640109.76	N 32 11 42.91	W 104 0 50.49
	13805.00	91.03	182.05	7669.47	6232.10	-6113.65	-1350.12	0.32	6260.95	192.45	434825.88	640106.26	N 32 11 41.05	W 104 0 50.53
	13900.00	90.11	180.78	7668.53	6326.65	-6208.61	-1352.47	1.65	6354.21	192.29	434630.92	640103.90	N 32 11 40.11	W 104 0 50.56
	13995.00	91.62	182.71	7667.09	6421.24	-6303.55	-1355.36	2.58	6447.61	192.13	434535.99	640101.01	N 32 11 39.17	W 104 0 50.60
	14090.00	90.78	180.69	7665.10	6515.82	-6398.48	-1358.18	2.30	6541.04	191.98	434441.07	640098.19	N 32 11 38.23	W 104 0 50.63
	14184.00	90.12	178.26	7664.36	6609.01	-6492.47	-1357.31	2.68	6632.83	191.81	434347.09	640099.06	N 32 11 37.30	W 104 0 50.63
	14279.00	90.32	176.30	7664.00	6702.92	-6587.42	-1354.46	0.21	6725.23	191.62	434252.14	640101.91	N 32 11 36.36	W 104 0 50.60
	14373.00	90.43	179.03	7663.79	6795.94	-6681.40	-1352.26	0.86	6816.86	191.44	434158.15	640104.11	N 32 11 35.43	W 104 0 50.62
	14468.00	90.07	178.75	7663.79	6890.									

Intent ☐ As Drilled ☐

API #		
Operator Name:	Property Name:	Well Number

Kick Off Point (KOP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

First Take Point (FTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Last Take Point (LTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Is this well the defining well for the Horizontal Spacing Unit? ☐Is this well an infill well? ☐

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API #		
Operator Name:	Property Name:	Well Number

KZ 06/29/2018

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 162341

ACKNOWLEDGMENTS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 162341
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 162341

CONDITIONS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 162341
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	RT EXPIRES 2/29/2023.	2/2/2023