

District I
1625 N. French Dr., Hobbs, NM 88240

State of New Mexico
Energy, Minerals & Natural Resources

Form C-104
Revised August 1, 2011

District II
811 S. First St., Artesia, NM 88210

District III
1000 Rio Brazos Rd., Aztec, NM 87410

District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address OXY USA INC. P.O. BOX 50250 MIDLAND, TX 79710		² OGRID Number: 16696
		³ Reason for Filing Code/ Effective Date: RT - 12/2/2022
⁴ API Number 30 - 015-47600	⁵ Pool Name PIERCE CROSSING; BONE SPRING	⁶ Pool Code 50371
⁷ Property Code: 321601	⁸ Property Name: SALT FLAT CC 20-29 FEDERAL COM	⁹ Well Number: 14H

II. ¹⁰ Surface Location

Ul or lot no. P	Section 17	Township 24S	Range 29E	Lot Idn	Feet from the 1070	North/South Line SOUTH	Feet from the 1010	East/West line EAST	County EDDY
--------------------	---------------	-----------------	--------------	---------	-----------------------	---------------------------	-----------------------	------------------------	----------------

¹¹ Bottom Hole Location

FTP- 235' FNL 362' FEL LTP- 160' FSL 691' FEL

UL or lot no. P	Section 29	Township 24S	Range 29E	Lot Idn	Feet from the 45	North/South line SOUTH	Feet from the 690	East/West line EAST	County EDDY
¹² Lse Code F	¹³ Producing Method Code : F		¹⁴ Gas Connection Date: TBD		¹⁵ C-129 Permit Number		¹⁶ C-129 Effective Date		¹⁷ C-129 Expiration Date

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
214754	LPC CRUDE OIL, INC.	O
151618	ENTERPRISE FIELD SERVICES LLC	G

IV. Well Completion Data

²¹ Spud Date 07/16/22	²² Ready Date 12/2/2022	²³ TD 18610'M 7722'V	²⁴ PBTD 18567'M 7721'V	²⁵ Perforations 8237-18495'	²⁶ DHC, MC
²⁷ Hole Size		²⁸ Casing & Tubing Size		²⁹ Depth Set	³⁰ Sacks Cement
17-1/2"		13-3/8"		347'	475
9-7/8"		7-5/8"		7035'	1912
6-3/4"		5-1/2"		18590'	1185

V. Well Test Data

³¹ Date New Oil	³² Gas Delivery Date	³³ Test Date	³⁴ Test Length	³⁵ Tbg. Pressure	³⁶ Csg. Pressure
³⁷ Choke Size	³⁸ Oil	³⁹ Water	⁴⁰ Gas		⁴¹ Test Method

⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.

Signature: 

Printed name: JANA MENDIOLA

Title: SR. REGULATORY ANALYST

E-mail Address:
Janalyn_mendiola@oxy.com

Date: 12/2/2022 Phone: 432-685-5936

OIL CONSERVATION DIVISION

Approved by: Sarah McGrath

Title: Petroleum Specialist - A

Approval Date: 02/08/2023

RT Expires 03/02/2023

1625 N. French Dr., Hobbs, NM 88240
 Phone: (575) 393-6161 Fax: (575) 393-0720
District II
 811 S. First St., Artesia, NM 88210
 Phone: (575) 748-1283 Fax: (575) 748-9720
District III
 1000 Rio Brazos Road, Aztec, NM 87410
 Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
 1220 S. St. Francis Dr., Santa Fe, NM 87505
 Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
 Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

Revised August 1, 2011
 Submit one copy to appropriate
 District Office

☒ AMENDED REPORT


WELL LOCATION AND ACREAGE DEDICATION AS-DRILLED PLAT

¹ API Number 30-015-47600	² Pool Code 50371	³ Pool Name PIERCE CROSSING; BONE SPRING
⁴ Property Code 321601	Property Name SALT FLAT CC 20_29 FEDERAL COM	
⁷ OGRID No. 16696	⁸ Operator Name OXY USA INC.	⁶ Well Number 14H
		⁹ Elevation 2927'

¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
P	17	24S	29E		1070	SOUTH	1010	EAST	EDDY
¹¹ Bottom Hole Location If Different From Surface									
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
P	29	24S	29E		45	SOUTH	690	EAST	EDDY
¹² Dedicated Acres 640.0	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.						

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.



Distances/areas relative to NAD 83 Combined Scale Factor: 0.9997801707 Convergence Angle: 00°10'21.400000"




OXY



Borehole:				Well:				Field:				Structure:																			
Salt Flat CC 20_29 Federal Com 14H				Salt Flat CC 20_29 Federal Com 14H				NM Eddy County (NAD 83)				Oxy Salt Flat CC 20_29 Federal Com Pad																			
Gravity & Magnetic Parameters								Surface Location				NAD83 New Mexico State Plane, Eastern Zone, US Feet				Miscellaneous															
Model:		IFR1		Dip:		59.896°		Date:		22-Sep-2022		Lat:		N 32 12 47.59		Northing:		441462.31RUS		Grid Conv:		0.177°		Slot:		20_29 Federal Com 14H		TVD Ref:		RKB(2951.3ft above MSL)	
MagDec:		6.73°		FS:		47545.6nT		Gravity FS:		998.469mgm (9.80665 Based)		Lon:		W 104 0 4.47		Easting:		640403.56RUS		Scale Fact:		0.99992117		Plan:		Oxy Salt Flat CC 20_29 Federal Com 14H Gyro-MWD 0° to 180°/MD					

Critical Points								
Critical Point	MD	INCL	AZIM	TVD	VSEC	N(+)/S(-)	E(+)/W(-)	DLS
WRP	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
SHL	24.00	0.00	0.00	24.00	0.00	0.00	0.00	0.00
First Gyro Survey	94.61	0.75	232.16	94.61	0.27	-0.28	-0.36	1.06
Last Gyro Survey	333.08	0.72	285.38	333.05	0.36	-0.48	-3.97	0.38
First SLB Survey	408.00	0.22	331.87	407.97	0.10	-0.23	-4.49	0.79
Actual KOP	7081.00	7.12	123.17	6997.86	584.77	-569.80	522.48	5.99
1st Bone Spring Intersection	7711.49	49.52	172.50	7554.30	833.46	-816.01	611.38	11.79
100' FNL Crossing	8096.00	88.44	171.98	7679.05	1188.73	-1170.60	640.03	8.95
Exit Target Box	10479.00	94.04	181.91	7750.52	3562.98	-3546.27	625.95	4.78
Enter Target Box	10668.00	91.07	178.93	7744.30	3751.69	-3735.11	623.98	2.30
100' FSL Crossing	18554.00	89.45	179.22	7721.17	11598.57	-11594.12	321.82	0.57
Final MWD Survey	18579.00	89.45	179.08	7721.41	11623.57	-11619.12	322.19	0.57
Proj to TD	18610.00	89.45	179.08	7721.71	11654.57	-11650.11	322.68	0.00



Schlumberger



Oxy Salt Flat CC 20_29 Federal Com 14H Gyro+MWD 0' to 18610'MD Survey Geodetic Report (Def Survey)

Report Date: November 06, 2022 - 12:42 PM
Client: OXY
Field: NM Eddy County (NAD 83)
Structure / Slot: Oxy Salt Flat CC 20_29 Federal Com Pad / Salt Flat CC 20_29 Federal Com 14H
Well: Salt Flat CC 20_29 Federal Com 14H
Borehole: Salt Flat CC 20_29 Federal Com 14H
UWI / API#: Unknown / Unknown
Survey Name: Oxy Salt Flat CC 20_29 Federal Com 14H Gyro+MWD 0' to 18610'MD
Survey Date: August 23, 2022
Tort / AHD / DDI / ERD Ratio: 315.167 " / 11948.487 ft / 6.956 / 1.541
Coordinate Reference System: NAD83 New Mexico State Plane, Eastern Zone, US Feet
Location Lat / Long: N 32° 12' 47.59374", W 104° 0' 4.46651"
Location Grid N/E Y/X: N 441462.310 RUS, E 644043.560 RUS
CRS Grid Convergence Angle: 0.1770 °
Grid Scale Factor: 0.99992117
Version / Patch: 2.10.829.1

Survey / DLS Computation: Minimum Curvature / Lubinski
Vertical Section Azimuth: 178.332 ° (Grid North)
Vertical Section Origin: 0.000 ft, 0.000 ft
TVD Reference Datum: RKB
TVD Reference Elevation: 2951.300 ft above MSL
Seabed / Ground Elevation: 2927.300 ft above MSL
Magnetic Declination: 6.730 °
Total Gravity Field Strength: 998.4692mgn (9.80665 Based)
Gravity Model: GARM
Total Magnetic Field Strength: 47545.600 nT
Magnetic Dip Angle: 59.896 °
Declination Date: September 22, 2022
Magnetic Declination Model: IFR1
North Reference: Grid North
Grid Convergence Used: 0.1800 °
Total Corr Mag North->Grid North: 6.5500 °
Local Coord Referenced To: Well Head

Comments	MD (ft)	Incl (°)	Azim Grid (°)	TVD (ft)	VSEC (ft)	NS (ft)	EW (ft)	DLS (°/100ft)	Closure (ft)	Closure Azimuth (°)	Northing (RUS)	Easting (RUS)	Latitude (N/S ° ' ")	Longitude (E/W ° ' ")
WRP SHL First Gyro Survey	0.00	0.00	0.00	0.00	0.00	0.00	0.00	N/A	0.00	0.00	441462.31	644043.56	N 32 12 47.59	W 104 0 4.47
	24.00	0.00	0.00	24.00	0.00	0.00	0.00	0.00	0.00	0.00	441462.31	644043.56	N 32 12 47.59	W 104 0 4.47
	94.61	0.75	232.16	94.61	0.27	-0.28	1.06	0.46	232.16	441462.03	644043.19	N 32 12 47.59	W 104 0 4.47	
	180.81	1.05	270.03	180.80	0.58	-0.63	-1.60	0.75	1.72	248.54	441461.68	644041.96	N 32 12 47.59	W 104 0 4.49
	269.23	0.88	272.16	269.21	0.51	-0.60	-3.09	0.20	3.15	258.95	441461.71	644040.47	N 32 12 47.59	W 104 0 4.50
	333.08	0.72	285.38	333.05	0.36	-0.48	-3.97	0.38	3.99	263.12	441461.83	644039.59	N 32 12 47.59	W 104 0 4.51
	408.00	0.22	331.87	407.97	0.10	-0.23	-4.49	0.79	4.49	267.11	441462.08	644039.07	N 32 12 47.59	W 104 0 4.52
	502.00	0.27	82.04	501.97	-0.09	-0.04	-4.35	0.43	4.35	269.52	441462.27	644039.21	N 32 12 47.59	W 104 0 4.52
	595.00	0.19	206.34	594.97	0.02	-0.14	-4.20	0.44	4.21	268.03	441462.17	644039.36	N 32 12 47.59	W 104 0 4.52
	688.00	0.14	147.43	687.97	0.26	-0.38	-4.21	0.18	4.23	264.86	441461.93	644039.35	N 32 12 47.59	W 104 0 4.52
Last Gyro Survey First SLB Survey	781.00	0.22	66.58	780.97	0.29	-0.40	-3.99	0.26	4.01	264.22	441461.91	644039.57	N 32 12 47.59	W 104 0 4.51
	949.00	0.21	179.44	948.96	0.48	-0.58	-3.69	0.21	3.73	261.02	441461.73	644039.87	N 32 12 47.59	W 104 0 4.51
	1041.00	0.14	33.68	1040.96	0.55	-0.66	-3.62	0.36	3.68	259.71	441461.65	644039.94	N 32 12 47.59	W 104 0 4.51
	1134.00	0.19	254.42	1133.96	0.50	-0.60	-3.71	0.33	3.76	260.74	441461.71	644039.85	N 32 12 47.59	W 104 0 4.51
	1227.00	0.27	8.82	1226.96	0.32	-0.43	-3.82	0.42	3.85	263.59	441461.94	644039.71	N 32 12 47.59	W 104 0 4.51
	1320.00	0.18	35.05	1319.96	0.01	-0.09	-3.71	0.14	3.71	268.55	441462.22	644039.85	N 32 12 47.59	W 104 0 4.51
	1413.00	0.05	19.74	1412.96	-0.17	0.06	-3.61	0.14	3.61	271.02	441462.37	644039.95	N 32 12 47.59	W 104 0 4.51
	1507.00	0.09	224.22	1506.96	-0.16	0.05	-3.65	0.15	3.65	270.78	441462.36	644039.91	N 32 12 47.59	W 104 0 4.51
	1599.00	0.24	151.62	1598.96	0.07	-0.17	-3.61	0.25	3.61	267.28	441462.14	644039.95	N 32 12 47.59	W 104 0 4.51
	1693.00	0.14	267.15	1692.96	0.24	-0.35	-3.63	0.35	3.64	264.48	441461.96	644039.93	N 32 12 47.59	W 104 0 4.51
Actual KOP 1st Bone Spring Intersection 100' FNL Crossings	1787.00	0.13	261.99	1786.96	0.26	-0.37	-3.85	0.02	3.86	264.49	441461.94	644039.71	N 32 12 47.59	W 104 0 4.51
	1882.00	0.20	257.82	1881.96	0.30	-0.42	-4.12	0.07	4.14	264.16	441461.89	644039.44	N 32 12 47.59	W 104 0 4.51
	1976.00	0.21	291.71	1975.96	0.26	-0.39	-4.44	0.13	4.45	264.95	441461.92	644039.12	N 32 12 47.59	W 104 0 4.52
	2071.00	0.27	151.70	2070.96	0.39	-0.52	-4.49	0.48	4.52	263.34	441461.79	644039.07	N 32 12 47.59	W 104 0 4.52
	2165.00	0.22	165.02	2164.96	0.77	-0.89	-4.34	0.08	4.43	258.36	441461.42	644039.22	N 32 12 47.59	W 104 0 4.52
	2260.00	0.18	175.98	2259.96	1.09	-1.22	-4.28	0.06	4.45	254.11	441461.09	644039.28	N 32 12 47.58	W 104 0 4.52
	2355.00	0.25	174.04	2354.96	1.45	-1.57	-4.25	0.07	4.53	249.68	441460.74	644039.31	N 32 12 47.58	W 104 0 4.52
	2450.00	0.21	182.30	2449.96	1.83	-1.95	-4.24	0.05	4.67	245.24	441460.36	644039.32	N 32 12 47.57	W 104 0 4.52
	2544.00	0.21	208.23	2543.96	2.15	-2.28	-4.32	0.10	4.89	242.22	441460.03	644039.24	N 32 12 47.57	W 104 0 4.52
	2638.00	0.26	148.23	2637.96	2.48	-2.61	-4.29	0.25	5.03	238.70	441459.70	644039.27	N 32 12 47.57	W 104 0 4.52
	2733.00	0.03	64.51	2732.96	2.66	-2.78	-4.16	0.27	5.00	236.20	441459.53	644039.40	N 32 12 47.57	W 104 0 4.52
	2828.00	0.24	336.18	2827.96	2.47	-2.59	-4.22	0.25	4.95	238.43	441459.72	644039.34	N 32 12 47.57	W 104 0 4.52
	2923.00	1.38	209.53	2922.96	3.26	-3.40	-4.86	1.62	5.93	234.99	441458.91	644038.70	N 32 12 47.57	W 104 0 4.52
	3017.00	3.38	206.86	3016.86	6.66	-6.86	-8.67	2.13	9.57	224.19	441455.45	644036.89	N 32 12 47.53	W 104 0 4.54
	3112.00	5.52	192.08	3111.57	13.56	-13.83	-8.89	2.54	16.44	212.75	441448.48	644034.67	N 32 12 47.46	W 104 0 4.57
	3207.00	7.20	186.77	3205.99	23.89	-24.21	-10.55	1.87	26.41	203.55	441438.10	644033.01	N 32 12 47.35	W 104 0 4.59
	3301.00	9.00	181.71	3299.04	37.06	-37.41	-11.47	2.06	39.13	197.04	441424.90	644032.10	N 32 12 47.22	W 104 0 4.60
	3396.00	10.30	173.04	3392.70	52.94	-53.27	-10.66	2.05	54.32	191.31	441409.05	644032.90	N 32 12 47.07	W 104 0 4.59
	3490.00	11.06	167.76	3485.08	70.17	-70.42	-7.73	1.32	70.84	186.26	441391.89	644035.83	N 32 12 46.90	W 104 0 4.56
	3585.00	11.06	164.00	3578.36	87.76	-87.88	-3.34	0.80	87.85	182.18	441374.43	644040.22	N 32 12 46.72	W 104 0 4.51
	3679.00	10.34	157.59	3670.76	104.19	-104.16	2.31	1.35	104.19	178.73	441358.15	644045.86	N 32 12 46.56	W 104 0 4.44
	3774.00	10.50	152.64	3764.19	119.96	-119.73	9.53	0.96	120.11	175.45	441342.59	644053.09	N 32 12 46.41	W 104 0 4.38
	3869.00	10.92	145.41	3857.54	135.32	-134.83	18.62	1.48	136.11	172.14	441327.49	644062.18	N 32 12 46.26	W 104 0 4.25
	3964.00	10.64	136.93	3950.87	149.45	-148.65	29.72	1.69	151.59	168.69	441313.68	644073.28	N 32 12 46.12	W 104 0 4.13
	4059.00	10.75	129.02	4044.23	161.80	-160.63	42.59	1.55	166.18	165.15	441301.69	644086.15	N 32 12 46.00	W 104 0 3.98
	4153.00	10.61	126.50	4136.60	172.87	-171.30	56.36	0.52	180.33	161.79	441291.03	644099.92	N 32 12 45.90	W 104 0 3.86
	4248.00	10.77	128.61	4229.95	184.01	-182.04	70.33	0.45	195.15	158.88	441280.29	644113.88	N 32 12 45.79	W 104 0 3.85
	4342.00	10.65	132.55	4322.32	195.75	-193.39	83.59	0.79	210.69	156.63	441268.93	644127.14	N 32 12 45.68	W 104 0 3.50
	4437.00	10.61	132.72	4415.69	207.99	-205.26	96.48	0.05	226.81	154.82	441257.06	644140.03	N 32 12 45.56	W 104 0 3.35
	4531.00	10.64	132.88	4508.07	220.13	-217.04	109.20	0.04	242.96	153.29	441245.29	644152.75	N 32 12 45.44	W 104 0 3.20
	4626.00	10.61	131.50	4601.45	232.26	-228.80	122.17	0.27	259.38	151.90	441233.53	644165.72	N 32 12 45.33	W 104 0 3.05
	4721.00	10.65	130.08	4694.81	244.09	-240.25	135.44	0.28	275.80	150.59	441222.08	644178.99	N 32 12 45.21	W 104 0 2.90
	4815.00	10.85	129.65	4787.17	255.72	-251.49	148.98	0.23	292.26	149.37	441210.84	644192.45	N 32 12 45.10	W 104 0 2.74
	4910.00	10.72	129.93	4880.49	267.48	-262.86	162.56	0.15	309.07	148.27	441199.47	644206.11	N 32 12 44.99	W 104 0 2.58
	5004.00	10.39	130.59	4972.90	278.99	-273.99	175.70	0.37	325.49	147.33	441188.34	644219.25	N 32 12 44.88	W 104 0 2.43
	5099.00	10.53	130.68	5066.32	290.60	-285.22	188.79	0.15	342.04	146.50	441177.11	644232.33	N 32 12 44.77	W 104 0 2.28
	5193.00	10.96	131.42	5158.67	302.49	-296.73	202.00	0.48	358.97	145.75	441165.60	644245.55	N 32 12 44.65	W 104 0 2.13
	5288.00	13.27	132.70	5251.55	316.28	-310.10	216.79	2.45	378.37	145.04	441152.23	644260.33	N 32 12 44.52	W 104 0 1.95
	5382.00	14.01	130.18	5342.96	334.46	-323.41	234.74	1.01	399.94	144.29	441137.57	644276.55	N 32 12 44.37	W 104 0 1.78
	5477.00	14.05	129.90	5435.06	346.74	-339.58	251.04	0.08	422.30	143.53	441122.76	644294.58	N 32 12 44.23	W 104 0 1.56
	5572.00	14.73	129.60	5527.08	362.36	-354.67	268.20	0.72	445.26	142.80	441107.67	644312.74	N 32 12 44.08	W 104 0 1.35
	5667.00	14.39	130.34	5619.03	378.23	-370.01	287.50	0.41	468.58	142.15	441092.33	644331.04	N 32 12 43.92	W 104 0 1.13
	5761.00	14.57	129.57	5710.04	393.84	-385.11	305.52	0.28	491.58	141.57	441077.23	644349.05	N 32 12 43.77	W 104 0 0.92
	5856.00	14.45	130.39	5802.01	409.65	-400.40	323.76	0.25	514.92	141.04	441061.94	644367.29	N 32 12 43.62	W 104 0 0.71
	5951.00	14.34	129.86	5894.03	425.39	-415.62	341.82	0.18	538.12	140.57	441046.72	644385.35	N 32 12 43.47	W 104 0 0.50
	6046.00	13.58	129.95	5986.23	440.60	-430.32								

Comments	MD (ft)	Incl (°)	Azim Grid (°)	TVD (ft)	VSEC (ft)	NS (ft)	EW (ft)	DLS (°100ft)	Closure (ft)	Closure Azimuth (°)	Northing (ftUS)	Easting (ftUS)	Latitude (N/S ° ' ")	Longitude (E/W ° ' ")
Exit Target Box	8973.00	88.63	179.39	7738.69	2061.88	-2043.19	671.79	2.16	2150.80	161.80	439419.28	644715.29	N 32 12 27.36	W 103 59 56.72
	9067.00	88.26	178.28	7741.24	2155.84	-2137.14	673.70	1.24	2240.81	162.50	439325.35	644717.20	N 32 12 26.43	W 103 59 56.70
	9162.00	89.90	179.19	7742.77	2250.82	-2232.10	675.79	1.97	2332.16	163.16	439230.39	644719.30	N 32 12 25.49	W 103 59 56.68
	9256.00	89.94	182.38	7742.90	2344.72	-2326.08	674.51	3.39	2421.90	163.83	439136.42	644718.01	N 32 12 24.56	W 103 59 56.70
	9351.00	89.44	181.88	7743.41	2439.51	-2421.01	670.98	0.74	2512.27	164.51	439041.50	644714.48	N 32 12 23.62	W 103 59 56.74
	9446.00	89.29	181.35	7744.47	2534.35	-2515.96	668.30	0.58	2603.21	165.12	438946.55	644711.80	N 32 12 22.68	W 103 59 56.78
	9540.00	88.61	175.74	7746.19	2626.88	-2609.88	670.68	0.01	2694.68	165.59	438852.64	644714.39	N 32 12 21.75	W 103 59 56.75
	9635.00	90.07	180.14	7747.28	2723.28	-2704.79	674.10	4.88	2787.52	166.01	438757.74	644717.60	N 32 12 20.81	W 103 59 56.72
	9730.00	89.91	181.88	7747.30	2818.15	-2799.77	672.42	1.84	2879.38	166.50	438662.77	644715.93	N 32 12 19.87	W 103 59 56.74
	9824.00	88.65	177.76	7748.48	2912.09	-2893.74	672.72	4.58	2970.90	166.91	438568.81	644716.22	N 32 12 18.94	W 103 59 56.74
	9919.00	89.85	180.72	7749.73	3007.06	-2988.71	673.98	3.36	3063.76	167.29	438473.84	644717.48	N 32 12 18.00	W 103 59 56.73
	10014.00	89.68	185.35	7750.12	3101.71	-3083.55	668.95	4.88	3155.28	167.76	438379.01	644712.45	N 32 12 17.06	W 103 59 56.79
	10083.00	86.57	185.74	7752.37	3170.12	-3152.18	662.28	4.54	3221.00	168.13	438310.38	644705.79	N 32 12 16.38	W 103 59 56.87
	10107.00	87.63	185.76	7753.59	3193.89	-3176.03	659.88	4.42	3243.86	168.26	438286.54	644703.39	N 32 12 16.15	W 103 59 56.90
	10201.00	90.21	186.69	7755.36	3286.97	-3269.45	649.69	2.92	3333.38	168.76	438193.13	644693.20	N 32 12 15.22	W 103 59 57.02
	10293.00	90.36	185.79	7754.90	3378.10	-3360.90	639.69	0.99	3421.24	169.22	438101.68	644683.20	N 32 12 14.32	W 103 59 57.14
	10385.00	90.48	184.65	7754.23	3469.43	-3452.52	631.32	1.25	3509.76	169.64	438010.07	644674.83	N 32 12 13.41	W 103 59 57.24
	10479.00	91.04	181.91	7750.52	3562.98	-3546.27	625.95	1.78	3601.08	169.99	437916.33	644669.46	N 32 12 12.48	W 103 59 57.31
	10572.00	91.22	180.80	7746.25	3655.74	-3639.13	623.75	3.26	3692.20	170.27	437823.47	644667.26	N 32 12 11.58	W 103 59 57.34
	10664.00	91.12	179.01	7744.37	3744.69	-3731.11	623.91	1.95	3782.91	170.51	437731.50	644667.41	N 32 12 10.65	W 103 59 57.34
	10668.00	91.07	178.93	7744.30	3751.69	-3735.11	623.98	2.30	3786.87	170.52	437727.51	644667.49	N 32 12 10.62	W 103 59 57.34
	10757.00	90.07	177.15	7743.41	3840.68	-3824.04	627.02	2.30	3875.11	170.69	437638.57	644670.53	N 32 12 9.74	W 103 59 57.31
	10851.00	89.96	176.39	7743.38	3934.64	-3917.89	632.32	0.82	3968.59	170.83	437544.73	644675.83	N 32 12 8.81	W 103 59 57.25
	10944.00	89.90	176.17	7743.50	4027.58	-4010.70	638.35	0.25	4061.18	170.96	437451.94	644681.86	N 32 12 7.89	W 103 59 57.18
	11036.00	89.99	177.72	7743.59	4119.55	-4102.57	643.25	1.69	4152.69	171.09	437360.08	644686.76	N 32 12 6.98	W 103 59 57.13
	11131.00	89.99	179.51	7743.60	4214.55	-4197.53	645.55	1.88	4246.88	171.26	437265.12	644689.06	N 32 12 6.04	W 103 59 57.10
	11225.00	90.49	180.08	7743.21	4308.51	-4291.53	645.89	0.81	4339.66	171.44	437171.13	644689.39	N 32 12 5.11	W 103 59 57.10
	11320.00	89.68	180.60	7743.07	4403.45	-4386.53	645.32	1.01	4433.74	171.63	437076.14	644688.83	N 32 12 4.17	W 103 59 57.11
	11415.00	89.80	179.74	7743.50	4498.40	-4481.53	645.04	0.91	4527.71	171.81	436981.15	644688.55	N 32 12 3.23	W 103 59 57.12
	11510.00	89.97	180.71	7743.69	4593.35	-4576.52	644.67	1.04	4621.71	171.98	436886.16	644688.18	N 32 12 2.29	W 103 59 57.13
	11604.00	90.43	178.92	7743.36	4687.31	-4670.52	644.97	1.97	4714.84	172.14	436792.17	644688.48	N 32 12 1.36	W 103 59 57.13
	11698.00	90.22	180.42	7742.83	4781.28	-4764.51	645.51	1.81	4808.04	172.28	436698.16	644689.02	N 32 12 0.43	W 103 59 57.13
	11793.00	89.72	180.43	7742.88	4876.20	-4859.50	644.31	0.83	4902.03	172.45	436603.20	644687.82	N 32 12 1.49	W 103 59 57.14
	11887.00	89.64	180.67	7743.40	4970.11	-4953.49	642.92	0.39	4995.04	172.60	436509.22	644686.42	N 32 12 11.58	W 103 59 57.16
	11982.00	89.05	181.54	7744.49	5064.99	-5048.47	641.08	1.11	5089.01	172.76	436414.25	644684.59	N 32 12 11.57	W 103 59 57.19
	12077.00	89.79	179.68	7745.45	5159.90	-5143.45	640.07	2.11	5183.13	172.91	436319.27	644683.58	N 32 12 11.56	W 103 59 57.20
	12171.00	89.63	179.47	7745.93	5253.88	-5237.45	640.77	0.28	5276.50	173.02	436225.28	644682.58	N 32 12 11.55	W 103 59 57.20
	12266.00	90.13	182.67	7746.13	5348.76	-5332.42	639.00	3.41	5370.57	173.17	436130.32	644682.50	N 32 12 11.54	W 103 59 57.22
	12361.00	90.09	178.89	7745.94	5443.66	-5427.59	637.70	3.98	5464.73	173.30	436035.36	644681.21	N 32 12 11.53	W 103 59 57.24
	12455.00	90.11	179.34	7745.78	5537.65	-5521.38	639.16	0.48	5558.25	173.40	435941.38	644682.66	N 32 12 11.52	W 103 59 57.23
	12550.00	90.23	179.05	7745.50	5632.63	-5616.37	640.49	0.33	5652.77	173.49	435846.39	644684.00	N 32 12 11.52	W 103 59 57.21
	12645.00	90.49	180.04	7744.90	5727.61	-5711.37	641.24	1.08	5747.25	173.59	435751.41	644684.75	N 32 12 11.51	W 103 59 57.21
	12740.00	90.63	179.97	7743.97	5822.57	-5806.36	641.24	1.16	5841.66	173.70	435656.42	644684.74	N 32 12 11.50	W 103 59 57.21
	12834.00	89.51	179.19	7743.86	5916.54	-5900.36	641.93	1.45	5935.17	173.79	435562.43	644685.43	N 32 12 11.49	W 103 59 57.21
	12929.00	88.98	179.37	7745.11	6011.52	-5995.34	643.12	0.83	6028.15	173.88	435467.45	644686.86	N 32 12 11.48	W 103 59 57.20
	13024.00	89.67	179.12	7745.40	6090.33	-6074.33	644.37	1.80	6182.32	173.96	435372.47	644687.88	N 32 12 11.47	W 103 59 57.19
	13118.00	90.40	180.32	7744.52	6200.47	-6184.32	644.83	1.31	6217.85	174.05	435278.49	644688.34	N 32 12 11.46	W 103 59 57.18
	13213.00	90.50	179.50	7743.77	6295.43	-6279.32	644.98	0.87	6312.35	174.14	435183.50	644688.49	N 32 12 11.45	W 103 59 57.19
	13308.00	90.54	179.75	7742.91	6390.40	-6374.31	645.60	0.27	6406.92	174.22	435088.51	644689.11	N 32 12 11.44	W 103 59 57.18
	13403.00	91.08	178.62	7741.57	6485.38	-6469.29	646.95	1.32	6501.56	174.29	434993.54	644690.48	N 32 12 11.43	W 103 59 57.17
	13498.00	91.82	181.95	7739.16	6580.28	-6564.24	648.26	3.59	6596.00	174.38	434898.60	644689.69	N 32 12 11.42	W 103 59 57.16
	13594.00	90.06	181.08	7737.59	6676.11	-6660.19	643.94	2.05	6691.25	174.48	434802.66	644687.45	N 32 12 11.41	W 103 59 57.21
	13687.00	90.10	179.40	7737.46	6769.06	-6753.19	643.55	1.81	6783.78	174.56	434709.67	644687.06	N 32 12 11.40	W 103 59 57.22
	13782.00	90.27	178.77	7737.15	6864.05	-6848.18	645.07	0.69	6878.49	174.62	434614.69	644688.58	N 32 12 11.39	W 103 59 57.21
	13877.00	89.93	177.89	7736.99	6959.05	-6943.13	647.84	0.99	6973.29	174.67	434519.74	644691.35	N 32 12 11.38	W 103 59 57.18
	13971.00	90.46	180.06	7736.67	7053.04	-7037.11	649.52	2.38	7067.02	174.73	434425.77	644693.03	N 32 12 11.37	W 103 59 57.16
	14066.00	90.66	179.10	7735.41	7148.01	-7132.10	652.12	1.03	7161.68	174.79	434330.78	644693.02	N 32 12 11.37	W 103 59 57.14
	14161.00	90.66	179.54	7734.64	7242.99	-7227.09	651.51	0.25	7256.40	174.85	434235.81	644695.02	N 32 12 11.36	W 103 59 57.14

Intent ☐ As Drilled ☐

API #		
Operator Name:	Property Name:	Well Number

Kick Off Point (KOP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

First Take Point (FTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Last Take Point (LTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Is this well the defining well for the Horizontal Spacing Unit? ☐Is this well an infill well? ☐

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API #		
Operator Name:	Property Name:	Well Number

KZ 06/29/2018

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 163517

ACKNOWLEDGMENTS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 163517
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 163517

CONDITIONS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 163517
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
smcgrath	RT Expires 03/02/2023	2/8/2023