| Submit 1 Copy To Appropriate District Office | State of New Me | | Form C-103 |
|--|---|----------------------------|--|
| <u>District I</u> – (575) 393-6161 1625 N. French Dr., Hobbs, NM 88240 | Energy, Minerals and Natu | WELL | Revised July 18, 2013 API NO. |
| <u>District II</u> – (575) 748-1283 811 S. First St., Artesia, NM 88210 | OIL CONSERVATION | | 5-38105 |
| <u>District III</u> – (505) 334-6178 | 1220 South St. Fran | 2016 Ir | icate Type of Lease STATE FEE |
| 1000 Rio Brazos Rd., Aztec, NM 87410 District IV – (505) 476-3460 | Santa Fe, NM 8' | 7505 | te Oil & Gas Lease No. |
| 1220 S. St. Francis Dr., Santa Fe, NM 87505 | | 33020 | |
| SUNDRY NOT | TICES AND REPORTS ON WELLS OSALS TO DRILL OR TO DEEPEN OR PL | | ise Name or Unit Agreement Name |
| | ICATION FOR PERMIT" (FORM C-101) FO | OR SLICH | ayo 16 State Number #003 |
| 1. Type of Well: Oil Well | Gas Well Other SWD | | |
| 2. Name of Operator RAYBAW Operating, LLC | | 9. OG | RID Number |
| 3. Address of Operator | | 30.00 11 000 000 | ool name or Wildcat |
| 2626 Cole Ave, Ste 300, Dallas, | ΓX 75204 | (96100 |)) SWD; Bell-Cherry Canyon |
| 4. Well Location | 1710 | | |
| Unit Letter F: Section 16 | | line and1455f | |
| Section 16 | Township 25S Range 11. Elevation (Show whether DR | | County Eddy |
| | 2999° | | |
| 12 Charle | Ammanista Danita Indianta | CNI-4' D | O(1 D-+- |
| | Appropriate Box to Indicate N | | |
| | NTENTION TO: | | ENT REPORT OF: |
| PERFORM REMEDIAL WORK | | REMEDIAL WORK | ALTERING CASING |
| TEMPORARILY ABANDON DULL OR ALTER CASING | | COMMENCE DRILLING C | PPNS.□ P AND A □ |
| DOWNHOLE COMMINGLE | | OAGING/GEMENT GOD | |
| CLOSED-LOOP SYSTEM | | | |
| OTHER: | | OTHER: | |
| | ork). SEE RULE 19.15.7.14 NMAG | | ertinent dates, including estimated date s: Attach wellbore diagram of |
| proposed completion or re | completion. | | |
| | | | Dug out cellar. 02/07/23 NU BOP. |
| Pump'd 60 bbls MLF to kill well. | ND well head, NU BOP. Began PO | OH w/ 3 ½" tbg. 02/08/23 (| Continued POH w/ tbg.02/09/23 00 psi. Spotted 50 sx class C cmt w/ |
| CACL @ 2907-2722'. WOC. 02/1 | 0/23 Tagged plug @ 2718'. Perf'd | @ 754'. Pressued up on pe | erfs to 500 PSI. Spotted 50 sx class C |
| cmt @ 804-619'. WOC & Tagged | @ 610'. Perf'd @ 500'. Pressured | up on perfs to 500 PSI. Sp | otted 120 sx class C cmt @ 5501- |
| | g @ 177'. Spotted 55 sx class C cm | | |
| | ut off well head & anchors. David | | urface via picture text message. lled cellar, cut off deadmen, cleaned |
| location, and moved off. | The field on Thore Ground | Diy Hole Marker . Dackii | ned cenar, cut on deadmen, cicaned |
| | | | Approved for plugging of well bore only. Liability un |
| | | | bond is retained pending Location cleanup & receipt |
| Spud Date: 02/03/2023 | Rig Release Da | ate: 02/20/2023 | C-103Q (Subsequent Report of Well Plugging) which may be found at OCD Web Page, OCD Permitting @ |
| | | | www.emnrd.state.nm.us |
| I hereby certify that the information | above is true and complete to the b | est of my knowledge and be | lief. |
| |), , (| | |
| SIGNATURE / (ancy) | Mun TITLE Rea | ulatory Analyst | DATE 02/22/2023 |
| , | | | |
| Type or print name Nancy J. Wi | nn E-mail addres | s: nwinn@sbcglobal.net | PHONE: 281-793-5452 |
| For State Use Only | | | |
| APPROVED BY: | TITLE_ | Staff Manag | er DATE 2/24/23 |
| Conditions of Approval (if any): | | W | |

| RayBaw (Devon) | | | PLUGGED |
|----------------|------------------|-----------|---------------------|
| Author: | Abby @ BCM | | |
| Well Name | Chimayo 16 State | Well No. | #3 |
| Field/Pool | SWD | API#: | 30-015-38105 |
| County | Eddy | Location: | Sec 16, T25S, R29E |
| State | NM | - | 1610 FNL & 1455 FWL |
| Spud Date | 9/25/2010 | GL: | 3015 |

| Description | O.D. | Grade | Weight | Depth | Hole | Cmt Sx | TOC |
|-------------|--------|-------|--------|-------|--------|--------|-----|
| Surface Csg | 11 3/4 | H40 | 40# | 704 | 14 3/4 | 400 | 0 |
| Prod Csg | 8 5/8 | J55 | 24# | 2,957 | 11 | 825 | 0 |


| Formation | Top |
|-----------|------|
| B/Salt | 2790 |
| Delaware | 2980 |
| | |

4. Spotted 55 sx class C cmt @ 177' to surface.

11 3/4 40# CSG @ 704 Hole Size: 14 3/4

3. Perf'd @ 500'. Pressured up on perfs to 500 PSI. Spotted 120 sx class C cmt @ 5501-107'. WOC. Tagged plug @ 177'.

2. Perf'd @ 754'. Pressued up on perfs to 500 PSI. Spotted 50 sx class C cmt @ 804-619'. WOC & Tagged @ 610'.



8 5/8 24# CSG @ 2,95 Hole Size: 11

Open Hole @ 2957-4202'

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 189123

CONDITIONS

| Operator: | OGRID: |
|-----------------------|--------------------------------|
| RAYBAW Operating, LLC | 330220 |
| 2626 Cole Avenue | Action Number: |
| Dallas, TX 75204 | 189123 |
| | Action Type: |
| | [C-103] Sub. Plugging (C-103P) |

CONDITIONS

| Created By | | Condition Date |
|------------|------|-------------------|
| gcordero | None | 2/24/2023 |