# District I

1625 N. French Dr., Hobbs, NM 88240 Phone: (575) 393-6161 Fax: (575) 393-0720

### District II

811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720

### District III

1000 Rio Brazos Road, Aztec, NM 87410 Phone: (505) 334-6178 Fax: (505) 334-6170 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

Phone: (505) 476-3460 Fax: (505) 476-3462

### **State of New Mexico**

Form C-101 Revised July 18, 2013

## **Energy Minerals and Natural Resources**

**Oil Conservation Division** 

☐AMENDED REPORT

03/07/2025

Expiration Date:

1220 South St. Francis Dr.

**Santa Fe, NM 87505** 

			<sup>1.</sup> Operator Name a Mewboume Oil	Company					<ol> <li>OGRID Num</li> <li>14744</li> </ol>	lber	
			PO Box 52 Hobbs, NM 8	270				30-0	)15-5348	<u></u>	
4. Proper 3338	4 Property Code 5 Property Buckner 9									Vell No. 1	
					rface Location	l					
UL - Lot I	Section 9	Township 22S	Range 27E	Lot Idn	Feet from 1655		S Line S	Feet From 964	E/W Line E	County Edddy	
				8 Propose	d Bottom Hole				<del></del>		
UL - Lot	Section	Township	Range	Lot Idn	Feet from		S Line	Feet From	E/W Line	County	
I			<u> </u>	9. <b>Po</b>	ol Information	l.	<u>I_</u>				
				Pool N Devonia						Pool Code 96101	
					•	- 4				70101	
11. Work	J 1		12. Well Type	Additiona	al Well Inform  13. Cable/Rotary	ation	14.	Lease Type	15. G1	round Level Elevation	
Dri <sup>16.</sup> Mul			SWD  17. Proposed Depth		<sup>18.</sup> Formation		19	Fee Contractor	3082'  20. Spud Date		
epth to Groun	d water		Distan	ce from nearest fr	esh water well			TBA Distance to	nearest surface	ASAP e water	
We will be	using a d	closed-loop		Proposed Cas	ing and Cemer	nt Pro	ogram	1			
Type	Hol	e Size	Casing Size	Casing Wei	ght/ft	Setting	-	Sacks of C	ement	Estimated TO	
Surface	2	26	20"	94		40		650		0	
Inter. 1		7.5	13 3/8"	54.5		19:		1060		0	
Inter. 2		2.25	9 5/8"	40		88		1915		0	
Liner		3.5	7 5/8"	39			12,650'	340		8600	
Open Hole	(	5.5	Cosin	-/Coment Due	ogram: Additio		- 13,675'				
			Casing	g/Cement Fro	gram: Auumo	mai C	omments	)			
			22. ]	Proposed Blov	wout Preventic	n Pro	าฮะละ				
	Type			22 Proposed Blowout Prevention Program  Working Pressure Test Pressure Manufac					Manufacturer		
Annula	r & Doul	ble Ram		3000			1500		Schaffer		
			· · · · · · · · · · · · · · · · · · ·							_	
f my knowled	ge and be	lief.	on given above is true	-			OIL C	CONSERVAT	ION DIVIS	SION	
further certi 9.15.14.9 (B) ignature:			lied with 19.15.14.9 cable.	(A) NMAC a	Appro	oved By	r:				
rinted name:					Title:	Do	otroloun	n Specialist			

Approved Date: 03/07/2023

Title:

E-mail Address:

Recen	ed hi	• ()	CD	. 2	/27/	(2012:	s 9:11	5:26~AM

Page 2 of 6

Date: Phone: Conditions of Approval Attached

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

# State of New Mexico Energy, Minerals & Natural Resources Department OIL CONSERVATION DIVISION 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-102 Revised August 1, 2011 Submit one copy to appropriate District Office

☐ AMENDED REPORT


### WELL LOCATION AND ACREAGE DEDICATION PLAT

<sup>1</sup> API Number 30-015-53482				<sup>2</sup> Pool Code <b>96101</b>		<sup>3</sup> Pool Name <b>Devonian; SWD</b>					
<sup>4</sup> Property Code <b>333827</b>				S Property Name BUCKNER 9 SWD						<sup>6</sup> Well Number <b>1</b>	
7 OGRID NO.  14744  **SOperator Name**  MEWBOURNE OIL COMPANY						9Elevation 3082'					
					10 Surface	Location					
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet From the	East/W	est line	County	
Ι	9	22S	27E		1655	SOUTH	964	EAS	ST	EDDY	
			11 ]	Bottom H	lole Location	n If Different Fro	om Surface				

UL or lot no. Section Township Range Lot Idn Feet from the North/South line Feet from the East/West line County

12 Dedicated Acres 13 Joint or Infill 14 Consolidation Code 15 Order No.

No allowable will be assigned to this completion until all interest have been consolidated or a non-standard unit has been approved by the division.



Well Name: Buckner 9 SWD #1

Casing Type	Fluid Type	<b>Hole Size</b>	Casing Size	<b>Casing Grade</b>	<b>Casing Weight</b>	Top MD	Setting Depth	Sacks Cement	Top Cement
Surface	Spud Mud	26	20"	J55	94	0	400	650	0
Intermediate 1	Brine	17.5	13 3/8"	J55	54.5	0	1925	1060	0
Intermediate 2	Cut Brine	12.25	9 5/8"	HCL80	40	0	8800	1915	0
Liner	WBM	8.5	7 5/8"	HCP110	39	8600	12650	340	8600
Open Hole	Fresh H20	6.5				12650	13675		

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505** 

COMMENTS

Action 190777

### **COMMENTS**

Operator:	OGRID:
MEWBOURNE OIL CO	14744
P.O. Box 5270	Action Number:
Hobbs, NM 88241	190777
	Action Type:
	[C-101] Drilling Non-Federal/Indian (APD)

### COMMENTS

Created By	Comment	Comment Date
kpickford	SWD-2162	3/7/2023

District I 1625 N. French Dr., Hobbs, NM 88240 Phone: (575) 393-6161 Fax: (575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505** 

CONDITIONS

Action 190777

### **CONDITIONS**

Operator:	OGRID:
MEWBOURNE OIL CO	14744
P.O. Box 5270	Action Number:
Hobbs, NM 88241	190777
	Action Type:
	[C-101] Drilling Non-Federal/Indian (APD)

### CONDITIONS

Created By	Condition	Condition Date
kpickford	Notify OCD 24 hours prior to casing & cement	3/7/2023
kpickford	Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the fresh water zone or zones and shall immediately set in cement the water protection string	3/7/2023
kpickford	Cement is required to circulate on both surface and intermediate1 strings of casing	3/7/2023
kpickford	Oil base muds are not to be used until fresh water zones are cased and cemented providing isolation from the oil or diesel. This includes synthetic oils. Oil based mud, drilling fluids and solids must be contained in a steel closed loop system	3/7/2023
kpickford	The Operator is to notify NMOCD by sundry (Form C-103) within ten (10) days of the well being spud	3/7/2023