

Submit a Copy To Appropriate District
Office
District I – (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II – (575) 748-1283
811 S. First St., Artesia, NM 88210
District III – (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV – (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised July 18, 2013

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-015-21528	
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>	
6. State Oil & Gas Lease No.	
7. Lease Name or Unit Agreement Name Stirling	
8. Well Number #1	
9. OGRID Number 330211	
10. Pool name or Wildcat Red Lake; Glorieta-Yeso	
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3288' GL	

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other

2. Name of Operator
Redwood Operating, LLC

3. Address of Operator
PO Box 1370, Artesia, NM 882111370

4. Well Location
Unit Letter **F** : **1650** feet from the **N** line and **1980** feet from the **W** line
Section **7** Township **18S** Range **27E** NMPM County **Eddy**

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐
CLOSED-LOOP SYSTEM ☐
OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☒
CASING/CEMENT JOB ☐
OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

02/17/23 MIRU plugging equipment. Dug out cellar. 02/20/23 Installed steel beam. 02/21/23 Re-spotted rig. POH w/ rods. Dug out cellar. Unflanged well head, NU BOP. POH w/ tbg. Set CIBP @ 2488'. Circulated hole w/ MLF. Pressure tested csg, held 500 PSI. 02/22/23 Spotted 25 sx class C cmt @ 2488-2241'. Spotted 25 sx class C cmt @ 1950-1703'. WOC. 02/23/23 Tagged plug @ 1705'. Spotted 25 sx class C cmt @ 1415-1168'. Perf'd @ 940'. Pressured up on perfs to 500 PSI. Spotted 30 sx class C cmt w/ 2% CACL @ 1006-709'. WOC. Tagged plug @ 723'. Perf'd @ 200'. Pressured up on perfs to 500 PSI. 02/24/23 ND BOP. Spotted 54 sx class C cmt @ 251' & circulated to surface. Rigged down & moved off. 02/27/23 Moved in backhoe and welder. Cut off well head & anchors. Kerry Fortner w/ OCD verified cmt @ surface via picture text message. Welded on "Under Ground Dry Hole Marker". Backfilled cellar, cut off deadmen, cleaned location, and moved off.

Spud Date:

Rig Release Date:

Approved for plugging of well bore only. Liability under bond is retained pending Location cleanup & receipt of C-103Q (Subsequent Report of Well Plugging) which may be found at OCD Web Page, OCD Permitting @ www.emnrd.state.nm.us

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Delilah Flores TITLE Regulatory Technician I DATE 2/28/2023

Type or print name Delilah Flores E-mail address: regulatory@redwoodoperating.com PHONE: 575-748-1288


For State Use Only

APPROVED BY: [Signature] TITLE Staff Manager DATE 3/10/23

Conditions of Approval (if any):

Redwood Operating, LLC		Plugged	
Author:	Abby BCM	Well No.	#1
Well Name	Stirling	API #:	30-015-21528
Field/Pool	Red Lake;GL-Yeso	Location:	Sec 7, T18S, R27E
County	Eddy		1650 FNL & 1980 FWL
State	NM	GL:	3288
Spud Date	3/9/2000		

Description	O.D.	Grade	Weight	Depth	Hole	Cmt Sx	TOC
Surface Csg	13 3/8		48#	890	17 1/2	630	0
Inter Csg	8 5/8		24#	1,900	11	730	0
Prod Csg	5 1/2		15.5 & 17#	9,350	7 7/8	950	920



5. Perf'd @ 200'. Pressured up on perfs to 500 PSI. Spotted 54 sx class C cmt @ 251' & circulated to surface.
13 3/8 48# CSG @ 890

4. Perf'd @ 940'. Pressured up on perfs to 500 PSI. Spotted 30 sx class C cmt w/ 2% CACL @ 1006-709'. WOC. Tagged plug @ 723'.

3. Spotted 25 sx class C cmt @ 1415-1168'.

8 5/8 24# CSG @ 1,900

2. Spotted 25 sx class C cmt @ 1950-1703'. WOC & Tagged plug @ 1705'.

1. Set CIBP @ 2488'. Circulated hole w/ MLF. Pressure tested csg, held 500 PSI. Spotted 25 sx class C cmt @ 2488-2241'.
Perfs @ 2538-2960

32.7651634
-104.3199997

5 1/2 15.5 & 17# CSG @ 9,350

TDPB @ 5112
TD @ 9350

Formation	Top
San Andres	1362
Glorieta	2384
Yeso	2510
Abo	5650
Wolfcamp	5970

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 191701

CONDITIONS

Operator: Redwood Operating LLC PO Box 1370 Artesia, NM 88210	OGRID: 330211
	Action Number: 191701
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
gcordero	None	3/10/2023