

<b>Well Name:</b> TATANKA FED COM	<b>Well Location:</b> T26S / R35E / SEC 2 / TR D / 32.079539 / -103.34511	<b>County or Parish/State:</b> LEA / NM
<b>Well Number:</b> 601H	<b>Type of Well:</b> OIL WELL	<b>Allottee or Tribe Name:</b>
<b>Lease Number:</b> NMNM12280	<b>Unit or CA Name:</b>	<b>Unit or CA Number:</b>
<b>US Well Number:</b> 3002549873	<b>Well Status:</b> Drilling Well	<b>Operator:</b> FRANKLIN MOUNTAIN ENERGY LLC

**Subsequent Report**

**Sundry ID:** 2687613

**Type of Submission:** Subsequent Report

**Type of Action:** Drilling Operations

**Date Sundry Submitted:** 08/16/2022

**Time Sundry Submitted:** 12:35

**Date Operation Actually Began:** 08/05/2022

**Actual Procedure:** Franklin Mountain Energy, LLC (FME), Operator of the captioned well, respectfully submits the below drilling operations notice for BLM record. The Tatanka Fed Com 601H was spud utilizing surface rig, Pinnergy #1 on 08/05/22 02:00. "Drilled 17-1/2" hole to 1348' KB. PJSM RIG TO & RUN 13.375" 54.5# BTC J-55. CASING AS FOLLOWS. FLOAT SHOE 2.00', 1 JT OF CASING 41.54', FLOAT COLLAR 1.50', FOLLOWED BY 31 JTS (1,300.00') TO 1,343.00' (KB)1,336.00' (GL). CENTRALIZED JT 1,3 & EVERY 3RD JT TO SURFACE. CEMENT BASKET SET ON JOINT 28 (200' +/-). NO ISSUES" Cemented 13-3/8" casing as follows: PJSM WITH CREWS & CEMENTERS, R/U CEMENT EQUIPMENT. CEMENT SURFACE CASING AS FOLLOWS. PRE-FLUSH LINES W/FW, TEST LINES TO 3,000 PSI, MIX & PUMP 20 BBLS FW SPACER W/ BLUE DYE FOLLOWED BY 416 BBLS LEAD @ 13.5 PPG (1380 SKS) FOLLOWED BY 81 BBLS TAIL @14.8 PPG (340 SKS). SHUT DOWN DROPPED PLUG, DISPLACED PLUG W/ 201 BBLS OF FW. BUMP PLUG W/ 1,250 PSI, 500 PSI OVER FCP. HELD PRESSURE FOR 30 MINS, FLOATS HELD. 257 BBL CEMENT RETURNED TO SURFACE, TESTED CASING TO 1,500 PSI FOR 30 MINS. RIG DOWN CEMENTERS. RIG RELEASED @ 06:00 08/06/22 Operations were suspended between the completion of the surface section and move-in of the rig capable of reaching TD.

Well Name: TATANKA FED COM

Well Location: T26S / R35E / SEC 2 / TR D / 32.079539 / -103.34511

County or Parish/State: LEA / NM

Well Number: 601H

Type of Well: OIL WELL

Allottee or Tribe Name:

Lease Number: NMNM12280

Unit or CA Name:

Unit or CA Number:

US Well Number: 3002549873

Well Status: Drilling Well

Operator: FRANKLIN MOUNTAIN ENERGY LLC

### Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: TRAVIS BIGGART

Signed on: AUG 16, 2022 12:35 PM

Name: FRANKLIN MOUNTAIN ENERGY LLC

Title: Sr. Operations Analyst

Street Address: 44 COOK STREET, SUITE 100

City: DENVER

State: CO

Phone: (830) 525-8868

Email address: TBIGGART@FMELLC.COM

### Field

Representative Name:

Street Address:

City:

State:

Zip:

Phone:

Email address:

### BLM Point of Contact

BLM POC Name: Jonathon W Shepard

BLM POC Title: Petroleum Engineer

BLM POC Phone: 5752345972

BLM POC Email Address: jshepard@blm.gov

Disposition: Accepted

Disposition Date: 08/26/2022

Signature: Jonathon Shepard

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720

**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720

**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170

**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

CONDITIONS

Action 142985

**CONDITIONS**

Operator: Franklin Mountain Energy LLC 44 Cook Street, Suite 1000 Denver, CO 80206	OGRID: 373910
	Action Number: 142985
	Action Type: [C-103] Sub. Drilling (C-103N)

**CONDITIONS**

Created By	Condition	Condition Date
plmartinez	Future submittal of casing sundries also need to include Casing Depth and Class of Cement.	3/23/2023