

Submit 1 Copy To Appropriate District Office
District I – (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II – (575) 748-1283
811 S. First St., Artesia, NM 88210
District III – (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV – (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised July 18, 2013

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-005-27950
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No. 20165
7. Lease Name or Unit Agreement Name Mescalero Springs State Com
8. Well Number #2
9. OGRID Number 330423
10. Pool name or Wildcat Wildcat Mississippian

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>
2. Name of Operator Extex Operating Company
3. Address of Operator 1616 S. Voss Rd. Ste 400 Houston, Texas 77057
4. Well Location Unit Letter <u>O</u> : <u>660</u> feet from the <u>S</u> line and <u>1980</u> feet from the <u>E</u> line Section <u>23</u> Township <u>11S</u> Range <u>31E</u> NMPM County <u>Chaves</u>
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 4451' GR

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐
CLOSED-LOOP SYSTEM ☐
OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☒
CASING/CEMENT JOB ☐
OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

1. Tag 4 1/2" CIBP @ 10,953' w/ 40' cement on top.
2. Spot 25 sx cmt @ 8620-8316'. (Cisco & Wolfcamp)
3. Spot 25 sx cmt @ 7300-6922'. (Abo)
4. Spot 25 sx cmt @ 5020-4642'. (Glorieta)
5. Perf & Sqz 30 sx cmt @ 3058-2858'. WOC & Tag (Queen & 9 5/8" Shoe)
6. Perf & Sqz 30 sx cmt @ 2285-2085'. WOC & Tag (Yates.)
7. Perf & Sqz 30 sx cmt @ 1510-1310'. WOC & Tag (Anhy)
8. Perf & Sqz 70 sx cmt @ 471' to surface.
9. Cut off well head, Verify cmt @ surface, weld on DHM.

Approved for plugging of well bore only. Liability under bond is retained pending Location cleanup & receipt of C-103Q (Subsequent Report of Well Plugging) which may be found at OCD Web Page, OCD Permitting @ www.emnrd.state.nm.us

Spud Date:

3/1/2023

Rig Release Date:

3/9/2023

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

TITLE V. P. Engineering

DATE 3/20/23

Type or print name

Robert M. Eckels

E-mail address:

reckels@extex.net

PHONE:

713-953-0824

For State Use Only

APPROVED BY:

TITLE

Staff Manager

DATE 3/24/23

Conditions of Approval (if any):

Extex Operating Company

1616 S. Voss Rd. Ste 400
Houston, TX 77057
713.953.0824


March 20, 2023

P&A Report – Mescalero Springs State Com #2 (30-005-27950)

1. Notify OCD Minimum 24 Hours before P&A was performed – David Alvarado Witness
2. Jsa Safety Meeting
3. Set up Safety equipment open well RIH w/ tbg tag @ 10,953 circulate well w/ MLF Pressure up and test 500 PSI
4. hold pressure for 30 minutes bleed off
5. POOH LD 72 jts spot 25 sacks Class H neat cmt from 8620 to 8316
6. POOH LD 42 jts Spot 25 sacks Class C neat cmt from 7300 to 6922
7. POOH LD 74 jts spot 25 sacks Class C neat cmt from 5020 to 4642
8. Rig up WL RIH perf @ 3058 POOH WL
9. RIH w/4.5 packer and 84 jts set Squz 30 sacks Class C neat cmt w/ C.C 3058 to 2858
10. RIH w/ WL perf @ 2285 POOH WL
11. RIH w/4.5 packer 59 jts set Squz 30 sacks Class C neat cmt w C.C from 2285 to 2085
12. RIH WL perf @1510 POOH WL Squz 30 sacks Class C neat cmt w/ C.C from 1510 to 1310
13. RIH w/WL Perf @471 POOH rig down WL
14. 150 sacks Class C neat cmt from 471 to surface rig down clean location SD
15. Jsa Safety Meeting talk about pinch points take flange off and verified cmt on top and Rig down cmt unit

Extex Operating		PROPOSED	
Author:	Abby BCM	Well No.	#2
Well Name	Mescalero Springs State Com	API #:	30-005-27950
Field/Pool	Wildcat Mississippian	Location:	Sec 23, T11S, R31E
County	Chaves		660 FSL & 1980 FEL
State	NM	GL:	4451'
Spud Date	11/3/2006		

Description	O.D.	Grade	Weight	Depth	Hole	Cmt Sx	TOC
Surface Csg	11 3/4	H40	42#	421	14 3/4	295	0
Inter Csg	8 5/8	HC K55	32#	3,508	11	1,420	0
Prod Csg	4 1/2	P110	11.6#	11,428	7 7/8	275	3,508



Formation	Top
T/Anhy	1460
Yates	2235
7 RVS	2235
Queen	3050
SA	3560
Glorieta	4970
Abo	7250
Wolfcamp	8370
Cisco	8592
Canyon	9158
Strawn	9760
Atoka	10440
Miss	11000

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 198618

CONDITIONS

Operator: Extex Operating Company 1616 S. Voss Road Houston, TX 77057	OGRID: 330423
	Action Number: 198618
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
gcordero	None	3/24/2023