

1625 N. French Dr., Hobbs, NM 88240

District II

811 S. First St., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural ResourcesForm C-104
Revised August 1, 2011Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address TAP ROCK OPERATING, LLC 523 PARK POINT DRIVE, SUITE 200 GOLDEN, CO 80401		² OGRID Number 372043
		³ Reason for Filing Code/ Effective Date NW
⁴ API Number 30 - 0 25-48738	⁵ Pool Name WC-025 G-09 S243310P; UPPER WOLFCAMP	⁶ Pool Code 98135
⁷ Property Code 330700	⁸ Property Name PROMETHEUS STATE COM	⁹ Well Number 201H

II. ¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
M	22	24S	33E	-	1128	SOUTH	99	WEST	LEA

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
D	15	24S	33E	-	30	NORTH	332	WEST	LEA
¹² Lse Code S	¹³ Producing Method Code F	¹⁴ Gas Connection Date 4/29/2022	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date				

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
34053	PLAINS ALL AMERICAN 333 CLAY STREET SUITE 1600 HOUSTON, TX 77002	O
371960	LUCID ENERGY GROUP 3100 MCKINNON ST #800 DALLAS, TX 75201	G

IV. Well Completion Data

²¹ Spud Date 10/29/2021	²² Ready Date 4/19/2022	²³ TD 22968'	²⁴ PBTB 22904'	²⁵ Perforations 12570' - 22819'	²⁶ DHC, MC
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
13.5"	10.75"	1263'	600 sks		
9.875"/8.75"	7.625"	8662'/12003'	1176 sks		
6.75"	5.5"	22951'	1117 sks		

V. Well Test Data

³¹ Date New Oil 4/29/2022	³² Gas Delivery Date 4/29/2022	³³ Test Date 5/17/2022	³⁴ Test Length 24 hrs.	³⁵ Tbg. Pressure 0	³⁶ Csg. Pressure 1500
³⁷ Choke Size 36/64	³⁸ Oil 1449	³⁹ Water 3354	⁴⁰ Gas 3367		⁴¹ Test Method Flowing
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: 			OIL CONSERVATION DIVISION		
Printed name: Jeff Trlica			Approved by: PATRICIA MARTINEZ		
Title: Regulatory Analyst			Title: PETROLEUM SPECIALIST		
E-mail Address: jtrlica@taprk.com			Approval Date: 4/13/2023		
Date: 5/25/2022		Phone: 720-771-5910			

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources
Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

FORM C-102

Revised August 1, 2011

Submit one copy to appropriate

District Office

☐ AMENDED REPORT
As Drilled

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-025-48738	² Pool Code 98135	³ Pool Name WC-025 G-09 S243310P;UPPER WOLFCAMP
⁴ Property Code 330700	⁵ Property Name PROMETHEUS STATE COM	⁶ Well Number 201H
⁷ OGRID No. #372043	⁸ Operator Name TAP ROCK OPERATING, LLC.	⁹ Elevation 3547'

¹⁰Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
M	22	24-S	33-E	-	1128'	SOUTH	99'	WEST	LEA

¹¹Bottom Hole Location If Different From Surface


UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
D	15	24-S	33-E	-	30'	NORTH	332'	WEST	LEA


¹² Dedicated Acres 640	¹³ Joint or Infill Infill	¹⁴ Consolidation Code	¹⁵ Order No.
--------------------------------------	---	----------------------------------	-------------------------

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

FTP: 100' FSL; 2169 FWL Section 22

LTP: 100' FNL; 307 FWL Section 15





LEASE NAME & WELL NO.: PROMETHEUS STATE COM 201H

SECTION 22 TWP 24-S RGE 33-E SURVEY N.M.P.M.

COUNTY LEA STATE NM ELEVATION 3547'

DESCRIPTION 1128' FSL & 99' FWL

INTERNAL
PRE-COMPLETION
PLAT



TOPOGRAPHIC
LOYALTY INNOVATION LEGACY

1400 EVERMAN PARKWAY, Ste. 146 • FT. WORTH, TEXAS 76140
TELEPHONE: (817) 744-7512 • FAX (817) 744-7554
2903 NORTH BIG SPRING • MIDLAND, TEXAS 79705
TELEPHONE: (432) 682-1653 OR (800) 767-1653 • FAX (432) 682-1743
WWW.TOPOGRAPHIC.COM

PROMETHEUS STATE COM
201H
PRE-COMPLETION

REVISION:

NOTES:

1. ORIGINAL DOCUMENT SIZE: 8.5" X 11"
2. ALL BEARINGS, DISTANCES, AND COORDINATE VALUES CONTAINED HEREIN ARE GRID BASED UPON THE NEW MEXICO COORDINATE SYSTEM OF 1983, EAST ZONE, U.S. SURVEY FEET.
3. THIS WELL LOCATION SHOWN HEREON HAS BEEN SURVEYED ON THE GROUND UNDER MY SUPERVISION AND PREPARED ACCORDING TO THE EVIDENCE FOUND AT THE TIME OF SURVEY, AND DATA PROVIDED BY TAP ROCK OPERATING, LLC. THIS CERTIFICATION IS MADE AND LIMITED TO THOSE PERSONS OR ENTITIES SHOWN ON THE FACE OF THIS PLAT AND IS NON-TRANSFERABLE. THIS SURVEY IS CERTIFIED FOR THIS TRANSACTION ONLY.

DATE: 03/31/22

FILE: C:\PROMETHEUS_STATE_COM_201H_REV1

DRAWN BY: GJU

SHEET: 2 OF 2



Operator: TapRock Resources, LLC.
Well Name: Prometheus State Com 201H
County: Lea
State: New Mexico
Rig Name: H&P 264
API: 30-025-48738

Intrepid Directional Drilling Specialists certifies that the surveys performed on the above referenced well are true and correct MWD surveys, data provided as follows:

Surveyor: Intrepid Directional Drilling Specialists
Survey Depths: 149' MD – 22,894' MD
Projection to Bit: 22,968' MD
Dates Performed: 10/29/2021 – 01/20/2022
Type of Survey: MWD

Sincerely,

A handwritten signature in black ink, appearing to read "T. Henk".

Travis Henk
MWD Operations Manager
Intrepid Directional Drilling Specialists





Operator: Tap Rock Resources, LLC.

Well Name: Prometheus State Com 201H

Job Number: ID3124-1

Survey Company: Intrepid Directional Drilling Specialists

Rig Name: H&P 264

Target KBTVD: 12550.00

Target Inclination: 90.60°

Declination Correction: 5.91°

KB Elevation: 3574

Vertical Section Calculated Along Azimuth: 359.59°


Survey Calculation Method: Minimum Curvature

TIE PT. TYPE	SVY #	Survey Depth	INC deg.	AZM deg.	Course Length	TVD Ft.	V'Sect FT.	+N/-S Ft.	+E/-W Ft.	Dogleg %/100'
Tie In	0	0	0.00	0.00	0	0	0	0	0	0.00
MWD	1	149	0.44	173.01	149	149.00	-0.57	-0.57	0.07	0.30
MWD	2	240	0.40	159.83	91	240.00	-1.21	-1.21	0.22	0.11
MWD	3	335	0.40	180.31	95	334.99	-1.86	-1.86	0.33	0.15
MWD	4	426	0.18	166.51	91	425.99	-2.31	-2.31	0.37	0.25
MWD	5	517	0.40	209.22	91	516.99	-2.73	-2.73	0.24	0.32
MWD	6	607	0.40	136.27	90	606.99	-3.23	-3.23	0.31	0.53
MWD	7	789	0.13	217.66	182	788.99	-3.86	-3.85	0.62	0.22
MWD	8	971	0.22	151.74	182	970.99	-4.33	-4.32	0.66	0.11
MWD	9	1061	0.18	160.44	90	1060.99	-4.61	-4.61	0.79	0.06
MWD	10	1152	0.18	215.20	91	1151.99	-4.87	-4.86	0.75	0.18
MWD	11	1209	0.35	218.63	57	1208.99	-5.07	-5.07	0.59	0.30
MWD	12	1321	0.35	264.50	112	1320.98	-5.37	-5.37	0.04	0.24
MWD	13	1416	0.97	200.52	95	1415.98	-6.15	-6.15	-0.53	0.92
MWD	14	1511	2.68	181.62	95	1510.93	-9.12	-9.12	-0.87	1.88
MWD	15	1602	4.48	170.99	91	1601.75	-14.76	-14.76	-0.38	2.10
MWD	16	1698	4.97	168.53	96	1697.42	-22.55	-22.54	1.04	0.55
MWD	17	1791	4.88	169.32	93	1790.08	-30.39	-30.38	2.57	0.12
MWD	18	1886	5.80	166.42	95	1884.66	-39.04	-39.01	4.45	1.01
MWD	19	1980	6.59	170.29	94	1978.11	-48.99	-48.95	6.47	0.95
MWD	20	2075	6.46	173.10	95	2072.50	-59.68	-59.62	8.03	0.36
MWD	21	2170	7.74	166.33	95	2166.77	-71.22	-71.15	10.19	1.61
MWD	22	2264	8.40	162.81	94	2259.84	-83.95	-83.86	13.71	0.88
MWD	23	2358	8.22	163.17	94	2352.85	-96.97	-96.85	17.69	0.20
MWD	24	2452	8.18	162.02	94	2445.89	-109.79	-109.64	21.70	0.18
MWD	25	2547	8.13	161.06	95	2539.93	-122.61	-122.42	25.96	0.15
MWD	26	2641	7.96	160.18	94	2633.01	-135.05	-134.83	30.33	0.22
MWD	27	2734	8.97	161.41	93	2724.99	-148.01	-147.76	34.82	1.10
MWD	28	2828	9.67	163.08	94	2817.75	-162.54	-162.26	39.46	0.80
MWD	29	2922	9.76	161.58	94	2910.40	-177.69	-177.37	44.27	0.29
MWD	30	3015	9.98	159.56	93	3002.03	-192.75	-192.40	49.58	0.44
MWD	31	3110	9.36	167.30	95	3095.68	-208.04	-207.66	54.15	1.51
MWD	32	3205	9.71	171.08	95	3189.37	-223.51	-223.11	57.09	0.75
MWD	33	3299	9.89	168.62	94	3282.00	-239.27	-238.85	59.91	0.48
MWD	34	3392	9.58	178.37	93	3373.66	-254.85	-254.42	61.71	1.80
MWD	35	3487	10.02	183.47	95	3467.28	-271.00	-270.57	61.43	1.02
MWD	36	3580	10.02	182.33	93	3558.86	-287.16	-286.73	60.61	0.21
MWD	37	3674	9.49	179.34	94	3651.50	-303.07	-302.65	60.37	0.78
MWD	38	3766	9.05	179.87	92	3742.30	-317.89	-317.47	60.47	0.49
MWD	39	3861	8.92	181.36	95	3836.14	-332.73	-332.30	60.32	0.28
MWD	40	3955	8.97	181.97	94	3928.99	-347.33	-346.91	59.89	0.11
MWD	41	4050	9.89	173.45	95	4022.71	-362.84	-362.42	60.57	1.76
MWD	42	4144	10.51	170.99	94	4115.23	-379.35	-378.91	62.83	0.81
MWD	43	4238	9.85	171.60	94	4207.75	-395.79	-395.33	65.35	0.71
MWD	44	4333	9.49	172.92	95	4301.40	-411.61	-411.14	67.50	0.45
MWD	45	4428	9.01	173.89	95	4395.16	-426.79	-426.31	69.26	0.53
MWD	46	4522	9.01	169.67	94	4488.00	-441.37	-440.87	71.36	0.70
MWD	47	4616	8.92	166.07	94	4580.85	-455.70	-455.18	74.44	0.60
MWD	48	4710	8.66	164.57	94	4673.75	-469.62	-469.08	78.07	0.37
MWD	49	4805	9.76	164.84	95	4767.52	-484.32	-483.75	82.08	1.16
MWD	50	4899	10.51	160.71	94	4860.06	-500.14	-499.53	87.00	1.11
MWD	51	4993	10.64	159.04	94	4952.46	-516.37	-515.72	92.93	0.35
MWD	52	5087	9.71	158.77	94	5044.98	-531.91	-531.22	98.91	0.99
MWD	53	5181	8.66	157.63	94	5137.78	-545.88	-545.15	104.47	1.13
MWD	54	5275	8.44	160.44	94	5230.73	-558.96	-558.19	109.48	0.50
MWD	55	5370	9.32	165.72	95	5324.59	-573.02	-572.22	113.71	1.26
MWD	56	5464	9.49	164.75	94	5417.33	-587.90	-587.07	117.62	0.25
MWD	57	5558	9.41	165.19	94	5510.05	-602.83	-601.98	121.63	0.11
MWD	58	5652	9.36	162.64	94	5602.80	-617.59	-616.70	125.87	0.45
MWD	59	5746	9.58	166.59	94	5695.52	-632.52	-631.61	129.97	0.73
MWD	60	5840	9.32	167.82	94	5788.24	-647.59	-646.66	133.39	0.35
MWD	61	5934	9.36	166.95	94	5880.99	-662.50	-661.54	136.72	0.16
MWD	62	6028	9.27	165.45	94	5973.75	-677.30	-676.32	140.35	0.28
MWD	63	6122	8.66	165.45	94	6066.61	-691.51	-690.50	144.03	0.65
MWD	64	6217	9.36	164.92	95	6160.43	-705.92	-704.88	147.83	0.74
MWD	65	6311	9.76	164.92	94	6253.13	-721.02	-719.95	151.89	0.43

MWD	66	6405	9.27	163.61	94	6345.83	-736.01	-734.91	156.10	0.57
MWD	67	6499	9.01	164.31	94	6438.64	-750.39	-749.26	160.23	0.30
MWD	68	6593	8.79	163.96	94	6531.51	-764.40	-763.25	164.21	0.24
MWD	69	6688	8.66	162.81	95	6625.41	-778.24	-777.06	168.32	0.23
MWD	70	6782	8.84	166.15	94	6718.32	-792.04	-790.83	172.15	0.57
MWD	71	6876	8.53	165.98	94	6811.24	-805.84	-804.61	175.56	0.33
MWD	72	6971	8.84	170.99	95	6905.15	-819.91	-818.65	178.41	0.86
MWD	73	7064	8.97	172.31	93	6997.03	-834.16	-832.89	180.50	0.26
MWD	74	7159	8.44	169.06	95	7090.93	-848.37	-847.08	182.82	0.76
MWD	75	7254	8.79	170.11	95	7184.86	-862.38	-861.07	185.39	0.40
MWD	76	7348	8.26	169.93	94	7277.82	-876.12	-874.80	187.80	0.56
MWD	77	7442	8.09	169.14	94	7370.87	-889.28	-887.94	190.23	0.22
MWD	78	7537	7.43	171.34	95	7465.00	-901.93	-900.58	192.41	0.76
MWD	79	7632	7.82	169.49	95	7559.16	-914.38	-913.01	194.52	0.49
MWD	80	7726	8.00	170.02	94	7652.26	-927.12	-925.74	196.82	0.21
MWD	81	7820	6.99	171.25	94	7745.46	-939.23	-937.83	198.82	1.09
MWD	82	7915	6.90	166.42	95	7839.76	-950.51	-949.09	201.04	0.62
MWD	83	8009	7.38	167.21	94	7933.03	-961.90	-960.47	203.70	0.52
MWD	84	8103	7.43	167.21	94	8026.25	-973.74	-972.28	206.38	0.05
MWD	85	8198	7.38	166.68	95	8120.46	-985.68	-984.21	209.15	0.09
MWD	86	8293	6.46	167.56	95	8214.77	-996.86	-995.37	211.71	0.97
MWD	87	8387	5.63	167.82	94	8308.24	-1006.54	-1005.04	213.82	0.88
MWD	88	8481	5.89	172.57	94	8401.77	-1015.84	-1014.33	215.41	0.58
MWD	89	8575	7.21	171.16	94	8495.15	-1026.47	-1024.94	216.94	1.41
MWD	90	8669	7.69	166.95	94	8588.36	-1038.44	-1036.89	219.27	0.77
MWD	91	8763	6.81	169.23	94	8681.61	-1050.06	-1048.50	221.73	0.98
MWD	92	8858	6.42	173.45	95	8775.97	-1060.88	-1059.31	223.39	0.66
MWD	93	8952	4.53	179.87	94	8869.54	-1069.82	-1068.24	224.00	2.11
MWD	94	9046	2.81	188.92	94	8963.35	-1075.80	-1074.23	223.65	1.93
MWD	95	9140	1.19	201.75	94	9057.29	-1078.98	-1077.41	222.93	1.78
MWD	96	9234	0.92	229.44	94	9151.27	-1080.37	-1078.81	222.00	0.61
MWD	97	9328	0.75	209.66	94	9245.26	-1081.39	-1079.84	221.12	0.35
MWD	98	9424	0.70	213.97	96	9341.25	-1082.42	-1080.87	220.48	0.08
MWD	99	9518	0.44	343.61	94	9435.25	-1082.54	-1081.00	220.06	1.10
MWD	100	9612	0.26	41.88	94	9529.25	-1082.04	-1080.49	220.10	0.40
MWD	101	9706	0.75	82.66	94	9623.25	-1081.81	-1080.26	220.85	0.62
MWD	102	9800	1.27	92.85	94	9717.23	-1081.79	-1080.23	222.50	0.58
MWD	103	9894	0.97	64.73	94	9811.21	-1081.52	-1079.94	224.26	0.66
MWD	104	9989	1.01	61.39	95	9906.20	-1080.78	-1079.20	225.72	0.07
MWD	105	10083	1.14	86.00	94	10000.18	-1080.33	-1078.73	227.38	0.51
MWD	106	10177	1.76	87.40	94	10094.15	-1080.22	-1078.60	229.76	0.66
MWD	107	10271	1.71	104.19	94	10188.11	-1080.52	-1078.88	232.56	0.54
MWD	108	10366	1.41	91.80	95	10283.08	-1080.92	-1079.27	235.10	0.47
MWD	109	10460	0.66	103.84	94	10377.06	-1081.10	-1079.43	236.78	0.83
MWD	110	10554	0.26	153.67	94	10471.06	-1081.42	-1079.75	237.40	0.56
MWD	111	10648	0.79	160.44	94	10565.05	-1082.23	-1080.55	237.72	0.57
MWD	112	10743	0.75	226.01	95	10660.05	-1083.28	-1081.60	237.49	0.88
MWD	113	10837	1.36	215.64	94	10754.03	-1084.60	-1082.94	236.39	0.68
MWD	114	10932	1.01	218.89	95	10849.01	-1086.16	-1084.51	235.21	0.38
MWD	115	11027	1.32	213.62	95	10943.99	-1087.72	-1086.07	234.08	0.34
MWD	116	11121	1.54	244.20	94	11037.96	-1089.15	-1087.52	232.34	0.83
MWD	117	11216	2.55	272.41	95	11132.90	-1089.60	-1087.99	229.08	1.47
MWD	118	11310	2.46	273.29	94	11226.81	-1089.36	-1087.78	224.98	0.10
MWD	119	11404	2.55	256.24	94	11320.72	-1089.72	-1088.16	220.93	0.80
MWD	120	11498	2.46	242.88	94	11414.63	-1091.11	-1089.58	217.11	0.63
MWD	121	11591	2.07	259.14	93	11507.56	-1092.31	-1090.81	213.68	0.80
MWD	122	11685	0.92	289.11	94	11601.53	-1092.36	-1090.88	211.30	1.44
MWD	123	11781	0.70	16.39	96	11697.52	-1091.55	-1090.07	210.74	1.18
MWD	124	11875	1.10	41.53	94	11791.51	-1090.32	-1088.84	211.50	0.59
MWD	125	11970	1.19	40.03	95	11886.49	-1088.90	-1087.40	212.74	0.10
MWD	126	12029	0.97	69.21	59	11945.48	-1088.26	-1086.75	213.60	0.99
MWD	127	12093	1.10	61.28	64	12009.47	-1087.78	-1086.27	214.64	0.30
MWD	128	12188	1.63	58.91	95	12104.45	-1086.65	-1085.13	216.60	0.56
MWD	129	12282	6.81	5.47	94	12198.18	-1080.42	-1078.89	218.28	6.37
MWD	130	12377	19.30	358.26	95	12290.55	-1059.04	-1057.50	218.34	13.23
MWD	131	12471	32.88	352.20	94	12374.78	-1018.01	-1016.50	214.39	14.70
MWD	132	12564	46.51	356.15	93	12446.19	-959.01	-957.54	208.67	14.90
MWD	133	12659	61.14	5.47	95	12502.19	-882.70	-881.22	210.33	17.29
MWD	134	12754	76.09	2.66	95	12536.74	-794.77	-793.24	216.47	15.97
MWD	135	12837	86.95	0.64	83	12548.96	-712.85	-711.31	218.81	13.30
MWD	136	12869	88.40	0.90	32	12550.26	-680.89	-679.34	219.24	4.60
MWD	137	12964	91.65	2.57	95	12550.22	-585.97	-584.40	222.12	3.85
MWD	138	13058	91.08	2.22	94	12547.98	-492.11	-490.51	226.04	0.71
MWD	139	13152	91.74	0.90	94	12545.66	-398.20	-396.57	228.60	1.57
MWD	140	13247	94.20	1.43	95	12540.74	-303.37	-301.73	230.53	2.65
MWD	141	13341	91.30	1.25	94	12536.23	-209.53	-207.87	232.72	3.09
MWD	142	13436	90.81	1.25	95	12534.48	-114.59	-112.91	234.80	0.52
MWD	143	13530	88.62	0.11	94	12534.95	-20.61	-18.92	235.91	2.63
MWD	144	13622	89.19	0.72	92	12536.71	71.36	73.06	236.58	0.91

MWD	145	13716	90.68	2.92	94	12536.82	165.28	167.00	239.56	2.83
MWD	146	13809	90.59	3.19	93	12535.78	258.11	259.86	244.52	0.31
MWD	147	13903	89.71	2.48	94	12535.54	351.95	353.74	249.17	1.20
MWD	148	13997	89.32	2.75	94	12536.33	445.82	447.64	253.46	0.50
MWD	149	14090	88.92	2.13	93	12537.76	538.69	540.55	257.42	0.79
MWD	150	14185	90.33	0.11	95	12538.38	633.65	635.52	259.27	2.59
MWD	151	14279	90.15	0.46	94	12537.99	727.64	729.52	259.74	0.42
MWD	152	14373	90.37	359.49	94	12537.56	821.64	823.52	259.70	1.06
MWD	153	14467	90.07	358.97	94	12537.20	915.63	917.51	258.44	0.64
MWD	154	14561	91.78	358.18	94	12535.69	1009.60	1011.46	256.10	2.00
MWD	155	14655	91.91	358.88	94	12532.66	1103.54	1105.38	253.69	0.76
MWD	156	14749	92.26	359.58	94	12529.24	1197.47	1199.31	252.43	0.83
MWD	157	14843	93.54	359.85	94	12524.48	1291.35	1293.18	251.96	1.39
MWD	158	14936	92.09	357.56	93	12519.92	1384.22	1386.04	249.86	2.91
MWD	159	15030	90.24	354.66	94	12518.00	1478.01	1479.79	243.48	3.66
MWD	160	15123	89.49	355.80	93	12518.22	1570.74	1572.47	235.75	1.47
MWD	161	15218	87.56	356.42	95	12520.67	1665.53	1667.21	229.31	2.13
MWD	162	15312	91.16	356.95	94	12521.72	1759.38	1761.03	223.87	3.87
MWD	163	15405	93.19	358.97	93	12518.19	1852.27	1853.90	220.56	3.08
MWD	164	15499	92.09	358.97	94	12513.86	1946.16	1947.78	218.88	1.17
MWD	165	15594	87.34	355.10	95	12514.33	2041.02	2042.61	213.97	6.45
MWD	166	15689	89.89	359.41	95	12516.63	2135.89	2137.44	209.42	5.27
MWD	167	15783	92.70	357.21	94	12514.50	2229.82	2231.36	206.65	3.80
MWD	168	15878	90.64	357.91	95	12511.74	2324.72	2326.23	202.61	2.29
MWD	169	15973	91.16	0.55	95	12510.24	2419.70	2421.20	201.33	2.83
MWD	170	16011	89.89	359.41	38	12509.90	2457.69	2459.19	201.32	4.49
MWD	171	16067	89.45	358.35	56	12510.22	2513.69	2515.18	200.22	2.05
MWD	172	16162	88.31	0.90	95	12512.08	2608.66	2610.15	199.60	2.94
MWD	173	16255	89.41	2.13	93	12513.93	2701.58	2703.10	202.06	1.77
MWD	174	16351	91.08	0.37	96	12513.51	2797.54	2799.07	204.15	2.53
MWD	175	16444	91.65	1.95	93	12511.30	2890.47	2892.02	206.04	1.81
MWD	176	16538	90.51	0.64	94	12509.53	2984.41	2985.97	208.16	1.85
MWD	177	16632	89.27	358.35	94	12509.71	3078.40	3079.96	207.33	2.77
MWD	178	16727	90.46	357.21	95	12509.93	3173.35	3174.89	203.65	1.73
MWD	179	16821	91.30	356.86	94	12508.49	3267.24	3268.75	198.79	0.97
MWD	180	16914	91.12	0.99	93	12506.52	3360.20	3361.69	197.05	4.44
MWD	181	17009	89.71	0.55	95	12505.84	3455.17	3456.68	198.32	1.55
MWD	182	17103	90.99	2.04	94	12505.26	3549.12	3550.65	200.45	2.09
MWD	183	17198	90.37	1.95	95	12504.13	3644.03	3645.58	203.75	0.66
MWD	184	17293	88.84	1.43	95	12504.79	3738.96	3740.54	206.56	1.70
MWD	185	17387	88.75	359.76	94	12506.77	3832.92	3834.51	207.53	1.78
MWD	186	17482	92.62	6.61	95	12505.63	3927.66	3929.28	212.80	8.28
MWD	187	17530	90.90	4.77	48	12504.15	3975.36	3977.02	217.56	5.25
MWD	188	17576	88.88	3.19	46	12504.24	4021.22	4022.90	220.75	5.57
MWD	189	17603	88.88	3.62	27	12504.77	4048.15	4049.85	222.36	1.59
MWD	190	17671	89.98	8.46	68	12505.45	4115.70	4117.45	229.51	7.30
MWD	191	17718	88.53	5.82	47	12506.06	4162.28	4164.07	235.35	6.41
MWD	192	17764	88.13	4.86	46	12507.40	4208.03	4209.85	239.63	2.26
MWD	193	17813	86.90	1.16	49	12509.52	4256.89	4258.73	242.20	7.95
MWD	194	17860	85.98	358.62	47	12512.44	4303.79	4305.64	242.11	5.74
MWD	195	17906	86.07	356.95	46	12515.63	4349.66	4351.49	240.34	3.63
MWD	196	17953	86.95	354.75	47	12518.49	4396.47	4398.28	236.94	5.03
MWD	197	18011	88.66	351.06	58	12520.72	4454.02	4455.78	229.78	7.01
MWD	198	18048	88.84	351.23	37	12521.52	4490.61	4492.33	224.09	0.67
MWD	199	18089	92.66	350.18	41	12520.99	4531.11	4532.78	217.47	9.66
MWD	200	18142	92.40	349.65	53	12518.65	4583.30	4584.91	208.20	1.11
MWD	201	18189	94.15	352.64	47	12515.96	4629.71	4631.26	200.97	7.36
MWD	202	18236	95.87	355.01	47	12511.86	4676.29	4677.81	195.94	6.21
MWD	203	18283	95.34	357.47	47	12507.27	4722.98	4724.48	192.87	5.33
MWD	204	18331	95.74	0.29	48	12502.63	4770.74	4772.24	191.94	5.91
MWD	205	18424	89.76	5.03	93	12498.17	4863.43	4864.96	196.25	8.20
MWD	206	18471	90.64	5.56	47	12498.00	4910.20	4911.76	200.59	2.19
MWD	207	18517	90.07	3.89	46	12497.72	4956.01	4957.60	204.38	3.84
MWD	208	18564	89.05	1.08	47	12498.08	5002.95	5004.55	206.42	6.36
MWD	209	18610	89.71	359.14	46	12498.58	5048.94	5050.55	206.50	4.45
MWD	210	18657	90.55	357.65	47	12498.47	5095.93	5097.53	205.19	3.64
MWD	211	18705	92.22	358.26	48	12497.31	5143.89	5145.48	203.48	3.70
MWD	212	18756	92.66	358.09	51	12495.14	5194.83	5196.41	201.85	0.92
MWD	213	18799	92.88	357.91	43	12493.06	5237.76	5239.33	200.35	0.66
MWD	214	18893	90.55	358.97	94	12490.25	5331.70	5333.25	197.80	2.72
MWD	215	18988	91.38	358.79	95	12488.65	5426.67	5428.21	195.94	0.89
MWD	216	19082	92.31	359.67	94	12485.62	5520.62	5522.16	194.68	1.36
MWD	217	19176	90.02	359.32	94	12483.71	5614.59	5616.13	193.85	2.46
MWD	218	19270	89.67	358.18	94	12483.97	5708.58	5710.10	191.80	1.27
MWD	219	19364	89.49	358.70	94	12484.65	5802.56	5804.06	189.24	0.59
MWD	220	19458	88.53	357.56	94	12486.28	5896.51	5898.00	186.17	1.59
MWD	221	19553	91.03	358.97	95	12486.64	5991.48	5992.94	183.30	3.02
MWD	222	19605	90.55	359.85	52	12485.93	6043.47	6044.93	182.76	1.93
MWD	223	19646	92.31	0.02	41	12484.90	6084.46	6085.92	182.72	4.31

MWD	224	19740	92.75	0.20	94	12480.75	6178.36	6179.83	182.90	0.51
MWD	225	19834	91.69	359.49	94	12477.11	6272.29	6273.76	182.64	1.36
MWD	226	19928	87.69	357.47	94	12477.62	6366.24	6367.70	180.15	4.77
MWD	227	20020	88.97	357.38	92	12480.30	6458.14	6459.56	176.02	1.39
MWD	228	20113	90.77	2.48	93	12480.51	6551.10	6552.53	175.90	5.82
MWD	229	20208	91.43	3.98	95	12478.69	6645.89	6647.36	181.26	1.72
MWD	230	20302	90.81	4.33	94	12476.85	6739.57	6741.09	188.07	0.76
MWD	231	20396	89.67	2.31	94	12476.46	6833.37	6834.93	193.51	2.47
MWD	232	20490	91.30	3.36	94	12475.66	6927.21	6928.80	198.16	2.06
MWD	233	20583	92.70	4.33	93	12472.42	7019.89	7021.53	204.39	1.83
MWD	234	20677	90.29	2.22	94	12469.96	7113.65	7115.34	209.76	3.41
MWD	235	20771	89.36	1.34	94	12470.25	7207.58	7209.29	212.68	1.36
MWD	236	20818	89.80	1.25	47	12470.60	7254.56	7256.27	213.74	0.96
MWD	237	20865	89.36	1.25	47	12470.94	7301.54	7303.26	214.76	0.94
MWD	238	20959	89.41	0.99	94	12471.95	7395.50	7397.24	216.60	0.28
MWD	239	21053	86.55	358.79	94	12475.26	7489.42	7491.16	216.42	3.84
MWD	240	21148	87.08	357.65	95	12480.54	7584.25	7585.97	213.47	1.32
MWD	241	21242	88.22	353.96	94	12484.40	7677.95	7679.62	206.60	4.11
MWD	242	21336	90.86	352.64	94	12485.15	7771.37	7772.97	195.64	3.14
MWD	243	21429	91.78	352.90	93	12483.01	7863.68	7865.20	183.94	1.03
MWD	244	21472	93.71	353.61	43	12480.95	7906.37	7907.85	178.89	4.78
MWD	245	21523	94.24	353.96	51	12477.41	7956.99	7958.43	173.39	1.24
MWD	246	21561	95.96	356.15	38	12474.04	7994.71	7996.14	170.12	7.31
MWD	247	21618	96.57	356.77	57	12467.82	8051.29	8052.69	166.62	1.52
MWD	248	21665	93.67	358.09	47	12463.62	8098.06	8099.45	164.53	6.77
MWD	249	21713	92.48	359.85	48	12461.05	8145.99	8147.37	163.66	4.42
MWD	250	21760	91.82	0.20	47	12459.28	8192.95	8194.33	163.69	1.59
MWD	251	21806	91.69	0.02	46	12457.87	8238.93	8240.31	163.77	0.48
MWD	252	21866	92.53	3.80	60	12455.66	8298.83	8300.23	165.77	6.45
MWD	253	21901	92.09	3.89	35	12454.25	8333.70	8335.12	168.12	1.28
MWD	254	21948	89.80	2.57	47	12453.48	8380.60	8382.03	170.76	5.62
MWD	255	21994	88.62	2.39	46	12454.11	8426.53	8427.98	172.75	2.59
MWD	256	22088	87.65	1.87	94	12457.17	8520.39	8521.87	176.25	1.17
MWD	257	22182	90.02	1.52	94	12459.08	8614.30	8615.80	179.03	2.55
MWD	258	22277	89.93	1.78	95	12459.12	8709.24	8710.76	181.76	0.29
MWD	259	22371	90.20	1.60	94	12459.02	8803.17	8804.72	184.53	0.35
MWD	260	22464	89.58	359.32	93	12459.20	8896.16	8897.71	185.28	2.54
MWD	261	22558	88.13	358.09	94	12461.08	8990.12	8991.66	183.16	2.02
MWD	262	22652	87.43	357.65	94	12464.72	9084.01	9085.53	179.66	0.88
MWD	263	22747	88.13	358.09	95	12468.40	9178.89	9180.39	176.14	0.87
MWD	264	22841	86.29	357.56	94	12472.97	9272.73	9274.21	172.57	2.04
MWD	265	22894	86.59	357.47	53	12476.26	9325.60	9327.05	170.28	0.59
PTB	266	22968	86.59	357.47	74	12480.66	9399.42	9400.85	167.02	0.00

Submit To Appropriate District Office Two Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505				Form C-105 Revised April 3, 2017				
1. WELL API NO. 30-025-48738										
2. Type of Lease ☒ STATE ☐ FEE ☐ FED/INDIAN										
3. State Oil & Gas Lease No.										
WELL COMPLETION OR RECOMPLETION REPORT AND LOG										
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)								5. Lease Name or Unit Agreement Name PROMETHEUS STATE COM		
								6. Well Number: 201H		
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER										
8. Name of Operator TAP ROCK OPERATING, LLC								9. OGRID 372043		
10. Address of Operator 523 PARK POINT DRIVE, SUITE 200, GOLDEN, CO								11. Pool name or Wildcat WC-025 G-09 S243310P; UPPER WOLFCAMP		
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	M	22	24S	33E	-	1128	SOUTH	99	WEST	LEA
BH:	D	15	24S	33E	-	30	NORTH	332	WEST	LEA
13. Date Spudded 10/29/2021	14. Date T.D. Reached 1/20/2022		15. Date Rig Released 1/26/2022			16. Date Completed (Ready to Produce) 4/19/2022		17. Elevations (DF and RKB, RT, GR, etc.) 3547 GR		
18. Total Measured Depth of Well 22968 ft			19. Plug Back Measured Depth 22904 ft			20. Was Directional Survey Made? YES		21. Type Electric and Other Logs Run GAMMA		
22. Producing Interval(s), of this completion - Top, Bottom, Name 12570' - 22819'								WOLFCAMP		
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
10.75"		45.5		1263'		13.5"		600 sks		0
7.625"		29.7		8662'/12003'		9.875"/8.75"		1176 sks		0
5.5"		20		22951'		6.75"		1117 sks		0
24. LINER RECORD										
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN		25. TUBING RECORD		SIZE		DEPTH SET
26. Perforation record (interval, size, and number)						27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.				
						DEPTH INTERVAL		AMOUNT AND KIND MATERIAL USED		
Perforate from 12570 ft to 22819 ft, 1 SPF, .55 inch holes with 598 total shots						12570' - 22819'		46 stage frac with 25,766,838 lbs of 100 mesh sand		
28. PRODUCTION										
Date First Production 4/29/2022		Production Method (Flowing, gas lift, pumping - Size and type pump) Flowing				Well Status (Prod. or Shut-in) Producing				
Date of Test 5/17/2022	Hours Tested 24 hrs	Choke Size 36/64	Prod'n For Test Period	Oil - Bbl 1449	Gas - MCF 3367	Water - Bbl. 3354	Gas - Oil Ratio 2324			
Flow Tubing Press. 0	Casing Pressure 1500	Calculated 24-Hour Rate	Oil - Bbl. 1449	Gas - MCF 3367	Water - Bbl. 3354	Oil Gravity - API - (Corr.)				
29. Disposition of Gas (Sold, used for fuel, vented, etc.) Sold								30. Test Witnessed By		
31. List Attachments C-102, Directional Survey										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.								33. Rig Release Date:		
34. If an on-site burial was used at the well, report the exact location of the on-site burial:										
Latitude				Longitude				NAD83		
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Signature 			Printed Name Jeff Trlica			Title Regulatory Analyst		Date 5/25/2022		
E-mail Address jtrlica@taprllc.com										

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

[illegible]


No. 1, from.....to.....
No. 2, from.....to.....
No. 3, from.....to.....
No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology		From	To	Thickness In Feet	Lithology
0	897		Quaternary					
897	1517		Rustler					
1517	4690		Top of Salt					
4690	4909		Base of Salt					
4909	4940		Lamar					
4940	6198		Bell					
6198	7704		Cherry Canyon					
7704	9162		Brushy Canyon					
9162	9563		Bonespring					
9563	10132		Avalon					
10132	10836		1st Bone Spring Sand					
10836	11920		2nd Bone Spring Sand					
11920	12228		3rd Bone Spring Sand					
12228			Wolfcamp A					

Tap Rock
Prometheus
Defining Wells
T24S-R33E



Defining Prometheus Well



Prometheus Wells

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 111156

ACKNOWLEDGMENTS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 111156
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 111156

CONDITIONS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 111156
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	None	4/13/2023