

DISTRICT I

1625 N. French Dr., Hobbs, NM 88240

District II

811 S. First St., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural ResourcesForm C-104
Revised August 1, 2011Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address TAP ROCK OPERATING, LLC 523 PARK POINT DRIVE, SUITE 200 GOLDEN, CO 80401		² OGRID Number 372043
		³ Reason for Filing Code/ Effective Date NW
⁴ API Number 30 - 0 25-48763	⁵ Pool Name WC-025 G-09 S243310P; UPPER WOLFCAMP	⁶ Pool Code 98135
⁷ Property Code 330700	⁸ Property Name PROMETHEUS STATE COM	⁹ Well Number 136H

II. ¹⁰ Surface Location

UI or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
O	22	24S	33E	-	828	SOUTH	2540	EAST	LEA

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
B	15	24S	33E	-	32	NORTH	1696	EAST	LEA
¹² Lse Code S	¹³ Producing Method Code F	¹⁴ Gas Connection Date 5/4/2022	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date				

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
34053	PLAINS ALL AMERICAN 333 CLAY STREET SUITE 1600 HOUSTON, TX 77002	O
371960	LUCID ENERGY GROUP 3100 MCKINNON ST #800 DALLAS, TX 75201	G

IV. Well Completion Data

²¹ Spud Date 10/30/2021	²² Ready Date 4/25/2022	²³ TD 22760'	²⁴ PBTB 22698'	²⁵ Perforations 12500' - 22614'	²⁶ DHC, MC
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
13.5"	10.75"	1287'	730 sks		
9.875"/8.75"	7.625"	9960'/11885'	1147 sks		
6.75"	5.5"	22743'	903 sks		

V. Well Test Data

³¹ Date New Oil 5/4/2022	³² Gas Delivery Date 5/4/2022	³³ Test Date 5/22/2022	³⁴ Test Length 24 hrs.	³⁵ Tbg. Pressure 1812	³⁶ Csg. Pressure 148
³⁷ Choke Size 40/64	³⁸ Oil 1758	³⁹ Water 4664	⁴⁰ Gas 3964		⁴¹ Test Method Flowing
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: 			OIL CONSERVATION DIVISION		
Printed name: Jeff Trlica			Approved by: PATRICIA MARTINEZ		
Title: Regulatory Analyst			Title: PETROLEUM SPECIALIST		
E-mail Address: jtrlica@taprk.com			Approval Date: 4/13/2023		
Date: 5/22/2022		Phone: 720-771-5910			

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources
Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

FORM C-102

Revised August 1, 2011

Submit one copy to appropriate

District Office

☐ AMENDED REPORT
As Drilled

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-025-48763	² Pool Code 98135	³ Pool Name WC-025 G-09 S243310P;UPPER WOLFCAMP
⁴ Property Code 330700	⁵ Property Name PROMETHEUS STATE COM	⁶ Well Number 136H
⁷ OGRID No. #372043	⁸ Operator Name TAP ROCK OPERATING, LLC.	⁹ Elevation 3555'

¹⁰Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
0	22	24-S	33-E	-	828'	SOUTH	2540'	EAST	LEA

¹¹Bottom Hole Location If Different From Surface


UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
B	15	24-S	33-E	-	32'	NORTH	1696'	EAST	LEA

¹² Dedicated Acres 640	¹³ Joint or Infill Infill	¹⁴ Consolidation Code	¹⁵ Order No.
--------------------------------------	---	----------------------------------	-------------------------

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

FTP: 100' FSL; 908 FEL Section 22

LTP: 100' FNL; 1701 FEL Section 15

¹⁷OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

[Signature]

4/12/2022

Signature

Date

Jeff Trlica

Printed Name

jtrlica@taprk.com

E-mail Address

¹⁸SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true to the best of my belief.

10/07/2021


Date of Survey
Signature and Seal of Professional Surveyor

[Signature]

24508

PROFESSIONAL SURVEYOR

Certificate Number



LEASE NAME & WELL NO.: PROMETHEUS STATE COM 136H

SECTION 22 TWP 24-S RGE 33-E SURVEY N.M.P.M.

COUNTY LEA STATE NM ELEVATION 3555'

DESCRIPTION 828' FSL & 2540' FEL



1400 EVERMAN PARKWAY, Ste. 146 • FT. WORTH, TEXAS 76140
TELEPHONE: (817) 744-7512 • FAX (817) 744-7554
TEXAS FIRM REGISTRATION NO. 10042504
WWW.TOPOGRAPHIC.COM

INTERNAL
PRE-COMPLETION
PLAT

PROMETHEUS STATE COM 136H PRE-COMPLETION	REVISION:		NOTES:
	GJU	03/30/22	
DATE: 03/18/22			1. ORIGINAL DOCUMENT SIZE: 8.5" X 11" 2. ALL BEARINGS, DISTANCES, AND COORDINATE VALUES CONTAINED HEREIN ARE GRID BASED UPON THE NEW MEXICO COORDINATE SYSTEM OF 1983, EAST ZONE, U.S. SURVEY FEET. 3. THIS WELL LOCATION SHOWN HEREON HAS BEEN SURVEYED ON THE GROUND UNDER MY SUPERVISION AND PREPARED ACCORDING TO THE EVIDENCE FOUND AT THE TIME OF SURVEY, AND DATA PROVIDED BY TAP ROCK OPERATING, LLC. THIS CERTIFICATION IS MADE AND LIMITED TO THOSE PERSONS OR ENTITIES SHOWN ON THE FACE OF THIS PLAT AND IS NON-TRANSFERABLE. THIS SURVEY IS CERTIFIED FOR THIS TRANSACTION ONLY.
FILE: C:\PROMETHEUS_STATE_COM_136H_REV1			
DRAWN BY: SAR			
SHEET: 2 OF 2			



Operator: Tap Rock Resources, LLC.
Well Name: Prometheus State Com 136H
County: Lea
State: New Mexico
Rig Name: H&P 376
API: 30-025-48763

Intrepid Directional Drilling Specialists certifies that the surveys performed on the above referenced well are true and correct MWD surveys, data provided as follows:

Surveyor: Intrepid Directional Drilling Specialists
Survey Depths: 195' MD – 22,696' MD
Projection to Bit: 22,760' MD
Dates Performed: 10/30/2021 – 12/06/2021
Type of Survey: MWD

Sincerely,

A handwritten signature in black ink, appearing to read "T. Henk".

Travis Henk
MWD Operations Manager
Intrepid Directional Drilling Specialists





Operator: Tap Rock Resources, LLC.

Well Name: Prometheus State Com 136H

Job Number: ID3131

Survey Company: Intrepid Directional Drilling Specialists

Rig Name: H&P 376

Target KBTVD: 12388.40

Target Inclination: 90.50°

Declination Correction: 5.92°

DF Elevation: 3582


Vertical Section Calculated Along Azimuth: 359.56°

Survey Calculation Method: Minimum Curvature										
TIE PT. TYPE	SVY #	Survey Depth	INC deg.	AZM deg.	Course Length	TVD Ft.	V'Sect FT.	+N/-S Ft.	+E/-W Ft.	Dogleg %/100'
Tie In	0	0	0.00	0.00	0	0	0	0	0	0.00
MWD	1	195	1.05	61.82	195	194.99	0.83	0.84	1.57	0.54
MWD	2	237	0.88	46.79	42	236.98	1.23	1.25	2.15	0.72
MWD	3	331	0.97	68.15	94	330.97	2.01	2.04	3.41	0.38
MWD	4	462	1.32	85.72	131	461.95	2.52	2.56	5.95	0.38
MWD	5	515	1.45	86.60	53	514.93	2.59	2.65	7.23	0.25
MWD	6	606	1.63	106.12	91	605.90	2.28	2.36	9.62	0.61
MWD	7	698	1.49	104.45	92	697.86	1.60	1.69	12.03	0.16
MWD	8	790	1.45	92.93	92	789.83	1.23	1.34	14.35	0.32
MWD	9	881	1.45	91.26	91	880.80	1.12	1.25	16.66	0.05
MWD	10	973	1.10	96.45	92	972.78	0.98	1.13	18.70	0.40
MWD	11	1064	0.88	96.80	91	1063.77	0.79	0.95	20.26	0.24
MWD	12	1156	0.92	91.35	92	1155.76	0.68	0.85	21.70	0.10
MWD	13	1237	0.84	84.76	81	1236.75	0.71	0.88	22.94	0.16
MWD	14	1342	0.79	91.88	105	1341.74	0.74	0.93	24.43	0.11
MWD	15	1437	0.79	82.30	95	1436.73	0.80	1.00	25.73	0.14
MWD	16	1532	1.67	123.61	95	1531.71	0.11	0.32	27.54	1.26
MWD	17	1627	2.46	152.26	95	1626.65	-2.48	-2.25	29.64	1.34
MWD	18	1720	3.65	150.76	93	1719.51	-6.85	-6.60	32.01	1.28
MWD	19	1813	4.79	153.66	93	1812.26	-12.93	-12.66	35.18	1.25
MWD	20	1908	4.48	167.11	95	1906.95	-20.13	-19.84	37.77	1.19
MWD	21	2002	4.44	169.57	94	2000.67	-27.29	-26.99	39.25	0.21
MWD	22	2097	5.63	162.37	95	2095.30	-35.37	-35.05	41.32	1.42
MWD	23	2191	6.73	152.87	94	2188.75	-44.69	-44.35	45.23	1.59
MWD	24	2286	8.00	141.45	95	2282.97	-54.87	-54.47	51.89	2.03
MWD	25	2381	8.84	132.48	95	2376.95	-65.04	-64.57	61.39	1.64
MWD	26	2477	9.14	130.29	96	2471.77	-75.04	-74.49	72.65	0.47
MWD	27	2571	9.05	131.60	94	2564.59	-84.86	-84.22	83.87	0.24
MWD	28	2666	8.97	132.31	95	2658.42	-94.89	-94.17	94.94	0.14
MWD	29	2758	8.75	133.63	92	2749.32	-104.63	-103.82	105.31	0.33
MWD	30	2852	8.62	132.13	94	2842.24	-114.37	-113.48	115.71	0.28
MWD	31	2947	8.66	130.29	95	2936.17	-123.85	-122.88	126.44	0.29
MWD	32	3042	10.07	126.95	95	3029.90	-133.56	-132.50	138.54	1.59
MWD	33	3136	10.33	125.63	94	3122.41	-143.51	-142.35	151.95	0.37
MWD	34	3230	10.11	126.33	94	3214.92	-153.42	-152.15	165.45	0.27
MWD	35	3325	10.24	124.48	95	3308.43	-163.24	-161.87	179.13	0.37
MWD	36	3420	10.11	125.01	95	3401.93	-172.91	-171.43	192.92	0.17
MWD	37	3512	10.15	124.31	92	3492.50	-182.21	-180.64	206.23	0.14
MWD	38	3605	9.93	124.31	93	3584.07	-191.46	-189.77	219.62	0.24
MWD	39	3700	9.98	124.48	95	3677.64	-200.84	-199.05	233.17	0.06
MWD	40	3793	9.32	126.33	93	3769.33	-209.96	-208.08	245.88	0.78
MWD	41	3888	8.88	131.69	95	3863.13	-219.48	-217.51	257.55	1.00
MWD	42	3982	8.48	133.63	94	3956.06	-229.17	-227.12	267.99	0.53
MWD	43	4076	8.57	133.45	94	4049.02	-238.84	-236.72	278.09	0.10
MWD	44	4171	7.78	130.46	95	4143.05	-247.96	-245.76	288.12	0.94
MWD	45	4266	8.31	135.03	95	4237.12	-257.07	-254.79	297.87	0.87
MWD	46	4361	8.22	136.61	95	4331.13	-266.93	-264.58	307.38	0.26
MWD	47	4456	9.49	138.55	95	4425.00	-277.81	-275.38	317.23	1.37
MWD	48	4550	9.63	136.79	94	4517.69	-289.43	-286.92	327.75	0.34
MWD	49	4644	9.98	137.14	94	4610.32	-301.22	-298.62	338.67	0.38
MWD	50	4738	9.23	136.70	94	4703.00	-312.76	-310.08	349.38	0.80
MWD	51	4833	10.55	136.79	95	4796.59	-324.73	-321.97	360.56	1.39
MWD	52	4928	12.88	137.67	95	4889.60	-338.99	-336.13	373.65	2.46
MWD	53	5023	13.23	139.43	95	4982.15	-355.19	-352.22	387.85	0.56
MWD	54	5118	11.96	138.28	95	5074.86	-370.90	-367.82	401.47	1.36
MWD	55	5213	10.68	139.07	95	5168.01	-384.99	-381.82	413.79	1.36
MWD	56	5307	9.76	137.58	94	5260.52	-397.54	-394.29	424.87	1.02
MWD	57	5402	9.98	138.37	95	5354.11	-409.72	-406.38	435.77	0.27
MWD	58	5496	10.07	135.47	94	5446.68	-421.75	-418.33	446.94	0.55
MWD	59	5590	10.02	135.12	94	5539.24	-433.49	-429.98	458.48	0.08
MWD	60	5685	9.98	133.98	95	5632.79	-445.15	-441.56	470.23	0.21
MWD	61	5780	9.63	132.75	95	5726.40	-456.35	-452.67	481.99	0.43
MWD	62	5875	9.19	131.87	95	5820.13	-466.90	-463.12	493.47	0.49
MWD	63	5969	9.27	129.76	94	5912.91	-476.84	-472.98	504.88	0.37
MWD	64	6064	8.92	129.93	95	6006.71	-486.55	-482.60	516.41	0.37
MWD	65	6159	8.62	129.67	95	6100.60	-495.91	-491.87	527.54	0.32
MWD	66	6254	8.92	128.18	95	6194.49	-505.09	-500.97	538.81	0.40
MWD	67	6347	7.91	124.75	93	6286.49	-513.28	-509.07	549.74	1.21
MWD	68	6440	7.78	122.02	93	6378.62	-520.34	-516.06	560.33	0.42
MWD	69	6535	8.84	121.23	95	6472.62	-527.63	-523.25	572.03	1.12
MWD	70	6629	10.55	121.50	94	6565.28	-535.97	-531.49	585.54	1.82

MWD	71	6725	10.68	121.23	96	6659.63	-545.29	-540.70	600.64	0.14
MWD	72	6820	11.82	124.92	95	6752.81	-555.55	-550.83	616.15	1.42
MWD	73	6913	11.47	125.36	93	6843.89	-566.47	-561.63	631.50	0.39
MWD	74	7009	11.21	133.45	96	6938.03	-578.52	-573.58	646.06	1.68
MWD	75	7103	10.29	133.27	94	7030.37	-590.66	-585.61	658.80	0.98
MWD	76	7198	9.45	131.87	95	7123.97	-601.77	-596.64	670.79	0.92
MWD	77	7292	10.99	133.89	94	7216.47	-613.23	-608.00	682.99	1.68
MWD	78	7387	11.43	136.88	95	7309.66	-626.47	-621.15	695.95	0.77
MWD	79	7482	11.38	138.11	95	7402.79	-640.42	-635.00	708.65	0.26
MWD	80	7576	10.77	138.90	94	7495.04	-654.03	-648.52	720.61	0.67
MWD	81	7669	10.64	136.00	93	7586.42	-666.85	-661.24	732.29	0.60
MWD	82	7762	9.80	136.96	93	7677.94	-678.89	-673.20	743.66	0.92
MWD	83	7854	9.23	137.40	92	7768.67	-690.13	-684.36	753.99	0.62
MWD	84	7948	7.69	138.02	94	7861.65	-700.42	-694.58	763.30	1.64
MWD	85	8043	7.08	136.79	95	7955.86	-709.48	-703.57	771.56	0.66
MWD	86	8136	6.51	137.40	93	8048.21	-717.59	-711.63	779.06	0.62
MWD	87	8230	6.24	139.87	94	8141.63	-725.47	-719.46	785.96	0.41
MWD	88	8325	5.80	139.87	95	8236.10	-733.14	-727.08	792.38	0.46
MWD	89	8420	5.27	137.93	95	8330.66	-740.10	-733.99	798.39	0.59
MWD	90	8515	4.97	143.21	95	8425.28	-746.67	-740.52	803.78	0.59
MWD	91	8609	4.53	143.03	94	8518.96	-752.93	-746.75	808.45	0.47
MWD	92	8705	3.91	138.11	96	8614.70	-758.43	-752.21	812.92	0.75
MWD	93	8800	3.74	137.67	95	8709.49	-763.17	-756.91	817.17	0.18
MWD	94	8893	3.60	143.73	93	8802.29	-767.79	-761.51	820.94	0.44
MWD	95	8988	3.21	139.60	95	8897.13	-772.25	-765.94	824.43	0.48
MWD	96	9083	2.86	142.06	95	8991.99	-776.17	-769.84	827.61	0.39
MWD	97	9177	2.33	134.33	94	9085.90	-779.38	-773.02	830.42	0.67
MWD	98	9271	1.63	129.41	94	9179.84	-781.58	-775.20	832.82	0.77
MWD	99	9366	1.63	133.54	95	9274.80	-783.38	-776.99	834.84	0.12
MWD	100	9460	1.05	149.09	94	9368.78	-785.05	-778.65	836.25	0.72
MWD	101	9554	0.88	145.75	94	9462.76	-786.39	-779.99	837.10	0.19
MWD	102	9648	1.01	183.81	94	9556.75	-787.82	-781.41	837.45	0.67
MWD	103	9742	0.70	183.20	94	9650.74	-789.22	-782.81	837.36	0.33
MWD	104	9837	0.75	194.18	95	9745.73	-790.40	-783.99	837.18	0.16
MWD	105	9917	0.79	168.69	80	9825.73	-791.45	-785.04	837.16	0.43
MWD	106	10011	0.66	135.30	94	9919.72	-792.47	-786.06	837.67	0.46
MWD	107	10105	0.62	152.79	94	10013.71	-793.31	-786.90	838.28	0.21
MWD	108	10199	0.48	229.34	94	10107.71	-794.02	-787.61	838.21	0.73
MWD	109	10294	0.57	246.65	95	10202.71	-794.46	-788.06	837.48	0.19
MWD	110	10388	0.53	288.40	94	10296.70	-794.51	-788.10	836.64	0.42
MWD	111	10482	0.48	283.92	94	10390.70	-794.27	-787.87	835.84	0.07
MWD	112	10577	0.48	340.78	95	10485.70	-793.79	-787.40	835.32	0.48
MWD	113	10671	0.44	25.26	94	10579.69	-793.09	-786.70	835.35	0.37
MWD	114	10766	0.79	19.72	95	10674.69	-792.15	-785.76	835.73	0.37
MWD	115	10861	0.79	4.25	95	10769.68	-790.88	-784.49	835.99	0.22
MWD	116	10954	0.97	14.71	93	10862.67	-789.48	-783.09	836.24	0.26
MWD	117	11049	1.19	6.45	95	10957.65	-787.73	-781.33	836.56	0.28
MWD	118	11145	1.14	9.26	96	11053.63	-785.80	-779.39	836.82	0.08
MWD	119	11238	0.84	0.03	93	11146.62	-784.20	-777.80	836.97	0.36
MWD	120	11332	0.48	4.16	94	11240.61	-783.12	-776.72	837.00	0.39
MWD	121	11425	0.84	327.16	93	11333.60	-782.16	-775.76	836.66	0.58
MWD	122	11516	1.14	308.62	91	11424.59	-781.03	-774.63	835.59	0.48
MWD	123	11610	1.41	290.42	94	11518.57	-780.02	-773.64	833.78	0.51
MWD	124	11705	1.10	297.10	95	11613.54	-779.19	-772.82	831.87	0.36
MWD	125	11800	0.79	299.12	95	11708.53	-778.44	-772.09	830.48	0.33
MWD	126	11890	0.92	292.18	90	11798.52	-777.86	-771.51	829.27	0.18
MWD	127	12019	5.54	344.65	129	11927.29	-771.44	-765.11	826.66	3.90
MWD	128	12113	18.68	352.47	94	12019.01	-752.03	-745.73	823.48	14.06
MWD	129	12208	30.59	349.22	95	12105.21	-713.01	-706.76	816.94	12.61
MWD	130	12303	37.10	355.02	95	12184.09	-660.60	-654.40	809.92	7.64
MWD	131	12397	42.99	1.35	94	12256.05	-600.22	-594.04	808.21	7.61
MWD	132	12490	48.62	1.44	93	12320.85	-533.61	-527.40	809.84	6.05
MWD	133	12586	57.01	1.96	96	12378.82	-457.25	-451.02	812.12	8.75
MWD	134	12680	66.99	1.00	94	12422.90	-374.40	-368.16	814.23	10.66
MWD	135	12774	80.40	359.77	94	12449.23	-284.40	-278.15	814.80	14.32
MWD	136	12869	88.09	358.01	95	12458.75	-189.96	-183.72	812.96	8.30
MWD	137	12964	89.80	358.80	95	12460.50	-95.00	-88.78	810.32	1.98
MWD	138	13059	91.08	358.54	95	12459.77	-0.02	6.19	808.12	1.37
MWD	139	13154	92.84	358.98	95	12456.52	94.92	101.11	806.06	1.91
MWD	140	13249	94.51	359.59	95	12450.43	189.71	195.90	804.88	1.87
MWD	141	13343	92.35	1.96	94	12444.81	283.51	289.71	806.15	3.41
MWD	142	13438	90.37	2.32	95	12442.55	378.39	384.61	809.70	2.12
MWD	143	13531	93.19	2.93	93	12439.66	471.20	477.46	813.95	3.10
MWD	144	13625	91.12	1.61	94	12436.13	565.02	571.31	817.67	2.61
MWD	145	13719	92.04	1.00	94	12433.54	658.94	665.25	819.81	1.17
MWD	146	13813	88.84	359.50	94	12432.81	752.91	759.23	820.22	3.76
MWD	147	13907	89.19	358.27	94	12434.43	846.89	853.20	818.39	1.36
MWD	148	14002	91.21	358.45	95	12434.10	941.86	948.16	815.67	2.13
MWD	149	14097	89.54	358.63	95	12433.48	1036.84	1043.12	813.25	1.77
MWD	150	14191	88.44	0.38	94	12435.13	1130.82	1137.10	812.44	2.20
MWD	151	14318	90.33	1.09	127	12436.50	1257.78	1264.07	814.07	1.59
MWD	152	14412	90.07	1.17	94	12436.17	1351.75	1358.05	815.92	0.29
MWD	153	14507	90.42	1.53	95	12435.76	1446.70	1453.03	818.16	0.53
MWD	154	14601	90.81	1.44	94	12434.75	1540.64	1546.99	820.60	0.43

MWD	155	14695	90.15	1.17	94	12433.97	1634.59	1640.96	822.74	0.76
MWD	156	14790	89.67	0.21	95	12434.12	1729.57	1735.95	823.88	1.13
MWD	157	14885	89.67	359.68	95	12434.66	1824.57	1830.95	823.79	0.56
MWD	158	14979	89.63	359.59	94	12435.24	1918.57	1924.95	823.19	0.10
MWD	159	15073	89.41	359.77	94	12436.02	2012.56	2018.94	822.67	0.30
MWD	160	15167	88.84	359.15	94	12437.46	2106.55	2112.93	821.78	0.90
MWD	161	15261	89.32	359.15	94	12438.97	2200.54	2206.90	820.39	0.51
MWD	162	15355	88.00	359.24	94	12441.17	2294.51	2300.87	819.07	1.41
MWD	163	15450	89.58	358.45	95	12443.17	2389.48	2395.82	817.15	1.86
MWD	164	15546	90.15	357.48	96	12443.40	2485.44	2491.76	813.74	1.17
MWD	165	15640	91.47	357.13	94	12442.07	2579.35	2585.64	809.32	1.45
MWD	166	15735	91.47	356.96	95	12439.63	2674.23	2680.49	804.43	0.18
MWD	167	15830	91.12	356.43	95	12437.49	2769.09	2775.30	798.95	0.67
MWD	168	15923	90.81	356.52	93	12435.92	2861.94	2868.11	793.24	0.35
MWD	169	16018	93.32	358.01	95	12432.50	2956.79	2962.93	788.71	3.07
MWD	170	16111	94.37	359.59	93	12426.26	3049.57	3055.70	786.76	2.04
MWD	171	16200	93.80	358.80	89	12419.92	3138.34	3144.46	785.51	1.09
MWD	172	16295	91.47	359.94	95	12415.55	3233.23	3239.35	784.47	2.73
MWD	173	16389	89.80	0.12	94	12414.51	3327.22	3333.34	784.52	1.79
MWD	174	16483	89.14	1.00	94	12415.38	3421.20	3427.33	785.44	1.17
MWD	175	16578	88.62	1.44	95	12417.24	3516.14	3522.29	787.46	0.72
MWD	176	16671	87.16	1.53	93	12420.66	3609.02	3615.19	789.87	1.57
MWD	177	16765	87.69	1.00	94	12424.88	3702.88	3709.08	791.94	0.80
MWD	178	16860	90.59	0.30	95	12426.31	3797.85	3804.05	793.02	3.14
MWD	179	16953	90.68	1.35	93	12425.28	3890.82	3897.03	794.36	1.13
MWD	180	17048	94.42	1.44	95	12421.05	3985.66	3991.89	796.67	3.94
MWD	181	17143	94.68	1.70	95	12413.52	4080.30	4086.56	799.26	0.39
MWD	182	17237	92.26	0.03	94	12407.83	4174.09	4180.36	800.68	3.13
MWD	183	17331	91.30	359.59	94	12404.91	4268.04	4274.32	800.37	1.12
MWD	184	17426	90.55	0.47	95	12403.37	4363.03	4369.30	800.42	1.22
MWD	185	17521	90.24	359.68	95	12402.72	4458.02	4464.30	800.54	0.89
MWD	186	17615	89.63	358.54	94	12402.83	4552.02	4558.29	799.08	1.38
MWD	187	17710	90.20	359.42	95	12402.97	4647.01	4653.27	797.39	1.10
MWD	188	17804	89.14	359.42	94	12403.51	4741.01	4747.26	796.44	1.13
MWD	189	17898	87.96	358.63	94	12405.89	4834.97	4841.22	794.84	1.51
MWD	190	17992	88.70	358.80	94	12408.63	4928.92	4935.15	792.73	0.81
MWD	191	18086	88.84	358.89	94	12410.64	5022.89	5029.11	790.84	0.18
MWD	192	18181	88.13	357.22	95	12413.16	5117.82	5124.02	787.62	1.91
MWD	193	18275	90.59	357.57	94	12414.21	5211.74	5217.91	783.34	2.64
MWD	194	18369	90.20	357.31	94	12413.56	5305.67	5311.81	779.15	0.50
MWD	195	18463	89.98	356.69	94	12413.41	5399.58	5405.68	774.23	0.70
MWD	196	18557	90.07	357.48	94	12413.37	5493.49	5499.56	769.45	0.85
MWD	197	18650	89.45	357.13	93	12413.76	5586.42	5592.46	765.07	0.77
MWD	198	18745	88.00	355.55	95	12415.87	5681.24	5687.23	759.01	2.26
MWD	199	18839	88.31	356.69	94	12418.90	5775.02	5780.97	752.65	1.26
MWD	200	18932	90.07	358.54	93	12420.21	5867.95	5873.87	748.78	2.75
MWD	201	19027	91.87	359.86	95	12418.61	5962.93	5968.84	747.46	2.35
MWD	202	19122	90.99	359.86	95	12416.24	6057.89	6063.81	747.23	0.93
MWD	203	19217	89.76	359.06	95	12415.61	6152.89	6158.80	746.33	1.54
MWD	204	19311	91.82	0.91	94	12414.32	6246.87	6252.78	746.31	2.95
MWD	205	19407	90.81	0.30	96	12412.11	6342.82	6348.75	747.32	1.23
MWD	206	19502	89.85	0.21	95	12411.57	6437.82	6443.75	747.74	1.01
MWD	207	19596	91.69	1.17	94	12410.30	6531.78	6537.73	748.87	2.21
MWD	208	19690	92.79	1.96	94	12406.63	6625.65	6631.62	751.44	1.44
MWD	209	19785	93.41	2.14	95	12401.49	6720.42	6726.42	754.83	0.68
MWD	210	19880	90.73	0.38	95	12398.06	6815.31	6821.32	756.92	3.37
MWD	211	19975	90.15	0.91	95	12397.33	6910.29	6916.31	757.99	0.83
MWD	212	20069	93.89	2.32	94	12394.02	7004.15	7010.20	760.63	4.25
MWD	213	20164	94.59	2.67	95	12386.99	7098.76	7104.85	764.76	0.82
MWD	214	20259	92.31	358.01	95	12381.28	7193.55	7199.64	765.31	5.45
MWD	215	20353	92.18	359.06	94	12377.59	7287.46	7293.53	762.91	1.12
MWD	216	20448	93.41	359.77	95	12372.96	7382.35	7388.41	761.94	1.49
MWD	217	20542	94.15	359.59	94	12366.76	7476.14	7482.21	761.42	0.81
MWD	218	20637	90.59	358.36	95	12362.84	7571.04	7577.09	759.72	3.96
MWD	219	20731	91.47	358.54	94	12361.15	7665.00	7671.04	757.18	0.96
MWD	220	20825	91.47	359.42	94	12358.73	7758.97	7765.00	755.51	0.94
MWD	221	20920	89.45	358.63	95	12357.97	7853.95	7859.97	753.89	2.28
MWD	222	21015	89.41	358.54	95	12358.92	7948.93	7954.94	751.54	0.10
MWD	223	21109	88.04	357.92	94	12361.01	8042.88	8048.87	748.64	1.60
MWD	224	21204	88.57	357.31	95	12363.82	8137.79	8143.75	744.69	0.85
MWD	225	21300	90.73	357.22	96	12364.40	8233.70	8239.63	740.11	2.25
MWD	226	21395	92.09	358.98	95	12362.07	8328.64	8334.54	736.96	2.34
MWD	227	21485	92.09	358.45	90	12358.78	8418.57	8424.46	734.94	0.59
MWD	228	21580	94.29	0.73	95	12353.50	8513.41	8519.30	734.26	3.33
MWD	229	21674	92.84	0.73	94	12347.65	8607.20	8613.11	735.46	1.54
MWD	230	21768	93.01	0.30	94	12342.86	8701.07	8706.98	736.30	0.49
MWD	231	21862	91.65	0.38	94	12339.03	8794.98	8800.90	736.86	1.45
MWD	232	21957	90.37	1.17	95	12337.36	8889.94	8895.87	738.14	1.58
MWD	233	22051	91.12	0.91	94	12336.14	8983.90	8989.85	739.85	0.84
MWD	234	22146	91.52	1.17	95	12333.95	9078.84	9084.81	741.57	0.50
MWD	235	22241	92.44	2.84	95	12330.67	9173.70	9179.69	744.90	2.01
MWD	236	22336	90.02	2.40	95	12328.63	9268.53	9274.56	749.24	2.59
MWD	237	22431	89.23	2.49	95	12329.25	9363.41	9369.47	753.29	0.84
MWD	238	22526	90.20	2.40	95	12329.72	9458.28	9464.38	757.34	1.03

MWD	239	22622	90.90	2.49	96	12328.80	9554.16	9560.29	761.44	0.74
MWD	240	22696	91.60	3.90	74	12327.19	9627.99	9634.15	765.56	2.13
PTB	241	22760	91.60	3.90	64	12325.40	9691.78	9697.98	769.91	0.00

Submit To Appropriate District Office Two Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505			Form C-105 Revised April 3, 2017					
1. WELL API NO. 30-025-48763										
2. Type of Lease ☒ STATE ☐ FEE ☐ FED/INDIAN										
3. State Oil & Gas Lease No.										
WELL COMPLETION OR RECOMPLETION REPORT AND LOG										
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)								5. Lease Name or Unit Agreement Name PROMETHEUS STATE COM		
								6. Well Number: 136H		
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER										
8. Name of Operator TAP ROCK OPERATING, LLC								9. OGRID 372043		
10. Address of Operator 523 PARK POINT DRIVE, SUITE 200, GOLDEN, CO								11. Pool name or Wildcat WC-025 G-09 S243310P; UPPER WOLFCAMP		
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	O	22	24S	33E	-	828	SOUTH	2540	EAST	LEA
BH:	B	15	24S	33E	-	32	NORTH	1696	EAST	LEA
13. Date Spudded 10/30/2021	14. Date T.D. Reached 12/6/2021	15. Date Rig Released 12/9/2021			16. Date Completed (Ready to Produce) 4/25/2022			17. Elevations (DF and RKB, RT, GR, etc.) 3555 GR		
18. Total Measured Depth of Well 22760 ft			19. Plug Back Measured Depth 22698 ft			20. Was Directional Survey Made? YES		21. Type Electric and Other Logs Run GAMMA		
22. Producing Interval(s), of this completion - Top, Bottom, Name 12500' - 22614'								WOLFCAMP		
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
10.75"		45.5		1287'		13.5"		730 sks		0
7.625"		29.7		9960'/11885'		9.875"/8.75"		1147 sks		0
5.5"		20		22743'		6.75"		903 sks		0
24. LINER RECORD						25. TUBING RECORD				
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN		SIZE	DEPTH SET		PACKER SET	
26. Perforation record (interval, size, and number) Perforate from 12500 ft to 22614 ft, 1 SPF, .55 inch holes with 598 total shots						27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC. DEPTH INTERVAL AMOUNT AND KIND MATERIAL USED 12500' - 22614' 46 stage frac with 25,471,230 lbs of 100 mesh sand				
28. PRODUCTION										
Date First Production 5/4/2022		Production Method (Flowing, gas lift, pumping - Size and type pump) Flowing				Well Status (Prod. or Shut-in) Producing				
Date of Test 5/22/2022	Hours Tested 24 hrs	Choke Size 40/64	Prod'n For Test Period	Oil - Bbl 1758	Gas - MCF 3964	Water - Bbl. 4664	Gas - Oil Ratio 2255			
Flow Tubing Press. 1812	Casing Pressure 148	Calculated 24-Hour Rate	Oil - Bbl. 1758	Gas - MCF 3964	Water - Bbl. 4664	Oil Gravity - API - (Corr.)				
29. Disposition of Gas (Sold, used for fuel, vented, etc.) Sold								30. Test Witnessed By		
31. List Attachments C-102, Directional Survey										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.								33. Rig Release Date:		
34. If an on-site burial was used at the well, report the exact location of the on-site burial:										
Latitude				Longitude				NAD83		
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Signature 			Printed Name Jeff Trlica			Title Regulatory Analyst		Date 5/25/2022		
E-mail Address jtrlica@taprock.com										

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

[illegible]


No. 1, from.....to.....
No. 2, from.....to.....
No. 3, from.....to.....
No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology		From	To	Thickness In Feet	Lithology
0	941		Quaternary					
941	1561		Rustler					
1561	4734		Top of Salt					
4734	4953		Base of Salt					
4953	4984		Lamar					
4984	6242		Bell					
6242	7665		Cherry Canyon					
7665	9196		Brushy Canyon					
9196	9625		Bonespring					
9625	10165		Avalon					
10165	10921		1st Bone Spring Sand					
10921	11950		2nd Bone Spring Sand					
11950	12247		3rd Bone Spring Sand					
12247			Wolfcamp A					

Tap Rock
Prometheus
Defining Wells
T24S-R33E



Defining Prometheus Well

Prometheus Wells

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 111194

ACKNOWLEDGMENTS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 111194
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 111194

CONDITIONS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 111194
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	None	4/13/2023