

DISTRICT I

1625 N. French Dr., Hobbs, NM 88240

DISTRICT II

811 S. First St., Artesia, NM 88210

DISTRICT III

1000 Rio Brazos Rd., Aztec, NM 87410

DISTRICT IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural ResourcesForm C-104
Revised August 1, 2011Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address TAP ROCK OPERATING, LLC 523 PARK POINT DRIVE, SUITE 200 GOLDEN, CO 80401		² OGRID Number 372043
		³ Reason for Filing Code/ Effective Date NW
⁴ API Number 30 - 0 25-48773	⁵ Pool Name WC-025 G-09 S243310P; UPPER WOLFCAMP	⁶ Pool Code 98135
⁷ Property Code 330700	⁸ Property Name PROMETHEUS STATE COM	⁹ Well Number 204H

II. ¹⁰ Surface Location

UI or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
O	22	24S	33E	-	823	SOUTH	1541	EAST	LEA

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
A	15	24S	33E	-	1	NORTH	375	EAST	LEA
¹² Lse Code S	¹³ Producing Method Code F	¹⁴ Gas Connection Date 5/15/2022	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date				

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
34053	PLAINS ALL AMERICAN 333 CLAY STREET SUITE 1600 HOUSTON, TX 77002	O
371960	LUCID ENERGY GROUP 3100 MCKINNON ST #800 DALLAS, TX 75201	G

IV. Well Completion Data

²¹ Spud Date 11/20/2021	²² Ready Date 4/21/2022	²³ TD 22948'	²⁴ PBTB 22857'	²⁵ Perforations 12510' - 22771'	²⁶ DHC, MC
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
13.5"	10.75"	1270'	670 sks		
9.875"/8.75"	7.625"	9692'/12054'	1150 sks		
6.75"	5.5"	22938'	935 sks		

V. Well Test Data

³¹ Date New Oil 5/15/2022	³² Gas Delivery Date 5/15/2022	³³ Test Date 5/22/2022	³⁴ Test Length 24 hrs.	³⁵ Tbg. Pressure 1855	³⁶ Csg. Pressure 1790
³⁷ Choke Size 40/64	³⁸ Oil 1988	³⁹ Water 4074	⁴⁰ Gas 5122		⁴¹ Test Method Flowing
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: 			OIL CONSERVATION DIVISION		
Printed name: Jeff Trlica			Approved by: PATRICIA MARTINEZ		
Title: Regulatory Analyst			Title: PETROLEUM SPECIALIST		
E-mail Address: jtrlica@taprk.com			Approval Date: 4/13/2023		
Date: 5/25/2022		Phone: 720-771-5910			

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources
Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

FORM C-102

Revised August 1, 2011

Submit one copy to appropriate

District Office

☐ AMENDED REPORT
As Drilled

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-025-48773	² Pool Code 98135	³ Pool Name WC-025 G-09 S243310P;UPPER WOLFCAMP
⁴ Property Code 330700	⁵ Property Name PROMETHEUS STATE COM	⁶ Well Number 204H
⁷ OGRID No. #372043	⁸ Operator Name TAP ROCK OPERATING, LLC.	⁹ Elevation 3550'

¹⁰Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
0	22	24-S	33-E	-	823'	SOUTH	1541'	EAST	LEA

¹¹Bottom Hole Location If Different From Surface


UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
A	15	24-S	33-E	-	1'	NORTH	375'	EAST	LEA

¹² Dedicated Acres 640	¹³ Joint or Infill Infill	¹⁴ Consolidation Code	¹⁵ Order No.
--------------------------------------	---	----------------------------------	-------------------------

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

FTP: 100' FSL; 337 FEL Section 22

LTP: 100' FNL; 357 FEL Section 15

¹⁷OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

[Signature]

4/12/2022

Signature Date

Jeff Trlica

Printed Name

jtrlica@taprk.com

E-mail Address

¹⁸SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true to the best of my belief.


10/07/2021

Date of Survey Signature and Seal of Professional Surveyor

[Signature]

NEW MEXICO PROFESSIONAL SURVEYOR 24508

Certificate Number



LEASE NAME & WELL NO.: PROMETHEUS STATE COM 204H
 SECTION 22 TWP 24-S RGE 33-E SURVEY N.M.P.M.
 COUNTY LEA STATE NM ELEVATION 3550'
 DESCRIPTION 848' FSL & 1541' FEL



1400 EVERMAN PARKWAY, Ste. 146 • FT. WORTH, TEXAS 76140
 TELEPHONE: (817) 744-7512 • FAX (817) 744-7554
 TEXAS FIRM REGISTRATION NO. 10042504
 WWW.TOPOGRAPHIC.COM

INTERNAL
PRE-COMPLETION
PLAT

PROMETHEUS STATE COM 204H PRE-COMPLETION	REVISION:		NOTES: 1. ORIGINAL DOCUMENT SIZE: 8.5" X 11" 2. ALL BEARINGS, DISTANCES, AND COORDINATE VALUES CONTAINED HEREIN ARE GRID BASED UPON THE NEW MEXICO COORDINATE SYSTEM OF 1983, EAST ZONE, U.S. SURVEY FEET. 3. THIS WELL LOCATION SHOWN HEREON HAS BEEN SURVEYED ON THE GROUND UNDER MY SUPERVISION AND PREPARED ACCORDING TO THE EVIDENCE FOUND AT THE TIME OF SURVEY, AND DATA PROVIDED BY TAP ROCK OPERATING, LLC. THIS CERTIFICATION IS MADE AND LIMITED TO THOSE PERSONS OR ENTITIES SHOWN ON THE FACE OF THIS PLAT AND IS NON-TRANSFERABLE. THIS SURVEY IS CERTIFIED FOR THIS TRANSACTION ONLY.
	GJU	03/30/22	
DATE: 03/17/22			
FILE: C:\PROMETHEUS_STATE_COM_204H_REV1			
DRAWN BY: SAR			
SHEET: 2 OF 2			



Operator: TapRock Resources LLC
Well Name: Prometheus State Com 204H
County: Lea
State: New Mexico
Rig Name: H&P 261
API: 30-025-48773

Intrepid Directional Drilling Specialists certifies that the surveys performed on the above referenced well are true and correct MWD surveys, data provided as follows:

Surveyor: Intrepid Directional Drilling Specialists
Survey Depths: 176' MD – 22,895' MD
Projection to Bit: 22,948' MD
Dates Performed: 11/20/2020 – 1/3/2022
Type of Survey: MWD

Sincerely,

A handwritten signature in black ink, appearing to read "T. Henk".

Travis Henk
MWD Operations Manager
Intrepid Directional Drilling Specialists





Operator: Tap Rock Resources, LLC

Well Name: Prometheus State Com 204H ST01

Job Number: ID3135

Survey Company: Intrepid Directional Drilling Specialists

Rig Name: H&P 261

Target KBTVD: 12553.00

Target Inclination: 90.60°

Declination Correction: 5.92°

KB Elevation: 3574

Vertical Section Calculated Along Azimuth: 359.56°

Survey Calculation Method: Minimum Curvature

TIE PT. TYPE	SVY #	Survey Depth	INC deg.	AZM deg.	Course Length	TVD Ft.	V'Sect FT.	+N/-S Ft.	+E/-W Ft.	Dogleg %/100'
Tie In	0	0	0.00	0.00	0	0	0	0	0	0.00
MWD	1	176	0.26	62.79	176	176.00	0.18	0.18	0.36	0.15
MWD	2	206	0.57	39.23	30	206.00	0.33	0.33	0.51	1.16
MWD	3	297	0.48	37.91	91	296.99	0.97	0.98	1.03	0.10
MWD	4	387	0.35	59.18	90	386.99	1.41	1.42	1.50	0.22
MWD	5	478	0.26	85.81	91	477.99	1.56	1.58	1.94	0.18
MWD	6	568	0.04	139.34	90	567.99	1.55	1.57	2.17	0.26
MWD	7	658	0.22	64.37	90	657.99	1.60	1.62	2.34	0.24
MWD	8	748	0.22	49.51	90	747.99	1.79	1.81	2.63	0.06
MWD	9	838	0.13	335.25	90	837.99	1.99	2.01	2.72	0.25
MWD	10	930	0.26	23.67	92	929.99	2.27	2.30	2.76	0.22
MWD	11	1020	0.40	331.29	90	1019.99	2.74	2.76	2.69	0.35
MWD	12	1111	0.26	10.49	91	1110.99	3.22	3.24	2.58	0.28
MWD	13	1217	0.35	21.56	106	1216.98	3.76	3.78	2.74	0.10
MWD	14	1331	0.62	338.06	114	1330.98	4.65	4.67	2.64	0.38
MWD	15	1425	1.85	88.98	94	1424.96	5.14	5.17	3.96	2.29
MWD	16	1519	3.74	110.42	94	1518.85	4.07	4.13	8.35	2.26
MWD	17	1613	5.80	115.70	94	1612.52	0.88	1.00	15.51	2.24
MWD	18	1708	7.34	119.39	95	1706.89	-4.25	-4.06	25.12	1.68
MWD	19	1803	8.70	120.35	95	1800.96	-10.95	-10.67	36.61	1.44
MWD	20	1897	9.71	122.46	94	1893.75	-18.89	-18.52	49.43	1.13
MWD	21	1992	10.20	122.73	95	1987.32	-27.85	-27.36	63.27	0.52
MWD	22	2088	10.37	123.08	96	2081.78	-37.27	-36.68	77.66	0.19
MWD	23	2182	9.49	120.97	94	2174.37	-45.98	-45.28	91.39	1.01
MWD	24	2276	8.70	124.66	94	2267.19	-54.11	-53.31	103.88	1.04
MWD	25	2371	8.44	123.08	95	2361.13	-62.09	-61.20	115.64	0.37
MWD	26	2465	8.48	121.67	94	2454.10	-69.58	-68.61	127.32	0.22
MWD	27	2560	8.53	122.11	95	2548.06	-77.10	-76.03	139.24	0.09
MWD	28	2655	8.35	121.76	95	2642.03	-84.56	-83.41	151.08	0.20
MWD	29	2749	8.22	120.35	94	2735.05	-91.64	-90.39	162.68	0.26
MWD	30	2843	8.09	117.01	94	2828.10	-98.13	-96.79	174.37	0.52
MWD	31	2938	9.49	117.72	95	2921.98	-104.91	-103.47	187.26	1.48
MWD	32	3032	11.60	124.05	94	3014.39	-113.92	-112.37	201.95	2.56
MWD	33	3127	12.31	127.74	95	3107.33	-125.59	-123.92	217.87	1.10
MWD	34	3221	12.26	124.31	94	3199.18	-137.47	-135.67	234.04	0.78
MWD	35	3315	12.35	122.20	94	3291.02	-148.58	-146.66	250.79	0.49
MWD	36	3410	12.22	121.85	95	3383.85	-159.43	-157.38	267.93	0.16
MWD	37	3504	12.35	119.21	94	3475.70	-169.72	-167.53	285.16	0.61
MWD	38	3599	12.35	123.25	95	3568.50	-180.38	-178.06	302.52	0.91
MWD	39	3693	11.96	124.92	94	3660.39	-191.59	-189.15	318.91	0.56
MWD	40	3787	11.47	121.32	94	3752.43	-202.15	-199.58	334.88	0.94
MWD	41	3882	11.56	126.86	95	3845.53	-212.89	-210.20	350.57	1.17
MWD	42	3976	11.87	129.05	94	3937.57	-224.74	-221.94	365.61	0.58
MWD	43	4070	11.74	129.85	94	4029.58	-237.08	-234.16	380.46	0.22
MWD	44	4163	10.90	128.35	93	4120.77	-248.70	-245.68	394.62	0.96
MWD	45	4258	11.56	124.75	95	4213.95	-259.82	-256.68	409.49	1.01
MWD	46	4353	12.53	122.46	95	4306.86	-270.90	-267.63	426.00	1.14
MWD	47	4447	11.52	119.74	94	4398.80	-281.16	-277.76	442.76	1.23
MWD	48	4541	11.25	117.54	94	4490.95	-290.18	-286.66	459.04	0.54
MWD	49	4635	11.82	121.23	94	4583.05	-299.53	-295.89	475.40	0.99
MWD	50	4729	11.69	122.81	94	4675.08	-309.81	-306.04	491.64	0.37
MWD	51	4823	12.44	123.08	94	4767.00	-320.62	-316.73	508.12	0.80
MWD	52	4918	15.34	125.36	95	4859.21	-333.63	-329.59	526.95	3.11
MWD	53	5012	15.60	126.95	94	4949.81	-348.57	-344.38	547.19	0.53
MWD	54	5106	14.99	126.59	94	5040.48	-363.57	-359.23	567.05	0.66
MWD	55	5200	14.07	125.63	94	5131.47	-377.62	-373.13	586.10	1.01
MWD	56	5295	13.27	126.07	95	5223.78	-390.91	-386.28	604.30	0.85
MWD	57	5389	12.79	123.78	94	5315.36	-403.18	-398.41	621.67	0.75
MWD	58	5484	13.23	122.11	95	5407.92	-414.94	-410.04	639.62	0.61
MWD	59	5578	13.36	120.88	94	5499.40	-426.37	-421.33	658.05	0.33
MWD	60	5673	12.26	122.11	95	5592.04	-437.50	-432.33	676.01	1.19
MWD	61	5767	11.78	121.5	94	5683.98	-447.95	-442.64	692.65	0.53
MWD	62	5861	11.47	120.35	94	5776.05	-457.81	-452.38	708.90	0.41
MWD	63	5955	11.52	119.83	94	5868.16	-467.33	-461.77	725.10	0.12
MWD	64	6050	11.74	117.37	95	5961.21	-476.62	-470.93	741.92	0.57
MWD	65	6144	12.4	118.86	94	6053.13	-486.02	-480.20	759.25	0.78

MWD	66	6239	13.14	119.3	95	6145.78	-496.37	-490.41	777.60	0.79
MWD	67	6332	13.01	117.45	93	6236.37	-506.51	-500.41	796.11	0.47
MWD	68	6427	13.27	123.52	95	6328.89	-517.60	-511.36	814.69	1.48
MWD	69	6521	13.63	126.15	94	6420.31	-530.23	-523.85	832.62	0.76
MWD	70	6616	13.23	125.36	95	6512.71	-543.26	-536.74	850.53	0.46
MWD	71	6710	13.36	124.84	94	6604.19	-555.82	-549.17	868.21	0.19
MWD	72	6804	13.19	129.41	94	6695.69	-568.97	-562.19	885.41	1.13
MWD	73	6898	12	129.93	94	6787.42	-582.17	-575.27	901.19	1.27
MWD	74	6992	10.37	130.46	94	6879.63	-594.04	-587.03	915.13	1.74
MWD	75	7087	9.71	129.76	95	6973.18	-604.81	-597.70	927.79	0.71
MWD	76	7180	9.19	130.29	93	7064.92	-614.72	-607.52	939.48	0.57
MWD	77	7275	8.35	131.25	95	7158.80	-624.26	-616.98	950.46	0.90
MWD	78	7369	9.01	124.84	94	7251.73	-633.05	-625.68	961.63	1.24
MWD	79	7463	10.37	120.35	94	7344.39	-641.63	-634.16	974.97	1.65
MWD	80	7557	11.82	118.95	94	7436.63	-650.69	-643.10	990.70	1.57
MWD	81	7650	11.74	118.24	93	7527.67	-659.90	-652.18	1007.37	0.18
MWD	82	7745	11.69	119.47	95	7620.69	-669.34	-661.49	1024.26	0.27
MWD	83	7839	10.68	118.77	94	7712.90	-678.34	-670.37	1040.19	1.08
MWD	84	7934	10.86	117.63	95	7806.23	-686.84	-678.76	1055.83	0.29
MWD	85	8028	10.33	116.93	94	7898.63	-694.89	-686.68	1071.19	0.58
MWD	86	8122	9.36	115.52	94	7991.24	-702.11	-693.79	1085.61	1.06
MWD	87	8216	10.46	116.22	94	8083.84	-709.28	-700.85	1100.16	1.18
MWD	88	8310	11.69	115.26	94	8176.09	-717.24	-708.69	1116.43	1.32
MWD	89	8404	10.64	114.29	94	8268.31	-725.00	-716.32	1132.95	1.13
MWD	90	8498	10.33	113.23	94	8360.74	-732.01	-723.22	1148.60	0.39
MWD	91	8592	9.41	112.53	94	8453.34	-738.40	-729.48	1163.45	0.99
MWD	92	8687	8.57	112.53	95	8547.18	-744.19	-735.17	1177.16	0.88
MWD	93	8782	7.25	120.97	95	8641.27	-750.08	-740.97	1188.84	1.85
MWD	94	8878	6.24	125.89	96	8736.61	-756.33	-747.15	1198.26	1.21
MWD	95	8973	5.19	127.38	95	8831.14	-762.02	-752.78	1205.86	1.12
MWD	96	9068	3.16	133.63	95	8925.88	-766.48	-757.20	1211.17	2.19
MWD	97	9162	1.98	149.09	94	9019.78	-769.68	-760.38	1213.88	1.44
MWD	98	9256	1.41	155.86	94	9113.74	-772.14	-762.83	1215.18	0.64
MWD	99	9351	1.23	156.04	95	9208.72	-774.14	-764.82	1216.07	0.19
MWD	100	9445	1.23	151.73	94	9302.70	-775.96	-766.64	1216.96	0.10
MWD	101	9540	0.79	112.71	95	9397.68	-777.12	-767.79	1218.05	0.83
MWD	102	9635	0.79	185.04	95	9492.67	-778.03	-768.69	1218.60	0.98
MWD	103	9730	0.84	187.77	95	9587.66	-779.37	-770.03	1218.44	0.07
MWD	104	9824	0.79	217.56	94	9681.66	-780.56	-771.23	1217.96	0.45
MWD	105	9918	1.23	231.71	94	9775.64	-781.69	-772.37	1216.77	0.53
MWD	106	10013	0.92	271.61	95	9870.63	-782.29	-772.98	1215.21	0.83
MWD	107	10107	0.97	252.10	94	9964.61	-782.50	-773.20	1213.69	0.34
MWD	108	10201	1.58	209.65	94	10058.59	-783.86	-774.57	1212.30	1.15
MWD	109	10296	1.93	240.59	95	10153.55	-785.77	-776.50	1210.25	1.05
MWD	110	10390	0.97	22.62	94	10247.53	-785.80	-776.54	1209.18	2.94
MWD	111	10483	1.71	55.49	93	10340.51	-784.30	-775.03	1210.63	1.12
MWD	112	10577	1.23	46.44	94	10434.48	-782.83	-773.54	1212.51	0.57
MWD	113	10672	0.92	68.23	95	10529.46	-781.85	-772.55	1213.96	0.53
MWD	114	10766	0.13	57.60	94	10623.46	-781.52	-772.22	1214.75	0.84
MWD	115	10860	0.53	106.73	94	10717.45	-781.59	-772.28	1215.26	0.48
MWD	116	10954	0.26	153.84	94	10811.45	-781.91	-772.60	1215.77	0.43
MWD	117	11049	0.40	118.60	95	10906.45	-782.27	-772.95	1216.16	0.25
MWD	118	11144	0.57	158.41	95	11001.45	-782.87	-773.55	1216.62	0.39
MWD	119	11239	0.88	142.85	95	11096.44	-783.90	-774.57	1217.24	0.38
MWD	120	11333	1.01	149.97	94	11190.43	-785.19	-775.86	1218.09	0.19
MWD	121	11427	0.35	51.01	94	11284.42	-785.74	-776.40	1218.72	1.19
MWD	122	11521	0.13	13.65	94	11378.42	-785.45	-776.12	1218.97	0.28
MWD	123	11615	0.26	200.51	94	11472.42	-785.55	-776.21	1218.92	0.41
MWD	124	11709	0.40	180.12	94	11566.42	-786.08	-776.74	1218.85	0.19
MWD	125	11804	0.57	154.19	95	11661.42	-786.84	-777.50	1219.05	0.29
MWD	126	11899	0.48	121.85	95	11756.41	-787.48	-778.13	1219.60	0.32
MWD	127	11993	0.57	152.52	94	11850.41	-788.10	-778.75	1220.15	0.31
MWD	128	12081	0.48	130.11	88	11938.41	-788.73	-779.38	1220.63	0.25
MWD	129	12121	0.44	121.76	40	11978.40	-788.92	-779.57	1220.89	0.19
MWD	130	12216	9.32	337.88	95	12073.00	-781.95	-772.62	1218.30	10.19
MWD	131	12311	28.26	350.63	95	12162.56	-752.31	-743.02	1211.68	20.29
MWD	132	12405	42.29	359.59	94	12239.16	-698.39	-689.14	1207.80	15.87
MWD	133	12499	46.64	1.00	94	12306.23	-632.57	-623.31	1208.17	4.75
MWD	134	12594	48.62	3.11	95	12370.25	-562.46	-553.18	1210.71	2.65
MWD	135	12689	56.88	3.02	95	12427.70	-487.05	-477.74	1214.75	8.70
MWD	136	12783	60.40	4.07	94	12476.62	-406.99	-397.64	1219.72	3.86
MWD	137	12877	67.16	1.61	94	12518.13	-322.86	-313.47	1223.85	7.56
MWD	138	12972	76.00	355.64	95	12548.14	-232.88	-223.50	1221.57	11.05
MWD	139	13066	79.87	356.60	94	12567.79	-141.14	-131.81	1215.35	4.24
MWD	140	13161	89.45	0.03	95	12576.62	-46.70	-37.38	1212.60	10.70
MWD	141	13255	93.14	0.30	94	12574.50	47.26	56.57	1212.87	3.94
MWD	142	13350	93.63	0.38	95	12568.89	142.08	151.41	1213.43	0.52
MWD	143	13444	91.87	358.01	94	12564.38	235.96	245.28	1212.11	3.14
MWD	144	13538	91.21	357.31	94	12561.85	329.88	339.17	1208.27	1.02

MWD	145	13632	89.98	359.15	94	12560.87	423.84	433.11	1205.37	2.35
MWD	146	13726	88.79	359.59	94	12561.88	517.83	527.10	1204.34	1.35
MWD	147	13821	91.08	359.77	95	12561.99	612.83	622.09	1203.81	2.42
MWD	148	13916	88.31	356.87	95	12562.50	707.78	717.03	1201.02	4.22
MWD	149	14010	90.86	359.06	94	12563.18	801.73	810.95	1197.68	3.58
MWD	150	14104	91.25	358.19	94	12561.45	895.70	904.91	1195.43	1.01
MWD	151	14224	89.27	357.31	120	12560.90	1015.63	1024.81	1190.72	1.81
MWD	152	14318	91.43	0.91	94	12560.33	1109.61	1118.77	1189.26	4.47
MWD	153	14412	92.53	1.53	94	12557.08	1203.51	1212.69	1191.26	1.34
MWD	154	14507	90.55	1.35	95	12554.53	1298.42	1307.62	1193.65	2.09
MWD	155	14601	88.70	1.17	94	12555.14	1392.37	1401.60	1195.71	1.98
MWD	156	14695	87.38	0.56	94	12558.36	1486.29	1495.53	1197.13	1.55
MWD	157	14790	91.43	359.94	95	12559.34	1581.26	1590.50	1197.54	4.31
MWD	158	14884	92.53	359.86	94	12556.10	1675.20	1684.44	1197.38	1.17
MWD	159	14978	92.26	359.42	94	12552.17	1769.12	1778.36	1196.79	0.55
MWD	160	15073	91.47	359.33	95	12549.08	1864.07	1873.30	1195.75	0.84
MWD	161	15167	89.76	359.50	94	12548.07	1958.06	1967.29	1194.80	1.83
MWD	162	15262	91.08	359.15	95	12547.37	2053.05	2062.28	1193.68	1.44
MWD	163	15356	91.34	359.77	94	12545.39	2147.03	2156.25	1192.79	0.72
MWD	164	15451	93.54	359.86	95	12541.34	2241.94	2251.16	1192.48	2.32
MWD	165	15545	92.00	0.12	94	12536.80	2335.82	2345.05	1192.47	1.66
MWD	166	15639	90.64	0.21	94	12534.63	2429.79	2439.02	1192.74	1.45
MWD	167	15734	89.45	358.98	95	12534.56	2524.78	2534.01	1192.07	1.80
MWD	168	15828	88.97	357.83	94	12535.85	2618.75	2627.97	1189.45	1.33
MWD	169	15922	92.79	0.73	94	12534.41	2712.71	2721.92	1188.27	5.10
MWD	170	16017	89.54	358.01	95	12532.48	2807.67	2816.87	1187.22	4.46
MWD	171	16112	88.22	356.60	95	12534.34	2902.58	2911.75	1182.76	2.03
MWD	172	16206	92.13	357.75	94	12534.05	2996.48	3005.61	1178.13	4.34
MWD	173	16300	93.01	358.01	94	12529.83	3090.34	3099.45	1174.65	0.98
MWD	174	16394	89.05	356.69	94	12528.14	3184.23	3193.31	1170.31	4.44
MWD	175	16488	89.58	357.92	94	12529.27	3278.15	3287.20	1165.89	1.42
MWD	176	16583	89.36	358.01	95	12530.15	3373.11	3382.14	1162.51	0.25
MWD	177	16677	91.30	0.82	94	12529.61	3467.09	3476.12	1161.55	3.63
MWD	178	16771	91.52	0.65	94	12527.29	3561.05	3570.08	1162.76	0.30
MWD	179	16865	90.46	359.24	94	12525.67	3655.03	3664.06	1162.67	1.88
MWD	180	16959	89.80	357.92	94	12525.46	3749.01	3758.03	1160.34	1.57
MWD	181	17053	93.63	359.86	94	12522.64	3842.94	3851.95	1158.52	4.57
MWD	182	17148	95.08	359.33	95	12515.43	3937.66	3946.67	1157.85	1.62
MWD	183	17242	86.02	358.71	94	12514.53	4031.56	4040.55	1156.24	9.66
MWD	184	17337	88.66	359.68	95	12518.94	4126.44	4135.43	1154.91	2.96
MWD	185	17432	89.85	358.63	95	12520.17	4221.43	4230.41	1153.51	1.67
MWD	186	17525	91.16	0.12	93	12519.35	4314.42	4323.40	1152.50	2.13
MWD	187	17619	89.93	0.03	94	12518.46	4408.41	4417.39	1152.62	1.31
MWD	188	17714	90.11	359.15	95	12518.42	4503.41	4512.39	1151.94	0.95
MWD	189	17809	90.37	359.94	95	12518.03	4598.41	4607.38	1151.18	0.88
MWD	190	17903	90.51	358.71	94	12517.30	4692.40	4701.37	1150.08	1.32
MWD	191	17997	89.36	357.04	94	12517.41	4786.36	4795.30	1146.59	2.16
MWD	192	18092	91.69	359.06	95	12516.54	4881.31	4890.23	1143.36	3.25
MWD	193	18187	93.67	359.68	95	12512.10	4976.20	4985.12	1142.32	2.18
MWD	194	18282	91.78	1.44	95	12507.58	5071.07	5080.00	1143.24	2.72
MWD	195	18376	92.09	1.26	94	12504.41	5164.97	5173.92	1145.46	0.38
MWD	196	18470	92.13	2.58	94	12500.95	5258.82	5267.80	1148.60	1.40
MWD	197	18564	88.48	1.53	94	12500.45	5352.72	5361.72	1151.97	4.04
MWD	198	18658	87.96	1.09	94	12503.37	5446.63	5455.65	1154.12	0.72
MWD	199	18751	89.49	1.88	93	12505.44	5539.55	5548.59	1156.53	1.85
MWD	200	18845	93.76	2.49	94	12502.77	5633.39	5642.46	1160.11	4.59
MWD	201	18940	90.99	2.14	95	12498.83	5728.19	5737.29	1163.95	2.94
MWD	202	19035	90.29	1.88	95	12497.77	5823.09	5832.23	1167.28	0.79
MWD	203	19129	87.38	359.15	94	12499.68	5917.04	5926.19	1168.12	4.24
MWD	204	19224	89.98	358.98	95	12501.87	6012.01	6021.14	1166.57	2.74
MWD	205	19318	92.97	359.42	94	12499.45	6105.96	6115.09	1165.26	3.22
MWD	206	19413	90.73	358.80	95	12496.39	6200.90	6210.02	1163.79	2.45
MWD	207	19507	91.12	359.15	94	12494.87	6294.89	6304.00	1162.11	0.56
MWD	208	19601	90.95	356.34	94	12493.17	6388.81	6397.90	1158.41	2.99
MWD	209	19696	90.73	353.00	95	12491.78	6483.44	6492.46	1149.59	3.52
MWD	210	19743	91.03	351.07	47	12491.06	6530.03	6539.00	1143.07	4.16
MWD	211	19790	90.29	353.44	47	12490.51	6576.64	6585.57	1136.74	5.28
MWD	212	19837	89.01	355.64	47	12490.80	6623.46	6632.35	1132.27	5.42
MWD	213	19885	87.52	358.10	48	12492.25	6671.38	6680.25	1129.65	5.99
MWD	214	19932	89.41	2.23	47	12493.51	6718.35	6727.22	1129.79	9.66
MWD	215	19979	92.00	3.11	47	12492.94	6765.27	6774.16	1131.97	5.82
MWD	216	20026	92.48	1.96	47	12491.10	6812.17	6821.08	1134.05	2.65
MWD	217	20073	89.71	1.61	47	12490.20	6859.12	6868.04	1135.52	5.94
MWD	218	20120	87.21	1.00	47	12491.46	6906.08	6915.01	1136.59	5.48
MWD	219	20168	87.78	1.79	48	12493.56	6954.01	6962.95	1137.75	2.03
MWD	220	20262	87.60	1.79	94	12497.35	7047.86	7056.83	1140.69	0.19
MWD	221	20356	89.41	3.46	94	12499.80	7141.69	7150.69	1144.99	2.62
MWD	222	20451	89.36	359.86	95	12500.82	7236.60	7245.63	1147.74	3.79
MWD	223	20514	88.18	358.36	63	12502.18	7299.58	7308.60	1146.76	3.03

MWD	224	20546	87.47	356.78	32	12503.39	7331.54	7340.55	1145.41	5.41
MWD	225	20593	87.82	355.02	47	12505.32	7378.40	7387.39	1142.05	3.81
MWD	226	20641	88.92	354.93	48	12506.69	7426.23	7435.18	1137.85	2.30
MWD	227	20688	90.33	354.85	47	12506.99	7473.07	7481.99	1133.66	3.00
MWD	228	20736	91.56	355.37	48	12506.20	7520.92	7529.81	1129.57	2.78
MWD	229	20783	92.70	355.72	47	12504.46	7567.77	7576.64	1125.92	2.54
MWD	230	20829	89.80	353.79	46	12503.45	7613.59	7622.43	1121.72	7.57
MWD	231	20876	91.03	355.11	47	12503.11	7660.40	7669.20	1117.17	3.84
MWD	232	20923	91.16	355.81	47	12502.21	7707.27	7716.05	1113.45	1.51
MWD	233	21017	90.95	0.47	94	12500.48	7801.20	7809.96	1110.40	4.96
MWD	234	21111	93.63	3.46	94	12496.73	7895.02	7903.81	1113.62	4.27
MWD	235	21207	96.09	3.37	96	12488.59	7990.45	7999.28	1119.32	2.56
MWD	236	21301	95.30	3.11	94	12479.27	8083.79	8092.67	1124.61	0.88
MWD	237	21352	93.05	2.14	51	12475.55	8134.58	8143.48	1126.94	4.80
MWD	238	21396	89.54	1.26	44	12474.56	8178.53	8187.44	1128.24	8.22
MWD	239	21490	92.26	1.61	94	12473.08	8272.46	8281.39	1130.59	2.92
MWD	240	21584	90.42	0.65	94	12470.88	8366.40	8375.34	1132.45	2.21
MWD	241	21678	89.80	359.24	94	12470.70	8460.39	8469.34	1132.36	1.64
MWD	242	21772	88.97	359.06	94	12471.71	8554.38	8563.32	1130.96	0.90
MWD	243	21866	89.76	359.68	94	12472.75	8648.37	8657.31	1129.93	1.07
MWD	244	21961	88.75	357.39	95	12473.99	8743.34	8752.26	1127.50	2.63
MWD	245	22055	92.18	359.15	94	12473.23	8837.30	8846.20	1124.66	4.10
MWD	246	22150	90.55	357.92	95	12470.96	8932.25	8941.13	1122.23	2.15
MWD	247	22244	92.66	358.36	94	12468.33	9026.18	9035.04	1119.18	2.29
MWD	248	22339	90.20	357.75	95	12465.96	9121.11	9129.95	1115.96	2.67
MWD	249	22432	89.76	359.59	93	12465.99	9214.10	9222.92	1113.80	2.03
MWD	250	22527	92.44	359.59	95	12464.17	9309.07	9317.89	1113.12	2.82
MWD	251	22621	95.60	358.89	94	12457.58	9402.82	9411.64	1111.88	3.44
MWD	252	22715	94.55	356.96	94	12449.26	9496.41	9505.20	1108.49	2.33
MWD	253	22809	96.00	356.16	94	12440.62	9589.88	9598.63	1102.87	1.76
MWD	254	22865	96.26	355.29	56	12434.64	9645.44	9654.16	1098.72	1.61
MWD	255	22895	96.70	354.76	30	12431.26	9675.15	9683.85	1096.14	2.29
PTB	256	22948	96.70	354.76	53	12425.07	9727.60	9736.27	1091.33	0.00

Submit To Appropriate District Office Two Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505			Form C-105 Revised April 3, 2017					
1. WELL API NO. 30-025-48773										
2. Type of Lease ☒ STATE ☐ FEE ☐ FED/INDIAN										
3. State Oil & Gas Lease No.										
WELL COMPLETION OR RECOMPLETION REPORT AND LOG										
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)								5. Lease Name or Unit Agreement Name PROMETHEUS STATE COM		
								6. Well Number: 204H		
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER										
8. Name of Operator TAP ROCK OPERATING, LLC								9. OGRID 372043		
10. Address of Operator 523 PARK POINT DRIVE, SUITE 200, GOLDEN, CO								11. Pool name or Wildcat WC-025 G-09 S243310P; UPPER WOLFCAMP		
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	O	22	24S	33E	-	823	SOUTH	1541	EAST	LEA
BH:	A	15	24S	33E	-	1	NORTH	375	EAST	LEA
13. Date Spudded 11/20/2021	14. Date T.D. Reached 1/3/2022	15. Date Rig Released 1/6/2022			16. Date Completed (Ready to Produce) 4/21/2022			17. Elevations (DF and RKB, RT, GR, etc.) 3552 GR		
18. Total Measured Depth of Well 22948 ft			19. Plug Back Measured Depth 22857 ft			20. Was Directional Survey Made? YES		21. Type Electric and Other Logs Run GAMMA		
22. Producing Interval(s), of this completion - Top, Bottom, Name 12510' - 22771'								WOLFCAMP		
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
10.75"		45.5		1270'		13.5"		670 sks		0
7.625"		29.7		9692'/12054'		9.875"/8.75"		1150 sks		0
5.5"		20		22938'		6.75"		935 sks		0
24. LINER RECORD										
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN		25. TUBING RECORD		SIZE		DEPTH SET
26. Perforation record (interval, size, and number)						27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.				
Perforate from 12510 ft to 22771 ft, 1 SPF, .55 inch holes with 598 total shots						DEPTH INTERVAL		AMOUNT AND KIND MATERIAL USED		
						12510' - 22771'		46 stage frac with 25,837,504 lbs of 100 mesh sand		
28. PRODUCTION										
Date First Production 5/15/2022		Production Method (Flowing, gas lift, pumping - Size and type pump) Flowing				Well Status (Prod. or Shut-in) Producing				
Date of Test	Hours Tested 24 hrs	Choke Size 40/64	Prod'n For Test Period	Oil - Bbl 1988	Gas - MCF 5122	Water - Bbl. 4074	Gas - Oil Ratio 2576			
Flow Tubing Press. 1855	Casing Pressure 1790	Calculated 24-Hour Rate	Oil - Bbl. 1988	Gas - MCF 5122	Water - Bbl. 4074	Oil Gravity - API - (Corr.)				
29. Disposition of Gas (Sold, used for fuel, vented, etc.) Sold								30. Test Witnessed By		
31. List Attachments C-102, Directional Survey										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.								33. Rig Release Date:		
34. If an on-site burial was used at the well, report the exact location of the on-site burial:										
Latitude				Longitude				NAD83		
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Signature			Printed Name Jeff Trlica			Title Regulatory Analyst			Date 5/25/2022	
E-mail Address jtrlica@tapr										

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

[illegible]


No. 1, from.....to.....
No. 2, from.....to.....
No. 3, from.....to.....
No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology		From	To	Thickness In Feet	Lithology
0	945		Quaternary					
945	1565		Rustler					
1565	4738		Top of Salt					
4738	4957		Base of Salt					
4957	4988		Lamar					
4988	6246		Bell					
6246	7684		Cherry Canyon					
7684	9195		Brushy Canyon					
9195	9639		Bonespring					
9639	10192		Avalon					
10192	10926		1st Bone Spring Sand					
10926	11958		2nd Bone Spring Sand					
11958	12295		3rd Bone Spring Sand					
12295			Wolfcamp A					

Tap Rock
Prometheus
Defining Wells
T24S-R33E



Defining Prometheus Well



Prometheus Wells

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 111225

ACKNOWLEDGMENTS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 111225
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 111225

CONDITIONS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 111225
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	None	4/13/2023