

DISTRICT I

1625 N. French Dr., Hobbs, NM 88240

District II

811 S. First St., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural ResourcesForm C-104
Revised August 1, 2011Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address TAP ROCK OPERATING, LLC 523 PARK POINT DRIVE, SUITE 200 GOLDEN, CO 80401		² OGRID Number 372043
		³ Reason for Filing Code/ Effective Date NW
⁴ API Number 30 - 0 25-48776	⁵ Pool Name WC-025 G-09 S243310P; UPPER WOLFCAMP	
	⁶ Pool Code 98135	
⁷ Property Code 330700	⁸ Property Name PROMETHEUS STATE COM	⁹ Well Number 214H

II. ¹⁰ Surface Location

UI or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
O	22	24S	33E	-	823	SOUTH	1566	EAST	LEA

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
A	15	24S	33E	-	29	NORTH	758	EAST	LEA
¹² Lse Code S	¹³ Producing Method Code F	¹⁴ Gas Connection Date 5/25/2022	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date				

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
34053	PLAINS ALL AMERICAN 333 CLAY STREET SUITE 1600 HOUSTON, TX 77002	O
371960	LUCID ENERGY GROUP 3100 MCKINNON ST #800 DALLAS, TX 75201	G

IV. Well Completion Data

²¹ Spud Date 11/18/2021	²² Ready Date 4/19/2022	²³ TD 22857'	²⁴ PBTB 22793'	²⁵ Perforations 12460' - 22709'	²⁶ DHC, MC
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
13.5"	10.75"	1070'	503 sks		
9.875"/8.75"	7.625"	9976'/11933'	1165 sks		
6.75"	5.5"	22842'	935 sks		

V. Well Test Data

³¹ Date New Oil 5/15/2022	³² Gas Delivery Date 5/25/2022	³³ Test Date 5/22/2022	³⁴ Test Length 24 hrs.	³⁵ Tbg. Pressure 1797	³⁶ Csg. Pressure 1653
³⁷ Choke Size 40/64	³⁸ Oil 1824	³⁹ Water 4585	⁴⁰ Gas 4333		⁴¹ Test Method Flowing
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: 			OIL CONSERVATION DIVISION		
Printed name: Jeff Trlica			Approved by: PATRICIA MARTINEZ		
Title: Regulatory Analyst			Title: PETROLEUM SPECIALIST		
E-mail Address: jtrlica@taprk.com			Approval Date: 4/13/2023		
Date: 5/25/2022		Phone: 720-771-5910			

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources
Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

FORM C-102

Revised August 1, 2011

Submit one copy to appropriate

District Office

☐ AMENDED REPORT
As Drilled

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-025-48776	² Pool Code 98135	³ Pool Name WC-025 G-09 S243310P;UPPER WOLFCAMP
⁴ Property Code 330700	⁵ Property Name PROMETHEUS STATE COM	⁶ Well Number 214H
⁷ OGRID No. #372043	⁸ Operator Name TAP ROCK OPERATING, LLC.	⁹ Elevation 3549'

¹⁰Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
0	22	24-S	33-E	-	823'	SOUTH	1566'	EAST	LEA

¹¹Bottom Hole Location If Different From Surface


UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
A	15	24-S	33-E	-	29'	NORTH	758'	EAST	LEA


¹² Dedicated Acres 640	¹³ Joint or Infill Infill	¹⁴ Consolidation Code	¹⁵ Order No.
--------------------------------------	---	----------------------------------	-------------------------

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

FTP: 100' FSL; 816 FEL Section 22

LTP: 100' FNL; 765 FEL Section 15





LEASE NAME & WELL NO.: PROMETHEUS STATE COM 214H

SECTION 22 TWP 24-S RGE 33-E SURVEY N.M.P.M.

COUNTY LEA STATE NM ELEVATION 3549'

DESCRIPTION 823' FSL & 1566' FEL



1400 EVERMAN PARKWAY, Ste. 146 • FT. WORTH, TEXAS 76140
TELEPHONE: (817) 744-7512 • FAX (817) 744-7554
TEXAS FIRM REGISTRATION NO. 10042504
WWW.TOPOGRAPHIC.COM

INTERNAL
PRE-COMPLETION
PLAT

PROMETHEUS STATE COM 214H PRE-COMPLETION	REVISION:		NOTES: 1. ORIGINAL DOCUMENT SIZE: 8.5" X 11" 2. ALL BEARINGS, DISTANCES, AND COORDINATE VALUES CONTAINED HEREIN ARE GRID BASED UPON THE NEW MEXICO COORDINATE SYSTEM OF 1983, EAST ZONE, U.S. SURVEY FEET. 3. THIS WELL LOCATION SHOWN HEREON HAS BEEN SURVEYED ON THE GROUND UNDER MY SUPERVISION AND PREPARED ACCORDING TO THE EVIDENCE FOUND AT THE TIME OF SURVEY, AND DATA PROVIDED BY TAP ROCK OPERATING, LLC. THIS CERTIFICATION IS MADE AND LIMITED TO THOSE PERSONS OR ENTITIES SHOWN ON THE FACE OF THIS PLAT AND IS NON-TRANSFERABLE. THIS SURVEY IS CERTIFIED FOR THIS TRANSACTION ONLY.
	GJU	03/30/22	
DATE: 03/17/22			
FILE:C:\PROMETHEUS_STATE_COM_214H_REV1			
DRAWN BY: SAR			
SHEET : 2 OF 2			



Operator: TapRock Resources LLC
Well Name: Prometheus State Com 214H
County: Lea
State: New Mexico
Rig Name: H&P 261
API: 30-025-48776

Intrepid Directional Drilling Specialists certifies that the surveys performed on the above referenced well are true and correct MWD surveys, data provided as follows:

Surveyor: Intrepid Directional Drilling Specialists
Survey Depths: 179' MD – 22,784' MD
Projection to Bit: 22,857' MD
Dates Performed: 11/18/2021 – 01/18/2022
Type of Survey: MWD

Sincerely,

A handwritten signature in black ink, appearing to read "T. Henk".

Travis Henk
MWD Operations Manager
Intrepid Directional Drilling Specialists





Operator: **Tap Rock Resources, LLC.**
 Well Name: **Prometheus State Com 214H**
 Job Number: **ID3137**
 Survey Company: **Intrepid Directional Drilling Specialists**
 Rig Name: **H&P 261**

Target KBTVD: **12487.00**
 Target Inclination: **90.60°**
 Declination Correction: **5.90°**
 KB Elevation: **3578**

Vertical Section Calculated Along Azimuth:

359.56°

Survey Calculation Method: Minimum Curvature

TIE PT. TYPE	SVY #	Survey Depth	INC deg.	AZM deg.	Course Length	TVD Ft.	V'Sect FT.	+N/-S Ft.	+E/-W Ft.	Dogleg %/100'
Tie In	0	0	0.00	0.00	0	0	0	0	0	0.00
MWD	1	179	0.44	219.14	179	179.00	-0.53	-0.53	-0.43	0.25
MWD	2	235	0.70	224.68	56	235.00	-0.94	-0.94	-0.81	0.47
MWD	3	330	0.40	208.24	95	329.99	-1.64	-1.65	-1.38	0.35
MWD	4	420	0.53	210.62	90	419.99	-2.27	-2.28	-1.74	0.15
MWD	5	511	0.35	242.61	91	510.99	-2.76	-2.77	-2.20	0.33
MWD	6	600	0.48	255.97	89	599.98	-2.97	-2.99	-2.80	0.18
MWD	7	690	0.31	207.72	90	689.98	-3.27	-3.30	-3.28	0.40
MWD	8	781	0.26	340.78	91	780.98	-3.29	-3.32	-3.46	0.57
MWD	9	871	0.22	11.28	90	870.98	-2.93	-2.96	-3.49	0.15
MWD	10	963	0.53	291.83	92	962.98	-2.59	-2.62	-3.86	0.58
MWD	11	1053	0.66	317.76	90	1052.97	-2.05	-2.09	-4.59	0.33
MWD	12	1143	0.35	290.95	90	1142.97	-1.56	-1.60	-5.20	0.42
MWD	13	1217	0.44	324.61	74	1216.97	-1.25	-1.29	-5.57	0.33
MWD	14	1330	0.53	336.48	113	1329.96	-0.41	-0.46	-6.03	0.12
MWD	15	1425	1.67	109.54	95	1424.95	-0.48	-0.52	-4.90	2.18
MWD	16	1518	3.96	125.54	93	1517.84	-2.83	-2.84	-1.01	2.58
MWD	17	1612	5.76	124.48	94	1611.49	-7.44	-7.40	5.52	1.92
MWD	18	1707	6.46	121.23	95	1705.95	-12.97	-12.87	14.02	0.82
MWD	19	1801	6.11	117.45	94	1799.39	-18.09	-17.91	22.98	0.58
MWD	20	1896	6.07	114.82	95	1893.85	-22.60	-22.35	32.03	0.30
MWD	21	1991	6.29	114.03	95	1988.30	-26.90	-26.58	41.34	0.25
MWD	22	2086	6.29	111.04	95	2082.73	-30.96	-30.57	50.95	0.34
MWD	23	2180	7.25	110.16	94	2176.07	-34.93	-34.46	61.32	1.03
MWD	24	2275	8.26	118.16	95	2270.21	-40.31	-39.75	72.97	1.55
MWD	25	2369	8.70	128.18	94	2363.18	-47.98	-47.33	84.51	1.64
MWD	26	2464	8.66	131.43	95	2457.10	-57.24	-56.50	95.52	0.52
MWD	27	2559	8.70	135.65	95	2551.01	-67.19	-66.37	105.90	0.67
MWD	28	2654	8.92	136.35	95	2644.89	-77.73	-76.84	116.01	0.26
MWD	29	2748	8.92	132.92	94	2737.75	-88.04	-87.08	126.38	0.57
MWD	30	2842	8.92	136.44	94	2830.61	-98.37	-97.32	136.74	0.58
MWD	31	2937	9.01	140.13	95	2924.45	-109.49	-108.37	146.58	0.61
MWD	32	3031	8.84	134.86	94	3017.32	-120.31	-119.11	156.42	0.89
MWD	33	3125	9.49	138.55	94	3110.12	-131.29	-130.01	166.67	0.93
MWD	34	3220	9.98	140.39	95	3203.75	-143.58	-142.23	177.10	0.61
MWD	35	3314	9.93	136.53	94	3296.34	-155.82	-154.38	187.87	0.71
MWD	36	3409	9.80	133.19	95	3389.93	-167.39	-165.86	199.40	0.62
MWD	37	3503	9.93	139.51	94	3482.55	-179.11	-177.50	210.50	1.16
MWD	38	3596	9.85	145.05	93	3574.17	-191.81	-190.12	220.26	1.03
MWD	39	3690	9.63	143.29	94	3666.81	-204.77	-203.01	229.57	0.39
MWD	40	3785	8.88	142.50	95	3760.57	-217.03	-215.20	238.78	0.80
MWD	41	3879	8.22	138.90	94	3853.53	-227.92	-226.02	247.61	0.90
MWD	42	3973	8.62	147.34	94	3946.52	-238.97	-237.02	255.83	1.38
MWD	43	4067	8.97	149.53	94	4039.41	-251.28	-249.26	263.35	0.52
MWD	44	4161	8.57	147.86	94	4132.31	-263.58	-261.51	270.79	0.50
MWD	45	4255	8.04	144.96	94	4225.33	-274.95	-272.82	278.29	0.72
MWD	46	4350	8.09	142.85	95	4319.39	-285.78	-283.59	286.14	0.32
MWD	47	4444	9.05	142.85	94	4412.34	-297.01	-294.75	294.60	1.02
MWD	48	4538	9.89	141.54	94	4505.06	-309.29	-306.97	304.09	0.92
MWD	49	4632	10.77	139.16	94	4597.53	-322.34	-319.93	314.85	1.04

MWD	50	4726	9.19	138.46	94	4690.11	-334.69	-332.20	325.57	1.69
MWD	51	4821	9.36	137.32	95	4783.87	-346.12	-343.56	335.84	0.26
MWD	52	4915	10.46	138.81	94	4876.46	-358.25	-355.60	346.64	1.20
MWD	53	5009	10.46	141.71	94	4968.90	-371.45	-368.71	357.55	0.56
MWD	54	5103	8.53	141.18	94	5061.61	-383.65	-380.84	367.21	2.06
MWD	55	5197	7.56	138.11	94	5154.68	-393.75	-390.88	375.71	1.13
MWD	56	5292	6.77	138.02	95	5248.94	-402.63	-399.69	383.63	0.83
MWD	57	5386	7.52	136.44	94	5342.21	-411.27	-408.27	391.57	0.82
MWD	58	5481	8.31	136.00	95	5436.30	-420.78	-417.71	400.62	0.83
MWD	59	5576	8.35	134.86	95	5530.30	-430.66	-427.52	410.28	0.18
MWD	60	5670	8.44	135.03	94	5623.29	-440.43	-437.21	420.00	0.10
MWD	61	5764	8.62	132.92	94	5716.25	-450.18	-446.89	430.03	0.38
MWD	62	5858	8.44	132.57	94	5809.22	-459.72	-456.35	440.27	0.20
MWD	63	5952	8.48	132.22	94	5902.19	-469.12	-465.68	450.48	0.07
MWD	64	6047	8.62	131.08	95	5996.14	-478.59	-475.06	461.04	0.23
MWD	65	6141	8.44	130.99	94	6089.10	-487.82	-484.22	471.55	0.19
MWD	66	6236	8.09	129.58	95	6183.11	-496.74	-493.05	481.97	0.43
MWD	67	6330	8.13	135.56	94	6276.17	-505.77	-502.01	491.72	0.90
MWD	68	6424	8.92	137.76	94	6369.13	-515.98	-512.15	501.27	0.91
MWD	69	6518	8.92	136.79	94	6462.00	-526.77	-522.86	511.16	0.16
MWD	70	6613	8.62	136.26	95	6555.88	-537.36	-533.37	521.13	0.33
MWD	71	6707	8.97	134.86	94	6648.78	-547.69	-543.63	531.19	0.44
MWD	72	6802	9.71	135.56	95	6742.52	-558.72	-554.57	542.05	0.79
MWD	73	6896	9.63	135.73	94	6835.18	-570.09	-565.86	553.09	0.09
MWD	74	6990	9.01	135.21	94	6927.94	-581.03	-576.72	563.76	0.67
MWD	75	7084	8.26	134.77	94	7020.88	-591.08	-586.69	573.74	0.80
MWD	76	7177	8.7	131.87	93	7112.86	-600.56	-596.09	583.72	0.66
MWD	77	7272	8.75	130.9	95	7206.76	-610.17	-605.62	594.53	0.16
MWD	78	7366	8.31	131.6	94	7299.72	-619.44	-614.81	605.02	0.48
MWD	79	7460	9.01	132.83	94	7392.65	-629.03	-624.33	615.50	0.77
MWD	80	7554	8.97	133.89	94	7485.49	-639.20	-634.41	626.18	0.18
MWD	81	7648	8.79	133.01	94	7578.37	-649.26	-644.39	636.71	0.24
MWD	82	7742	8.4	134.06	94	7671.31	-659.01	-654.06	646.89	0.45
MWD	83	7837	8.09	134.24	95	7765.33	-668.58	-663.55	656.67	0.33
MWD	84	7931	7.16	136.44	94	7858.50	-677.50	-672.41	665.45	1.04
MWD	85	8025	7.25	135.21	94	7951.75	-686.02	-680.87	673.66	0.19
MWD	86	8120	7.91	138.2	95	8045.92	-695.21	-689.99	682.24	0.81
MWD	87	8213	7.87	138.46	93	8138.04	-704.81	-699.53	690.73	0.06
MWD	88	8307	7.43	138.9	94	8231.21	-714.27	-708.93	698.99	0.47
MWD	89	8401	7.03	139.6	94	8324.46	-723.29	-717.89	706.72	0.44
MWD	90	8495	6.64	138.37	94	8417.79	-731.79	-726.33	714.05	0.44
MWD	91	8590	5.98	138.63	95	8512.22	-739.66	-734.15	720.97	0.70
MWD	92	8684	6.07	129.93	94	8605.70	-746.58	-741.01	728.02	0.98
MWD	93	8780	6.29	129.58	96	8701.14	-753.25	-747.62	735.97	0.23
MWD	94	8875	6.11	130.02	95	8795.58	-759.88	-754.19	743.85	0.20
MWD	95	8971	5.54	131.96	96	8891.09	-766.32	-760.57	751.21	0.63
MWD	96	9065	5.19	133.10	94	8984.68	-772.31	-766.51	757.69	0.39
MWD	97	9160	3.52	130.90	95	9079.40	-777.20	-771.36	763.03	1.77
MWD	98	9254	2.90	131.60	94	9173.25	-780.69	-774.83	766.99	0.66
MWD	99	9348	2.64	136.96	94	9267.14	-783.88	-777.99	770.24	0.39
MWD	100	9443	1.93	136.79	95	9362.07	-786.66	-780.75	772.83	0.75
MWD	101	9538	1.41	138.99	95	9457.02	-788.73	-782.80	774.69	0.55
MWD	102	9632	1.27	155.51	94	9551.00	-790.56	-784.62	775.88	0.44
MWD	103	9731	1.36	172.38	99	9649.97	-792.72	-786.78	776.50	0.40
MWD	104	9825	1.67	176.08	94	9743.94	-795.20	-789.26	776.74	0.35
MWD	105	9919	0.31	291.65	94	9837.93	-796.47	-790.53	776.59	1.94
MWD	106	10014	0.35	276.97	95	9932.93	-796.34	-790.40	776.07	0.10
MWD	107	10108	1.41	317.49	94	10026.91	-795.44	-789.51	775.00	1.24
MWD	108	10202	1.85	297.10	94	10120.88	-793.88	-787.97	772.87	0.77
MWD	109	10296	2.90	333.22	94	10214.80	-791.05	-785.15	770.45	1.89
MWD	110	10390	3.03	342.54	94	10308.67	-786.54	-780.66	768.63	0.53
MWD	111	10484	2.55	345.35	94	10402.56	-782.14	-776.27	767.36	0.53
MWD	112	10578	2.24	344.65	94	10496.48	-778.34	-772.47	766.34	0.33

MWD	113	10672	2.20	329.45	94	10590.41	-775.00	-769.15	764.94	0.63
MWD	114	10767	1.67	6.71	95	10685.36	-772.05	-766.20	764.17	1.40
MWD	115	10861	1.89	353.79	94	10779.32	-769.15	-763.30	764.16	0.49
MWD	116	10956	0.22	51.10	95	10874.30	-767.48	-761.63	764.14	1.87
MWD	117	11051	0.26	52.06	95	10969.30	-767.23	-761.38	764.45	0.04
MWD	118	11145	0.57	295.61	94	11063.29	-766.90	-761.05	764.19	0.77
MWD	119	11240	0.57	276.36	95	11158.29	-766.63	-760.79	763.30	0.20
MWD	120	11333	0.35	128.53	93	11251.29	-766.76	-760.92	763.06	0.95
MWD	121	11428	0.88	122.02	95	11346.28	-767.33	-761.49	763.91	0.56
MWD	122	11522	1.10	112.62	94	11440.27	-768.07	-762.22	765.35	0.29
MWD	123	11616	1.36	129.05	94	11534.25	-769.13	-763.27	767.05	0.46
MWD	124	11711	1.19	124.31	95	11629.22	-770.41	-764.53	768.74	0.21
MWD	125	11805	1.49	124.48	94	11723.20	-771.67	-765.77	770.56	0.32
MWD	126	11899	1.36	142.15	94	11817.17	-773.25	-767.35	772.25	0.49
MWD	127	11970	1.41	134.94	71	11888.15	-774.55	-768.63	773.38	0.26
MWD	128	12026	1.27	139.32	56	11944.13	-775.51	-769.59	774.27	0.31
MWD	129	12120	0.66	202.60	94	12038.12	-776.80	-770.88	774.75	1.21
MWD	130	12165	7.34	334.35	45	12083.00	-774.44	-768.52	773.40	17.32
MWD	131	12215	16.48	335.05	50	12131.88	-765.07	-759.19	769.02	18.28
MWD	132	12310	28.62	342.35	95	12219.47	-730.95	-725.16	756.38	13.09
MWD	133	12404	40.22	355.97	94	12296.99	-678.90	-673.18	747.38	14.75
MWD	134	12498	52.66	6.08	94	12361.73	-611.12	-605.39	749.22	15.33
MWD	135	12593	59.08	7.57	95	12415.00	-533.17	-527.36	758.59	6.88
MWD	136	12687	66.51	4.41	94	12457.96	-450.16	-444.28	767.23	8.45
MWD	137	12782	72.48	3.35	95	12491.22	-361.47	-355.54	773.24	6.37
MWD	138	12876	77.67	0.27	94	12515.43	-270.75	-264.80	776.07	6.36
MWD	139	12971	84.35	357.29	95	12530.27	-176.99	-171.05	774.06	7.68
MWD	140	13065	89.54	358.69	94	12535.27	-83.20	-77.28	770.77	5.72
MWD	141	13160	93.23	358.17	95	12532.98	11.74	17.64	768.17	3.92
MWD	142	13254	93.85	359.48	94	12527.17	105.55	111.44	766.24	1.54
MWD	143	13349	90.07	0.36	95	12523.92	200.48	206.37	766.11	4.09
MWD	144	13443	89.45	0.98	94	12524.32	294.46	300.36	767.21	0.93
MWD	145	13537	91.56	0.89	94	12523.49	388.42	394.34	768.74	2.25
MWD	146	13631	89.93	0.54	94	12522.27	482.39	488.32	769.92	1.77
MWD	147	13725	92.44	0.45	94	12520.32	576.35	582.29	770.73	2.67
MWD	148	13820	89.93	1.77	95	12518.36	671.29	677.24	772.57	2.98
MWD	149	13914	88.88	1.42	94	12519.34	765.22	771.20	775.18	1.18
MWD	150	14009	89.80	1.07	95	12520.43	860.17	866.17	777.25	1.04
MWD	151	14103	92.22	0.45	94	12518.77	954.13	960.14	778.49	2.66
MWD	152	14197	90.33	1.68	94	12516.68	1048.07	1054.09	780.24	2.40
MWD	153	14292	91.25	0.80	95	12515.37	1143.01	1149.06	782.30	1.34
MWD	154	14386	91.65	0.80	94	12512.99	1236.96	1243.02	783.61	0.43
MWD	155	14480	88.26	359.66	94	12513.07	1330.94	1337.00	783.99	3.80
MWD	156	14575	87.52	358.08	95	12516.56	1425.87	1431.91	782.11	1.84
MWD	157	14669	92.18	358.25	94	12516.81	1519.81	1525.84	779.11	4.96
MWD	158	14763	93.54	359.92	94	12512.12	1613.69	1619.71	777.61	2.29
MWD	159	14858	87.87	358.17	95	12510.95	1708.63	1714.64	776.02	6.25
MWD	160	14952	91.91	358.17	94	12511.13	1802.59	1808.57	773.02	4.30
MWD	161	15047	92.13	355.70	95	12507.78	1897.42	1903.37	767.95	2.61
MWD	162	15141	95.74	355.44	94	12501.33	1990.95	1996.86	760.70	3.85
MWD	163	15236	91.08	356.94	95	12495.68	2085.59	2091.45	754.41	5.15
MWD	164	15352	93.71	359.75	116	12490.84	2201.44	2207.28	751.06	3.32
MWD	165	15447	93.89	359.48	95	12484.54	2296.24	2302.07	750.42	0.34
MWD	166	15541	92.84	359.13	94	12479.02	2390.07	2395.90	749.28	1.18
MWD	167	15635	91.21	359.75	94	12475.70	2484.01	2489.83	748.36	1.86
MWD	168	15730	90.95	359.92	95	12473.91	2578.99	2584.81	748.09	0.33
MWD	169	15824	90.81	0.54	94	12472.47	2672.97	2678.80	748.47	0.68
MWD	170	15919	91.21	0.98	95	12470.79	2767.94	2773.78	749.73	0.63
MWD	171	16014	90.11	0.63	95	12469.70	2862.91	2868.76	751.06	1.22
MWD	172	16108	89.19	0.19	94	12470.27	2956.89	2962.75	751.74	1.08
MWD	173	16202	90.86	0.01	94	12470.23	3050.89	3056.75	751.90	1.79
MWD	174	16296	90.81	0.45	94	12468.86	3144.87	3150.74	752.28	0.47
MWD	175	16390	89.63	0.27	94	12468.50	3238.86	3244.73	752.87	1.27

MWD	176	16485	90.11	0.10	95	12468.72	3333.85	3339.73	753.17	0.54
MWD	177	16579	89.93	359.13	94	12468.68	3427.85	3433.73	752.54	1.05
MWD	178	16673	91.38	359.31	94	12467.61	3521.84	3527.71	751.26	1.55
MWD	179	16767	91.96	359.22	94	12464.87	3615.80	3621.66	750.06	0.62
MWD	180	16861	91.69	358.43	94	12461.88	3709.74	3715.60	748.13	0.89
MWD	181	16955	90.37	357.90	94	12460.19	3803.70	3809.53	745.12	1.51
MWD	182	17049	88.00	356.67	94	12461.52	3897.60	3903.41	740.67	2.84
MWD	183	17144	90.46	357.46	95	12462.80	3992.50	3998.27	735.81	2.72
MWD	184	17239	91.03	358.25	95	12461.56	4087.45	4093.19	732.25	1.03
MWD	185	17333	91.65	359.31	94	12459.37	4181.41	4187.14	730.25	1.31
MWD	186	17428	90.90	358.34	95	12457.25	4276.38	4282.10	728.30	1.29
MWD	187	17522	91.47	358.17	94	12455.31	4370.33	4376.03	725.44	0.63
MWD	188	17616	91.96	359.66	94	12452.49	4464.28	4469.97	723.66	1.67
MWD	189	17710	90.73	359.84	94	12450.29	4558.25	4563.94	723.25	1.32
MWD	190	17806	88.97	359.75	96	12450.54	4654.25	4659.94	722.91	1.84
MWD	191	17899	89.32	359.48	93	12451.93	4747.24	4752.92	722.28	0.48
MWD	192	17994	88.88	359.48	95	12453.42	4842.22	4847.91	721.42	0.46
MWD	193	18089	89.71	0.10	95	12454.59	4937.22	4942.90	721.07	1.09
MWD	194	18184	90.73	359.92	95	12454.22	5032.21	5037.90	721.09	1.09
MWD	195	18278	92.09	1.24	94	12451.91	5126.16	5131.86	722.04	2.02
MWD	196	18372	92.18	3.44	94	12448.41	5219.98	5225.71	725.88	2.34
MWD	197	18466	90.02	1.51	94	12446.60	5313.83	5319.59	729.93	3.08
MWD	198	18561	89.85	359.13	95	12446.71	5408.82	5414.59	730.46	2.51
MWD	199	18654	88.66	358.78	93	12447.92	5501.80	5507.56	728.77	1.33
MWD	200	18748	92.44	358.43	94	12447.02	5595.77	5601.51	726.48	4.04
MWD	201	18842	92.48	357.90	94	12442.98	5689.65	5695.38	723.47	0.56
MWD	202	18936	92.88	358.69	94	12438.59	5783.53	5789.23	720.68	0.94
MWD	203	19031	93.01	358.52	95	12433.71	5878.39	5884.08	718.37	0.23
MWD	204	19126	93.05	358.78	95	12428.69	5973.24	5978.92	716.13	0.28
MWD	205	19220	92.18	359.22	94	12424.40	6067.14	6072.81	714.50	1.04
MWD	206	19315	93.58	0.45	95	12419.62	6162.01	6167.68	714.22	1.96
MWD	207	19409	90.68	0.27	94	12416.13	6255.93	6261.60	714.81	3.09
MWD	208	19503	90.55	0.27	94	12415.12	6349.92	6355.60	715.25	0.14
MWD	209	19598	90.15	0.19	95	12414.54	6444.91	6450.59	715.64	0.43
MWD	210	19693	90.20	359.92	95	12414.25	6539.90	6545.59	715.73	0.29
MWD	211	19787	88.35	359.13	94	12415.44	6633.89	6639.58	714.95	2.14
MWD	212	19882	91.38	0.01	95	12415.66	6728.88	6734.56	714.24	3.32
MWD	213	19976	89.41	359.31	94	12415.02	6822.87	6828.55	713.68	2.22
MWD	214	20070	91.96	359.22	94	12413.89	6916.86	6922.53	712.47	2.71
MWD	215	20164	94.51	359.57	94	12408.59	7010.70	7016.37	711.48	2.74
MWD	216	20259	91.38	358.78	95	12403.71	7105.56	7111.22	710.11	3.40
MWD	217	20353	89.27	0.10	94	12403.18	7199.55	7205.21	709.20	2.65
MWD	218	20448	88.75	359.40	95	12404.82	7294.53	7300.19	708.78	0.92
MWD	219	20543	89.80	359.22	95	12406.02	7389.52	7395.18	707.64	1.12
MWD	220	20637	90.07	359.92	94	12406.13	7483.52	7489.17	706.93	0.80
MWD	221	20732	89.93	359.66	95	12406.13	7578.52	7584.17	706.58	0.31
MWD	222	20826	89.54	359.75	94	12406.56	7672.52	7678.17	706.10	0.43
MWD	223	20920	88.62	359.22	94	12408.07	7766.51	7772.15	705.25	1.13
MWD	224	21013	89.89	359.04	93	12409.28	7859.49	7865.13	703.84	1.38
MWD	225	21108	91.03	358.61	95	12408.52	7954.48	7960.11	701.89	1.28
MWD	226	21203	89.93	357.90	95	12407.72	8049.45	8055.06	699.00	1.38
MWD	227	21298	90.29	359.84	95	12407.54	8144.44	8150.03	697.13	2.08
MWD	228	21392	90.51	357.46	94	12406.88	8238.42	8244.00	694.91	2.54
MWD	229	21487	90.95	357.99	95	12405.67	8333.36	8338.92	691.14	0.73
MWD	230	21578	91.60	358.08	91	12403.65	8424.31	8429.84	688.02	0.72
MWD	231	21672	90.20	359.13	94	12402.17	8518.28	8523.80	685.74	1.86
MWD	232	21766	89.23	359.66	94	12402.64	8612.28	8617.79	684.74	1.18
MWD	233	21860	88.22	359.84	94	12404.73	8706.25	8711.76	684.33	1.09
MWD	234	21955	88.09	0.98	95	12407.79	8801.19	8806.71	685.01	1.21
MWD	235	22049	89.14	2.03	94	12410.06	8895.11	8900.65	687.48	1.58
MWD	236	22144	91.52	2.38	95	12409.51	8990.00	8995.57	691.14	2.53
MWD	237	22238	90.90	1.68	94	12407.53	9083.89	9089.49	694.46	0.99
MWD	238	22333	91.60	1.94	95	12405.46	9178.79	9184.42	697.46	0.79

MWD	239	22426	90.24	1.77	93	12403.96	9271.70	9277.35	700.47	1.47
MWD	240	22521	94.11	4.14	95	12400.36	9366.44	9372.13	705.36	4.78
MWD	241	22615	94.20	5.20	94	12393.55	9459.82	9465.57	713.00	1.13
MWD	242	22709	93.14	4.23	94	12387.53	9553.25	9559.06	720.71	1.53
MWD	244	22784	93.49	4.93	75	12383.19	9627.83	9633.70	726.69	1.04
PTB	245	22857	93.49	4.93	73	12378.75	9700.38	9706.29	732.95	0.00

Submit To Appropriate District Office Two Copies <u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 <u>District II</u> 811 S. First St., Artesia, NM 88210 <u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 <u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505			Form C-105 Revised April 3, 2017													
WELL COMPLETION OR RECOMPLETION REPORT AND LOG								1. WELL API NO. 30-025-48776										
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)								5. Lease Name or Unit Agreement Name PROMETHEUS STATE COM										
								6. Well Number: 214H										
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER																		
8. Name of Operator TAP ROCK OPERATING, LLC							9. OGRID 372043											
10. Address of Operator 523 PARK POINT DRIVE, SUITE 200, GOLDEN, CO							11. Pool name or Wildcat WC-025 G-09 S243310P; UPPER WOLFCAMP											
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County								
Surface:	O	22	24S	33E	-	823	SOUTH	1566	EAST	LEA								
BH:	A	15	24S	33E	-	29	NORTH	758	EAST	LEA								
13. Date Spudded 11/18/2021	14. Date T.D. Reached 1/18/2022		15. Date Rig Released 1/21/2022		16. Date Completed (Ready to Produce) 4/19/2022			17. Elevations (DF and RKB, RT, GR, etc.) 3551 GR										
18. Total Measured Depth of Well 22857 ft			19. Plug Back Measured Depth 22793 ft		20. Was Directional Survey Made? YES			21. Type Electric and Other Logs Run GAMMA										
22. Producing Interval(s), of this completion - Top, Bottom, Name 12460' - 22709'							WOLFCAMP											
23. CASING RECORD (Report all strings set in well)																		
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED								
10.75"		45.5		1070'		13.5"		503 sks		0								
7.625"		29.7		9976'/11933'		9.875"/8.75"		1165 sks		0								
5.5"		20		22842'		6.75"		935 sks		0								
24. LINER RECORD						25. TUBING RECORD												
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN		SIZE	DEPTH SET		PACKER SET									
26. Perforation record (interval, size, and number) Perforate from 12460 ft to 22709 ft, 1 SPF, .55 inch holes with 598 total shots						27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC. <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>DEPTH INTERVAL</th> <th>AMOUNT AND KIND MATERIAL USED</th> </tr> <tr> <td>12460' - 22709'</td> <td>46 stage frac with 25,811,236 lbs of 100 mesh sand</td> </tr> <tr> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> </tr> </table>					DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED	12460' - 22709'	46 stage frac with 25,811,236 lbs of 100 mesh sand				
DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED																	
12460' - 22709'	46 stage frac with 25,811,236 lbs of 100 mesh sand																	
28. PRODUCTION																		
Date First Production 5/15/2022		Production Method (Flowing, gas lift, pumping - Size and type pump) Flowing				Well Status (Prod. or Shut-in) Producing												
Date of Test 5/22/2022	Hours Tested 24 hrs	Choke Size 40/64	Prod'n For Test Period	Oil - Bbl 1824	Gas - MCF 4333	Water - Bbl. 4585	Gas - Oil Ratio 2376											
Flow Tubing Press. 1797	Casing Pressure 1653	Calculated 24-Hour Rate	Oil - Bbl. 1824	Gas - MCF 4333	Water - Bbl. 4585	Oil Gravity - API - (Corr.)												
29. Disposition of Gas (Sold, used for fuel, vented, etc.) Sold							30. Test Witnessed By											
31. List Attachments C-102, Directional Survey																		
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.							33. Rig Release Date:											
34. If an on-site burial was used at the well, report the exact location of the on-site burial:																		
Latitude			Longitude			NAD83												
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief																		
Signature			Printed Name Jeff Trlica			Title Regulatory Analyst			Date 5/25/2022									
E-mail Address jtrlica@taprllc.com																		

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

[illegible]


No. 1, from.....to.....
No. 2, from.....to.....
No. 3, from.....to.....
No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology		From	To	Thickness In Feet	Lithology
0	927		Quaternary					
927	1547		Rustler					
1547	4720		Top of Salt					
4720	4939		Base of Salt					
4939	4970		Lamar					
4970	6228		Bell					
6228	7658		Cherry Canyon					
7658	9189		Brushy Canyon					
9189	9617		Bonespring					
9617	10199		Avalon					
10199	10889		1st Bone Spring Sand					
10889	11959		2nd Bone Spring Sand					
11959	12307		3rd Bone Spring Sand					
12307			Wolfcamp A					

Tap Rock
Prometheus
Defining Wells
T24S-R33E



Defining Prometheus Well



Prometheus Wells

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 111201

ACKNOWLEDGMENTS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 111201
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 111201

CONDITIONS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 111201
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	None	4/13/2023