

DISTRICT I

1625 N. French Dr., Hobbs, NM 88240

District II

811 S. First St., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural ResourcesForm C-104
Revised August 1, 2011Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT**I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT**

¹ Operator name and Address TAP ROCK OPERATING, LLC 523 PARK POINT DRIVE, SUITE 200 GOLDEN, CO 80401		² OGRID Number 372043
		³ Reason for Filing Code/ Effective Date NW
⁴ API Number 30 - 0 25-48761	⁵ Pool Name WC-025 G-09 S243310P; UPPER WOLFCAMP	⁶ Pool Code 98135
⁷ Property Code 330700	⁸ Property Name PROMETHEUS STATE COM	⁹ Well Number 133H

II. ¹⁰ Surface Location

UI or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
O	22	24S	33E	-	853	SOUTH	2565	EAST	LEA

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
B	15	24S	33E	-	43	NORTH	2179	EAST	LEA
¹² Lse Code S	¹³ Producing Method Code F	¹⁴ Gas Connection Date 5/4/2022	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date				

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
34053	PLAINS ALL AMERICAN 333 CLAY STREET SUITE 1600 HOUSTON, TX 77002	O
371960	LUCID ENERGY GROUP 3100 MCKINNON ST #800 DALLAS, TX 75201	G

IV. Well Completion Data

²¹ Spud Date 10/29/2021	²² Ready Date 4/23/2022	²³ TD 22910'	²⁴ PBTB 22847'	²⁵ Perforations 12610' - 22763'	²⁶ DHC, MC
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
13.5"	10.75"	1278'	730 sks		
9.875"/8.75"	7.625"	9632'/11967'	1212 sks		
6.75"	5.5"	22895'	1065 sks		

V. Well Test Data

³¹ Date New Oil 5/4/2022	³² Gas Delivery Date 5/4/2022	³³ Test Date 5/22/2022	³⁴ Test Length 24 hrs.	³⁵ Tbg. Pressure 0	³⁶ Csg. Pressure 2480
³⁷ Choke Size 30/64	³⁸ Oil 1600	³⁹ Water 3504	⁴⁰ Gas 3735		⁴¹ Test Method Flowing
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: 			OIL CONSERVATION DIVISION		
Printed name: Jeff Trlica			Approved by: PATRICIA MARTINEZ		
Title: Regulatory Analyst			Title: PETROLEUM SPECIALIST		
E-mail Address: jtrlica@taprk.com			Approval Date: 4/14/2023		
Date: 5/25/2022		Phone: 720-771-5910			

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources
Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

FORM C-102

Revised August 1, 2011

Submit one copy to appropriate

District Office

☐ AMENDED REPORT
As Drilled

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-025-48761	² Pool Code 98135	³ Pool Name WC-025 G-09 S243310P;UPPER WOLFCAMP
⁴ Property Code 330700	⁵ Property Name PROMETHEUS STATE COM	⁶ Well Number 133H
⁷ OGRID No. #372043	⁸ Operator Name TAP ROCK OPERATING, LLC.	⁹ Elevation 3555'

¹⁰Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
0	22	24-S	33-E	-	853'	SOUTH	2565'	EAST	LEA

¹¹Bottom Hole Location If Different From Surface


UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
B	15	24-S	33-E	-	43'	NORTH	2179'	EAST	LEA

¹² Dedicated Acres 640	¹³ Joint or Infill Infill	¹⁴ Consolidation Code	¹⁵ Order No.
--------------------------------------	---	----------------------------------	-------------------------

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

FTP: 100' FSL; 2196 FEL Section 22

LTP: 100' FNL; 2185 FEL Section 15

¹⁷OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

[Signature]

4/12/2022

Signature

Date

Jeff Trlica

Printed Name

jtrlica@taprk.com

E-mail Address

¹⁸SURVEYOR CERTIFICATION


I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true to the best of my belief.

10/07/2021

Date of Survey
Signature and Seal of Professional Surveyor

[Signature]
NEW MEXICO
24508
PROFESSIONAL SURVEYOR

Certificate Number



LEASE NAME & WELL NO.: PROMETHEUS STATE COM 133H

SECTION 22 TWP 24-S RGE 33-E SURVEY N.M.P.M.

COUNTY LEA STATE NM ELEVATION 3555'

DESCRIPTION 853' FSL & 2565' FEL



1400 EVERMAN PARKWAY, Ste. 146 • FT. WORTH, TEXAS 76140
TELEPHONE: (817) 744-7512 • FAX (817) 744-7554
TEXAS FIRM REGISTRATION NO. 10042504
WWW.TOPOGRAPHIC.COM

INTERNAL
PRE-COMPLETION
PLAT

PROMETHEUS STATE COM 133H PRE-COMPLETION	REVISION:		NOTES: 1. ORIGINAL DOCUMENT SIZE: 8.5" X 11" 2. ALL BEARINGS, DISTANCES, AND COORDINATE VALUES CONTAINED HEREIN ARE GRID BASED UPON THE NEW MEXICO COORDINATE SYSTEM OF 1983, EAST ZONE, U.S. SURVEY FEET. 3. THIS WELL LOCATION SHOWN HEREON HAS BEEN SURVEYED ON THE GROUND UNDER MY SUPERVISION AND PREPARED ACCORDING TO THE EVIDENCE FOUND AT THE TIME OF SURVEY, AND DATA PROVIDED BY TAP ROCK OPERATING, LLC. THIS CERTIFICATION IS MADE AND LIMITED TO THOSE PERSONS OR ENTITIES SHOWN ON THE FACE OF THIS PLAT AND IS NON-TRANSFERABLE. THIS SURVEY IS CERTIFIED FOR THIS TRANSACTION ONLY.
	GJU	03/30/22	
DATE:	03/17/22		
FILE:	C:\PROMETHEUS_STATE_COM_133H_REV1		
DRAWN BY:	SAR		
SHEET :	2 OF 2		



Operator: Tap Rock Resources, LLC.
Well Name: Prometheus State Com #133H
County: Lea
State: New Mexico
Rig Name: H&P 376
API: 30-025-48761

Intrepid Directional Drilling Specialists certifies that the surveys performed on the above referenced well are true and correct MWD surveys, data provided as follows:

Surveyor: Intrepid Directional Drilling Specialists
Survey Depths: 195' MD – 22,837' MD
Projection to Bit: 22,910' MD
Dates Performed: 10/29/2021 – 01/16/2022
Type of Survey: MWD

Sincerely,

A handwritten signature in black ink, appearing to read "T. Henk".

Travis Henk
MWD Operations Manager
Intrepid Directional Drilling Specialists





Operator: Tap Rock Resources, LLC.
Well Name: Prometheus State Com 133H
Job Number: ID3130
Survey Company: Intrepid Directional Drilling Specialists
Rig Name: H&P 376

Target KBTVD: 12490.60
Target Inclination: 90.50°
Declination Correction: 5.91°
DF Elevation: 3582


Vertical Section Calculated Along Azimuth: 359.56°

Survey Calculation Method: Minimum Curvature										
TIE PT. TYPE	SVY #	Survey Depth	INC deg.	AZM deg.	Course Length	TVD Ft.	V'Sect FT.	+N/-S Ft.	+E/-W Ft.	Dogleg %/100'
Tie In	0	0	0.00	0.00	0	0	0	0	0	0.00
MWD	1	195	0.84	276.71	195	194.99	0.18	0.17	-1.42	0.43
MWD	2	237	0.88	259.84	42	236.99	0.16	0.15	-2.04	0.61
MWD	3	331	0.84	257.55	94	330.98	-0.10	-0.13	-3.43	0.06
MWD	4	422	0.44	289.54	91	421.97	-0.12	-0.16	-4.41	0.57
MWD	5	515	0.40	238.21	93	514.97	-0.17	-0.21	-5.02	0.39
MWD	6	606	0.13	288.22	91	605.97	-0.30	-0.34	-5.39	0.36
MWD	7	698	0.22	340.61	92	697.97	-0.10	-0.14	-5.55	0.19
MWD	8	790	0.09	141.89	92	789.97	0.01	-0.03	-5.56	0.33
MWD	9	881	0.04	7.85	91	880.97	-0.02	-0.06	-5.51	0.13
MWD	10	973	0.48	269.24	92	972.97	0.01	-0.03	-5.89	0.53
MWD	11	1064	0.57	289.72	91	1063.96	0.17	0.12	-6.70	0.23
MWD	12	1156	0.92	284.80	92	1155.96	0.52	0.46	-7.84	0.39
MWD	13	1228	1.01	284.27	72	1227.95	0.83	0.76	-9.02	0.13
MWD	14	1343	0.66	285.50	115	1342.93	1.27	1.19	-10.64	0.30
MWD	15	1439	0.44	307.82	96	1438.93	1.65	1.56	-11.46	0.32
MWD	16	1534	0.44	314.50	95	1533.93	2.13	2.04	-12.01	0.05
MWD	17	1628	0.31	333.66	94	1627.92	2.62	2.52	-12.38	0.19
MWD	18	1721	0.75	167.64	93	1720.92	2.25	2.15	-12.36	1.13
MWD	19	1815	2.59	154.54	94	1814.88	-0.28	-0.36	-11.32	1.99
MWD	20	1909	3.74	137.32	94	1908.74	-4.47	-4.54	-8.33	1.57
MWD	21	2004	4.70	139.07	95	2003.48	-9.73	-9.75	-3.68	1.02
MWD	22	2099	5.85	142.06	95	2098.07	-16.53	-16.51	1.85	1.24
MWD	23	2192	6.59	145.23	93	2190.53	-24.69	-24.64	7.81	0.88
MWD	24	2288	7.82	145.93	96	2285.77	-34.68	-34.57	14.61	1.28
MWD	25	2383	7.74	147.25	95	2379.89	-45.47	-45.30	21.69	0.21
MWD	26	2478	7.47	150.06	95	2474.06	-56.25	-56.04	28.23	0.48
MWD	27	2573	7.30	151.73	95	2568.27	-66.96	-66.70	34.17	0.29
MWD	28	2667	6.99	153.93	94	2661.54	-77.40	-77.10	39.52	0.44
MWD	29	2760	6.90	153.31	93	2753.86	-87.51	-87.17	44.51	0.13
MWD	30	2854	7.56	152.70	94	2847.11	-98.09	-97.71	49.88	0.71
MWD	31	2949	7.47	153.05	95	2941.29	-109.20	-108.77	55.55	0.11
MWD	32	3044	7.21	154.02	95	3035.51	-120.10	-119.64	60.96	0.30
MWD	33	3137	7.47	154.72	93	3127.75	-130.85	-130.35	66.10	0.30
MWD	34	3232	9.63	154.19	95	3221.69	-143.64	-143.09	72.20	2.28
MWD	35	3327	9.71	153.31	95	3315.34	-158.00	-157.40	79.25	0.18
MWD	36	3422	9.67	152.35	95	3408.98	-172.28	-171.62	86.55	0.18
MWD	37	3514	10.02	151.55	92	3499.63	-186.22	-185.51	93.95	0.41
MWD	38	3607	10.15	152.43	93	3591.19	-200.66	-199.88	101.60	0.22
MWD	39	3702	9.89	153.14	95	3684.74	-215.41	-214.58	109.16	0.30
MWD	40	3794	9.23	153.66	92	3775.47	-229.13	-228.24	116.00	0.72
MWD	41	3889	8.66	154.46	95	3869.31	-242.46	-241.52	122.47	0.61
MWD	42	3984	8.18	157.97	95	3963.29	-255.22	-254.24	128.09	0.74
MWD	43	4078	7.74	161.05	94	4056.38	-267.44	-266.43	132.65	0.65
MWD	44	4173	7.25	162.19	95	4150.57	-279.23	-278.19	136.56	0.54
MWD	45	4268	6.73	164.30	95	4244.86	-290.32	-289.25	139.90	0.61
MWD	46	4363	5.93	165.62	95	4339.28	-300.45	-299.37	142.63	0.86
MWD	47	4457	5.32	165.88	94	4432.83	-309.40	-308.29	144.90	0.65
MWD	48	4552	5.98	162.72	95	4527.37	-318.41	-317.29	147.44	0.77
MWD	49	4645	7.12	165.00	93	4619.76	-328.63	-327.48	150.37	1.26
MWD	50	4740	6.29	164.91	95	4714.11	-339.36	-338.20	153.25	0.87
MWD	51	4835	7.52	156.65	95	4808.42	-350.12	-348.93	157.07	1.66
MWD	52	4929	8.84	153.31	94	4901.46	-362.27	-361.03	162.75	1.49
MWD	53	5024	8.75	150.76	95	4995.35	-375.15	-373.86	169.56	0.42
MWD	54	5120	7.87	150.68	96	5090.34	-387.30	-385.96	176.34	0.92
MWD	55	5214	7.38	151.29	94	5183.51	-398.25	-396.87	182.40	0.53
MWD	56	5309	6.73	149.71	95	5277.79	-408.46	-407.02	188.13	0.71
MWD	57	5403	7.08	152.17	94	5371.10	-418.38	-416.90	193.62	0.49
MWD	58	5498	7.47	151.20	95	5465.34	-429.01	-427.49	199.33	0.43
MWD	59	5592	7.25	150.85	94	5558.56	-439.59	-438.03	205.16	0.24
MWD	60	5687	7.25	146.19	95	5652.81	-449.85	-448.24	211.41	0.62
MWD	61	5782	8.66	147.34	95	5746.89	-460.91	-459.24	218.61	1.49
MWD	62	5876	8.40	147.07	94	5839.85	-472.69	-470.97	226.16	0.28
MWD	63	5971	8.75	146.37	95	5933.79	-484.59	-482.81	233.93	0.38
MWD	64	6066	8.75	147.78	95	6027.68	-496.78	-494.94	241.79	0.23
MWD	65	6160	8.31	145.49	94	6120.64	-508.48	-506.58	249.45	0.59
MWD	66	6255	7.91	146.46	95	6214.69	-519.65	-517.69	256.95	0.44
MWD	67	6349	7.56	145.93	94	6307.84	-530.21	-528.20	263.99	0.38
MWD	68	6442	7.25	145.84	93	6400.06	-540.19	-538.12	270.71	0.33
MWD	69	6537	7.08	146.11	95	6494.32	-550.06	-547.94	277.34	0.18
MWD	70	6631	8.09	148.92	94	6587.50	-560.58	-558.42	283.99	1.14

MWD	71	6727	9.27	149.80	96	6682.39	-573.11	-570.89	291.36	1.24
MWD	72	6822	9.23	149.09	95	6776.16	-586.32	-584.04	299.13	0.13
MWD	73	6915	8.97	148.48	93	6867.99	-598.95	-596.62	306.75	0.30
MWD	74	7010	8.84	152.26	95	6961.84	-611.78	-609.39	314.02	0.63
MWD	75	7105	9.76	160.61	95	7055.60	-625.89	-623.45	320.09	1.72
MWD	76	7200	9.32	159.99	95	7149.28	-640.75	-638.27	325.39	0.48
MWD	77	7293	9.01	160.17	93	7241.10	-654.72	-652.20	330.44	0.33
MWD	78	7388	8.40	160.52	95	7335.00	-668.29	-665.74	335.28	0.64
MWD	79	7483	8.18	161.49	95	7429.01	-681.28	-678.69	339.74	0.27
MWD	80	7578	7.78	160.87	95	7523.09	-693.79	-691.17	343.99	0.43
MWD	81	7670	7.43	159.11	92	7614.28	-705.27	-702.61	348.15	0.46
MWD	82	7764	6.95	155.95	94	7707.54	-716.17	-713.48	352.64	0.66
MWD	83	7856	6.11	155.60	92	7798.94	-725.75	-723.03	356.93	0.91
MWD	84	7950	5.45	153.93	94	7892.47	-734.34	-731.59	360.96	0.72
MWD	85	8044	5.23	152.70	94	7986.06	-742.19	-739.41	364.88	0.26
MWD	86	8138	4.97	152.43	94	8079.68	-749.64	-746.83	368.73	0.28
MWD	87	8232	4.75	152.26	94	8173.35	-756.72	-753.88	372.43	0.23
MWD	88	8326	4.18	152.43	94	8267.06	-763.22	-760.36	375.83	0.61
MWD	89	8421	4.40	151.03	95	8361.79	-769.51	-766.62	379.19	0.26
MWD	90	8516	3.96	150.24	95	8456.54	-775.57	-772.65	382.59	0.47
MWD	91	8611	3.52	149.80	95	8551.34	-780.96	-778.02	385.68	0.46
MWD	92	8706	3.16	149.36	95	8646.18	-785.76	-782.80	388.48	0.38
MWD	93	8801	2.86	150.32	95	8741.05	-790.09	-787.11	390.99	0.32
MWD	94	8895	2.46	150.76	94	8834.95	-793.90	-790.91	393.14	0.43
MWD	95	8990	2.02	151.91	95	8929.87	-797.17	-794.16	394.92	0.47
MWD	96	9084	1.80	153.14	94	9023.82	-799.96	-796.94	396.37	0.24
MWD	97	9179	1.45	157.62	95	9118.78	-802.41	-799.38	397.50	0.39
MWD	98	9273	1.36	160.61	94	9212.75	-804.57	-801.53	398.33	0.12
MWD	99	9368	1.19	167.99	95	9307.73	-806.60	-803.56	398.91	0.25
MWD	100	9462	0.97	150.50	94	9401.71	-808.25	-805.21	399.50	0.42
MWD	101	9555	1.01	150.24	93	9494.70	-809.66	-806.61	400.29	0.04
MWD	102	9635	0.84	156.74	80	9574.69	-810.81	-807.76	400.88	0.25
MWD	103	9730	0.66	116.49	95	9669.68	-811.70	-808.64	401.64	0.57
MWD	104	9823	0.70	18.75	93	9762.68	-811.41	-808.34	402.30	1.10
MWD	105	9918	0.62	319.95	95	9857.67	-810.46	-807.40	402.16	0.69
MWD	106	10012	1.14	279.79	94	9951.66	-809.91	-806.85	400.91	0.83
MWD	107	10106	2.11	261.33	94	10045.62	-809.99	-806.95	398.28	1.16
MWD	108	10201	2.90	248.67	95	10140.53	-811.10	-808.09	394.31	1.01
MWD	109	10296	1.63	295.52	95	10235.46	-811.36	-808.38	390.85	2.26
MWD	110	10390	1.58	305.71	94	10329.43	-810.01	-807.05	388.59	0.31
MWD	111	10484	1.63	294.20	94	10423.39	-808.69	-805.75	386.32	0.35
MWD	112	10578	1.36	299.21	94	10517.36	-807.58	-804.65	384.13	0.32
MWD	113	10673	0.79	253.33	95	10612.34	-807.21	-804.29	382.52	1.04
MWD	114	10768	1.58	241.99	95	10707.32	-807.99	-805.09	380.73	0.86
MWD	115	10862	1.71	239.36	94	10801.28	-809.30	-806.42	378.38	0.16
MWD	116	10956	2.07	235.84	94	10895.23	-810.95	-808.09	375.77	0.40
MWD	117	11051	0.35	269.15	95	10990.21	-811.90	-809.05	374.06	1.88
MWD	118	11146	0.26	316.00	95	11085.21	-811.75	-808.90	373.62	0.27
MWD	119	11239	1.58	303.25	93	11178.19	-810.88	-808.05	372.40	1.43
MWD	120	11333	1.71	47.23	94	11272.17	-809.22	-806.38	372.35	2.76
MWD	121	11427	1.93	78.61	94	11366.12	-807.98	-805.12	374.93	1.07
MWD	122	11518	1.32	68.06	91	11457.09	-807.30	-804.43	377.40	0.74
MWD	123	11612	0.62	63.93	94	11551.07	-806.68	-803.80	378.87	0.75
MWD	124	11706	0.70	291.74	94	11645.07	-806.25	-803.36	378.79	1.28
MWD	125	11801	0.57	264.58	95	11740.07	-806.07	-803.19	377.78	0.34
MWD	126	11891	1.10	245.16	90	11830.06	-806.46	-803.60	376.55	0.66
MWD	127	11986	1.19	229.07	95	11925.04	-807.48	-804.63	374.98	0.35
MWD	128	12022	1.19	222.74	36	11961.03	-808.00	-805.15	374.44	0.36
MWD	129	12116	1.05	204.81	94	12055.01	-809.49	-806.64	373.42	0.40
MWD	130	12211	7.91	359.76	95	12149.74	-803.73	-800.89	373.02	9.34
MWD	131	12306	21.19	4.68	95	12241.49	-779.98	-777.13	374.40	14.03
MWD	132	12400	32.22	358.53	94	12325.35	-737.87	-735.01	375.15	12.08
MWD	133	12493	38.37	351.14	93	12401.25	-684.45	-681.63	370.06	8.04
MWD	134	12589	44.84	353.96	96	12473.01	-621.22	-618.46	361.90	7.01
MWD	135	12683	59.16	359.76	94	12530.76	-547.46	-544.72	358.22	15.98
MWD	136	12777	70.73	3.27	94	12570.51	-462.52	-459.76	360.59	12.76
MWD	137	12872	87.96	0.11	95	12588.01	-369.58	-366.80	363.26	18.43
MWD	138	12968	93.41	357.12	96	12586.86	-273.65	-270.89	360.94	6.47
MWD	139	13062	92.75	355.98	94	12581.81	-179.92	-177.19	355.30	1.40
MWD	140	13157	91.21	357.21	95	12578.53	-85.11	-82.42	349.66	2.07
MWD	141	13252	92.70	359.23	95	12575.29	9.80	12.47	346.71	2.64
MWD	142	13346	92.22	356.33	94	12571.25	103.66	106.30	343.07	3.12
MWD	143	13441	93.01	359.85	95	12566.92	198.52	201.13	339.91	3.79
MWD	144	13534	91.91	2.39	93	12562.93	291.39	294.02	341.72	2.97
MWD	145	13628	91.08	4.94	94	12560.47	385.11	387.79	347.73	2.85
MWD	146	13722	88.18	6.53	94	12561.08	478.55	481.30	357.12	3.52
MWD	147	13816	88.66	1.60	94	12563.67	572.19	575.00	363.78	5.27
MWD	148	13910	87.74	0.11	94	12566.63	666.12	668.94	365.18	1.86
MWD	149	14005	90.95	0.29	95	12567.71	761.09	763.92	365.51	3.38
MWD	150	14100	92.00	0.90	95	12565.27	856.04	858.88	366.50	1.28
MWD	151	14194	91.12	0.99	94	12562.71	949.98	952.83	368.05	0.94
MWD	152	14289	88.79	1.34	95	12562.78	1044.94	1047.81	369.98	2.48
MWD	153	14383	87.87	1.08	94	12565.52	1138.86	1141.75	371.97	1.02
MWD	154	14478	90.42	358.70	95	12566.94	1233.83	1236.72	371.78	3.67

MWD	155	14572	93.93	358.44	94	12563.37	1327.73	1330.61	369.44	3.74
MWD	156	14666	93.01	357.38	94	12557.68	1421.52	1424.37	366.02	1.49
MWD	157	14761	94.68	357.82	95	12551.31	1516.25	1519.07	362.05	1.82
MWD	158	14856	88.66	357.21	95	12548.55	1611.10	1613.90	357.93	6.37
MWD	159	14950	91.47	358.44	94	12548.44	1705.05	1707.82	354.36	3.26
MWD	160	15044	91.16	359.23	94	12546.28	1799.01	1801.77	352.45	0.90
MWD	161	15138	90.73	358.00	94	12544.73	1892.99	1895.73	350.18	1.39
MWD	162	15232	91.56	356.95	94	12542.85	1986.90	1989.62	346.04	1.42
MWD	163	15326	91.82	359.41	94	12540.08	2080.83	2083.52	343.06	2.63
MWD	164	15421	88.44	358.70	95	12539.86	2175.81	2178.50	341.49	3.64
MWD	165	15517	87.52	358.53	96	12543.25	2271.73	2274.41	339.17	0.97
MWD	166	15611	92.26	359.49	94	12543.43	2365.70	2368.36	337.55	5.14
MWD	167	15706	91.82	357.74	95	12540.05	2460.63	2463.27	335.25	1.90
MWD	168	15728	90.81	357.38	22	12539.54	2482.61	2485.25	334.32	4.87
MWD	169	15823	87.87	359.41	95	12540.64	2577.56	2580.19	331.66	3.76
MWD	170	15916	87.78	359.58	93	12544.17	2670.50	2673.12	330.84	0.21
MWD	171	16010	88.09	0.72	94	12547.55	2764.43	2767.05	331.08	1.26
MWD	172	16104	91.47	2.75	94	12547.91	2858.34	2860.99	333.93	4.19
MWD	173	16199	91.52	2.92	95	12545.44	2953.16	2955.84	338.63	0.19
MWD	174	16294	89.80	2.39	95	12544.34	3048.01	3050.73	343.03	1.89
MWD	175	16388	90.55	2.92	94	12544.05	3141.87	3144.63	347.38	0.98
MWD	176	16482	93.10	1.87	94	12541.06	3235.70	3238.49	351.31	2.93
MWD	177	16577	92.70	1.08	95	12536.25	3330.52	3333.34	353.75	0.93
MWD	178	16670	91.43	0.11	93	12532.90	3423.44	3426.27	354.71	1.72
MWD	179	16764	92.09	2.48	94	12530.02	3517.35	3520.19	356.84	2.62
MWD	180	16858	89.93	1.25	94	12528.36	3611.25	3614.12	359.89	2.64
MWD	181	16952	87.43	0.29	94	12530.52	3705.20	3708.08	361.16	2.85
MWD	182	17046	85.85	358.97	94	12536.03	3799.03	3801.91	360.55	2.19
MWD	183	17141	86.29	359.05	95	12542.54	3893.80	3896.67	358.92	0.47
MWD	184	17235	87.69	358.70	94	12547.48	3987.66	3990.52	357.07	1.54
MWD	185	17330	89.41	359.32	95	12549.88	4082.62	4085.47	355.43	1.92
MWD	186	17425	89.27	359.93	95	12550.98	4177.62	4180.46	354.81	0.66
MWD	187	17520	88.35	359.58	95	12552.95	4272.59	4275.44	354.40	1.04
MWD	188	17614	89.01	358.97	94	12555.12	4366.57	4369.41	353.21	0.96
MWD	189	17709	92.13	3.27	95	12554.17	4461.49	4464.35	355.07	5.59
MWD	190	17803	93.93	3.80	94	12549.20	4555.13	4558.04	360.86	2.00
MWD	191	17897	92.40	1.34	94	12544.01	4648.85	4651.79	365.06	3.08
MWD	192	17991	92.44	0.20	94	12540.04	4742.74	4745.70	366.33	1.21
MWD	193	18085	91.08	356.33	94	12537.16	4836.65	4839.59	363.48	4.36
MWD	194	18179	91.16	357.12	94	12535.32	4930.52	4933.42	358.11	0.84
MWD	195	18274	89.85	355.28	95	12534.48	5025.35	5028.20	351.82	2.38
MWD	196	18368	91.12	355.89	94	12533.68	5119.11	5121.91	344.58	1.50
MWD	197	18462	91.03	357.38	94	12531.92	5212.97	5215.73	339.06	1.59
MWD	198	18556	90.24	358.53	94	12530.88	5306.93	5309.66	335.71	1.48
MWD	199	18649	91.08	2.04	93	12529.81	5399.90	5402.64	336.17	3.88
MWD	200	18744	89.41	1.08	95	12529.40	5494.84	5497.60	338.76	2.03
MWD	201	18837	89.27	359.14	93	12530.47	5587.82	5590.59	338.94	2.09
MWD	202	18931	90.68	358.18	94	12530.51	5681.81	5684.56	336.74	1.81
MWD	203	19026	90.81	358.53	95	12529.28	5776.78	5779.51	334.01	0.39
MWD	204	19120	90.68	358.26	94	12528.06	5870.75	5873.47	331.38	0.32
MWD	205	19216	89.49	358.09	96	12527.91	5966.72	5969.42	328.32	1.25
MWD	206	19310	90.37	359.05	94	12528.03	6060.70	6063.39	325.98	1.39
MWD	207	19405	90.20	358.53	95	12527.56	6155.69	6158.36	323.97	0.58
MWD	208	19500	90.90	359.23	95	12526.64	6250.68	6253.34	322.11	1.04
MWD	209	19594	91.74	358.88	94	12524.48	6344.65	6347.30	320.56	0.97
MWD	210	19688	91.52	358.79	94	12521.81	6438.61	6441.24	318.65	0.25
MWD	211	19782	91.56	358.70	94	12519.28	6532.56	6535.19	316.59	0.10
MWD	212	19877	91.60	357.82	95	12516.66	6627.50	6630.11	313.71	0.93
MWD	213	19972	90.77	357.47	95	12514.69	6722.43	6725.00	309.81	0.95
MWD	214	20067	90.11	359.41	95	12513.97	6817.40	6819.96	307.22	2.16
MWD	215	20161	90.02	2.57	94	12513.86	6911.36	6913.93	308.85	3.36
MWD	216	20256	89.54	357.74	95	12514.22	7006.33	7008.91	309.10	5.11
MWD	217	20351	91.16	0.46	95	12513.64	7101.31	7103.88	307.61	3.33
MWD	218	20445	90.33	359.93	94	12512.42	7195.29	7197.87	307.93	1.05
MWD	219	20540	91.78	359.93	95	12510.67	7290.27	7292.85	307.82	1.53
MWD	220	20634	91.08	357.21	94	12508.33	7384.22	7386.78	305.47	2.99
MWD	221	20729	91.21	357.47	95	12506.43	7479.13	7481.66	301.06	0.31
MWD	222	20823	90.64	358.00	94	12504.91	7573.07	7575.58	297.35	0.83
MWD	223	20918	90.99	357.56	95	12503.56	7668.01	7670.49	293.67	0.59
MWD	224	21012	91.38	359.49	94	12501.61	7761.97	7764.44	291.25	2.09
MWD	225	21107	91.69	0.46	95	12499.07	7856.94	7859.40	291.21	1.07
MWD	226	21202	91.47	1.25	95	12496.45	7951.87	7954.36	292.62	0.86
MWD	227	21296	88.84	1.08	94	12496.20	8045.83	8048.33	294.54	2.80
MWD	228	21391	88.44	1.34	95	12498.45	8140.76	8143.28	296.54	0.50
MWD	229	21481	87.34	0.90	90	12501.76	8230.67	8233.20	298.30	1.32
MWD	230	21576	90.86	358.26	95	12503.26	8325.63	8328.16	297.60	4.63
MWD	231	21670	91.65	357.65	94	12501.20	8419.57	8422.08	294.25	1.06
MWD	232	21764	92.26	352.64	94	12497.99	8513.21	8515.66	286.30	5.37
MWD	233	21858	92.13	355.28	94	12494.39	8606.68	8609.06	276.42	2.81
MWD	234	21953	90.77	356.24	95	12491.98	8701.44	8703.76	269.40	1.75
MWD	235	22047	88.26	357.56	94	12492.78	8795.32	8797.61	264.31	3.02
MWD	236	22094	90.51	0.81	47	12493.28	8842.31	8844.60	263.65	8.41
MWD	237	22143	88.22	3.45	49	12493.83	8891.25	8893.55	265.47	7.13
MWD	238	22237	88.88	4.50	94	12496.21	8984.94	8987.29	271.98	1.32

MWD	239	22332	91.34	5.47	95	12496.02	9079.51	9081.93	280.23	2.78
MWD	240	22427	91.52	3.98	95	12493.65	9174.09	9176.57	288.06	1.58
MWD	241	22523	89.98	2.75	96	12492.40	9269.86	9272.39	293.69	2.05
MWD	242	22618	91.12	2.22	95	12491.48	9364.73	9367.30	297.81	1.32
MWD	243	22713	89.36	359.14	95	12491.09	9459.70	9462.27	298.94	3.73
MWD	244	22807	91.60	4.86	94	12490.30	9553.57	9556.17	302.22	6.53
MWD	245	22837	91.47	5.21	30	12489.49	9583.42	9586.04	304.85	1.24
PTB	246	22910	91.47	5.21	73	12487.62	9656.04	9658.72	311.47	0.00

Submit To Appropriate District Office Two Copies <u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 <u>District II</u> 811 S. First St., Artesia, NM 88210 <u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 <u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505			Form C-105 Revised April 3, 2017					
WELL COMPLETION OR RECOMPLETION REPORT AND LOG										
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)								1. WELL API NO. 30-025-48761		
								2. Type of Lease ☒ STATE ☐ FEE ☐ FED/INDIAN		
								3. State Oil & Gas Lease No.		
5. Lease Name or Unit Agreement Name PROMETHEUS STATE COM								6. Well Number:		
								133H		
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER										
8. Name of Operator TAP ROCK OPERATING, LLC							9. OGRID 372043			
10. Address of Operator 523 PARK POINT DRIVE, SUITE 200, GOLDEN, CO							11. Pool name or Wildcat WC-025 G-09 S243310P; UPPER WOLFCAMP			
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	O	22	24S	33E	-	853	SOUTH	2565	EAST	LEA
BH:	B	15	24S	33E	-	43	NORTH	2179	EAST	LEA
13. Date Spudded 10/29/2021	14. Date T.D. Reached 1/16/2022		15. Date Rig Released 1/19/2022		16. Date Completed (Ready to Produce) 4/23/2022			17. Elevations (DF and RKB, RT, GR, etc.) 3555 GR		
18. Total Measured Depth of Well 22910 ft			19. Plug Back Measured Depth 22847 ft		20. Was Directional Survey Made? YES			21. Type Electric and Other Logs Run GAMMA		
22. Producing Interval(s), of this completion - Top, Bottom, Name 12610' - 22763'							WOLFCAMP			
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
10.75"		45.5		1278'		13.5"		730 sks		0
7.625"		29.7		9632'/11967'		9.875"/8.75"		1212 sks		0
5.5"		20		22895'		6.75"		1065 sks		0
24. LINER RECORD						25. TUBING RECORD				
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET	PACKER SET			
26. Perforation record (interval, size, and number) Perforate from 12610 ft to 22763 ft, 1 SPF, .55 inch holes with 598 total shots						27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC. DEPTH INTERVAL AMOUNT AND KIND MATERIAL USED 12610' - 22763' 46 stage frac with 25,564,415 lbs of 100 mesh sand				
28. PRODUCTION										
Date First Production 5/4/2022		Production Method (Flowing, gas lift, pumping - Size and type pump) Flowing				Well Status (Prod. or Shut-in) Producing				
Date of Test	Hours Tested 24 hrs	Choke Size 30/64	Prod'n For Test Period	Oil - Bbl 1600	Gas - MCF 3735	Water - Bbl. 3504	Gas - Oil Ratio 2334			
Flow Tubing Press. 0	Casing Pressure 2480	Calculated 24-Hour Rate	Oil - Bbl. 1600	Gas - MCF 3735	Water - Bbl. 3504	Oil Gravity - API - (Corr.)				
29. Disposition of Gas (Sold, used for fuel, vented, etc.) Sold							30. Test Witnessed By			
31. List Attachments C-102, Directional Survey										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.							33. Rig Release Date:			
34. If an on-site burial was used at the well, report the exact location of the on-site burial:										
Latitude			Longitude			NAD83				
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Signature 			Printed Name Jeff Trlica			Title Regulatory Analyst			Date 5/25/2022	
E-mail Address jtrlica@taprllc.com										

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

[illegible]


No. 1, from.....to.....
No. 2, from.....to.....
No. 3, from.....to.....
No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology		From	To	Thickness In Feet	Lithology
0	938		Quaternary					
938	1558		Rustler					
1558	4731		Top of Salt					
4731	4950		Base of Salt					
4950	4981		Lamar					
4981	6239		Bell					
6239	7658		Cherry Canyon					
7658	9187		Brushy Canyon					
9187	9633		Bonespring					
9633	10113		Avalon					
10113	10911		1st Bone Spring Sand					
10911	11959		2nd Bone Spring Sand					
11959	12317		3rd Bone Spring Sand					
12317			Wolfcamp A					

Tap Rock
Prometheus
Defining Wells
T24S-R33E



Defining Prometheus Well



Prometheus Wells

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 111229

ACKNOWLEDGMENTS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 111229
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 111229

CONDITIONS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 111229
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	None	4/14/2023