

District I
1625 N. French Dr., Hobbs, NM 88240

State of New Mexico
Energy, Minerals & Natural Resources

Form C-104
Revised August 1, 2011

District II
811 S. First St., Artesia, NM 88210

District III
1000 Rio Brazos Rd., Aztec, NM 87410

District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☒ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address OXY USA INC. P.O. BOX 50250 MIDLAND, TX 79710		² OGRID Number: 16696
		³ Reason for Filing Code/ Effective Date: NW - 11/29/2022
⁴ API Number 30 – 015-47559	⁵ Pool Name PIERCE CROSSING; BONE SPRING	⁶ Pool Code 50371
⁷ Property Code: 321601	⁸ Property Name: SALT FLAT CC 20-29 FEDERAL COM	⁹ Well Number: 1H

II. ¹⁰ Surface Location

Ul or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
N	17	24S	29E		435	SOUTH	1730	WEST	EDDY

¹¹ Bottom Hole Location

FTP- 188' FNL 1856' FWL LTP- 252' FSL 1874' FWL

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
N	29	24S	29E		44	SOUTH	1873	WEST	EDDY
¹² Lse Code F	¹³ Producing Method Code : P		¹⁴ Gas Connection Date: 11/30/22		¹⁵ C-129 Permit Number		¹⁶ C-129 Effective Date		¹⁷ C-129 Expiration Date

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
214754	LPC CRUDE OIL, INC.	O
151618	ENTERPRISE FIELD SERVICES LLC	G

IV. Well Completion Data

²¹ Spud Date 09/06/22	²² Ready Date 11/29/2022	²³ TD 18390'M 7702'V	²⁴ PBTD 18349'M 7701'V	²⁵ Perforations 7957-18182'	²⁶ DHC, MC
²⁷ Hole Size		²⁸ Casing & Tubing Size		²⁹ Depth Set	³⁰ Sacks Cement
17-1/2"		13-3/8"		550'	675
9-7/8"		7-5/8"		6973'	1876
6-3/4"		5-1/2"		18370'	1075
		2-7/8" TBG		7194'	NA

V. Well Test Data

³¹ Date New Oil 12/2/22	³² Gas Delivery Date 11/30/22	³³ Test Date 12/31/22	³⁴ Test Length 24 HRS	³⁵ Tbg. Pressure	³⁶ Csg. Pressure 1174
³⁷ Choke Size 128/128	³⁸ Oil 2050	³⁹ Water 2380	⁴⁰ Gas 3342		⁴¹ Test Method P

⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.

Signature: 

Printed name: JANA MENDIOLA

Title: SR. REGULATORY ANALYST

E-mail Address:
Janalyn_mendiola@oxy.com

Date: 03/22/2023
Phone: 432-695-5036

OIL CONSERVATION DIVISION

Approved by:

PATRICIA MARTINEZ

Title: PETROLEUM SPECIALIST

Approval Date: 4/21/2023

1625 N. French Dr., Hobbs, NM 88240
 Phone: (575) 393-6161 Fax: (575) 393-0720
District II
 811 S. First St., Artesia, NM 88210
 Phone: (575) 748-1283 Fax: (505) 334-6170
District III
 1000 Rio Brazos Road, Aztec, NM 87410
 Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
 1220 S. St. Francis Dr., Santa Fe, NM 87505
 Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
 Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

Revised August 1, 2011
 Submit one copy to appropriate
 District Office

☒ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION AS-DRILLED PLAT

¹ API Number 30-015-47559	² Pool Code 50371	³ Pool Name PIERCE CROSSING; BONE SPRING
⁴ Property Code 321601	Property Name SALT FLAT CC 20_29 FEDERAL COM	
⁷ OGRID No. 16696	⁸ Operator Name OXY USA INC.	⁶ Well Number 1H
		⁹ Elevation 2936'

¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
N	17	24S	29E		435	SOUTH	1730	WEST	EDDY
¹¹ Bottom Hole Location If Different From Surface									
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
N	29	24S	29E		44	SOUTH	1873	WEST	EDDY
¹² Dedicated Acres 640.0	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.						

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

CORNER COORDINATES NAD 83, SPCS NM EAST A - X: 639758.16' / Y: 432447.86' B - X: 639747.35' / Y: 435100.22' C - X: 639753.31' / Y: 437757.55' D - X: 639762.78' / Y: 440410.38' E - X: 642408.42' / Y: 440401.10' F - X: 642395.70' / Y: 435091.26' G - X: 642418.52' / Y: 429773.20' H - X: 639780.66' / Y: 429780.41'		CORNER COORDINATES NAD 27, SPCS NM EAST A - X: 598574.08' / Y: 432389.23' B - X: 598563.34' / Y: 435041.53' C - X: 598569.36' / Y: 437698.81' D - X: 598578.90' / Y: 440351.58' E - X: 601224.48' / Y: 440342.27' F - X: 601211.64' / Y: 435032.54' G - X: 601234.33' / Y: 429714.58' H - X: 598596.52' / Y: 429721.83'		SECTION 10 SECTION 15
SURFACE HOLE LOCATION 435' FSL 1730' FWL, SECTION 17 0' MEASURED DEPTH IN FEET NAD 83, SPCS NM EAST X: 641486.26' / Y: 440838.92' LAT: 32.21152832N / LON: 104.00951550W NAD 27, SPCS NM EAST X: 600302.35' / Y: 440780.09' LAT: 32.21140561N / LON: 104.00902627W		KICK OFF POINT 402' FSL 1693' FWL, SECTION 17 6998' MEASURED DEPTH IN FEET NAD 83, SPCS NM EAST X: 641452.76' / Y: 440806.41' LAT: 32.21143923N / LON: 104.00962413W NAD 27, SPCS NM EAST X: 600028.65' / Y: 440747.59' LAT: 32.21131652N / LON: 104.00913490W		SECTION 21 SECTION 22
FIRST TAKE POINT 188' FSL 1856' FWL, SECTION 20 7957' MEASURED DEPTH IN FEET NAD 83, SPCS NM EAST X: 641618.12' / Y: 440216.20' LAT: 32.20981546N / LON: 104.00909524W NAD 27, SPCS NM EAST X: 600434.19' / Y: 440157.39' LAT: 32.20969273N / LON: 104.00860608W		LAST TAKE POINT 252' FSL 1874' FWL, SECTION 29 18182' MEASURED DEPTH IN FEET NAD 83, SPCS NM EAST X: 641652.26' / Y: 430027.24' LAT: 32.18180699N / LON: 104.00908418W NAD 27, SPCS NM EAST X: 600468.09' / Y: 429968.63' LAT: 32.18168392N / LON: 104.00859597W		SECTION 29 SECTION 30 SECTION 31 SECTION 32 SECTION 33
BOTTOM HOLE LOCATION 44' FSL 1873' FWL, SECTION 29 18390' MEASURED DEPTH IN FEET NAD 83, SPCS NM EAST X: 641653.04' / Y: 429819.25' LAT: 32.18123524N / LON: 104.00908368W NAD 27, SPCS NM EAST X: 600468.87' / Y: 429760.64' LAT: 32.18111216N / LON: 104.00859549W		17 OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division. Signature: <i>[Signature]</i> Date: 11/28/22 JANA MENDIOLA Printed Name janalyn_mendiola@oxy.com E-mail Address		
18 SURVEYOR CERTIFICATION I hereby certify that the well surface location shown on this plat was plotted from field notes of the as-staked surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. Data used for underground measurements were provided by others for reference only and does not constitute field measurements performed by R-Squared Global. NOVEMBER 23, 2022 Date of Survey Signature and Seal of Professional Surveyor: <i>[Signature]</i> Certificate Number LLOYD P. SHORT 21653		SECTION 7 SECTION 18 SECTION 13 SECTION 18 SECTION 17 SECTION 19 SECTION 20 SECTION 21 SECTION 22 SECTION 23 SECTION 24 SECTION 25 SECTION 26 SECTION 27 SECTION 28 SECTION 29 SECTION 30 SECTION 31 SECTION 32 SECTION 33		

Distances/areas relative to NAD 83 Combined Scale Factor: 0.997801707 Convergence Angle: 00°10'21.400000"

Schlumberger


OXY



Borehole:	Well:	Field:	Structure:
Salt Flat CC 20_29 Federal Com 1H	Salt Flat CC 20_29 Federal Com 1H	NM Eddy County (NAD 83)	Oxy Salt Flat CC 20_29 Federal Com Pad (Patterson 882)

Gravity & Magnetic Parameters				Surface Location				Miscellaneous			
Model:	IFR1	Dip:	59.898°	Date:	25-Sep-2022	Lat:	N 32 12 41.50	Northing:	440838.92RUS	Grid Conv:	0.1726°
MagDec:	6.73°	FS:	47545.5nT	Gravity FS:	998.468mgn (9.80665 Based)	Lon:	W 104 0 34.26	Easting:	641486.26RUS	Scale Fact:	0.9992058
								Salt Flat CC			
								TVD Ref:			
								RKB(2961.1ft above MSL)			
								Oxy Salt Flat CC 20_29 Federal Com 1H Gyro+MWD 0' to 18390MD			

Critical Points								
Critical Point	MD	INCL	AZIM	TVD	VSEC	N(+)/S(-)	E(+)/W(-)	DLS
WRP	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
SHL	25.00	0.00	0.00	25.00	0.00	0.00	0.00	
First Gyro Survey	94.29	0.42	65.03	94.29	-0.10	0.11	0.23	0.61
Last Gyro Survey	535.95	0.42	101.14	535.93	-1.12	1.18	3.68	0.25
First SLB Survey	665.00	0.19	218.40	664.98	-0.86	0.92	4.01	0.41
Actual KOP	6998.00	4.43	147.64	6995.56	32.01	-32.51	-33.50	10.73
1st Bone Spring Sandstone	7626.23	51.07	161.01	7511.10	334.32	-332.81	104.37	7.95
100' FNL Crossing	7861.00	68.24	179.42	7629.23	533.66	-531.76	131.49	6.51
Exit Target Box	10987.00	86.66	163.55	7712.62	3631.21	-3628.66	198.61	1.34
Enter Target Box	11612.00	91.52	185.78	7719.17	4249.49	-4246.98	200.60	0.18
100' FSL Crossing	18331.00	89.23	179.65	7701.21	10961.94	-10960.68	166.42	0.39
Final MWD Survey	18351.00	89.15	179.65	7701.49	10981.94	-10980.67	166.55	0.39
Proj to TD	18390.00	89.15	179.65	7702.07	11020.93	-11019.67	166.78	0.00



Schlumberger



Oxy Salt Flat CC 20_29 Federal Com 1H Gyro+MWD 0' to 18390'MD Survey Geodetic Report (Def Survey)

Report Date:	October 10, 2022 - 02:10 PM	Survey / DLS Computation:	Minimum Curvature / Lubinski
Client:	OXY	Vertical Section Azimuth:	179.149 ° (Grid North)
Field:	NM Eddy County (NAD 83)	Vertical Section Origin:	0.000 ft, 0.000 ft
Structure / Slot:	Oxy Salt Flat CC 20_29 Federal Com Pad (Patterson 882) / Salt Flat CC 20_29 Federal Com 1H	TVD Reference Datum:	RKB
Well:	Salt Flat CC 20_29 Federal Com 1H	TVD Reference Elevation:	2961.100 ft above MSL
Borehole:	Salt Flat CC 20_29 Federal Com 1H	Seabed / Ground Elevation:	2936.100 ft above MSL
UWI / API#:	Unknown / Unknown	Magnetic Declination:	6.730 °
Survey Name:	Oxy Salt Flat CC 20_29 Federal Com 1H Gyro+MWD 0' to 18390'MD	Total Gravity Field Strength:	998.4679mgn (9.80665 Bases)
Survey Date:	August 26, 2022	Gravity Model:	GARM
Tort / AHD / DDI / ERD Ratio:	373.066' / 11129.672 ft / 6.995' / 1.440	Total Magnetic Field Strength:	47545.500 nT
Coordinate Reference System:	NAD83 New Mexico State Plane, Eastern Zone, US Feet	Magnetic Dip Angle:	59.898 °
Location Lat / Long:	N 32° 12' 41.50193", W 104° 0' 34.25580"	Declination Date:	September 25, 2022
Location Grid N/E Y/X:	N 440838.920 ftUS, E 641486.260 ftUS	Magnetic Declination Model:	IFR1
CRS Grid Convergence Angle:	0.1726 °	North Reference:	Grid North
Grid Scale Factor:	0.99992058	Grid Convergence Used:	0.1700 °
Version / Patch:	2.10.829.1	Total Corr Mag North->Grid North:	6.5600 °
		Local Coord Referenced To:	Well Head

Comments	MD (ft)	Incl (°)	Azim Grid (°)	TVD (ft)	VSEC (ft)	NS (ft)	EW (ft)	DLS (°/100ft)	Closure (ft)	Closure Azimuth (°)	Northing (ftUS)	Easting (ftUS)	Latitude (N/S ° ' ")	Longitude (E/W ° ' ")
WRP	0.00	0.00	0.00	0.00	0.00	0.00	0.00	N/A	0.00	0.00	440838.92	641486.26	N 32 12 41.50	W 104 0 34.26
SHL	25.00	0.00	0.00	25.00	0.00	0.00	0.00	0.00	0.00	0.00	440838.92	641486.26	N 32 12 41.50	W 104 0 34.26
First Gyro Survey	94.29	0.42	65.03	94.29	-0.10	0.11	0.23	0.61	0.25	65.03	440839.03	641486.49	N 32 12 41.50	W 104 0 34.25
	176.39	0.56	55.50	176.39	-0.45	0.46	0.83	0.20	0.95	61.03	440839.38	641487.09	N 32 12 41.51	W 104 0 34.25
	264.39	0.43	75.00	264.38	-0.77	0.79	1.51	0.24	1.70	62.32	440839.71	641487.77	N 32 12 41.51	W 104 0 34.24
	358.74	0.46	74.13	358.73	-0.95	0.99	2.21	0.03	2.42	65.99	440839.91	641488.47	N 32 12 41.51	W 104 0 34.23
	453.04	0.53	79.51	453.03	-1.12	1.17	3.01	0.09	3.23	68.76	440840.09	641489.27	N 32 12 41.51	W 104 0 34.22
Last Gyro Survey	535.95	0.42	101.14	535.93	-1.12	1.18	3.68	0.25	3.87	72.23	440840.10	641489.94	N 32 12 41.51	W 104 0 34.21
First SLB Survey	665.00	0.19	218.40	664.98	-0.86	0.92	4.01	0.41	4.12	77.08	440839.84	641490.27	N 32 12 41.51	W 104 0 34.21
	756.00	0.20	177.00	755.98	-0.59	0.64	3.93	0.15	3.98	80.69	440839.56	641490.19	N 32 12 41.51	W 104 0 34.21
	916.00	0.09	61.27	915.98	-0.37	0.43	4.05	0.16	4.07	84.01	440839.34	641490.31	N 32 12 41.51	W 104 0 34.21
	1007.00	0.43	28.84	1006.98	-0.70	0.76	4.28	0.39	4.35	79.94	440839.68	641490.54	N 32 12 41.51	W 104 0 34.21
	1098.00	0.32	290.40	1097.98	-1.08	1.15	4.21	0.63	4.36	74.75	440840.07	641490.47	N 32 12 41.51	W 104 0 34.21
	1189.00	1.18	255.94	1188.97	-0.96	1.01	3.06	1.03	3.22	71.77	440839.93	641489.32	N 32 12 41.51	W 104 0 34.22
	1280.00	0.74	23.81	1279.96	-1.28	1.32	2.39	1.91	2.73	61.10	440840.24	641488.65	N 32 12 41.51	W 104 0 34.23
	1371.00	0.72	75.36	1370.96	-1.95	2.00	3.18	0.70	3.75	57.82	440840.92	641489.44	N 32 12 41.52	W 104 0 34.22
	1461.00	0.66	116.48	1460.95	-1.85	1.91	4.19	0.54	4.60	65.47	440840.83	641490.45	N 32 12 41.52	W 104 0 34.21
	1553.00	0.76	168.45	1552.95	-1.01	1.08	4.79	0.68	4.90	77.31	440840.00	641491.04	N 32 12 41.51	W 104 0 34.20
	1645.00	0.54	193.72	1644.94	0.01	0.06	4.80	0.39	4.80	89.30	440838.98	641491.06	N 32 12 41.50	W 104 0 34.20
	1744.00	0.53	180.01	1743.94	0.92	-0.85	4.69	0.13	4.77	100.30	440838.07	641490.95	N 32 12 41.49	W 104 0 34.20
	1839.00	0.57	147.84	1838.93	1.77	-1.69	4.95	0.32	5.23	108.89	440837.23	641491.20	N 32 12 41.49	W 104 0 34.20
	1934.00	0.45	178.30	1933.93	2.54	-2.47	5.21	0.31	5.76	115.33	440836.45	641491.47	N 32 12 41.48	W 104 0 34.20
	2029.00	0.58	151.19	2028.92	3.34	-3.26	5.45	0.29	6.35	120.88	440835.66	641491.71	N 32 12 41.47	W 104 0 34.19
	2124.00	0.08	91.76	2123.92	3.77	-3.68	5.75	0.57	6.83	122.64	440835.24	641492.01	N 32 12 41.47	W 104 0 34.19
	2219.00	0.16	344.34	2218.92	3.64	-3.56	5.78	0.21	6.79	121.61	440835.36	641492.04	N 32 12 41.47	W 104 0 34.19
	2314.00	0.15	252.05	2313.92	3.55	-3.47	5.62	0.24	6.61	121.65	440835.45	641491.88	N 32 12 41.47	W 104 0 34.19
	2409.00	0.12	173.60	2408.92	3.69	-3.60	5.52	0.18	6.59	123.16	440835.32	641491.78	N 32 12 41.47	W 104 0 34.19
	2504.00	0.21	106.18	2503.92	3.84	-3.75	5.70	0.21	6.82	123.37	440835.17	641491.96	N 32 12 41.46	W 104 0 34.19
	2599.00	0.12	3.46	2598.92	3.79	-3.70	5.87	0.28	6.94	122.24	440835.22	641492.13	N 32 12 41.47	W 104 0 34.19
	2694.00	0.49	253.76	2693.92	3.80	-3.72	5.49	0.57	6.63	124.11	440835.20	641491.74	N 32 12 41.47	W 104 0 34.19
	2789.00	2.55	250.53	2788.88	4.58	-4.53	3.10	2.17	5.49	145.62	440834.39	641489.36	N 32 12 41.46	W 104 0 34.22
	2884.00	4.29	245.77	2883.71	6.66	-6.70	-2.13	1.85	7.03	197.65	440832.22	641484.13	N 32 12 41.44	W 104 0 34.28
	2978.00	6.49	244.92	2977.29	10.24	-10.39	-10.15	2.34	14.53	224.32	440828.53	641476.11	N 32 12 41.40	W 104 0 34.37
	3073.00	8.32	242.95	3071.49	15.48	-15.79	-15.13	1.94	26.38	233.23	440823.13	641465.13	N 32 12 41.35	W 104 0 34.50
	3168.00	5.40	222.44	3165.82	21.77	-22.22	-20.28	3.97	37.56	233.72	440816.70	641455.99	N 32 12 41.28	W 104 0 34.61
	3262.00	1.82	169.69	3259.63	26.46	-26.96	-32.99	4.82	42.61	230.75	440811.97	641453.27	N 32 12 41.24	W 104 0 34.64
	3357.00	0.42	234.81	3354.61	28.15	-28.64	-33.01	1.78	43.70	229.05	440810.28	641453.25	N 32 12 41.22	W 104 0 34.64
	3452.00	0.42	198.64	3449.61	28.67	-29.17	-33.41	0.27	44.35	228.87	440809.75	641452.86	N 32 12 41.21	W 104 0 34.65
	3546.00	0.24	113.71	3543.61	29.08	-29.58	-33.34	0.49	44.56	228.42	440809.34	641452.93	N 32 12 41.21	W 104 0 34.64
	3641.00	0.34	63.44	3638.61	30.34	-30.53	-32.90	0.44	44.21	228.09	440809.39	641453.36	N 32 12 41.21	W 104 0 34.64
	3735.00	0.30	343.05	3732.61	28.68	-29.17	-32.72	0.44	43.84	228.28	440809.75	641453.54	N 32 12 41.21	W 104 0 34.64
	3830.00	0.33	273.47	3827.61	28.42	-28.92	-33.07	0.38	43.93	228.83	440810.01	641453.19	N 32 12 41.22	W 104 0 34.64
	3925.00	0.28	205.08	3922.61	28.61	-29.11	-33.44	0.36	44.34	228.96	440809.81	641452.82	N 32 12 41.21	W 104 0 34.65
	4019.00	0.24	298.42	4016.61	28.72	-29.22	-33.71	0.40	44.61	229.08	440809.70	641452.55	N 32 12 41.21	W 104 0 34.65
	4114.00	0.16	144.14	4111.60	28.73	-29.24	-33.81	0.41	44.70	229.15	440809.68	641452.45	N 32 12 41.21	W 104 0 34.65
	4209.00	0.15	69.76	4206.60	28.80	-29.30	-33.61	0.20	44.59	228.92	440809.62	641452.65	N 32 12 41.21	W 104 0 34.65
	4304.00	0.07	28.46	4301.60	28.71	-29.21	-33.47	0.11	44.42	228.89	440809.71	641452.79	N 32 12 41.21	W 104 0 34.65
	4398.00	0.17	170.63	4395.60	28.80	-29.29	-33.42	0.24	44.44	228.76	440809.63	641452.84	N 32 12 41.21	W 104 0 34.65
	4493.00	0.06	23.96	4490.60	28.89	-29.39	-33.38	0.23	44.47	228.64	440809.53	641452.89	N 32 12 41.21	W 104 0 34.65
	4588.00	0.07	133.43	4585.60	28.88	-29.38	-33.31	0.11	44.42	228.59	440809.54	641452.95	N 32 12 41.21	W 104 0 34.64
	4682.00	0.17	257.76	4679.60	28.95	-29.45	-33.41	0.23	44.54	228.60	440809.47	641452.85	N 32 12 41.21	W 104 0 34.65
	4777.00	0.10	168.46	4774.60	29.06	-29.56	-33.53	0.21	44.70	228.60	440809.38	641452.73	N 32 12 41.21	W 104 0 34.65
	4872.00	0.09	342.34	4869.60	29.07	-29.57	-33.54	0.20	44.71	228.59	440809.35	641452.73	N 32 12 41.21	W 104 0 34.65
	4966.00	0.17	184.58	4963.60	29.14	-29.64	-33.57	0.27	44.78	228.55	440809.28	641452.69	N 32 12 41.21	W 104 0 34.65
	5061.00	0.12	213.80	5058.60	29.36	-29.87	-33.64	0.09	44.98	228.40	440809.06	641452.63	N 32 12 41.21	W 104 0 34.65
	5155.00	0.11	159.94	5152.60	29.53	-30.03	-33.66	0.11	45.11	228.26	440808.89	641452.60	N 32 12 41.21	W 104 0 34.65
	5250.00	0.21	147.19	5247.60	29.76	-30.26	-33.53	0.11	45.17	227.93	440808.66	641452.73	N 32 12 41.20	W 104 0 34.65
	5345.00	0.10	87.01	5342.60	29.91	-30.41	-33.36	0.19	45.13	227.65	440808.52	641452.91	N 32 12 41.20	W 104 0 34.65
	5439.00	0.12	56.38	5436.60	29.85	-30.35	-33.39	0.07	44.97	227.56	440808.58	641453.07	N 32 12 41.20	W 104 0 34.64
	5534.00	0.11	313.19	5531.60	29.73	-30.23	-33.18	0.19	44.88	227.66	440808.69	641453.09	N 32 12 41.20	W 104 0 34.64
	5629.00	0.04	140.89	5626.60	29.70	-33.19	-33.22	0.16	44.89	227.73	440808.73	641453.04	N 32 12 41.20	W 104 0 34.64
	5724.00	0.06	8.47	5721.60	29.67	-33.19	-33.19	0.10	44.86	227.73	440808.75	641453.07	N 32 12 41.20	W 104 0 34.64
	5818.00	0.06	233.29	5815.60	29.65	-30.15	-33.23	0.12	44.87	227.78	440808.77	641453.04	N 32 12 41.20	W 104 0 34.64
	5913.00	0.11	155.37	5910.60	29.77	-30.26	-33.23	0.12	44.94	227.67	440808.66	641453.03	N 32 12 41.20	W 104 0 34.64
	6008.00	0.15	179.36	6005.60	29.97	-30.47	-33.19	0.07	45.05	227.45	440808.45	641453.07	N 32 12 41.20	W 104 0 34.64
	6103.00	0.17	180.86	6100.60	30.24	-30.74	-33.19	0.02	45.23	227.20	440808.19	641453.07	N 32 12 41.20	W 104 0 34.64
	6198.00	0.10	134.66	6195.60	30.45	-30.95	-33.15	0.10						

Comments	MD (ft)	Incl (°)	Azim Grid (°)	TVD (ft)	VSEC (ft)	NS (ft)	EW (ft)	DLS (°/100ft)	Closure (ft)	Closure Azimuth (°)	Northing (ftUS)	Easting (ftUS)	Latitude (N/S ° ' '')	Longitude (E/W ° ' '')
	9145.00	88.68		7702.82	1798.43	-1797.47	145.49	4.70	1803.35	175.31	439041.50	641631.74	N 32 12 23.71	W 104 0 32.83
	9240.00	90.13		7703.61	1893.54	-1891.76	134.09	4.00	1896.51	175.95	438947.31	641620.34	N 32 12 22.78	W 104 0 32.76
	9335.00	89.74		7703.72	1988.24	-1986.56	128.08	3.21	1990.68	176.31	438852.52	641614.33	N 32 12 21.84	W 104 0 32.83
	9430.00	90.27		7703.71	2083.19	-2081.54	126.55	2.58	2085.38	176.52	438767.55	641612.79	N 32 12 20.90	W 104 0 32.86
	9525.00	90.24		7703.28	2178.18	-2176.54	126.85	0.18	2180.23	176.66	438662.56	641613.10	N 32 12 19.96	W 104 0 32.86
	9619.00	90.34		7702.81	2272.17	-2270.54	127.21	0.28	2274.10	176.79	438568.57	641613.46	N 32 12 19.03	W 104 0 32.85
	9714.00	89.74		7702.74	2367.16	-2365.53	126.98	0.74	2369.94	176.93	438473.58	641613.23	N 32 12 18.09	W 104 0 32.86
	9809.00	90.33		7702.68	2462.04	-2460.47	123.77	2.84	2463.58	177.12	438378.65	641610.02	N 32 12 17.15	W 104 0 32.90
	9903.00	90.42		7702.07	2555.89	-2554.39	119.96	1.97	2557.20	177.31	438284.74	641606.21	N 32 12 16.22	W 104 0 32.95
	9998.00	90.06		7701.67	2650.86	-2649.38	119.60	2.52	2652.08	177.42	438189.76	641605.85	N 32 12 15.28	W 104 0 32.96
	10093.00	89.09		7702.38	2745.83	-2744.31	122.95	2.43	2747.06	177.43	438094.83	641609.20	N 32 12 14.34	W 104 0 32.92
	10186.00	91.34		7702.03	2838.81	-2837.27	124.36	5.31	2840.00	177.49	438001.88	641610.61	N 32 12 13.42	W 104 0 32.91
	10281.00	91.11		7700.00	2933.60	-2932.14	120.00	2.76	2934.59	177.66	437907.02	641606.25	N 32 12 12.48	W 104 0 32.96
	10312.00	90.06		7699.68	2964.54	-2963.11	118.69	10.34	2965.48	177.71	437876.05	641604.94	N 32 12 12.18	W 104 0 32.98
	10407.00	90.23		7699.44	3059.48	-3058.08	116.56	0.81	3060.30	177.82	437781.09	641602.81	N 32 12 11.24	W 104 0 33.01
	10501.00	89.52		7699.64	3153.44	-3152.07	115.66	2.49	3154.19	177.90	437687.11	641601.91	N 32 12 10.31	W 104 0 33.02
	10596.00	89.18		7700.72	3248.42	-3247.02	118.42	2.33	3249.18	177.91	437592.16	641604.67	N 32 12 9.37	W 104 0 32.99
	10691.00	89.13		7702.12	3342.93	-3341.38	128.76	3.36	3343.86	177.79	437497.81	641615.01	N 32 12 8.43	W 104 0 32.87
	10786.00	88.17		7704.36	3436.26	-3434.45	147.65	7.76	3437.62	177.54	437404.75	641633.89	N 32 12 7.51	W 104 0 32.86
	10880.00	87.92		7707.57	3527.82	-3525.68	170.03	1.29	3529.78	177.51	437313.52	641656.28	N 32 12 6.61	W 104 0 32.40
Exit Target Box	10975.00	86.81		7711.94	3619.67	-3617.17	195.22	2.43	3622.44	176.91	437222.04	641681.47	N 32 12 5.70	W 104 0 32.11
	10987.00	86.66	163.55	7712.62	3631.21	-3628.66	198.61	1.34	3634.10	176.87	437210.55	641684.85	N 32 12 5.59	W 104 0 32.07
	11006.00	86.41	163.48	7713.77	3649.48	-3646.85	203.99	1.34	3652.55	176.80	437192.37	641690.24	N 32 12 5.41	W 104 0 32.01
	11060.00	88.03	165.64	7716.39	3701.67	-3698.83	218.35	5.00	3705.27	176.62	437140.39	641704.59	N 32 12 4.89	W 104 0 31.84
	11155.00	86.60	174.72	7721.68	3795.26	-3792.19	234.52	9.88	3799.44	176.46	437047.04	641720.76	N 32 12 3.97	W 104 0 31.86
	11249.00	86.36	182.51	7726.64	3889.04	-3885.95	256.78	8.79	3893.16	176.51	436953.28	641723.02	N 32 12 3.04	W 104 0 31.84
	11344.00	91.81	186.63	7726.50	3980.58	-3980.50	229.21	5.66	3987.21	176.70	436858.63	641715.45	N 32 12 2.11	W 104 0 31.73
	11439.00	91.45	186.24	7723.80	4077.77	-4074.98	218.57	0.56	4080.84	176.93	436764.27	641704.81	N 32 12 1.17	W 104 0 31.86
	11534.00	91.58	185.90	7721.28	4172.05	-4169.41	208.53	0.38	4174.62	177.14	436669.85	641694.77	N 32 12 0.24	W 104 0 31.98
	11612.00	91.52	185.78	7719.17	4249.49	-4246.98	200.60	0.18	4251.71	177.30	436592.29	641686.84	N 32 11 59.47	W 104 0 32.07
Enter Target Box	11628.00	91.51	185.75	7718.75	4265.38	-4262.89	198.99	0.18	4267.53	177.33	436576.37	641685.23	N 32 11 59.31	W 104 0 32.09
	11723.00	91.08	184.44	7716.60	4359.94	-4357.49	190.56	1.45	4361.66	177.59	436461.78	641676.80	N 32 11 58.38	W 104 0 32.14
	11817.00	91.93	183.81	7714.13	4453.45	-4451.21	183.80	1.13	4455.01	177.64	436368.07	641670.04	N 32 11 57.45	W 104 0 32.27
	11912.00	91.87	182.61	7710.98	4548.16	-4546.01	178.48	1.26	4549.51	177.75	436293.28	641664.72	N 32 11 56.51	W 104 0 32.34
	12007.00	92.01	182.25	7707.77	4642.95	-4640.87	174.45	0.41	4644.15	177.85	436198.43	641660.70	N 32 11 55.57	W 104 0 32.39
	12101.00	91.62	181.54	7704.79	4736.79	-4734.77	171.35	0.86	4737.87	177.93	436104.53	641657.59	N 32 11 54.65	W 104 0 32.43
	12196.00	91.00		7703.01	4831.71	-4829.73	169.24	1.28	4832.69	177.99	436009.88	641655.49	N 32 11 53.71	W 104 0 32.46
	12291.00	90.87	180.57	7701.85	4926.66	-4924.71	167.94	0.58	4927.58	178.05	435914.61	641654.19	N 32 11 52.77	W 104 0 32.47
	12386.00	90.77	179.75	7700.49	5021.64	-5019.70	167.58	0.87	5022.58	178.31	435819.63	641653.92	N 32 11 51.83	W 104 0 32.48
	12480.00	90.43	179.97	7699.11	5115.62	-5113.69	167.91	0.28	5116.45	178.12	435725.64	641654.15	N 32 11 50.90	W 104 0 32.48
	12575.00	90.91	180.47	7698.00	5210.60	-5208.68	167.54	0.73	5211.38	178.16	435630.66	641653.79	N 32 11 49.96	W 104 0 32.49
	12670.00	89.95	181.08	7697.68	5305.56	-5303.67	166.26	0.82	5306.28	178.20	435535.68	641652.50	N 32 11 49.02	W 104 0 32.51
	12765.00	90.22	180.66	7697.54	5400.52	-5398.66	164.81	0.53	5401.18	178.25	435440.70	641651.06	N 32 11 48.08	W 104 0 32.53
	12859.00	90.31	180.79	7697.11	5494.49	-5492.66	164.12	0.51	5495.11	178.29	435346.71	641650.36	N 32 11 47.15	W 104 0 32.54
	12954.00	89.42	179.97	7697.33	5589.45	-5587.45	164.63	1.41	5590.38	178.31	435251.72	641650.88	N 32 11 46.21	W 104 0 32.54
	13049.00	89.86	178.07	7697.93	5684.48	-5682.62	166.90	1.27	5685.07	178.32	435156.76	641653.15	N 32 11 45.27	W 104 0 32.51
	13144.00	89.67	178.48	7698.32	5779.46	-5777.58	169.76	0.48	5780.07	178.32	435061.81	641656.01	N 32 11 44.33	W 104 0 32.48
	13238.00	89.68	179.92	7698.85	5873.46	-5871.57	171.07	1.53	5874.06	178.33	434967.83	641657.32	N 32 11 43.40	W 104 0 32.47
	13333.00	90.35	179.91	7698.83	5968.45	-5966.57	171.21	0.71	5969.02	178.36	434872.84	641657.46	N 32 11 42.46	W 104 0 32.47
	13428.00	89.56	180.71	7698.90	6063.43	-6061.56	170.70	1.18	6063.97	178.39	434777.85	641656.95	N 32 11 41.52	W 104 0 32.48
	13523.00	89.67	180.37	7699.37	6158.45	-6156.54	168.58	1.19	6158.84	178.43	434682.88	641656.32	N 32 11 40.58	W 104 0 32.51
	13618.00	89.98	183.29	7699.50	6253.19	-6251.44	164.32	1.52	6253.60	178.49	434587.99	641650.56	N 32 11 39.64	W 104 0 32.56
	13714.00	91.14	183.18	7698.57	6347.94	-6346.28	158.96	1.23	6348.27	178.57	434493.16	641645.20	N 32 11 38.70	W 104 0 32.63
	13807.00	91.31	183.02	7696.56	6441.70	-6440.12	153.88	0.25	6441.96	178.63	434399.32	641640.12	N 32 11 37.77	W 104 0 32.69
	13902.00	90.23	184.67	7695.28	6536.36	-6534.89	147.51	2.08	6536.56	178.71	434304.56	641633.75	N 32 11 36.83	W 104 0 32.77
	13997.00	89.59	182.88	7695.43	6631.05	-6629.68	141.25	2.00	6631.19	178.78	434209.78	641627.50	N 32 11 35.90	W 104 0 32.84
	14091.00	90.17	178.95	7695.53	6724.83	-6723.55	136.18	0.76	6724.93	178.83	434115.92	641622.43	N 32 11 34.97	W 104 0 32.91
	14186.00	90.23	184.17	7695.30	6819.58	-6818.34	134.74	0.92	6819.58	178.91	434021.13	641616.24	N 32 11 34.03	W 104 0 32.98
	14280.00	89.56	183.16	7695.47	6913.23	-6912.15	123.99	1.29	6913.26	178.97	433927.33	641610.24	N 32 11 33.10	W 104 0 33.06
	14375.00	90.08	180.71	7695.77	7008.11	-7007.09	120.78	2.64	7008.13	179.01	433832.40	641607.03	N 32 11 32.16	W 104 0 33.10
	14470.00	89.17	177.45	7696.39	7103.09	-7102.06	122.30	3.56	7103.11	179.01	433737.44	641608.55	N 32 11 31.22	W 104 0 33.08
	14565.00	88.95	176.00	7697.95	7197.99	-7196.89	127.73	1.54	7198.02	178.98	433642.62	641613.98	N 32 11 30.28	W 104 0 33.02
	14659.00	90.56	176.07	7698.35	7291.85	-7290.66	134.23	1.71	7291.90	178.95	433548.85	641620.48	N 32 11 29.36	W 104 0 32.95
	14754.00	90.19	176.55	7697.73	7386.73	-7385.46	140.34	0.84	7386.79	178.91	433454.06	641626.59	N 32 11 28.42	W 104 0 32.88
	14849.00	91.07	179.48	7696.68	7481.69	-7480.39	143.63	3.22	7481.77	178.90	433359.14	641629.88	N 32 11 27.48	W 104 0 32

Well Name: SALT FLAT CC 20-29 FEDERAL COM	Well Location: T24S / R29E / SEC 17 / NWNW / 32.2088125 / -104.0123604	County or Parish/State: EDDY / NM
Well Number: 1H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM17224	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001547559	Well Status: Drilling Well	Operator: OXY USA INCORPORATED

Subsequent Report

Sundry ID: 2718740

Type of Submission: Subsequent Report

Type of Action: Workover Operations

Date Sundry Submitted: 03/02/2023

Time Sundry Submitted: 04:14

Date Operation Actually Began: 11/03/2022

Actual Procedure: RUPU 11/03/22, RIH & clean out to PBTD @ 18349', pressure test casing to 6000# for 30 min, good test. RIH & perf @ 7957-18182' Total 1230 holes. Frac in 41 stages w/ 272883BBL Produced Water + 140606BBL Brackish Water (> 1,000 mg/I TDS and 10,000 mg/I TDS) w/ 25701592# sand, RD NexTier 11/21/22. Well ready to produce 11/29/22. 12/03/22 RIH with 2-7/8" L80 tbg & gas lift set @ 7194', RD 12/04/22. Formation Tops for this completion are as follows: TOP MD TVD RUSTLER 283 283 SALADO 620 620 CASTILE 1261 1261 DELAWARE 2806 2806 BELL CANYON 2833 2833 CHERRY CANYON 3726 3724 BRUSHY CANYON 4968 4966 BONE SPRING 6527 6525 1ST BONE SPRING 7688 7544

Well Name: SALT FLAT CC 20-29
FEDERAL COM

Well Location: T24S / R29E / SEC 17 /
NWNW / 32.2088125 / -104.0123604

County or Parish/State: EDDY /
NM

Well Number: 1H

Type of Well: OIL WELL

Allottee or Tribe Name:

Lease Number: NMNM17224

Unit or CA Name:

Unit or CA Number:

US Well Number: 3001547559

Well Status: Drilling Well

Operator: OXY USA
INCORPORATED

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: JANA MENDIOLA

Signed on: MAR 02, 2023 04:14 PM

Name: OXY USA INCORPORATED

Title: Regulatory Coordinator

Street Address: PO BOX 50250

City: Midland

State: TX

Phone: (432) 685-5936

Email address: Janalyn_mendiola@oxy.com

Field

Representative Name:

Street Address:

City:

State:

Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: JONATHON W SHEPARD

BLM POC Title: Petroleum Engineer


BLM POC Phone: 5752345972

BLM POC Email Address: jshepard@blm.gov

Disposition: Accepted

Disposition Date: 03/16/2023

Signature: Jonathon Shepard

Submit To Appropriate District Office Two Copies <u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 <u>District II</u> 811 S. First St., Artesia, NM 88210 <u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 <u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505			Form C-105 Revised April 3, 2017					
WELL COMPLETION OR RECOMPLETION REPORT AND LOG							1. WELL API NO. 30-015-47559			
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)							2. Type of Lease ☐ STATE ☐ FEE ☒ FED/INDIAN			
							3. State Oil & Gas Lease No.			
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER							5. Lease Name or Unit Agreement Name SALT FLAT CC 20-29 FEDERAL COM			
8. Name of Operator: OXY USA INC.							6. Well Number: 1H			
10. Address of Operator: P.O. BOX 50250 MIDLAND, TX 79710							11. Pool name or Wildcat PIERCE CROSSING; BONE SPRING			
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	N	17	24S	29E		435	SOUTH	1730	WEST	EDDY
BH:	N	29	24S	29E		44	SOUTH	1873	WEST	EDDY
13. Date Spudded 09/06/22	14. Date T.D. Reached 10/08/2022		15. Date Rig Released 10/12/2022		16. Date Completed (Ready to Produce) 11/29/2022		17. Elevations (DF and RKB, RT, GR, etc.) 2936' GL			
18. Total Measured Depth of Well 18390'M 7702'V			19. Plug Back Measured Depth 18349'M 7701'V		20. Was Directional Survey Made? YES		21. Type Electric and Other Logs Run CBL			
22. Producing Interval(s), of this completion - Top, Bottom, Name 7957-18182' 1 st Bone Spring										
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
13.375" J55		54.5		550'		17.5"		675sx-surf circ		
7.625" HCL80		26.4		6973'		9.875"		1876sx-surf		
5.5" P110		20		18370'		6.75"		1075sx-TOC@surf		
24. LINER RECORD										
SIZE	TOP	BOTTOM	SACKS CEMENT		SCREEN		25. TUBING RECORD			
							SIZE		DEPTH SET	
							2-7/8"		7194'	
26. Perforation record (interval, size, and number) 7957-18182' Total 1230 holes, Hole Size=0.42										
27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.										
DEPTH INTERVAL						AMOUNT AND KIND MATERIAL USED				
7957-18182'						272883BBL Produced Water + 140606BBL Brackish Water (> 1,000 mg/l TDS and 10,000 mg/l TDS) w/ 25701592# sand				
28. PRODUCTION										
Date First Production		Production Method (Flowing, gas lift, pumping - Size and type pump)				Well Status (Prod. or Shut-in)				
12/02/2022		Gas Lift				Prod.				
Date of Test	Hours Tested	Choke Size	Prod'n For	Oil - Bbl	Gas - MCF	Water - Bbl.	Gas - Oil Ratio			
12/31/2022	24 hrs.	128/128	Test Period	2050	3342	2380	1630			
Flow Tubing Press.	Casing Pressure	Calculated 24-Hour Rate	Oil - Bbl.	Gas - MCF	Water - Bbl.	Oil Gravity - API - (Corr.)				
	1174		2050	3342	2380					
29. Disposition of Gas (Sold, used for fuel, vented, etc.) SOLD							30. Test Witnessed By			
31. List Attachments WBD										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.							33. Rig Release Date:			
34. If an on-site burial was used at the well, report the exact location of the on-site burial:										
Latitude _____ Longitude _____ NAD83										
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief Printed										
Signature: 		Name: <u>Jana Mendiola</u>			Title: <u>Sr. Regulatory Analyst</u>			Date: <u>04/04/2023</u>		
E-mail Address: <u>janalyn_mendiola@oxy.com</u>										

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

Southeastern New Mexico		Northwestern New Mexico	
T. Rustler 283'	T. Bell Canyon 2833'	T. Ojo Alamo	T. Penn A"
T. Salado 620'	T. Strawn	T. Kirtland	T. Penn. "B"
T. Castile 1261'	T. Atoka	T. Fruitland	T. Penn. "C"
T. Delaware 2806'	T. Miss	T. Pictured Cliffs	T. Penn. "D"
T. Cherry Canyon 3726'	T. Devonian	T. Cliff House	T. Leadville
T. Brushy Canyon 4968'	T. Silurian	T. Menefee	T. Madison
T. Grayburg	T. Montoya	T. Point Lookout	T. Elbert
T. San Andres	T. Simpson	T. Mancos	T. McCracken
T. Glorieta	T. McKee	T. Gallup	T. Ignacio Otzte
T. Paddock	T. Ellenburger	Base Greenhorn	T. Granite
T. Blinebry	T. Gr. Wash	T. Dakota	
T. Tubb	T. Delaware Sand	T. Morrison	
T. Drinkard	T. Bone Spring 6527'	T. Todilto	
T. Abo	T. 1 st Bone Spring 7688'	T. Entrada	
T. Wolfcamp	T. 2 nd Bone Spring	T. Wingate	
T. Penn	T. 3 rd Bone Spring	T. Chinle	
T. Cisco (Bough C)	T.	T. Permian	

No. 1, from.....to.....

No. 2, from.....to.....

No. 3, from.....to.....

No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.


No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology

Continuation of Form 100 (When additional sheet is necessary)

From	To	Thickness In Feet	Lithology

OXY USA Inc.
SALT FLAT CC 20-29 FEDERAL COM 1H
API No. 30-015-47559



District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 204233

ACKNOWLEDGMENTS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 204233
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 204233

CONDITIONS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 204233
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	File 3160-4 Completion Report within 10 days to NMOCD after BLM approval.	4/21/2023