



P.O. Box 10640 Bozeman, Montana 59719

(406) 460-0903

TO: Randy Pancheco, APWS; Jim Griswold, NMOCD

FROM: Curtis Shuck, Chairman

DATE: December 12, 2022

RE: Twin Lakes San Andres (TLSA) #78K (30-005-60995) Orphan Well Pre-Plugging Methane Monitoring

### TECHNICAL MEMORANDUM

The Well Done Foundation, Inc. (WDF) performing contract professional services methane monitoring for A-Plus Well Services, Inc. (APWS) for the State of New Mexico Energy, Minerals and Natural Resources Department – Oil Conservation Division (OCD) under Purchase Order #52100-00000072362 for Orphan Oil & Gas Wells in Chaves County, NM.

The site conditions found at TLSA #78K by the WDF Measure 1 Team on August 23, 2022, at 4:45 P.M. revealed a leaking wellhead with high concentrations of methane gas present and leaking by the production valve at the 2-3/8" tubing and from the 4" casing. The WDF Team performed field gas measurements, collected gas samples and performed a 19.7-hour Methane Emissions Flow Monitoring Test using Ventbuster™ Instruments VB100-020 Ultra-Low Flow Meter with GPS for site location verification.




Image 1.1 – TLSA #78K (30-005-60995) Chaves County, New Mexico

The findings from the Pre-Plugging Methane Flow Monitoring Test, using Ventbuster™ Instruments VB100-020 Ultra-Low Flow Meter with GPS, resulted in <0.00 cubic meters per day (m<sup>3</sup>/day) of total measured wellhead emissions over the 24.5-hour period that established an average methane flow rate of <0.00 grams per hour (g/hour). WDF then isolated a 7.2-hour interval measurement within Test ID: 2bc6c5cc, taken during normalized flow, that resulted in an average methane flow rate of 0.01 m<sup>3</sup>/d and <0.00 g/hour. A composite gas sample was collected at the wellhead by WDF during the methane flow test beginning on August 23, 2022, and at the end of the methane flow test on August 24, 2022, approximately 19.7-hours later. Methane gas concentration levels were measured at 920 ppm, pursuant to Test ID 2022057485 performed by Laboratory Services of Hobbs, NM on August 31, 2022, at 1:12 P.M. Therefore, the average methane gas emission measured at this wellhead is calculated at well below <0.00 grams per hour (g/hour).<sup>1</sup> The peak methane gas emission was recorded at 9:09 A.M. on August 24, 2022, well after the flow had stabilized, and would

• <sup>1</sup> Methane Calculation: 554 grams CH<sub>4</sub> per cubic meter ( $554 \times 0.00 = 0.00 \text{ g/day}$  total /24 = 0.00 g/hour x 0.00092 (methane concentration) = <0.00 g/hour CH<sub>4</sub>). **Methane, gas** weighs 0.000554 gram per cubic centimeter or 0.554 kilogram per cubic meter, i.e. density of methane, gas is equal to 0.554 kg/m<sup>3</sup>; at 0°C (32°F or 273.15K) at standard atmospheric pressure. In Imperial or US customary measurement system, the **density** is equal to 0.0346 pound per cubic foot [lb/ft<sup>3</sup>], or 0.0003202 ounce per cubic inch [oz/inch<sup>3</sup>].

Indicate that this orphan well has a higher emission rate potential however, still below of 1.00 grams per hour (g/hour) reporting threshold.

This orphan well does not exceed the >1 g/hour federal program reporting requirements for methane emissions reductions as described in Section 40601 (Orphaned well site plugging, remediation, and restoration) of Title V (Methane Reduction Infrastructure) of the 2021 Bipartisan Infrastructure Law (BIL; Public Law 117-58)<sup>2</sup>.



## Test Report

**Start Date:** Tuesday, August 23rd, 2022, 5:08 PM MDT  
**End Date:** Wednesday, August 24th, 2022, 12:50 PM MDT  
**Device:** VB100-0020  
**Well Licensee:** NMOC  
**Well Name:** Twin Lakes SA 78K  
**UWI:** 30-005- 60995  
**Well License Number:** 30-005-60995  
**Surface Location:** Chaves County - Private  
**Bottom Hole Location:** unknown

**Test Operator:** ces  
**Authorized By:** NMOC  
**Test Reason:** IIJA PRE PLUG  
**Scope Of Work:** 12-Hour  
**AFE Number:** 52100-72362 / APWS22.001  
**GPS:** 33.56106,-104.02830  
**Notes:** GTG

## Flow Test

Average Flowrate  
**0.00**  
 m<sup>3</sup>/d  
**0.00**  
 g/ hour

Average Flow Temperature  
**24.0**  
 °C

Average Flow Pressure  
**1.3**  
 kPag

Flow Duration  
**19.7**  
 hours

Image 2.1 – TLSA #78K (30-005-60995) Methane Monitoring Dashboard

## BACKGROUND

The Twin Lakes San Andres #78K (30-005-60995) Orphan Well is located in Chaves County, NM at Latitude 33.561157, Longitude -104.0276337 was measured and monitored by the WDF Field Team on 8/22-23/2022 following a Safety Briefing. Per the WDF protocol, the GPS coordinates were updated and the well was photographed from four (4) compass point aspects and closeups capturing the wellhead, field gas analysis results and gas sampling and uploaded to the WDF Well Intel™ IoT site. A Field Gas Analysis was conducted to detect Methane and H<sub>2</sub>S gas presence and concentration levels using a Honeywell BW Quattro Multi Gas Meter, serial number: QA121-012211.

<sup>2</sup> These April 11, 2022 Guidelines were developed to meet the federal program reporting requirements for methane emissions reductions as described in Section 40601 (Orphaned well site plugging, remediation, and restoration) of Title V (Methane Reduction Infrastructure) of the 2021 Bipartisan Infrastructure Law (BIL; Public Law 117-58).

Info	Well File	Images	Well Data	Regulatory	Field Notes	Live Data View	Access	Remove Well
Name	TWIN LAKES SAN ANDRES UNIT #078							<input checked="" type="checkbox"/>
Stage	Stage 2b - Contract Monitoring Completed							<input checked="" type="checkbox"/>
GPS	33.561157      -104.0276337							<input checked="" type="checkbox"/>
API#	30-005-60995							<input checked="" type="checkbox"/>
Contract ID:	52100-0732362 / APWS22.001							<input checked="" type="checkbox"/>

Image 3.1 – WDF Well Intel™ Orphan Well Project Management IoT

The WDF Field Team collected Gas Sample #1 and #2 using a 1 Liter Tedlar/TO-Plus Gas Sampling Bag from the casing vent which was flowing gas past the broken off valve and at the casing port at the beginning of the Flow Test at approximately 5:08 P.M MDT on 8.23.2022 as the well was being prepared for the Preliminary Flow Measurement. Gas Sample #2 was collected in the same 1 Liter Tedlar Bag on 8.24.2022 before the Preliminary Flow Test was concluded 12:50 P.M. MDT. The collected Gas Sample was secured and placed in a storage cooler for transport to Laboratory Services, Inc. in Hobbs, NM.

WDF rigged up the Ventbuster™ Instruments VB100-020 Continuous Ultra-Low Flow Meter with GPS for testing site confirmation for a minimum 12-Hour Methane Emission Test and began Test ID: 2bc6c5cc, verifying a cellular signal, cloud link and GPS coordinates on August 23, 2022.

WDF returned to location on 8.24.2022 (approximately 19.7-hours) to conclude the Pre-Plugging Methane Emission Flow Test and rig the VB100-020 down and secure the wellhead. A “Green Ribbon” was placed at the Wellhead indicating that WDF had concluded the Pre-Plugging Methane Flow testing.

## TECHNICAL FINDINGS

Twin Lakes San Andres #78K (30-005-60995):

- Total C1 through C6 Gas Concentration: 25,600 ppm
- Total Measured Wellhead Gas Emissions: <0.00 m<sup>3</sup>/day
- Methane Gas Concentration: 920 ppm
- Calculated Average Wellhead Methane Gas Emissions: <0.00 g/hour
- Peak Methane Flow Measured at: <0.00 g/hour




Image 4.1 – TLSA #78K (30-005-60995) Methane Flow/Pressure/Temperature Timeseries & Peak Flow at Interval #1 testing period of 3.8-hours.



Image 4.2 – TLSA #78K (30-005-60995) Methane Flow/Pressure/Temperature Timeseries & Peak Flow for entire testing period or 19.75-hours.

## CONCLUSIONS

- The Twin Lakes San Andres #78K (30-005-60995) is currently emitting trace amounts of Methane at the average rate of <0.00 g/hour, which is below the Federal minimum threshold for reporting described in Section 40601 (Orphaned well site plugging, remediation, and restoration) of Title V (Methane Reduction Infrastructure) of the 2021 Bipartisan Infrastructure Law (BIL; Public Law 117-58) which is >1g/hour.
- WDF did capture a Methane Flow Peak at 0.01 m3/day recorded at 9:09 A.M on August 24, 2022, which indicates a higher potential for Methane Emissions that could exceed the Federal minimum threshold, therefore plugging of this well however should be a priority in the NMOCD schedule.

## FIELD NOTES

#	Date	Note
1	2022-08-23	ces: On Location. Rig up VB100-020 for Flow Test and collect Gas Sample for Lab Analysis.
2	2022-08-24	ces: WDF Measure 1 on location to collect Gas Sample 2 and rig down VB100-020. Test confirmed and location secured. WILDCAT OUT!

Image 5.1 – TLSA #78K (30-005-60095) Field Notes from WDF Well Intel™ Orphan Well Project Management IoT



1) TLSA #78K (30-005-60995) – North Facing



2) TLSA #78K (30-005-60995) – Methane Monitoring Rig Up



3) TLSA #78K (30-005-60995) – Field Gas



4) TLSA #78K (30-005-60995) – Methane Monitoring Complete



# Test Report

**Start Date:** Tuesday, August 23rd, 2022, 5:08 PM MDT  
**End Date:** Wednesday, August 24th, 2022, 12:50 PM MDT  
**Device:** VB100-0020  
**Well Licensee:** NMOCD  
**Well Name:** Twin Lakes SA 78K  
**UWI:** 30-005-60995  
**Well License Number:** 30-005-60995  
**Surface Location:** Chaves County - Private  
**Bottom Hole Location:** unknown

**Test Operator:** ces  
**Authorized By:** NMOCD  
**Test Reason:** IIJA PRE PLUG  
**Scope Of Work:** 12-Hour  
**AFE Number:** 52100-72362 / APWS22.001  
**GPS:** 33.56106,-104.02830  
**Notes:** GTG

## Flow Test

Average Flowrate  
**0.00**  
 m<sup>3</sup>/d  
  
**0.00**  
 g/ hour

Average Flow Temperature  
**24.0**  
 °C

Average Flow Pressure  
**1.3**  
 kPag

Flow Duration  
**19.7**  
 hours

## Pressure Test


Maximum Shut-In Pressure  
 -- -

Last 24Hr Average Shut-In Pressure  
 -- -
   
\*Displays after 24hrs of stabilized shut-in pressure

Extrapolated Shut-In Pressure  
 -- -
   
\*Only valid for an unstable shut-in pressure

Shut-in Pressure Duration  
**0.0**  
 hours

## Flow/Pressure/Temperature Timeseries



## Field Notes

Data Retention Time:

Testing data shall be stored on this web platform for a period of 6-months. It is strongly recommended that the User download and store the electronic PDF reports and CSV Data into their own database, immediately upon viewing.

Ventbuster Instruments Inc. Disclaimer:

The Ventbuster® is a high precision low flow vent gas meter. As it is deployed into testing conditions beyond our control, we are not liable for, or make warranties, as to the resultant test information. Any decisions or interpretations made from the test results are the sole responsibility and discretion of the User.

---

© 2022. All rights reserved.



14794G	Twin Lakes #78-K	Twin Lakes #78-K
Sample Point Code	Sample Point Name	Sample Point Location
Laboratory Services	2022057485	Tedlar Bag
Source Laboratory	Lab File No	Container Identity
USA	USA	USA
District	Area Name	Field Name
Aug 23, 2022 16:45	Aug 23, 2022 16:45	Aug 30, 2022 08:42
Date Sampled	Date Effective	Date Received
Ambient Temp (°F)	Flow Rate (Mcf)	Analyst
		Press PSI @ Temp °F Source Conditions
Well Done Foundation		NG
Operator		Lab Source Description
Component	Mol %	GPM
H2S (H2S)	0.0000	
Nitrogen (N2)	97.4170	
CO2 (CO2)	0.0230	
Methane (C1)	0.0920	
Ethane (C2)	0.3700	0.0990
Propane (C3)	0.7270	0.2000
I-Butane (IC4)	0.1570	0.0510
N-Butane (NC4)	0.4800	0.1510
I-Pentane (IC5)	0.1980	0.0720
N-Pentane (NC5)	0.1750	0.0630
Hexanes Plus (C6+)	0.3610	0.1570
TOTAL	100.0000	0.7930

Method(s): Gas C6+ - GPA 2261, Extended Gas - GPA 2286, Calculations - GPA 2172

Gross Heating Values (Real, BTU/ft³)			
14.696 PSI @ 60.00 °F		14.73 PSI @ 60.00 °F	
Dry	Saturated	Dry	Saturated
80.3	79.8	80.5	80.0
Calculated Total Sample Properties			
GPA2145-16 *Calculated at Contract Conditions			
Relative Density Real	Relative Density Ideal		
0.9916	0.9916		
Molecular Weight			
28.7223			
C6+ Group Properties			
Assumed Composition			
C6 - 60.000%	C7 - 30.000%	C8 - 10.000%	
Field H2S			
0 PPM			

**PROTREND STATUS:** Passed By Validator on Aug 31, 2022      **DATA SOURCE:** Imported

**PASSED BY VALIDATOR REASON:**

Close enough to be considered reasonable.

**VALIDATOR:**

Luis Cano

**VALIDATOR COMMENTS:**

ok

Source	Date	Notes
Brooke Rush	Aug 31, 2022 1:12 pm	Methane= 920 ppm

## Well Done Foundation, Inc. / Ventbuster Test Data

Test ID: 630672f3af5812c62bc6c5cc  
 Start Date: Tue Aug 23 2022 23:08:37 GMT+0000 (Coordinated Universal Time)  
 End Date: Wed Aug 24 2022 18:50:23 GMT+0000 (Coordinated Universal Time)  
 Device: VB100-0020  
 Well Owner: Well Done Foundation Inc.  
 Service Provider: Well Done Foundation Inc.  
 Well Licensee: NMOCD  
 Well Name: Twin Lakes SA 78K  
 UWI: 30-005- 60995  
 Well License Number: 30-005-60995  
 Surface Location: Chaves County - Private  
 Bottom Hole Location: unknown  
 Test Operator: ces  
 Authorized By: NMOCD  
 Test Reason: IIJA PRE PLUG  
 Scope of Work: 12-Hour  
 AFE Number: 52100-72362 / APWS22.001  
 GPS: 33.56106 -104.0283  
 Notes: GTG  
 Field Notes:

time	Flow_m3_per_day	Flow_Temperature_C	Pressure_kPag	Shut_in_Status_Mode
2022-08-23T23:08:37.000Z	1.53E-03	3.01E+01	-2.00E-01	0.2
2022-08-23T23:09:26.240Z	1.44E-04	3.03E+01	8.00E-01	0
2022-08-23T23:10:15.480Z	3.46E-04	3.05E+01	2.80E-01	0
2022-08-23T23:11:04.720Z	3.74E-04	3.05E+01	1.20E-01	0
2022-08-23T23:11:53.960Z	9.79E-04	3.06E+01	-2.00E-02	0
2022-08-23T23:12:43.200Z	8.35E-04	3.06E+01	4.00E-02	0
2022-08-23T23:13:32.440Z	2.88E-05	3.07E+01	2.20E-01	0
2022-08-23T23:14:21.680Z	6.05E-04	3.08E+01	-2.60E-01	0
2022-08-23T23:15:10.920Z	6.62E-04	3.09E+01	-2.20E-01	0
2022-08-23T23:16:00.160Z	1.21E-03	3.10E+01	-3.40E-01	0
2022-08-23T23:16:49.400Z	9.79E-04	3.09E+01	-1.40E-01	0
2022-08-23T23:17:38.640Z	1.94E-03	3.10E+01	-4.50E-01	0
2022-08-23T23:18:27.880Z	2.48E-03	3.10E+01	1.20E-01	0
2022-08-23T23:19:17.120Z	1.84E-03	3.11E+01	-4.00E-01	0
2022-08-23T23:20:06.360Z	2.68E-03	3.11E+01	6.00E-02	0
2022-08-23T23:20:55.600Z	2.16E-03	3.12E+01	-5.20E-01	0
2022-08-23T23:21:44.840Z	2.53E-03	3.12E+01	-4.60E-01	0
2022-08-23T23:22:34.080Z	2.88E-03	3.12E+01	-2.00E-02	0
2022-08-23T23:23:23.320Z	1.79E-03	3.13E+01	-2.00E-02	0
2022-08-23T23:24:12.560Z	7.20E-04	3.13E+01	-4.20E-01	0
2022-08-23T23:25:01.800Z	5.18E-04	3.14E+01	4.60E-01	0
2022-08-23T23:25:51.040Z	6.34E-04	3.15E+01	-1.60E-01	0
2022-08-23T23:26:40.280Z	9.22E-04	3.16E+01	3.40E-01	0
2022-08-23T23:27:29.520Z	1.15E-03	3.16E+01	6.20E-01	0
2022-08-23T23:28:18.760Z	7.20E-04	3.17E+01	-2.00E-01	0
2022-08-23T23:29:08.000Z	1.30E-03	3.18E+01	-6.40E-01	0
2022-08-23T23:29:57.240Z	1.30E-03	3.18E+01	-4.00E-01	0
2022-08-23T23:30:46.480Z	1.30E-03	3.17E+01	-6.00E-02	0
2022-08-23T23:31:35.720Z	1.30E-03	3.19E+01	-4.60E-01	0
2022-08-23T23:32:24.960Z	1.18E-03	3.20E+01	-3.40E-01	0
2022-08-23T23:33:14.200Z	1.07E-03	3.19E+01	3.80E-01	0
2022-08-23T23:34:03.440Z	1.21E-03	3.20E+01	-2.80E-01	0
2022-08-23T23:34:52.680Z	1.30E-03	3.20E+01	-4.00E-02	0
2022-08-23T23:35:41.920Z	1.30E-03	3.20E+01	-3.00E-01	0
2022-08-23T23:36:31.160Z	1.30E-03	3.19E+01	-4.20E-01	0
2022-08-23T23:37:20.400Z	1.30E-03	3.19E+01	-8.00E-02	0
2022-08-23T23:38:09.640Z	1.30E-03	3.22E+01	-2.40E-01	0

2022-08-23T23:38:58.880Z	1.30E-03	3.21E+01	1.00E-01	0
2022-08-23T23:39:48.120Z	3.60E-04	3.20E+01	-1.50E-01	0
2022-08-23T23:40:37.360Z	1.12E-03	3.20E+01	-4.00E-02	0
2022-08-23T23:41:26.600Z	1.01E-03	3.20E+01	-2.80E-01	0
2022-08-23T23:42:15.840Z	7.20E-04	3.19E+01	-4.80E-01	0
2022-08-23T23:43:05.080Z	1.73E-04	3.19E+01	-8.60E-01	0
2022-08-23T23:43:54.320Z	1.30E-03	3.19E+01	-3.80E-01	0
2022-08-23T23:44:43.560Z	1.70E-03	3.19E+01	2.20E-01	0
2022-08-23T23:45:32.800Z	2.16E-03	3.18E+01	-2.20E-01	0
2022-08-23T23:46:22.040Z	2.04E-03	3.17E+01	6.00E-01	0
2022-08-23T23:47:11.280Z	8.35E-04	3.16E+01	-8.20E-01	0
2022-08-23T23:48:00.520Z	9.50E-04	3.15E+01	-7.20E-01	0
2022-08-23T23:48:49.760Z	9.79E-04	3.15E+01	-2.22E-17	0
2022-08-23T23:49:39.000Z	7.20E-04	3.17E+01	-1.20E-01	0
2022-08-23T23:50:28.240Z	9.72E-04	3.19E+01	-5.75E-01	0
2022-08-23T23:51:17.480Z	5.76E-04	3.19E+01	-7.20E-01	0
2022-08-23T23:52:06.720Z	4.61E-04	3.19E+01	-2.00E-02	0
2022-08-23T23:52:55.960Z	6.05E-04	3.20E+01	-6.00E-02	0
2022-08-23T23:53:45.200Z	1.07E-03	3.21E+01	-4.00E-02	0
2022-08-23T23:54:34.440Z	1.24E-03	3.20E+01	-1.80E-01	0
2022-08-23T23:55:23.680Z	6.91E-04	3.19E+01	7.20E-01	0
2022-08-23T23:56:12.920Z	7.49E-04	3.20E+01	3.20E-01	0
2022-08-23T23:57:02.160Z	1.09E-03	3.21E+01	4.20E-01	0
2022-08-23T23:57:51.400Z	1.09E-03	3.22E+01	-6.00E-02	0
2022-08-23T23:58:40.640Z	9.50E-04	3.21E+01	-4.40E-01	0
2022-08-23T23:59:29.880Z	1.18E-03	3.22E+01	6.00E-01	0
2022-08-24T00:00:19.120Z	1.30E-03	3.22E+01	3.00E-01	0
2022-08-24T00:01:08.360Z	9.22E-04	3.20E+01	-3.40E-01	0
2022-08-24T00:01:57.600Z	1.07E-03	3.20E+01	1.00E-01	0
2022-08-24T00:02:46.840Z	1.21E-03	3.20E+01	9.00E-01	0
2022-08-24T00:03:36.080Z	1.18E-03	3.19E+01	-4.80E-01	0
2022-08-24T00:04:25.320Z	1.44E-04	3.18E+01	3.80E-01	0
2022-08-24T00:05:14.560Z	1.18E-03	3.18E+01	2.40E-01	0
2022-08-24T00:06:03.800Z	1.15E-04	3.17E+01	-4.80E-01	0
2022-08-24T00:06:53.040Z	5.18E-04	3.18E+01	2.80E-01	0
2022-08-24T00:07:42.280Z	1.15E-03	3.18E+01	-7.60E-01	0
2022-08-24T00:08:31.520Z	1.18E-03	3.19E+01	5.60E-01	0
2022-08-24T00:09:20.760Z	9.50E-04	3.18E+01	-1.40E-01	0
2022-08-24T00:10:10.000Z	9.79E-04	3.19E+01	-2.00E-01	0
2022-08-24T00:10:59.240Z	1.30E-03	3.19E+01	7.00E-01	0
2022-08-24T00:11:48.480Z	1.22E-03	3.18E+01	1.75E-01	0
2022-08-24T00:12:37.720Z	1.07E-03	3.19E+01	4.00E-02	0
2022-08-24T00:13:26.960Z	1.30E-03	3.18E+01	6.00E-01	0
2022-08-24T00:14:16.200Z	1.30E-03	3.18E+01	5.40E-01	0
2022-08-24T00:15:05.440Z	1.30E-03	3.18E+01	2.60E-01	0
2022-08-24T00:15:54.680Z	1.30E-03	3.19E+01	4.40E-01	0
2022-08-24T00:16:43.920Z	1.30E-03	3.20E+01	-1.20E-01	0
2022-08-24T00:17:33.160Z	1.30E-03	3.21E+01	2.75E-01	0
2022-08-24T00:18:22.400Z	1.30E-03	3.19E+01	-8.00E-02	0
2022-08-24T00:19:11.640Z	1.30E-03	3.18E+01	8.20E-01	0
2022-08-24T00:20:00.880Z	1.30E-03	3.16E+01	3.40E-01	0
2022-08-24T00:20:50.120Z	1.15E-03	3.16E+01	-1.80E-01	0
2022-08-24T00:21:39.360Z	8.93E-04	3.16E+01	1.60E-01	0
2022-08-24T00:22:28.600Z	1.04E-03	3.15E+01	-3.75E-01	0
2022-08-24T00:23:17.840Z	1.30E-03	3.16E+01	-5.40E-01	0
2022-08-24T00:24:07.080Z	1.21E-03	3.15E+01	-3.20E-01	0
2022-08-24T00:24:56.320Z	4.03E-04	3.14E+01	-4.00E-02	0
2022-08-24T00:25:45.560Z	1.30E-03	3.17E+01	-1.02E+00	0
2022-08-24T00:26:34.800Z	1.30E-03	3.16E+01	8.00E-02	0

2022-08-24T00:27:24.040Z	1.30E-03	3.16E+01	2.20E-01	0
2022-08-24T00:28:13.280Z	1.30E-03	3.15E+01	2.00E-02	0
2022-08-24T00:29:02.520Z	1.24E-03	3.13E+01	-2.40E-01	0
2022-08-24T00:29:51.760Z	1.30E-03	3.14E+01	2.00E-01	0
2022-08-24T00:30:41.000Z	1.30E-03	3.13E+01	5.80E-01	0
2022-08-24T00:31:30.240Z	1.27E-03	3.12E+01	5.40E-01	0
2022-08-24T00:32:19.480Z	1.26E-03	3.14E+01	1.75E-01	0
2022-08-24T00:33:08.720Z	1.30E-03	3.13E+01	-2.40E-01	0
2022-08-24T00:33:57.960Z	1.24E-03	3.13E+01	-4.00E-02	0
2022-08-24T00:34:47.200Z	1.21E-03	3.13E+01	7.00E-01	0
2022-08-24T00:35:36.440Z	1.30E-03	3.13E+01	2.00E-02	0
2022-08-24T00:36:25.680Z	1.30E-03	3.13E+01	6.00E-01	0
2022-08-24T00:37:14.920Z	1.30E-03	3.13E+01	-2.20E-01	0
2022-08-24T00:38:04.160Z	1.30E-03	3.14E+01	2.80E-01	0
2022-08-24T00:38:53.400Z	1.30E-03	3.13E+01	2.40E-01	0
2022-08-24T00:39:42.640Z	1.30E-03	3.11E+01	-1.80E-01	0
2022-08-24T00:40:31.880Z	1.12E-03	3.10E+01	-1.60E-01	0
2022-08-24T00:41:21.120Z	8.35E-04	3.14E+01	4.60E-01	0
2022-08-24T00:42:10.360Z	1.30E-03	3.14E+01	-8.00E-02	0
2022-08-24T00:42:59.600Z	1.30E-03	3.12E+01	6.40E-01	0
2022-08-24T00:43:48.840Z	1.30E-03	3.12E+01	1.00E-01	0
2022-08-24T00:44:38.080Z	1.30E-03	3.13E+01	5.00E-01	0
2022-08-24T00:45:27.320Z	1.30E-03	3.11E+01	2.00E-02	0
2022-08-24T00:46:16.560Z	1.30E-03	3.11E+01	7.20E-01	0
2022-08-24T00:47:05.800Z	1.30E-03	3.10E+01	-5.00E-01	0
2022-08-24T00:47:55.040Z	1.30E-03	3.11E+01	5.00E-01	0
2022-08-24T00:48:44.280Z	1.30E-03	3.11E+01	2.00E-02	0
2022-08-24T00:49:33.520Z	1.30E-03	3.10E+01	-1.60E-01	0
2022-08-24T00:50:22.760Z	1.30E-03	3.09E+01	4.00E-01	0
2022-08-24T00:51:12.000Z	1.30E-03	3.09E+01	3.60E-01	0
2022-08-24T00:52:01.240Z	1.30E-03	3.07E+01	-1.20E-01	0
2022-08-24T00:52:50.480Z	1.30E-03	3.07E+01	3.80E-01	0
2022-08-24T00:53:39.720Z	1.30E-03	3.05E+01	-1.20E-01	0
2022-08-24T00:54:28.960Z	1.30E-03	3.05E+01	-5.20E-01	0
2022-08-24T00:55:18.200Z	1.30E-03	3.04E+01	4.25E-01	0
2022-08-24T00:56:07.440Z	1.30E-03	3.03E+01	5.00E-01	0
2022-08-24T00:56:56.680Z	1.30E-03	3.02E+01	-1.11E-17	0
2022-08-24T00:57:45.920Z	1.30E-03	3.03E+01	2.20E-01	0
2022-08-24T00:58:35.160Z	1.21E-03	3.01E+01	4.60E-01	0
2022-08-24T00:59:24.400Z	1.21E-03	3.01E+01	-6.00E-01	0
2022-08-24T01:00:13.640Z	1.30E-03	3.00E+01	4.60E-01	0
2022-08-24T01:01:02.880Z	1.30E-03	3.00E+01	-8.00E-02	0
2022-08-24T01:01:52.120Z	1.21E-03	3.01E+01	-4.00E-02	0
2022-08-24T01:02:41.360Z	1.12E-03	3.01E+01	6.60E-01	0
2022-08-24T01:03:30.600Z	1.30E-03	3.00E+01	4.60E-01	0
2022-08-24T01:04:19.840Z	1.30E-03	3.00E+01	-3.40E-01	0
2022-08-24T01:05:09.080Z	1.30E-03	2.99E+01	-6.00E-02	0
2022-08-24T01:05:58.320Z	1.30E-03	2.98E+01	1.00E-01	0
2022-08-24T01:06:47.560Z	1.30E-03	2.97E+01	7.20E-01	0
2022-08-24T01:07:36.800Z	1.30E-03	2.97E+01	9.20E-01	0
2022-08-24T01:08:26.040Z	1.30E-03	2.96E+01	5.60E-01	0
2022-08-24T01:09:15.280Z	1.30E-03	2.96E+01	5.40E-01	0
2022-08-24T01:10:04.520Z	1.30E-03	2.96E+01	5.60E-01	0
2022-08-24T01:10:53.760Z	1.30E-03	2.96E+01	3.40E-01	0
2022-08-24T01:11:43.000Z	1.30E-03	2.96E+01	4.80E-01	0
2022-08-24T01:12:32.240Z	1.30E-03	2.95E+01	2.60E-01	0
2022-08-24T01:13:21.480Z	1.30E-03	2.95E+01	5.75E-01	0
2022-08-24T01:14:10.720Z	1.30E-03	2.94E+01	-2.00E-01	0
2022-08-24T01:14:59.960Z	1.30E-03	2.94E+01	7.80E-01	0

2022-08-24T01:15:49.200Z	1.30E-03	2.93E+01	1.20E-01	0
2022-08-24T01:16:38.440Z	1.30E-03	2.93E+01	9.25E-01	0
2022-08-24T01:17:27.680Z	1.30E-03	2.92E+01	4.00E-02	0
2022-08-24T01:18:16.920Z	1.30E-03	2.91E+01	3.60E-01	0
2022-08-24T01:19:06.160Z	1.30E-03	2.91E+01	4.00E-02	0
2022-08-24T01:19:55.400Z	1.30E-03	2.90E+01	7.20E-01	0
2022-08-24T01:20:44.640Z	1.30E-03	2.89E+01	1.28E+00	0
2022-08-24T01:21:33.880Z	1.30E-03	2.88E+01	2.80E-01	0
2022-08-24T01:22:23.120Z	1.30E-03	2.88E+01	1.80E-01	0
2022-08-24T01:23:12.360Z	1.30E-03	2.88E+01	2.40E-01	0
2022-08-24T01:24:01.600Z	1.30E-03	2.88E+01	8.20E-01	0
2022-08-24T01:24:50.840Z	1.30E-03	2.88E+01	5.20E-01	0
2022-08-24T01:25:40.080Z	1.30E-03	2.88E+01	6.80E-01	0
2022-08-24T01:26:29.320Z	1.30E-03	2.88E+01	4.00E-01	0
2022-08-24T01:27:18.560Z	1.30E-03	2.87E+01	3.25E-01	0
2022-08-24T01:28:07.800Z	1.30E-03	2.87E+01	3.40E-01	0
2022-08-24T01:28:57.040Z	1.30E-03	2.86E+01	8.40E-01	0
2022-08-24T01:29:46.280Z	1.30E-03	2.85E+01	5.80E-01	0
2022-08-24T01:30:35.520Z	1.30E-03	2.84E+01	4.60E-01	0
2022-08-24T01:31:24.760Z	1.30E-03	2.82E+01	6.20E-01	0
2022-08-24T01:32:14.000Z	1.30E-03	2.82E+01	6.40E-01	0
2022-08-24T01:33:03.240Z	1.30E-03	2.82E+01	5.80E-01	0
2022-08-24T01:33:52.480Z	1.30E-03	2.82E+01	6.20E-01	0
2022-08-24T01:34:41.720Z	1.30E-03	2.82E+01	6.80E-01	0
2022-08-24T01:35:30.960Z	1.30E-03	2.83E+01	5.40E-01	0
2022-08-24T01:36:20.200Z	1.30E-03	2.82E+01	5.40E-01	0
2022-08-24T01:37:09.440Z	1.30E-03	2.81E+01	7.00E-01	0
2022-08-24T01:37:58.680Z	1.30E-03	2.80E+01	2.78E-17	0
2022-08-24T01:38:47.920Z	1.30E-03	2.80E+01	5.80E-01	0
2022-08-24T01:39:37.160Z	1.30E-03	2.79E+01	3.00E-01	0
2022-08-24T01:40:26.400Z	1.30E-03	2.78E+01	1.00E-01	0
2022-08-24T01:41:15.640Z	1.30E-03	2.77E+01	8.80E-01	0
2022-08-24T01:42:04.880Z	1.30E-03	2.77E+01	8.00E-01	0
2022-08-24T01:42:54.120Z	1.30E-03	2.77E+01	6.60E-01	0
2022-08-24T01:43:43.360Z	1.30E-03	2.77E+01	8.60E-01	0
2022-08-24T01:44:32.600Z	1.30E-03	2.76E+01	1.08E+00	0
2022-08-24T01:45:21.840Z	1.30E-03	2.75E+01	5.00E-01	0
2022-08-24T01:46:11.080Z	1.30E-03	2.75E+01	1.02E+00	0
2022-08-24T01:47:00.320Z	1.30E-03	2.75E+01	1.28E+00	0
2022-08-24T01:47:49.560Z	1.30E-03	2.75E+01	8.80E-01	0
2022-08-24T01:48:38.800Z	1.30E-03	2.75E+01	5.00E-01	0
2022-08-24T01:49:28.040Z	1.30E-03	2.75E+01	2.75E-01	0
2022-08-24T01:50:17.280Z	1.30E-03	2.74E+01	1.44E+00	0
2022-08-24T01:51:06.520Z	1.30E-03	2.74E+01	5.20E-01	0
2022-08-24T01:51:55.760Z	1.30E-03	2.73E+01	3.40E-01	0
2022-08-24T01:52:45.000Z	1.30E-03	2.72E+01	4.60E-01	0
2022-08-24T01:53:34.240Z	1.30E-03	2.73E+01	8.60E-01	0
2022-08-24T01:54:23.480Z	1.30E-03	2.73E+01	1.06E+00	0
2022-08-24T01:55:12.720Z	1.30E-03	2.73E+01	8.60E-01	0
2022-08-24T01:56:01.960Z	1.30E-03	2.72E+01	5.80E-01	0
2022-08-24T01:56:51.200Z	1.30E-03	2.71E+01	9.60E-01	0
2022-08-24T01:57:40.440Z	1.30E-03	2.70E+01	9.40E-01	0
2022-08-24T01:58:29.680Z	1.30E-03	2.69E+01	1.12E+00	0
2022-08-24T01:59:18.920Z	1.30E-03	2.69E+01	8.80E-01	0
2022-08-24T02:00:08.160Z	1.30E-03	2.68E+01	4.25E-01	0
2022-08-24T02:00:57.400Z	1.30E-03	2.68E+01	4.00E-01	0
2022-08-24T02:01:46.640Z	1.30E-03	2.67E+01	7.40E-01	0
2022-08-24T02:02:35.880Z	1.30E-03	2.67E+01	1.30E+00	0
2022-08-24T02:03:25.120Z	1.30E-03	2.67E+01	8.00E-01	0

2022-08-24T02:04:14.360Z	1.30E-03	2.67E+01	1.30E+00	0
2022-08-24T02:05:03.600Z	1.30E-03	2.67E+01	1.08E+00	0
2022-08-24T02:05:52.840Z	1.30E-03	2.66E+01	7.60E-01	0
2022-08-24T02:06:42.080Z	1.30E-03	2.66E+01	1.66E+00	0
2022-08-24T02:07:31.320Z	1.30E-03	2.64E+01	3.40E-01	0
2022-08-24T02:08:20.560Z	1.30E-03	2.64E+01	5.20E-01	0
2022-08-24T02:09:09.800Z	1.30E-03	2.63E+01	8.60E-01	0
2022-08-24T02:09:59.040Z	1.30E-03	2.63E+01	5.40E-01	0
2022-08-24T02:10:48.280Z	1.30E-03	2.62E+01	5.00E-01	0
2022-08-24T02:11:37.520Z	1.30E-03	2.61E+01	1.60E-01	0
2022-08-24T02:12:26.760Z	1.30E-03	2.61E+01	8.60E-01	0
2022-08-24T02:13:16.000Z	1.30E-03	2.59E+01	9.80E-01	0
2022-08-24T02:14:05.240Z	1.30E-03	2.59E+01	7.20E-01	0
2022-08-24T02:14:54.480Z	1.30E-03	2.58E+01	8.60E-01	0
2022-08-24T02:15:43.720Z	1.30E-03	2.57E+01	1.28E+00	0
2022-08-24T02:16:32.960Z	1.30E-03	2.58E+01	6.80E-01	0
2022-08-24T02:17:22.200Z	1.30E-03	2.58E+01	1.18E+00	0
2022-08-24T02:18:11.440Z	1.30E-03	2.59E+01	8.40E-01	0
2022-08-24T02:19:00.680Z	1.30E-03	2.59E+01	6.20E-01	0
2022-08-24T02:19:49.920Z	1.30E-03	2.59E+01	4.60E-01	0
2022-08-24T02:20:39.160Z	1.30E-03	2.59E+01	1.76E+00	0
2022-08-24T02:21:28.400Z	1.30E-03	2.58E+01	6.50E-01	0
2022-08-24T02:22:17.640Z	1.30E-03	2.57E+01	8.20E-01	0
2022-08-24T02:23:06.880Z	1.30E-03	2.56E+01	1.42E+00	0
2022-08-24T02:23:56.120Z	1.30E-03	2.54E+01	7.20E-01	0
2022-08-24T02:24:45.360Z	1.30E-03	2.53E+01	1.00E+00	0
2022-08-24T02:25:34.600Z	1.24E-03	2.51E+01	1.24E+00	0
2022-08-24T02:26:23.840Z	1.30E-03	2.51E+01	8.40E-01	0
2022-08-24T02:27:13.080Z	1.30E-03	2.50E+01	1.08E+00	0
2022-08-24T02:28:02.320Z	1.30E-03	2.51E+01	1.02E+00	0
2022-08-24T02:28:51.560Z	1.30E-03	2.52E+01	1.20E+00	0
2022-08-24T02:29:40.800Z	1.30E-03	2.52E+01	8.80E-01	0
2022-08-24T02:30:30.040Z	1.30E-03	2.51E+01	1.26E+00	0
2022-08-24T02:31:19.280Z	1.30E-03	2.50E+01	1.06E+00	0
2022-08-24T02:32:08.520Z	1.30E-03	2.50E+01	5.75E-01	0
2022-08-24T02:32:57.760Z	1.30E-03	2.50E+01	1.20E+00	0
2022-08-24T02:33:47.000Z	1.30E-03	2.50E+01	9.33E-01	0
2022-08-24T02:34:36.240Z	1.30E-03	2.51E+01	1.56E+00	0
2022-08-24T02:35:25.480Z	1.30E-03	2.52E+01	1.26E+00	0
2022-08-24T02:36:14.720Z	1.30E-03	2.52E+01	1.78E+00	0
2022-08-24T02:37:03.960Z	1.30E-03	2.52E+01	8.00E-01	0
2022-08-24T02:37:53.200Z	1.30E-03	2.51E+01	1.92E+00	0
2022-08-24T02:38:42.440Z	1.30E-03	2.52E+01	9.60E-01	0
2022-08-24T02:39:31.680Z	1.30E-03	2.52E+01	2.46E+00	0
2022-08-24T02:40:20.920Z	1.30E-03	2.52E+01	1.38E+00	0
2022-08-24T02:41:10.160Z	1.30E-03	2.52E+01	1.04E+00	0
2022-08-24T02:41:59.400Z	1.30E-03	2.51E+01	1.10E+00	0
2022-08-24T02:42:48.640Z	1.30E-03	2.50E+01	6.00E-01	0
2022-08-24T02:43:37.880Z	1.30E-03	2.49E+01	1.72E+00	0
2022-08-24T02:44:27.120Z	1.30E-03	2.49E+01	8.80E-01	0
2022-08-24T02:45:16.360Z	1.30E-03	2.47E+01	1.12E+00	0
2022-08-24T02:46:05.600Z	1.30E-03	2.47E+01	9.20E-01	0
2022-08-24T02:46:54.840Z	1.30E-03	2.46E+01	9.40E-01	0
2022-08-24T02:47:44.080Z	1.32E-03	2.46E+01	1.06E+00	0
2022-08-24T02:48:33.320Z	1.41E-03	2.45E+01	9.60E-01	0
2022-08-24T02:49:22.560Z	1.44E-03	2.45E+01	8.40E-01	0
2022-08-24T02:50:11.800Z	1.44E-03	2.45E+01	1.14E+00	0
2022-08-24T02:51:01.040Z	1.44E-03	2.44E+01	1.20E+00	0
2022-08-24T02:51:50.280Z	1.44E-03	2.44E+01	1.20E+00	0

2022-08-24T02:52:39.520Z	1.44E-03	2.44E+01	5.20E-01	0
2022-08-24T02:53:28.760Z	1.44E-03	2.44E+01	1.18E+00	0
2022-08-24T02:54:18.000Z	1.44E-03	2.44E+01	1.35E+00	0
2022-08-24T02:55:07.240Z	1.44E-03	2.44E+01	9.40E-01	0
2022-08-24T02:55:56.480Z	1.44E-03	2.44E+01	9.40E-01	0
2022-08-24T02:56:45.720Z	1.44E-03	2.43E+01	1.72E+00	0
2022-08-24T02:57:34.960Z	1.44E-03	2.44E+01	8.80E-01	0
2022-08-24T02:58:24.200Z	1.44E-03	2.43E+01	5.40E-01	0
2022-08-24T02:59:13.440Z	1.44E-03	2.43E+01	1.38E+00	0
2022-08-24T03:00:02.680Z	1.44E-03	2.43E+01	1.66E+00	0
2022-08-24T03:00:51.920Z	1.44E-03	2.43E+01	9.40E-01	0
2022-08-24T03:01:41.160Z	1.44E-03	2.43E+01	1.06E+00	0
2022-08-24T03:02:30.400Z	1.44E-03	2.43E+01	1.52E+00	0
2022-08-24T03:03:19.640Z	1.44E-03	2.43E+01	1.58E+00	0
2022-08-24T03:04:08.880Z	1.44E-03	2.42E+01	1.26E+00	0
2022-08-24T03:04:58.120Z	1.44E-03	2.41E+01	1.58E+00	0
2022-08-24T03:05:47.360Z	1.44E-03	2.42E+01	1.95E+00	0
2022-08-24T03:06:36.600Z	1.44E-03	2.41E+01	1.08E+00	0
2022-08-24T03:07:25.840Z	1.44E-03	2.41E+01	1.46E+00	0
2022-08-24T03:08:15.080Z	1.44E-03	2.41E+01	8.80E-01	0
2022-08-24T03:09:04.320Z	1.44E-03	2.41E+01	1.20E+00	0
2022-08-24T03:09:53.560Z	1.44E-03	2.41E+01	1.50E+00	0
2022-08-24T03:10:42.800Z	1.44E-03	2.41E+01	1.52E+00	0
2022-08-24T03:11:32.040Z	1.44E-03	2.40E+01	1.42E+00	0
2022-08-24T03:12:21.280Z	1.44E-03	2.40E+01	9.40E-01	0
2022-08-24T03:13:10.520Z	1.44E-03	2.39E+01	1.50E+00	0
2022-08-24T03:13:59.760Z	1.44E-03	2.39E+01	1.72E+00	0
2022-08-24T03:14:49.000Z	1.44E-03	2.39E+01	1.38E+00	0
2022-08-24T03:15:38.240Z	1.44E-03	2.38E+01	8.80E-01	0
2022-08-24T03:16:27.480Z	1.44E-03	2.39E+01	4.75E-01	0
2022-08-24T03:17:16.720Z	1.44E-03	2.39E+01	1.32E+00	0
2022-08-24T03:18:05.960Z	1.44E-03	2.39E+01	1.32E+00	0
2022-08-24T03:18:55.200Z	1.44E-03	2.39E+01	1.86E+00	0
2022-08-24T03:19:44.440Z	1.44E-03	2.39E+01	1.24E+00	0
2022-08-24T03:20:33.680Z	1.44E-03	2.39E+01	1.62E+00	0
2022-08-24T03:21:22.920Z	1.44E-03	2.38E+01	1.34E+00	0
2022-08-24T03:22:12.160Z	1.44E-03	2.38E+01	1.04E+00	0
2022-08-24T03:23:01.400Z	1.44E-03	2.37E+01	1.80E+00	0
2022-08-24T03:23:50.640Z	1.44E-03	2.36E+01	1.20E+00	0
2022-08-24T03:24:39.880Z	1.44E-03	2.35E+01	1.18E+00	0
2022-08-24T03:25:29.120Z	1.44E-03	2.35E+01	1.48E+00	0
2022-08-24T03:26:18.360Z	1.44E-03	2.35E+01	9.25E-01	0
2022-08-24T03:27:07.600Z	1.44E-03	2.35E+01	1.44E+00	0
2022-08-24T03:27:56.840Z	1.44E-03	2.35E+01	1.36E+00	0
2022-08-24T03:28:46.080Z	1.44E-03	2.35E+01	1.36E+00	0
2022-08-24T03:29:35.320Z	1.44E-03	2.34E+01	8.60E-01	0
2022-08-24T03:30:24.560Z	1.44E-03	2.33E+01	1.60E+00	0
2022-08-24T03:31:13.800Z	1.44E-03	2.33E+01	1.38E+00	0
2022-08-24T03:32:03.040Z	1.44E-03	2.33E+01	1.58E+00	0
2022-08-24T03:32:52.280Z	1.44E-03	2.32E+01	7.20E-01	0
2022-08-24T03:33:41.520Z	1.44E-03	2.33E+01	1.24E+00	0
2022-08-24T03:34:30.760Z	1.44E-03	2.33E+01	1.62E+00	0
2022-08-24T03:35:20.000Z	1.44E-03	2.32E+01	1.36E+00	0
2022-08-24T03:36:09.240Z	1.44E-03	2.32E+01	1.36E+00	0
2022-08-24T03:36:58.480Z	1.44E-03	2.31E+01	1.22E+00	0
2022-08-24T03:37:47.720Z	1.44E-03	2.30E+01	1.82E+00	0
2022-08-24T03:38:36.960Z	1.44E-03	2.31E+01	2.02E+00	0
2022-08-24T03:39:26.200Z	1.44E-03	2.30E+01	8.40E-01	0
2022-08-24T03:40:15.440Z	1.44E-03	2.29E+01	1.62E+00	0

2022-08-24T03:41:04.680Z	1.44E-03	2.29E+01	1.30E+00	0
2022-08-24T03:41:53.920Z	1.44E-03	2.29E+01	1.36E+00	0
2022-08-24T03:42:43.160Z	1.44E-03	2.28E+01	1.42E+00	0
2022-08-24T03:43:32.400Z	1.44E-03	2.28E+01	1.60E+00	0
2022-08-24T03:44:21.640Z	1.15E-03	2.27E+01	1.30E+00	0
2022-08-24T03:45:10.880Z	1.38E-03	2.27E+01	1.36E+00	0
2022-08-24T03:46:00.120Z	1.38E-03	2.27E+01	1.80E+00	0
2022-08-24T03:46:49.360Z	9.22E-04	2.26E+01	1.48E+00	0
2022-08-24T03:47:38.600Z	5.47E-04	2.26E+01	1.22E+00	0
2022-08-24T03:48:27.840Z	6.12E-04	2.26E+01	9.00E-01	0
2022-08-24T03:49:17.080Z	1.12E-03	2.26E+01	1.36E+00	0
2022-08-24T03:50:06.320Z	1.15E-03	2.26E+01	1.06E+00	0
2022-08-24T03:50:55.560Z	1.09E-03	2.26E+01	1.88E+00	0
2022-08-24T03:51:44.800Z	1.41E-03	2.26E+01	1.28E+00	0
2022-08-24T03:52:34.040Z	1.44E-03	2.25E+01	1.50E+00	0
2022-08-24T03:53:23.280Z	1.12E-03	2.25E+01	1.12E+00	0
2022-08-24T03:54:12.520Z	7.49E-04	2.25E+01	1.40E+00	0
2022-08-24T03:55:01.760Z	2.59E-04	2.24E+01	1.60E+00	0
2022-08-24T03:55:51.000Z	1.73E-04	2.24E+01	1.12E+00	0
2022-08-24T03:56:40.240Z	1.15E-04	2.24E+01	1.74E+00	0
2022-08-24T03:57:29.480Z	2.02E-04	2.24E+01	1.52E+00	0
2022-08-24T03:58:18.720Z	9.00E-04	2.24E+01	1.85E+00	0
2022-08-24T03:59:07.960Z	1.25E-03	2.24E+01	1.87E+00	0
2022-08-24T03:59:57.200Z	1.33E-03	2.24E+01	1.65E+00	0
2022-08-24T04:00:46.440Z	1.44E-03	2.24E+01	1.30E+00	0
2022-08-24T04:01:35.680Z	1.44E-03	2.24E+01	1.74E+00	0
2022-08-24T04:02:24.920Z	1.44E-03	2.25E+01	1.44E+00	0
2022-08-24T04:03:14.160Z	1.44E-03	2.24E+01	1.32E+00	0
2022-08-24T04:04:03.400Z	1.38E-03	2.24E+01	1.96E+00	0
2022-08-24T04:04:52.640Z	1.44E-03	2.25E+01	8.80E-01	0
2022-08-24T04:05:41.880Z	1.44E-03	2.24E+01	1.72E+00	0
2022-08-24T04:06:31.120Z	9.50E-04	2.23E+01	1.72E+00	0
2022-08-24T04:07:20.360Z	6.91E-04	2.23E+01	1.48E+00	0
2022-08-24T04:08:09.600Z	4.03E-04	2.22E+01	1.14E+00	0
2022-08-24T04:08:58.840Z	6.91E-04	2.22E+01	1.48E+00	0
2022-08-24T04:09:48.080Z	1.38E-03	2.22E+01	1.50E+00	0
2022-08-24T04:10:37.320Z	1.40E-03	2.22E+01	2.00E+00	0
2022-08-24T04:11:26.560Z	1.41E-03	2.23E+01	1.44E+00	0
2022-08-24T04:12:15.800Z	1.44E-03	2.23E+01	1.34E+00	0
2022-08-24T04:13:05.040Z	1.44E-03	2.23E+01	1.78E+00	0
2022-08-24T04:13:54.280Z	1.44E-03	2.23E+01	1.66E+00	0
2022-08-24T04:14:43.520Z	1.44E-03	2.23E+01	1.68E+00	0
2022-08-24T04:15:32.760Z	1.44E-03	2.23E+01	1.88E+00	0
2022-08-24T04:16:22.000Z	1.44E-03	2.24E+01	1.32E+00	0
2022-08-24T04:17:11.240Z	1.44E-03	2.23E+01	1.46E+00	0
2022-08-24T04:18:00.480Z	1.44E-03	2.23E+01	1.82E+00	0
2022-08-24T04:18:49.720Z	1.44E-03	2.22E+01	1.70E+00	0
2022-08-24T04:19:38.960Z	1.44E-03	2.21E+01	1.26E+00	0
2022-08-24T04:20:28.200Z	1.44E-03	2.21E+01	1.20E+00	0
2022-08-24T04:21:17.440Z	1.44E-03	2.21E+01	1.96E+00	0
2022-08-24T04:22:06.680Z	1.44E-03	2.21E+01	1.02E+00	0
2022-08-24T04:22:55.920Z	1.44E-03	2.21E+01	1.52E+00	0
2022-08-24T04:23:45.160Z	1.44E-03	2.21E+01	1.36E+00	0
2022-08-24T04:24:34.400Z	1.44E-03	2.20E+01	1.54E+00	0
2022-08-24T04:25:23.640Z	1.44E-03	2.20E+01	1.24E+00	0
2022-08-24T04:26:12.880Z	1.35E-03	2.19E+01	1.34E+00	0
2022-08-24T04:27:02.120Z	1.30E-03	2.19E+01	1.78E+00	0
2022-08-24T04:27:51.360Z	1.27E-03	2.19E+01	1.70E+00	0
2022-08-24T04:28:40.600Z	1.35E-03	2.19E+01	1.30E+00	0

2022-08-24T04:29:29.840Z	1.44E-03	2.19E+01	1.74E+00	0
2022-08-24T04:30:19.080Z	1.44E-03	2.19E+01	1.60E+00	0
2022-08-24T04:31:08.320Z	1.44E-03	2.21E+01	1.46E+00	0
2022-08-24T04:31:57.560Z	1.44E-03	2.20E+01	1.55E+00	0
2022-08-24T04:32:46.800Z	1.44E-03	2.21E+01	1.58E+00	0
2022-08-24T04:33:36.040Z	1.44E-03	2.20E+01	1.80E+00	0
2022-08-24T04:34:25.280Z	1.44E-03	2.22E+01	2.18E+00	0
2022-08-24T04:35:14.520Z	1.44E-03	2.20E+01	2.00E+00	0
2022-08-24T04:36:03.760Z	1.44E-03	2.20E+01	1.66E+00	0
2022-08-24T04:36:53.000Z	1.44E-03	2.19E+01	1.88E+00	0
2022-08-24T04:37:42.240Z	1.32E-03	2.17E+01	1.56E+00	0
2022-08-24T04:38:31.480Z	6.62E-04	2.17E+01	1.32E+00	0
2022-08-24T04:39:20.720Z	1.44E-03	2.18E+01	1.62E+00	0
2022-08-24T04:40:09.960Z	1.44E-03	2.20E+01	1.38E+00	0
2022-08-24T04:40:59.200Z	1.44E-03	2.19E+01	1.92E+00	0
2022-08-24T04:41:48.440Z	1.44E-03	2.19E+01	1.72E+00	0
2022-08-24T04:42:37.680Z	1.44E-03	2.20E+01	1.73E+00	0
2022-08-24T04:43:26.920Z	1.44E-03	2.19E+01	1.66E+00	0
2022-08-24T04:44:16.160Z	1.44E-03	2.19E+01	1.14E+00	0
2022-08-24T04:45:05.400Z	1.44E-03	2.20E+01	1.76E+00	0
2022-08-24T04:45:54.640Z	1.44E-03	2.20E+01	1.54E+00	0
2022-08-24T04:46:43.880Z	1.44E-03	2.19E+01	1.04E+00	0
2022-08-24T04:47:33.120Z	1.44E-03	2.18E+01	1.46E+00	0
2022-08-24T04:48:22.360Z	7.20E-04	2.17E+01	2.50E+00	0
2022-08-24T04:49:11.600Z	6.05E-04	2.15E+01	1.94E+00	0
2022-08-24T04:50:00.840Z	4.32E-04	2.16E+01	1.96E+00	0
2022-08-24T04:50:50.080Z	6.62E-04	2.16E+01	1.74E+00	0
2022-08-24T04:51:39.320Z	2.02E-04	2.15E+01	2.24E+00	0
2022-08-24T04:52:28.560Z	4.32E-04	2.15E+01	1.35E+00	0
2022-08-24T04:53:17.800Z	1.44E-04	2.15E+01	1.75E+00	0
2022-08-24T04:54:07.040Z	5.04E-04	2.15E+01	1.40E+00	0
2022-08-24T04:54:56.280Z	6.05E-04	2.15E+01	1.46E+00	0
2022-08-24T04:55:45.520Z	8.06E-04	2.16E+01	1.08E+00	0
2022-08-24T04:56:34.760Z	9.22E-04	2.15E+01	1.12E+00	0
2022-08-24T04:57:24.000Z	6.05E-04	2.15E+01	1.14E+00	0
2022-08-24T04:58:13.240Z	5.18E-04	2.15E+01	1.32E+00	0
2022-08-24T04:59:02.480Z	4.61E-04	2.15E+01	2.08E+00	0
2022-08-24T04:59:51.720Z	1.18E-03	2.15E+01	1.48E+00	0
2022-08-24T05:00:40.960Z	1.32E-03	2.15E+01	1.84E+00	0
2022-08-24T05:01:30.200Z	1.44E-03	2.16E+01	1.30E+00	0
2022-08-24T05:02:19.440Z	1.44E-03	2.17E+01	1.34E+00	0
2022-08-24T05:03:08.680Z	1.44E-03	2.17E+01	9.20E-01	0
2022-08-24T05:03:57.920Z	1.44E-03	2.16E+01	9.40E-01	0
2022-08-24T05:04:47.160Z	1.44E-03	2.16E+01	1.55E+00	0
2022-08-24T05:05:36.400Z	1.44E-03	2.15E+01	1.78E+00	0
2022-08-24T05:06:25.640Z	1.44E-03	2.14E+01	2.14E+00	0
2022-08-24T05:07:14.880Z	1.41E-03	2.14E+01	1.74E+00	0
2022-08-24T05:08:04.120Z	1.32E-03	2.14E+01	1.98E+00	0
2022-08-24T05:08:53.360Z	1.44E-03	2.14E+01	7.80E-01	0
2022-08-24T05:09:42.600Z	1.44E-03	2.13E+01	1.62E+00	0
2022-08-24T05:10:31.840Z	1.32E-03	2.13E+01	2.02E+00	0
2022-08-24T05:11:21.080Z	1.44E-03	2.14E+01	1.30E+00	0
2022-08-24T05:12:10.320Z	1.44E-03	2.13E+01	1.88E+00	0
2022-08-24T05:12:59.560Z	1.44E-03	2.14E+01	1.58E+00	0
2022-08-24T05:13:48.800Z	1.44E-03	2.14E+01	1.54E+00	0
2022-08-24T05:14:38.040Z	1.44E-03	2.14E+01	1.34E+00	0
2022-08-24T05:15:27.280Z	1.44E-03	2.14E+01	1.77E+00	0
2022-08-24T05:16:16.520Z	1.44E-03	2.15E+01	1.22E+00	0
2022-08-24T05:17:05.760Z	1.44E-03	2.13E+01	1.46E+00	0

2022-08-24T05:17:55.000Z	1.44E-03	2.13E+01	1.74E+00	0
2022-08-24T05:18:44.240Z	1.44E-03	2.13E+01	2.12E+00	0
2022-08-24T05:19:33.480Z	1.44E-03	2.13E+01	1.74E+00	0
2022-08-24T05:20:22.720Z	1.44E-03	2.13E+01	2.28E+00	0
2022-08-24T05:21:11.960Z	1.44E-03	2.13E+01	1.22E+00	0
2022-08-24T05:22:01.200Z	1.44E-03	2.13E+01	1.46E+00	0
2022-08-24T05:22:50.440Z	1.44E-03	2.13E+01	1.56E+00	0
2022-08-24T05:23:39.680Z	1.44E-03	2.14E+01	1.30E+00	0
2022-08-24T05:24:28.920Z	1.44E-03	2.13E+01	1.68E+00	0
2022-08-24T05:25:18.160Z	1.44E-03	2.14E+01	1.00E+00	0
2022-08-24T05:26:07.400Z	1.44E-03	2.14E+01	1.02E+00	0
2022-08-24T05:26:56.640Z	1.44E-03	2.15E+01	1.62E+00	0
2022-08-24T05:27:45.880Z	1.44E-03	2.13E+01	1.40E+00	0
2022-08-24T05:28:35.120Z	1.44E-03	2.13E+01	1.62E+00	0
2022-08-24T05:29:24.360Z	1.41E-03	2.12E+01	2.26E+00	0
2022-08-24T05:30:13.600Z	1.35E-03	2.11E+01	1.88E+00	0
2022-08-24T05:31:02.840Z	1.44E-03	2.11E+01	1.58E+00	0
2022-08-24T05:31:52.080Z	1.44E-03	2.11E+01	1.34E+00	0
2022-08-24T05:32:41.320Z	1.44E-03	2.11E+01	1.96E+00	0
2022-08-24T05:33:30.560Z	1.44E-03	2.11E+01	2.24E+00	0
2022-08-24T05:34:19.800Z	1.44E-03	2.12E+01	1.32E+00	0
2022-08-24T05:35:09.040Z	1.44E-03	2.12E+01	1.58E+00	0
2022-08-24T05:35:58.280Z	1.44E-03	2.12E+01	1.22E+00	0
2022-08-24T05:36:47.520Z	1.44E-03	2.12E+01	1.15E+00	0
2022-08-24T05:37:36.760Z	1.44E-03	2.11E+01	1.44E+00	0
2022-08-24T05:38:26.000Z	1.44E-03	2.10E+01	1.78E+00	0
2022-08-24T05:39:15.240Z	1.44E-03	2.10E+01	1.56E+00	0
2022-08-24T05:40:04.480Z	1.09E-03	2.09E+01	1.76E+00	0
2022-08-24T05:40:53.720Z	8.35E-04	2.08E+01	1.52E+00	0
2022-08-24T05:41:42.960Z	1.44E-04	2.08E+01	1.40E+00	0
2022-08-24T05:42:32.200Z	5.76E-05	2.08E+01	1.34E+00	0
2022-08-24T05:43:21.440Z	8.64E-04	2.07E+01	1.74E+00	0
2022-08-24T05:44:10.680Z	1.38E-03	2.07E+01	1.88E+00	0
2022-08-24T05:44:59.920Z	1.56E-03	2.06E+01	1.38E+00	0
2022-08-24T05:45:49.160Z	1.24E-03	2.06E+01	1.24E+00	0
2022-08-24T05:46:38.400Z	5.76E-04	2.04E+01	1.70E+00	0
2022-08-24T05:47:27.640Z	4.32E-04	2.04E+01	2.18E+00	0
2022-08-24T05:48:16.880Z	5.47E-04	2.05E+01	1.62E+00	0
2022-08-24T05:49:06.120Z	1.04E-03	2.06E+01	1.38E+00	0
2022-08-24T05:49:55.360Z	1.09E-03	2.06E+01	1.28E+00	0
2022-08-24T05:50:44.600Z	1.41E-03	2.07E+01	1.72E+00	0
2022-08-24T05:51:33.840Z	1.41E-03	2.06E+01	2.18E+00	0
2022-08-24T05:52:23.080Z	1.44E-03	2.06E+01	1.88E+00	0
2022-08-24T05:53:12.320Z	1.38E-03	2.07E+01	1.50E+00	0
2022-08-24T05:54:01.560Z	1.44E-03	2.06E+01	2.16E+00	0
2022-08-24T05:54:50.800Z	1.44E-03	2.07E+01	1.82E+00	0
2022-08-24T05:55:40.040Z	1.44E-03	2.07E+01	1.80E+00	0
2022-08-24T05:56:29.280Z	1.44E-03	2.07E+01	1.96E+00	0
2022-08-24T05:57:18.520Z	1.44E-03	2.06E+01	9.60E-01	0
2022-08-24T05:58:07.760Z	1.44E-03	2.06E+01	1.92E+00	0
2022-08-24T05:58:57.000Z	1.44E-03	2.06E+01	1.54E+00	0
2022-08-24T05:59:46.240Z	1.44E-03	2.06E+01	1.54E+00	0
2022-08-24T06:00:35.480Z	1.44E-03	2.07E+01	1.40E+00	0
2022-08-24T06:01:24.720Z	1.44E-03	2.07E+01	2.08E+00	0
2022-08-24T06:02:13.960Z	1.44E-03	2.08E+01	1.64E+00	0
2022-08-24T06:03:03.200Z	1.44E-03	2.09E+01	1.46E+00	0
2022-08-24T06:03:52.440Z	1.44E-03	2.08E+01	1.72E+00	0
2022-08-24T06:04:41.680Z	1.44E-03	2.08E+01	2.04E+00	0
2022-08-24T06:05:30.920Z	1.44E-03	2.08E+01	1.82E+00	0

2022-08-24T06:06:20.160Z	1.44E-03	2.07E+01	1.32E+00	0
2022-08-24T06:07:09.400Z	1.44E-03	2.06E+01	1.54E+00	0
2022-08-24T06:07:58.640Z	1.44E-03	2.05E+01	1.86E+00	0
2022-08-24T06:08:47.880Z	1.44E-03	2.04E+01	1.50E+00	0
2022-08-24T06:09:37.120Z	1.44E-03	2.04E+01	2.23E+00	0
2022-08-24T06:10:26.360Z	1.38E-03	2.04E+01	2.32E+00	0
2022-08-24T06:11:15.600Z	1.27E-03	2.04E+01	2.16E+00	0
2022-08-24T06:12:04.840Z	1.44E-03	2.04E+01	1.34E+00	0
2022-08-24T06:12:54.080Z	1.44E-03	2.05E+01	2.00E+00	0
2022-08-24T06:13:43.320Z	1.44E-03	2.05E+01	1.82E+00	0
2022-08-24T06:14:32.560Z	1.44E-03	2.06E+01	1.48E+00	0
2022-08-24T06:15:21.800Z	1.44E-03	2.07E+01	2.28E+00	0
2022-08-24T06:16:11.040Z	1.44E-03	2.07E+01	1.76E+00	0
2022-08-24T06:17:00.280Z	1.44E-03	2.07E+01	1.96E+00	0
2022-08-24T06:17:49.520Z	1.44E-03	2.06E+01	2.36E+00	0
2022-08-24T06:18:38.760Z	1.44E-03	2.07E+01	1.66E+00	0
2022-08-24T06:19:28.000Z	1.44E-03	2.07E+01	2.06E+00	0
2022-08-24T06:20:17.240Z	1.44E-03	2.07E+01	2.80E+00	0
2022-08-24T06:21:06.480Z	1.44E-03	2.07E+01	2.02E+00	0
2022-08-24T06:21:55.720Z	1.44E-03	2.06E+01	1.90E+00	0
2022-08-24T06:22:44.960Z	1.44E-03	2.06E+01	1.80E+00	0
2022-08-24T06:23:34.200Z	1.44E-03	2.04E+01	1.86E+00	0
2022-08-24T06:24:23.440Z	1.44E-03	2.04E+01	1.54E+00	0
2022-08-24T06:25:12.680Z	1.44E-03	2.02E+01	2.28E+00	0
2022-08-24T06:26:01.920Z	1.44E-03	2.02E+01	2.14E+00	0
2022-08-24T06:26:51.160Z	1.44E-03	2.02E+01	2.30E+00	0
2022-08-24T06:27:40.400Z	1.44E-03	2.01E+01	1.66E+00	0
2022-08-24T06:28:29.640Z	1.44E-03	2.01E+01	2.02E+00	0
2022-08-24T06:29:18.880Z	1.44E-03	2.02E+01	2.04E+00	0
2022-08-24T06:30:08.120Z	1.44E-03	2.02E+01	1.56E+00	0
2022-08-24T06:30:57.360Z	1.44E-03	2.02E+01	1.93E+00	0
2022-08-24T06:31:46.600Z	1.44E-03	2.02E+01	1.32E+00	0
2022-08-24T06:32:35.840Z	1.44E-03	2.02E+01	2.18E+00	0
2022-08-24T06:33:25.080Z	1.44E-03	2.02E+01	1.88E+00	0
2022-08-24T06:34:14.320Z	1.44E-03	2.02E+01	1.88E+00	0
2022-08-24T06:35:03.560Z	1.44E-03	2.02E+01	1.48E+00	0
2022-08-24T06:35:52.800Z	1.44E-03	2.01E+01	1.66E+00	0
2022-08-24T06:36:42.040Z	1.44E-03	2.01E+01	1.44E+00	0
2022-08-24T06:37:31.280Z	1.44E-03	2.01E+01	1.66E+00	0
2022-08-24T06:38:20.520Z	1.44E-03	2.01E+01	1.44E+00	0
2022-08-24T06:39:09.760Z	1.44E-03	2.01E+01	2.28E+00	0
2022-08-24T06:39:59.000Z	1.44E-03	2.01E+01	2.10E+00	0
2022-08-24T06:40:48.240Z	1.44E-03	2.01E+01	2.00E+00	0
2022-08-24T06:41:37.480Z	1.44E-03	2.02E+01	2.02E+00	0
2022-08-24T06:42:26.720Z	1.44E-03	2.02E+01	2.14E+00	0
2022-08-24T06:43:15.960Z	1.44E-03	2.01E+01	1.72E+00	0
2022-08-24T06:44:05.200Z	1.44E-03	2.00E+01	1.56E+00	0
2022-08-24T06:44:54.440Z	1.44E-03	1.99E+01	1.78E+00	0
2022-08-24T06:45:43.680Z	5.18E-04	1.98E+01	2.50E+00	0
2022-08-24T06:46:32.920Z	3.17E-04	1.98E+01	2.30E+00	0
2022-08-24T06:47:22.160Z	1.44E-04	1.98E+01	1.64E+00	0
2022-08-24T06:48:11.400Z	1.44E-04	1.98E+01	2.08E+00	0
2022-08-24T06:49:00.640Z	1.44E-03	1.98E+01	1.90E+00	0
2022-08-24T06:49:49.880Z	1.44E-03	1.99E+01	1.58E+00	0
2022-08-24T06:50:39.120Z	1.44E-03	1.99E+01	2.00E+00	0
2022-08-24T06:51:28.360Z	1.44E-03	2.00E+01	2.14E+00	0
2022-08-24T06:52:17.600Z	1.44E-03	1.98E+01	2.17E+00	0
2022-08-24T06:53:06.840Z	1.44E-03	1.99E+01	2.10E+00	0
2022-08-24T06:53:56.080Z	1.44E-03	1.98E+01	2.02E+00	0

2022-08-24T06:54:45.320Z	1.44E-03	1.98E+01	1.64E+00	0
2022-08-24T06:55:34.560Z	1.30E-03	1.97E+01	1.96E+00	0
2022-08-24T06:56:23.800Z	1.01E-03	1.96E+01	1.96E+00	0
2022-08-24T06:57:13.040Z	8.64E-05	1.96E+01	1.62E+00	0
2022-08-24T06:58:02.280Z	8.64E-04	1.96E+01	2.98E+00	0
2022-08-24T06:58:51.520Z	2.30E-04	1.96E+01	1.58E+00	0
2022-08-24T06:59:40.760Z	3.46E-04	1.95E+01	1.98E+00	0
2022-08-24T07:00:30.000Z	2.30E-04	1.96E+01	1.40E+00	0
2022-08-24T07:01:19.240Z	1.73E-04	1.95E+01	1.64E+00	0
2022-08-24T07:02:08.480Z	1.73E-04	1.95E+01	1.26E+00	0
2022-08-24T07:02:57.720Z	1.12E-03	1.95E+01	1.90E+00	0
2022-08-24T07:03:46.960Z	1.12E-03	1.96E+01	1.94E+00	0
2022-08-24T07:04:36.200Z	1.44E-03	1.97E+01	1.56E+00	0
2022-08-24T07:05:25.440Z	1.44E-03	1.97E+01	1.84E+00	0
2022-08-24T07:06:14.680Z	1.44E-03	1.98E+01	2.20E+00	0
2022-08-24T07:07:03.920Z	1.44E-03	1.97E+01	2.38E+00	0
2022-08-24T07:07:53.160Z	1.44E-03	1.97E+01	1.98E+00	0
2022-08-24T07:08:42.400Z	1.15E-03	1.96E+01	1.94E+00	0
2022-08-24T07:09:31.640Z	1.30E-03	1.96E+01	2.10E+00	0
2022-08-24T07:10:20.880Z	1.44E-03	1.95E+01	1.88E+00	0
2022-08-24T07:11:10.120Z	1.38E-03	1.95E+01	2.02E+00	0
2022-08-24T07:11:59.360Z	1.44E-03	1.95E+01	1.84E+00	0
2022-08-24T07:12:48.600Z	1.44E-03	1.95E+01	1.82E+00	0
2022-08-24T07:13:37.840Z	1.44E-03	1.95E+01	1.78E+00	0
2022-08-24T07:14:27.080Z	1.44E-03	1.95E+01	1.63E+00	0
2022-08-24T07:15:16.320Z	1.44E-03	1.95E+01	1.78E+00	0
2022-08-24T07:16:05.560Z	1.44E-03	1.95E+01	2.06E+00	0
2022-08-24T07:16:54.800Z	1.44E-03	1.95E+01	1.50E+00	0
2022-08-24T07:17:44.040Z	1.44E-03	1.95E+01	1.78E+00	0
2022-08-24T07:18:33.280Z	1.44E-03	1.95E+01	1.86E+00	0
2022-08-24T07:19:22.520Z	1.44E-03	1.95E+01	1.74E+00	0
2022-08-24T07:20:11.760Z	1.44E-03	1.95E+01	1.74E+00	0
2022-08-24T07:21:01.000Z	1.44E-03	1.95E+01	2.18E+00	0
2022-08-24T07:21:50.240Z	1.44E-03	1.95E+01	2.00E+00	0
2022-08-24T07:22:39.480Z	1.44E-03	1.95E+01	1.36E+00	0
2022-08-24T07:23:28.720Z	1.44E-03	1.94E+01	2.60E+00	0
2022-08-24T07:24:17.960Z	1.44E-03	1.94E+01	1.96E+00	0
2022-08-24T07:25:07.200Z	1.44E-03	1.94E+01	1.93E+00	0
2022-08-24T07:25:56.440Z	1.41E-03	1.93E+01	2.00E+00	0
2022-08-24T07:26:45.680Z	9.50E-04	1.93E+01	1.58E+00	0
2022-08-24T07:27:34.920Z	1.44E-03	1.93E+01	2.46E+00	0
2022-08-24T07:28:24.160Z	1.44E-03	1.93E+01	1.46E+00	0
2022-08-24T07:29:13.400Z	1.44E-03	1.94E+01	2.00E+00	0
2022-08-24T07:30:02.640Z	1.44E-03	1.95E+01	2.20E+00	0
2022-08-24T07:30:51.880Z	1.44E-03	1.94E+01	2.32E+00	0
2022-08-24T07:31:41.120Z	1.44E-03	1.94E+01	2.34E+00	0
2022-08-24T07:32:30.360Z	1.44E-03	1.93E+01	2.08E+00	0
2022-08-24T07:33:19.600Z	8.93E-04	1.92E+01	2.08E+00	0
2022-08-24T07:34:08.840Z	2.02E-04	1.92E+01	1.74E+00	0
2022-08-24T07:34:58.080Z	7.78E-04	1.92E+01	1.70E+00	0
2022-08-24T07:35:47.320Z	1.27E-03	1.92E+01	1.64E+00	0
2022-08-24T07:36:36.560Z	1.33E-03	1.92E+01	2.18E+00	0
2022-08-24T07:37:25.800Z	1.44E-03	1.92E+01	1.88E+00	0
2022-08-24T07:38:15.040Z	1.44E-03	1.93E+01	2.24E+00	0
2022-08-24T07:39:04.280Z	1.44E-03	1.93E+01	1.72E+00	0
2022-08-24T07:39:53.520Z	1.44E-03	1.94E+01	2.04E+00	0
2022-08-24T07:40:42.760Z	1.44E-03	1.93E+01	1.78E+00	0
2022-08-24T07:41:32.000Z	1.44E-03	1.93E+01	1.66E+00	0
2022-08-24T07:42:21.240Z	1.44E-03	1.92E+01	1.92E+00	0

2022-08-24T07:43:10.480Z	5.47E-04	1.91E+01	1.48E+00	0
2022-08-24T07:43:59.720Z	8.64E-05	1.91E+01	1.82E+00	0
2022-08-24T07:44:48.960Z	4.03E-04	1.91E+01	2.20E+00	0
2022-08-24T07:45:38.200Z	4.90E-04	1.91E+01	1.86E+00	0
2022-08-24T07:46:27.440Z	3.60E-04	1.90E+01	1.83E+00	0
2022-08-24T07:47:16.680Z	5.76E-05	1.90E+01	1.92E+00	0
2022-08-24T07:48:05.920Z	1.15E-04	1.90E+01	2.70E+00	0
2022-08-24T07:48:55.160Z	7.49E-04	1.91E+01	2.18E+00	0
2022-08-24T07:49:44.400Z	6.05E-04	1.90E+01	2.22E+00	0
2022-08-24T07:50:33.640Z	1.38E-03	1.91E+01	1.98E+00	0
2022-08-24T07:51:22.880Z	1.38E-03	1.91E+01	2.18E+00	0
2022-08-24T07:52:12.120Z	1.44E-03	1.91E+01	2.20E+00	0
2022-08-24T07:53:01.360Z	1.44E-03	1.91E+01	1.86E+00	0
2022-08-24T07:53:50.600Z	1.44E-03	1.92E+01	2.04E+00	0
2022-08-24T07:54:39.840Z	1.44E-03	1.91E+01	2.06E+00	0
2022-08-24T07:55:29.080Z	1.44E-03	1.91E+01	2.18E+00	0
2022-08-24T07:56:18.320Z	1.44E-03	1.91E+01	1.72E+00	0
2022-08-24T07:57:07.560Z	1.24E-03	1.90E+01	1.66E+00	0
2022-08-24T07:57:56.800Z	6.34E-04	1.90E+01	2.30E+00	0
2022-08-24T07:58:46.040Z	5.76E-04	1.90E+01	2.05E+00	0
2022-08-24T07:59:35.280Z	7.49E-04	1.90E+01	1.72E+00	0
2022-08-24T08:00:24.520Z	1.27E-03	1.89E+01	2.44E+00	0
2022-08-24T08:01:13.760Z	1.73E-03	1.87E+01	1.92E+00	0
2022-08-24T08:02:03.000Z	3.37E-03	1.85E+01	2.10E+00	0
2022-08-24T08:02:52.240Z	2.79E-03	1.83E+01	2.34E+00	0
2022-08-24T08:03:41.480Z	2.56E-03	1.82E+01	1.75E+00	0
2022-08-24T08:04:30.720Z	2.16E-03	1.81E+01	1.64E+00	0
2022-08-24T08:05:19.960Z	1.24E-03	1.81E+01	2.28E+00	0
2022-08-24T08:06:09.200Z	2.02E-04	1.81E+01	2.50E+00	0
2022-08-24T08:06:58.440Z	1.41E-03	1.82E+01	2.30E+00	0
2022-08-24T08:07:47.680Z	1.44E-03	1.82E+01	1.78E+00	0
2022-08-24T08:08:36.920Z	1.44E-03	1.83E+01	1.68E+00	0
2022-08-24T08:09:26.160Z	1.44E-03	1.83E+01	1.77E+00	0
2022-08-24T08:10:15.400Z	1.44E-03	1.85E+01	1.12E+00	0
2022-08-24T08:11:04.640Z	1.44E-03	1.87E+01	2.24E+00	0
2022-08-24T08:11:53.880Z	1.44E-03	1.88E+01	2.52E+00	0
2022-08-24T08:12:43.120Z	1.44E-03	1.89E+01	2.46E+00	0
2022-08-24T08:13:32.360Z	1.44E-03	1.90E+01	2.00E+00	0
2022-08-24T08:14:21.600Z	1.44E-03	1.89E+01	2.34E+00	0
2022-08-24T08:15:10.840Z	1.44E-03	1.89E+01	1.84E+00	0
2022-08-24T08:16:00.080Z	1.41E-03	1.89E+01	2.06E+00	0
2022-08-24T08:16:49.320Z	6.05E-04	1.88E+01	2.04E+00	0
2022-08-24T08:17:38.560Z	1.47E-03	1.88E+01	1.72E+00	0
2022-08-24T08:18:27.800Z	8.06E-04	1.86E+01	1.90E+00	0
2022-08-24T08:19:17.040Z	4.32E-04	1.84E+01	1.78E+00	0
2022-08-24T08:20:06.280Z	1.44E-04	1.83E+01	2.42E+00	0
2022-08-24T08:20:55.520Z	1.38E-03	1.84E+01	2.30E+00	0
2022-08-24T08:21:44.760Z	1.44E-03	1.85E+01	2.10E+00	0
2022-08-24T08:22:34.000Z	1.44E-03	1.87E+01	1.72E+00	0
2022-08-24T08:23:23.240Z	1.44E-03	1.88E+01	1.52E+00	0
2022-08-24T08:24:12.480Z	1.44E-03	1.88E+01	2.50E+00	0
2022-08-24T08:25:01.720Z	1.44E-03	1.89E+01	1.96E+00	0
2022-08-24T08:25:50.960Z	8.64E-04	1.88E+01	2.06E+00	0
2022-08-24T08:26:40.200Z	1.01E-03	1.89E+01	1.96E+00	0
2022-08-24T08:27:29.440Z	7.49E-04	1.88E+01	1.62E+00	0
2022-08-24T08:28:18.680Z	6.34E-04	1.88E+01	1.84E+00	0
2022-08-24T08:29:07.920Z	0.00E+00	1.87E+01	2.14E+00	0
2022-08-24T08:29:57.160Z	3.74E-04	1.88E+01	1.96E+00	0
2022-08-24T08:30:46.400Z	1.44E-03	1.88E+01	1.52E+00	0

2022-08-24T08:31:35.640Z	1.07E-03	1.87E+01	1.50E+00	0
2022-08-24T08:32:24.880Z	1.44E-03	1.88E+01	2.32E+00	0
2022-08-24T08:33:14.120Z	1.44E-03	1.89E+01	1.76E+00	0
2022-08-24T08:34:03.360Z	1.44E-03	1.88E+01	2.02E+00	0
2022-08-24T08:34:52.600Z	1.44E-03	1.88E+01	1.96E+00	0
2022-08-24T08:35:41.840Z	1.44E-03	1.89E+01	1.48E+00	0
2022-08-24T08:36:31.080Z	1.44E-03	1.88E+01	1.86E+00	0
2022-08-24T08:37:20.320Z	1.44E-03	1.88E+01	2.30E+00	0
2022-08-24T08:38:09.560Z	1.44E-03	1.88E+01	2.04E+00	0
2022-08-24T08:38:58.800Z	1.44E-03	1.89E+01	1.66E+00	0
2022-08-24T08:39:48.040Z	1.44E-03	1.89E+01	1.86E+00	0
2022-08-24T08:40:37.280Z	1.44E-03	1.89E+01	2.15E+00	0
2022-08-24T08:41:26.520Z	1.44E-03	1.88E+01	1.88E+00	0
2022-08-24T08:42:15.760Z	1.44E-03	1.88E+01	1.86E+00	0
2022-08-24T08:43:05.000Z	1.44E-03	1.88E+01	1.88E+00	0
2022-08-24T08:43:54.240Z	1.44E-03	1.89E+01	1.92E+00	0
2022-08-24T08:44:43.480Z	1.44E-03	1.89E+01	2.16E+00	0
2022-08-24T08:45:32.720Z	1.44E-03	1.90E+01	2.44E+00	0
2022-08-24T08:46:21.960Z	1.44E-03	1.90E+01	2.22E+00	0
2022-08-24T08:47:11.200Z	1.44E-03	1.91E+01	1.68E+00	0
2022-08-24T08:48:00.440Z	1.44E-03	1.91E+01	2.10E+00	0
2022-08-24T08:48:49.680Z	1.44E-03	1.90E+01	2.04E+00	0
2022-08-24T08:49:38.920Z	1.44E-03	1.89E+01	1.58E+00	0
2022-08-24T08:50:28.160Z	1.44E-03	1.88E+01	2.20E+00	0
2022-08-24T08:51:17.400Z	1.44E-03	1.88E+01	2.10E+00	0
2022-08-24T08:52:06.640Z	1.44E-03	1.87E+01	1.63E+00	0
2022-08-24T08:52:55.880Z	1.35E-03	1.86E+01	2.16E+00	0
2022-08-24T08:53:45.120Z	5.76E-05	1.86E+01	1.80E+00	0
2022-08-24T08:54:34.360Z	2.88E-05	1.85E+01	1.46E+00	0
2022-08-24T08:55:23.600Z	2.88E-04	1.85E+01	1.66E+00	0
2022-08-24T08:56:12.840Z	8.64E-04	1.85E+01	2.16E+00	0
2022-08-24T08:57:02.080Z	9.50E-04	1.84E+01	2.08E+00	0
2022-08-24T08:57:51.320Z	1.44E-04	1.83E+01	2.50E+00	0
2022-08-24T08:58:40.560Z	2.88E-05	1.83E+01	1.94E+00	0
2022-08-24T08:59:29.800Z	2.88E-04	1.82E+01	1.52E+00	0
2022-08-24T09:00:19.040Z	5.76E-05	1.81E+01	1.84E+00	0
2022-08-24T09:01:08.280Z	5.47E-04	1.79E+01	2.24E+00	0
2022-08-24T09:01:57.520Z	4.03E-04	1.78E+01	1.90E+00	0
2022-08-24T09:02:46.760Z	3.60E-05	1.77E+01	1.40E+00	0
2022-08-24T09:03:36.000Z	7.49E-04	1.76E+01	1.50E+00	0
2022-08-24T09:04:25.240Z	1.30E-03	1.77E+01	2.30E+00	0
2022-08-24T09:05:14.480Z	1.44E-03	1.78E+01	2.28E+00	0
2022-08-24T09:06:03.720Z	1.44E-03	1.80E+01	2.24E+00	0
2022-08-24T09:06:52.960Z	1.44E-03	1.81E+01	1.90E+00	0
2022-08-24T09:07:42.200Z	1.44E-03	1.82E+01	1.96E+00	0
2022-08-24T09:08:31.440Z	1.44E-03	1.83E+01	2.56E+00	0
2022-08-24T09:09:20.680Z	1.21E-03	1.83E+01	2.80E+00	0
2022-08-24T09:10:09.920Z	6.62E-04	1.83E+01	2.06E+00	0
2022-08-24T09:10:59.160Z	2.02E-04	1.83E+01	1.74E+00	0
2022-08-24T09:11:48.400Z	7.49E-04	1.83E+01	2.46E+00	0
2022-08-24T09:12:37.640Z	1.62E-03	1.81E+01	2.15E+00	0
2022-08-24T09:13:26.880Z	7.92E-04	1.79E+01	1.60E+00	0
2022-08-24T09:14:16.120Z	1.15E-03	1.78E+01	2.08E+00	0
2022-08-24T09:15:05.360Z	1.44E-03	1.79E+01	1.74E+00	0
2022-08-24T09:15:54.600Z	1.44E-03	1.81E+01	1.82E+00	0
2022-08-24T09:16:43.840Z	1.44E-03	1.83E+01	2.26E+00	0
2022-08-24T09:17:33.080Z	1.44E-03	1.85E+01	2.02E+00	0
2022-08-24T09:18:22.320Z	1.44E-03	1.84E+01	2.20E+00	0
2022-08-24T09:19:11.560Z	1.44E-03	1.83E+01	2.14E+00	0

2022-08-24T09:20:00.800Z	1.44E-03	1.83E+01	2.24E+00	0
2022-08-24T09:20:50.040Z	1.38E-03	1.82E+01	1.94E+00	0
2022-08-24T09:21:39.280Z	3.17E-04	1.82E+01	2.36E+00	0
2022-08-24T09:22:28.520Z	2.30E-04	1.82E+01	1.70E+00	0
2022-08-24T09:23:17.760Z	9.79E-04	1.81E+01	2.46E+00	0
2022-08-24T09:24:07.000Z	8.93E-04	1.80E+01	1.90E+00	0
2022-08-24T09:24:56.240Z	1.22E-03	1.78E+01	1.52E+00	0
2022-08-24T09:25:45.480Z	8.64E-04	1.75E+01	2.20E+00	0
2022-08-24T09:26:34.720Z	8.64E-05	1.74E+01	1.48E+00	0
2022-08-24T09:27:23.960Z	0.00E+00	1.74E+01	1.72E+00	0
2022-08-24T09:28:13.200Z	0.00E+00	1.74E+01	1.86E+00	0
2022-08-24T09:29:02.440Z	0.00E+00	1.73E+01	2.12E+00	0
2022-08-24T09:29:51.680Z	0.00E+00	1.73E+01	2.46E+00	0
2022-08-24T09:30:40.920Z	2.30E-04	1.73E+01	1.78E+00	0
2022-08-24T09:31:30.160Z	6.05E-04	1.73E+01	2.28E+00	0
2022-08-24T09:32:19.400Z	1.41E-03	1.74E+01	2.18E+00	0
2022-08-24T09:33:08.640Z	1.44E-03	1.74E+01	2.22E+00	0
2022-08-24T09:33:57.880Z	1.44E-03	1.75E+01	2.26E+00	0
2022-08-24T09:34:47.120Z	1.44E-03	1.77E+01	2.56E+00	0
2022-08-24T09:35:36.360Z	1.44E-03	1.79E+01	2.30E+00	0
2022-08-24T09:36:25.600Z	1.44E-03	1.81E+01	2.16E+00	0
2022-08-24T09:37:14.840Z	1.44E-03	1.83E+01	1.72E+00	0
2022-08-24T09:38:04.080Z	1.44E-03	1.84E+01	2.00E+00	0
2022-08-24T09:38:53.320Z	1.44E-03	1.84E+01	1.88E+00	0
2022-08-24T09:39:42.560Z	1.44E-03	1.83E+01	2.54E+00	0
2022-08-24T09:40:31.800Z	1.44E-03	1.82E+01	2.50E+00	0
2022-08-24T09:41:21.040Z	1.44E-03	1.82E+01	1.98E+00	0
2022-08-24T09:42:10.280Z	1.44E-03	1.81E+01	2.00E+00	0
2022-08-24T09:42:59.520Z	1.44E-03	1.81E+01	2.33E+00	0
2022-08-24T09:43:48.760Z	1.44E-03	1.81E+01	1.66E+00	0
2022-08-24T09:44:38.000Z	1.44E-03	1.81E+01	2.22E+00	0
2022-08-24T09:45:27.240Z	1.44E-03	1.81E+01	2.00E+00	0
2022-08-24T09:46:16.480Z	1.44E-03	1.81E+01	1.25E+00	0
2022-08-24T09:47:05.720Z	1.44E-03	1.81E+01	1.50E+00	0
2022-08-24T09:47:54.960Z	1.44E-03	1.81E+01	2.62E+00	0
2022-08-24T09:48:44.200Z	1.44E-03	1.81E+01	1.78E+00	0
2022-08-24T09:49:33.440Z	1.44E-03	1.81E+01	2.44E+00	0
2022-08-24T09:50:22.680Z	1.44E-03	1.81E+01	2.36E+00	0
2022-08-24T09:51:11.920Z	1.44E-03	1.81E+01	2.22E+00	0
2022-08-24T09:52:01.160Z	1.44E-03	1.82E+01	2.18E+00	0
2022-08-24T09:52:50.400Z	1.44E-03	1.82E+01	1.78E+00	0
2022-08-24T09:53:39.640Z	1.44E-03	1.83E+01	2.36E+00	0
2022-08-24T09:54:28.880Z	1.44E-03	1.83E+01	2.14E+00	0
2022-08-24T09:55:18.120Z	1.47E-03	1.82E+01	1.86E+00	0
2022-08-24T09:56:07.360Z	1.44E-03	1.81E+01	2.66E+00	0
2022-08-24T09:56:56.600Z	1.51E-03	1.81E+01	1.55E+00	0
2022-08-24T09:57:45.840Z	1.58E-03	1.81E+01	2.74E+00	0
2022-08-24T09:58:35.080Z	1.58E-03	1.82E+01	1.78E+00	0
2022-08-24T09:59:24.320Z	1.58E-03	1.82E+01	1.92E+00	0
2022-08-24T10:00:13.560Z	1.53E-03	1.81E+01	2.52E+00	0
2022-08-24T10:01:02.800Z	1.56E-03	1.80E+01	1.56E+00	0
2022-08-24T10:01:52.040Z	3.74E-04	1.80E+01	2.08E+00	0
2022-08-24T10:02:41.280Z	7.20E-04	1.80E+01	1.90E+00	0
2022-08-24T10:03:30.520Z	1.53E-03	1.79E+01	2.08E+00	0
2022-08-24T10:04:19.760Z	1.53E-03	1.79E+01	2.00E+00	0
2022-08-24T10:05:09.000Z	1.18E-03	1.77E+01	2.10E+00	0
2022-08-24T10:05:58.240Z	2.88E-04	1.76E+01	2.06E+00	0
2022-08-24T10:06:47.480Z	1.38E-03	1.77E+01	2.52E+00	0
2022-08-24T10:07:36.720Z	1.58E-03	1.79E+01	2.13E+00	0

2022-08-24T10:08:25.960Z	1.58E-03	1.80E+01	1.38E+00	0
2022-08-24T10:09:15.200Z	1.58E-03	1.81E+01	2.12E+00	0
2022-08-24T10:10:04.440Z	1.58E-03	1.82E+01	1.86E+00	0
2022-08-24T10:10:53.680Z	1.58E-03	1.82E+01	1.90E+00	0
2022-08-24T10:11:42.920Z	1.58E-03	1.82E+01	2.14E+00	0
2022-08-24T10:12:32.160Z	1.58E-03	1.81E+01	2.32E+00	0
2022-08-24T10:13:21.400Z	1.58E-03	1.81E+01	2.08E+00	0
2022-08-24T10:14:10.640Z	1.58E-03	1.81E+01	2.56E+00	0
2022-08-24T10:14:59.880Z	1.53E-03	1.80E+01	1.86E+00	0
2022-08-24T10:15:49.120Z	1.47E-03	1.80E+01	2.16E+00	0
2022-08-24T10:16:38.360Z	1.53E-03	1.81E+01	2.60E+00	0
2022-08-24T10:17:27.600Z	1.73E-04	1.80E+01	2.36E+00	0
2022-08-24T10:18:16.840Z	7.49E-04	1.81E+01	2.12E+00	0
2022-08-24T10:19:06.080Z	7.20E-04	1.80E+01	1.63E+00	0
2022-08-24T10:19:55.320Z	7.20E-04	1.80E+01	2.10E+00	0
2022-08-24T10:20:44.560Z	6.05E-04	1.80E+01	2.32E+00	0
2022-08-24T10:21:33.800Z	2.88E-04	1.80E+01	2.60E+00	0
2022-08-24T10:22:23.040Z	5.76E-05	1.80E+01	2.10E+00	0
2022-08-24T10:23:12.280Z	1.21E-03	1.80E+01	1.60E+00	0
2022-08-24T10:24:01.520Z	1.73E-03	1.78E+01	2.74E+00	0
2022-08-24T10:24:50.760Z	1.70E-03	1.76E+01	2.40E+00	0
2022-08-24T10:25:40.000Z	1.64E-03	1.74E+01	2.06E+00	0
2022-08-24T10:26:29.240Z	1.07E-03	1.73E+01	2.20E+00	0
2022-08-24T10:27:18.480Z	7.20E-04	1.73E+01	1.94E+00	0
2022-08-24T10:28:07.720Z	6.34E-04	1.73E+01	1.54E+00	0
2022-08-24T10:28:56.960Z	3.17E-04	1.73E+01	1.96E+00	0
2022-08-24T10:29:46.200Z	5.40E-04	1.73E+01	2.38E+00	0
2022-08-24T10:30:35.440Z	1.53E-03	1.74E+01	1.66E+00	0
2022-08-24T10:31:24.680Z	1.58E-03	1.74E+01	2.00E+00	0
2022-08-24T10:32:13.920Z	1.53E-03	1.74E+01	2.06E+00	0
2022-08-24T10:33:03.160Z	1.58E-03	1.74E+01	1.94E+00	0
2022-08-24T10:33:52.400Z	1.58E-03	1.76E+01	2.28E+00	0
2022-08-24T10:34:41.640Z	1.58E-03	1.78E+01	1.04E+00	0
2022-08-24T10:35:30.880Z	1.53E-03	1.79E+01	2.28E+00	0
2022-08-24T10:36:20.120Z	1.50E-03	1.81E+01	2.18E+00	0
2022-08-24T10:37:09.360Z	1.53E-03	1.81E+01	2.26E+00	0
2022-08-24T10:37:58.600Z	1.35E-03	1.82E+01	1.98E+00	0
2022-08-24T10:38:47.840Z	1.18E-03	1.82E+01	1.68E+00	0
2022-08-24T10:39:37.080Z	2.59E-04	1.82E+01	2.54E+00	0
2022-08-24T10:40:26.320Z	1.22E-03	1.82E+01	1.65E+00	0
2022-08-24T10:41:15.560Z	9.79E-04	1.82E+01	2.36E+00	0
2022-08-24T10:42:04.800Z	1.04E-03	1.83E+01	1.96E+00	0
2022-08-24T10:42:54.040Z	1.58E-03	1.83E+01	2.00E+00	0
2022-08-24T10:43:43.280Z	1.44E-03	1.83E+01	1.82E+00	0
2022-08-24T10:44:32.520Z	1.58E-03	1.83E+01	1.84E+00	0
2022-08-24T10:45:21.760Z	1.56E-03	1.84E+01	1.96E+00	0
2022-08-24T10:46:11.000Z	1.50E-03	1.83E+01	1.76E+00	0
2022-08-24T10:47:00.240Z	1.50E-03	1.84E+01	2.18E+00	0
2022-08-24T10:47:49.480Z	1.58E-03	1.85E+01	2.20E+00	0
2022-08-24T10:48:38.720Z	1.58E-03	1.84E+01	2.40E+00	0
2022-08-24T10:49:27.960Z	1.58E-03	1.85E+01	2.76E+00	0
2022-08-24T10:50:17.200Z	1.58E-03	1.84E+01	2.46E+00	0
2022-08-24T10:51:06.440Z	1.58E-03	1.84E+01	2.23E+00	0
2022-08-24T10:51:55.680Z	1.56E-03	1.84E+01	2.14E+00	0
2022-08-24T10:52:44.920Z	1.56E-03	1.84E+01	1.86E+00	0
2022-08-24T10:53:34.160Z	1.41E-03	1.84E+01	1.86E+00	0
2022-08-24T10:54:23.400Z	1.58E-03	1.85E+01	1.88E+00	0
2022-08-24T10:55:12.640Z	1.53E-03	1.84E+01	2.08E+00	0
2022-08-24T10:56:01.880Z	1.50E-03	1.84E+01	1.68E+00	0

2022-08-24T10:56:51.120Z	1.58E-03	1.84E+01	1.92E+00	0
2022-08-24T10:57:40.360Z	1.07E-03	1.84E+01	1.98E+00	0
2022-08-24T10:58:29.600Z	1.56E-03	1.84E+01	2.46E+00	0
2022-08-24T10:59:18.840Z	1.56E-03	1.84E+01	2.36E+00	0
2022-08-24T11:00:08.080Z	1.53E-03	1.84E+01	2.14E+00	0
2022-08-24T11:00:57.320Z	1.58E-03	1.84E+01	1.62E+00	0
2022-08-24T11:01:46.560Z	1.58E-03	1.84E+01	2.75E+00	0
2022-08-24T11:02:35.800Z	1.15E-03	1.84E+01	1.74E+00	0
2022-08-24T11:03:25.040Z	3.74E-04	1.84E+01	2.04E+00	0
2022-08-24T11:04:14.280Z	6.34E-04	1.84E+01	2.26E+00	0
2022-08-24T11:05:03.520Z	1.47E-03	1.85E+01	2.02E+00	0
2022-08-24T11:05:52.760Z	1.44E-03	1.85E+01	1.78E+00	0
2022-08-24T11:06:42.000Z	1.44E-03	1.86E+01	2.40E+00	0
2022-08-24T11:07:31.240Z	1.44E-03	1.87E+01	1.12E+00	0
2022-08-24T11:08:20.480Z	1.44E-03	1.87E+01	1.28E+00	0
2022-08-24T11:09:09.720Z	1.44E-03	1.88E+01	1.84E+00	0
2022-08-24T11:09:58.960Z	1.44E-03	1.88E+01	2.40E+00	0
2022-08-24T11:10:48.200Z	1.44E-03	1.88E+01	1.76E+00	0
2022-08-24T11:11:37.440Z	1.44E-03	1.89E+01	1.86E+00	0
2022-08-24T11:12:26.680Z	1.44E-03	1.88E+01	1.82E+00	0
2022-08-24T11:13:15.920Z	1.44E-03	1.88E+01	1.90E+00	0
2022-08-24T11:14:05.160Z	1.44E-03	1.87E+01	1.90E+00	0
2022-08-24T11:14:54.400Z	1.44E-03	1.85E+01	2.00E+00	0
2022-08-24T11:15:43.640Z	8.06E-04	1.84E+01	2.38E+00	0
2022-08-24T11:16:32.880Z	3.74E-04	1.84E+01	2.08E+00	0
2022-08-24T11:17:22.120Z	6.62E-04	1.84E+01	1.62E+00	0
2022-08-24T11:18:11.360Z	1.44E-03	1.85E+01	2.34E+00	0
2022-08-24T11:19:00.600Z	1.44E-03	1.85E+01	2.26E+00	0
2022-08-24T11:19:49.840Z	1.44E-03	1.85E+01	2.50E+00	0
2022-08-24T11:20:39.080Z	1.44E-03	1.86E+01	2.26E+00	0
2022-08-24T11:21:28.320Z	1.44E-03	1.86E+01	2.20E+00	0
2022-08-24T11:22:17.560Z	1.44E-03	1.87E+01	2.00E+00	0
2022-08-24T11:23:06.800Z	1.44E-03	1.88E+01	2.44E+00	0
2022-08-24T11:23:56.040Z	1.44E-03	1.88E+01	2.05E+00	0
2022-08-24T11:24:45.280Z	1.44E-03	1.88E+01	1.88E+00	0
2022-08-24T11:25:34.520Z	1.44E-03	1.88E+01	1.96E+00	0
2022-08-24T11:26:23.760Z	1.44E-03	1.87E+01	2.06E+00	0
2022-08-24T11:27:13.000Z	1.44E-03	1.87E+01	2.46E+00	0
2022-08-24T11:28:02.240Z	1.44E-03	1.87E+01	2.22E+00	0
2022-08-24T11:28:51.480Z	1.44E-03	1.86E+01	1.62E+00	0
2022-08-24T11:29:40.720Z	1.44E-03	1.86E+01	2.04E+00	0
2022-08-24T11:30:29.960Z	1.44E-03	1.86E+01	2.10E+00	0
2022-08-24T11:31:19.200Z	1.44E-03	1.86E+01	2.12E+00	0
2022-08-24T11:32:08.440Z	1.44E-03	1.86E+01	2.18E+00	0
2022-08-24T11:32:57.680Z	1.44E-03	1.86E+01	1.72E+00	0
2022-08-24T11:33:46.920Z	1.44E-03	1.85E+01	2.22E+00	0
2022-08-24T11:34:36.160Z	1.44E-03	1.85E+01	2.45E+00	0
2022-08-24T11:35:25.400Z	1.44E-03	1.85E+01	2.30E+00	0
2022-08-24T11:36:14.640Z	1.44E-03	1.86E+01	2.04E+00	0
2022-08-24T11:37:03.880Z	1.44E-03	1.86E+01	1.96E+00	0
2022-08-24T11:37:53.120Z	1.44E-03	1.85E+01	2.40E+00	0
2022-08-24T11:38:42.360Z	1.44E-03	1.85E+01	2.34E+00	0
2022-08-24T11:39:31.600Z	1.44E-03	1.86E+01	2.10E+00	0
2022-08-24T11:40:20.840Z	1.44E-03	1.85E+01	1.72E+00	0
2022-08-24T11:41:10.080Z	8.06E-04	1.85E+01	2.46E+00	0
2022-08-24T11:41:59.320Z	1.44E-03	1.86E+01	2.32E+00	0
2022-08-24T11:42:48.560Z	1.44E-03	1.85E+01	2.24E+00	0
2022-08-24T11:43:37.800Z	1.44E-03	1.85E+01	2.66E+00	0
2022-08-24T11:44:27.040Z	1.44E-03	1.86E+01	1.52E+00	0

2022-08-24T11:45:16.280Z	1.44E-03	1.86E+01	1.90E+00	0
2022-08-24T11:46:05.520Z	1.44E-03	1.86E+01	2.22E+00	0
2022-08-24T11:46:54.760Z	1.38E-03	1.85E+01	2.34E+00	0
2022-08-24T11:47:44.000Z	4.32E-04	1.85E+01	2.10E+00	0
2022-08-24T11:48:33.240Z	1.41E-03	1.85E+01	2.32E+00	0
2022-08-24T11:49:22.480Z	1.44E-03	1.85E+01	2.22E+00	0
2022-08-24T11:50:11.720Z	1.44E-03	1.86E+01	1.72E+00	0
2022-08-24T11:51:00.960Z	1.44E-03	1.86E+01	2.28E+00	0
2022-08-24T11:51:50.200Z	1.44E-03	1.87E+01	2.30E+00	0
2022-08-24T11:52:39.440Z	1.44E-03	1.87E+01	1.96E+00	0
2022-08-24T11:53:28.680Z	1.44E-03	1.86E+01	2.64E+00	0
2022-08-24T11:54:17.920Z	1.44E-03	1.86E+01	2.38E+00	0
2022-08-24T11:55:07.160Z	1.44E-03	1.85E+01	2.08E+00	0
2022-08-24T11:55:56.400Z	1.44E-03	1.85E+01	2.45E+00	0
2022-08-24T11:56:45.640Z	1.44E-03	1.85E+01	1.90E+00	0
2022-08-24T11:57:34.880Z	1.41E-03	1.85E+01	2.28E+00	0
2022-08-24T11:58:24.120Z	5.18E-04	1.84E+01	2.40E+00	0
2022-08-24T11:59:13.360Z	0.00E+00	1.84E+01	2.24E+00	0
2022-08-24T12:00:02.600Z	1.44E-04	1.84E+01	1.54E+00	0
2022-08-24T12:00:51.840Z	1.15E-04	1.84E+01	1.86E+00	0
2022-08-24T12:01:41.080Z	4.32E-04	1.84E+01	2.44E+00	0
2022-08-24T12:02:30.320Z	4.03E-04	1.84E+01	2.10E+00	0
2022-08-24T12:03:19.560Z	1.32E-03	1.85E+01	2.30E+00	0
2022-08-24T12:04:08.800Z	1.44E-03	1.85E+01	2.24E+00	0
2022-08-24T12:04:58.040Z	1.44E-03	1.85E+01	1.78E+00	0
2022-08-24T12:05:47.280Z	1.44E-03	1.85E+01	1.90E+00	0
2022-08-24T12:06:36.520Z	1.44E-03	1.85E+01	1.98E+00	0
2022-08-24T12:07:25.760Z	1.44E-03	1.85E+01	1.80E+00	0
2022-08-24T12:08:15.000Z	1.44E-03	1.85E+01	3.10E+00	0
2022-08-24T12:09:04.240Z	1.44E-03	1.85E+01	2.12E+00	0
2022-08-24T12:09:53.480Z	1.44E-03	1.85E+01	2.10E+00	0
2022-08-24T12:10:42.720Z	1.44E-03	1.85E+01	1.98E+00	0
2022-08-24T12:11:31.960Z	9.22E-04	1.85E+01	2.24E+00	0
2022-08-24T12:12:21.200Z	8.06E-04	1.85E+01	1.80E+00	0
2022-08-24T12:13:10.440Z	1.44E-03	1.85E+01	2.00E+00	0
2022-08-24T12:13:59.680Z	1.44E-03	1.86E+01	2.34E+00	0
2022-08-24T12:14:48.920Z	1.44E-03	1.86E+01	1.78E+00	0
2022-08-24T12:15:38.160Z	1.44E-03	1.87E+01	2.04E+00	0
2022-08-24T12:16:27.400Z	1.44E-03	1.87E+01	2.18E+00	0
2022-08-24T12:17:16.640Z	1.44E-03	1.87E+01	1.46E+00	0
2022-08-24T12:18:05.880Z	1.44E-03	1.86E+01	1.94E+00	0
2022-08-24T12:18:55.120Z	1.44E-03	1.86E+01	2.05E+00	0
2022-08-24T12:19:44.360Z	1.44E-03	1.85E+01	2.56E+00	0
2022-08-24T12:20:33.600Z	1.44E-03	1.85E+01	2.18E+00	0
2022-08-24T12:21:22.840Z	1.44E-03	1.85E+01	1.76E+00	0
2022-08-24T12:22:12.080Z	1.44E-03	1.86E+01	1.72E+00	0
2022-08-24T12:23:01.320Z	1.44E-03	1.86E+01	2.04E+00	0
2022-08-24T12:23:50.560Z	1.44E-03	1.87E+01	2.38E+00	0
2022-08-24T12:24:39.800Z	1.44E-03	1.87E+01	1.90E+00	0
2022-08-24T12:25:29.040Z	1.44E-03	1.87E+01	1.72E+00	0
2022-08-24T12:26:18.280Z	1.44E-03	1.88E+01	2.28E+00	0
2022-08-24T12:27:07.520Z	1.44E-03	1.88E+01	2.54E+00	0
2022-08-24T12:27:56.760Z	1.44E-03	1.88E+01	2.22E+00	0
2022-08-24T12:28:46.000Z	1.44E-03	1.89E+01	1.74E+00	0
2022-08-24T12:29:35.240Z	1.44E-03	1.89E+01	1.83E+00	0
2022-08-24T12:30:24.480Z	1.44E-03	1.89E+01	2.72E+00	0
2022-08-24T12:31:13.720Z	1.44E-03	1.89E+01	2.56E+00	0
2022-08-24T12:32:02.960Z	1.44E-03	1.89E+01	1.72E+00	0
2022-08-24T12:32:52.200Z	1.44E-03	1.89E+01	2.00E+00	0

2022-08-24T12:33:41.440Z	1.44E-03	1.88E+01	2.38E+00	0
2022-08-24T12:34:30.680Z	1.44E-03	1.88E+01	1.86E+00	0
2022-08-24T12:35:19.920Z	1.44E-03	1.87E+01	2.18E+00	0
2022-08-24T12:36:09.160Z	1.44E-03	1.87E+01	2.04E+00	0
2022-08-24T12:36:58.400Z	1.44E-03	1.87E+01	1.50E+00	0
2022-08-24T12:37:47.640Z	1.44E-03	1.87E+01	1.68E+00	0
2022-08-24T12:38:36.880Z	1.44E-03	1.88E+01	2.12E+00	0
2022-08-24T12:39:26.120Z	1.44E-03	1.88E+01	2.38E+00	0
2022-08-24T12:40:15.360Z	1.44E-03	1.88E+01	1.88E+00	0
2022-08-24T12:41:04.600Z	1.44E-03	1.88E+01	2.12E+00	0
2022-08-24T12:41:53.840Z	1.44E-03	1.88E+01	1.84E+00	0
2022-08-24T12:42:43.080Z	1.44E-03	1.87E+01	2.00E+00	0
2022-08-24T12:43:32.320Z	1.44E-03	1.87E+01	2.46E+00	0
2022-08-24T12:44:21.560Z	1.44E-03	1.86E+01	2.22E+00	0
2022-08-24T12:45:10.800Z	1.44E-03	1.86E+01	2.12E+00	0
2022-08-24T12:46:00.040Z	1.44E-03	1.86E+01	2.22E+00	0
2022-08-24T12:46:49.280Z	1.44E-03	1.86E+01	2.26E+00	0
2022-08-24T12:47:38.520Z	1.47E-03	1.86E+01	2.16E+00	0
2022-08-24T12:48:27.760Z	1.44E-03	1.87E+01	2.00E+00	0
2022-08-24T12:49:17.000Z	1.44E-03	1.86E+01	1.72E+00	0
2022-08-24T12:50:06.240Z	1.50E-03	1.86E+01	1.70E+00	0
2022-08-24T12:50:55.480Z	1.58E-03	1.86E+01	2.60E+00	0
2022-08-24T12:51:44.720Z	1.58E-03	1.86E+01	2.18E+00	0
2022-08-24T12:52:33.960Z	1.56E-03	1.86E+01	2.10E+00	0
2022-08-24T12:53:23.200Z	1.53E-03	1.86E+01	2.44E+00	0
2022-08-24T12:54:12.440Z	1.58E-03	1.87E+01	2.22E+00	0
2022-08-24T12:55:01.680Z	1.58E-03	1.87E+01	1.64E+00	0
2022-08-24T12:55:50.920Z	1.58E-03	1.86E+01	2.66E+00	0
2022-08-24T12:56:40.160Z	1.58E-03	1.87E+01	2.04E+00	0
2022-08-24T12:57:29.400Z	1.58E-03	1.87E+01	1.72E+00	0
2022-08-24T12:58:18.640Z	1.58E-03	1.87E+01	2.40E+00	0
2022-08-24T12:59:07.880Z	1.58E-03	1.87E+01	2.00E+00	0
2022-08-24T12:59:57.120Z	1.58E-03	1.88E+01	1.56E+00	0
2022-08-24T13:00:46.360Z	1.58E-03	1.89E+01	1.94E+00	0
2022-08-24T13:01:35.600Z	1.58E-03	1.90E+01	2.75E+00	0
2022-08-24T13:02:24.840Z	1.53E-03	1.91E+01	2.50E+00	0
2022-08-24T13:03:14.080Z	1.58E-03	1.91E+01	2.58E+00	0
2022-08-24T13:04:03.320Z	1.58E-03	1.92E+01	2.28E+00	0
2022-08-24T13:04:52.560Z	1.58E-03	1.92E+01	1.54E+00	0
2022-08-24T13:05:41.800Z	1.58E-03	1.92E+01	1.92E+00	0
2022-08-24T13:06:31.040Z	1.58E-03	1.92E+01	2.26E+00	0
2022-08-24T13:07:20.280Z	1.58E-03	1.90E+01	2.54E+00	0
2022-08-24T13:08:09.520Z	1.58E-03	1.89E+01	1.96E+00	0
2022-08-24T13:08:58.760Z	1.58E-03	1.89E+01	2.14E+00	0
2022-08-24T13:09:48.000Z	1.44E-03	1.88E+01	1.80E+00	0
2022-08-24T13:10:37.240Z	1.58E-03	1.89E+01	2.20E+00	0
2022-08-24T13:11:26.480Z	1.58E-03	1.89E+01	1.96E+00	0
2022-08-24T13:12:15.720Z	1.58E-03	1.90E+01	2.27E+00	0
2022-08-24T13:13:04.960Z	1.58E-03	1.90E+01	2.72E+00	0
2022-08-24T13:13:54.200Z	1.58E-03	1.91E+01	1.58E+00	0
2022-08-24T13:14:43.440Z	1.58E-03	1.91E+01	2.24E+00	0
2022-08-24T13:15:32.680Z	1.58E-03	1.90E+01	2.43E+00	0
2022-08-24T13:16:21.920Z	1.58E-03	1.90E+01	1.93E+00	0
2022-08-24T13:17:11.160Z	1.58E-03	1.90E+01	1.82E+00	0
2022-08-24T13:18:00.400Z	1.58E-03	1.90E+01	1.26E+00	0
2022-08-24T13:18:49.640Z	1.58E-03	1.90E+01	2.08E+00	0
2022-08-24T13:19:38.880Z	1.58E-03	1.90E+01	2.40E+00	0
2022-08-24T13:20:28.120Z	1.58E-03	1.90E+01	2.10E+00	0
2022-08-24T13:21:17.360Z	1.53E-03	1.91E+01	2.66E+00	0

2022-08-24T13:22:06.600Z	1.56E-03	1.91E+01	2.32E+00	0
2022-08-24T13:22:55.840Z	1.56E-03	1.92E+01	1.64E+00	0
2022-08-24T13:23:45.080Z	1.58E-03	1.92E+01	1.60E+00	0
2022-08-24T13:24:34.320Z	1.58E-03	1.92E+01	2.30E+00	0
2022-08-24T13:25:23.560Z	1.58E-03	1.94E+01	1.92E+00	0
2022-08-24T13:26:12.800Z	1.58E-03	1.95E+01	2.32E+00	0
2022-08-24T13:27:02.040Z	1.58E-03	1.95E+01	2.04E+00	0
2022-08-24T13:27:51.280Z	1.58E-03	1.95E+01	2.28E+00	0
2022-08-24T13:28:40.520Z	1.58E-03	1.96E+01	1.58E+00	0
2022-08-24T13:29:29.760Z	1.58E-03	1.96E+01	1.90E+00	0
2022-08-24T13:30:19.000Z	1.58E-03	1.96E+01	2.18E+00	0
2022-08-24T13:31:08.240Z	1.58E-03	1.97E+01	2.26E+00	0
2022-08-24T13:31:57.480Z	1.58E-03	1.97E+01	2.40E+00	0
2022-08-24T13:32:46.720Z	1.58E-03	1.97E+01	2.24E+00	0
2022-08-24T13:33:35.960Z	1.58E-03	1.97E+01	2.40E+00	0
2022-08-24T13:34:25.200Z	1.58E-03	1.97E+01	2.13E+00	0
2022-08-24T13:35:14.440Z	1.58E-03	1.97E+01	1.98E+00	0
2022-08-24T13:36:03.680Z	1.58E-03	1.97E+01	2.32E+00	0
2022-08-24T13:36:52.920Z	1.58E-03	1.97E+01	2.14E+00	0
2022-08-24T13:37:42.160Z	1.58E-03	1.97E+01	2.04E+00	0
2022-08-24T13:38:31.400Z	1.58E-03	1.98E+01	2.10E+00	0
2022-08-24T13:39:20.640Z	1.58E-03	1.98E+01	2.02E+00	0
2022-08-24T13:40:09.880Z	1.58E-03	1.99E+01	1.70E+00	0
2022-08-24T13:40:59.120Z	1.58E-03	1.99E+01	1.74E+00	0
2022-08-24T13:41:48.360Z	1.58E-03	1.99E+01	1.58E+00	0
2022-08-24T13:42:37.600Z	1.58E-03	2.00E+01	1.96E+00	0
2022-08-24T13:43:26.840Z	1.58E-03	2.00E+01	1.80E+00	0
2022-08-24T13:44:16.080Z	1.58E-03	2.01E+01	2.13E+00	0
2022-08-24T13:45:05.320Z	1.53E-03	2.01E+01	1.88E+00	0
2022-08-24T13:45:54.560Z	1.58E-03	2.00E+01	2.38E+00	0
2022-08-24T13:46:43.800Z	1.58E-03	2.02E+01	2.44E+00	0
2022-08-24T13:47:33.040Z	1.58E-03	2.02E+01	1.78E+00	0
2022-08-24T13:48:22.280Z	1.58E-03	2.02E+01	1.86E+00	0
2022-08-24T13:49:11.520Z	1.58E-03	2.03E+01	1.80E+00	0
2022-08-24T13:50:00.760Z	1.58E-03	2.04E+01	1.96E+00	0
2022-08-24T13:50:50.000Z	1.58E-03	2.04E+01	2.36E+00	0
2022-08-24T13:51:39.240Z	1.58E-03	2.05E+01	2.06E+00	0
2022-08-24T13:52:28.480Z	1.58E-03	2.05E+01	2.06E+00	0
2022-08-24T13:53:17.720Z	1.56E-03	2.05E+01	1.68E+00	0
2022-08-24T13:54:06.960Z	1.56E-03	2.04E+01	1.82E+00	0
2022-08-24T13:54:56.200Z	1.58E-03	2.04E+01	1.78E+00	0
2022-08-24T13:55:45.440Z	1.55E-03	2.04E+01	1.88E+00	0
2022-08-24T13:56:34.680Z	1.56E-03	2.04E+01	1.94E+00	0
2022-08-24T13:57:23.920Z	1.41E-03	2.04E+01	1.94E+00	0
2022-08-24T13:58:13.160Z	1.07E-03	2.04E+01	1.48E+00	0
2022-08-24T13:59:02.400Z	6.34E-04	2.04E+01	1.52E+00	0
2022-08-24T13:59:51.640Z	1.58E-03	2.05E+01	1.86E+00	0
2022-08-24T14:00:40.880Z	1.53E-03	2.06E+01	2.62E+00	0
2022-08-24T14:01:30.120Z	1.58E-03	2.07E+01	1.74E+00	0
2022-08-24T14:02:19.360Z	1.56E-03	2.08E+01	1.82E+00	0
2022-08-24T14:03:08.600Z	1.53E-03	2.08E+01	1.70E+00	0
2022-08-24T14:03:57.840Z	1.44E-03	2.09E+01	2.02E+00	0
2022-08-24T14:04:47.080Z	1.44E-03	2.09E+01	1.94E+00	0
2022-08-24T14:05:36.320Z	1.47E-03	2.09E+01	1.34E+00	0
2022-08-24T14:06:25.560Z	1.44E-03	2.09E+01	1.43E+00	0
2022-08-24T14:07:14.800Z	1.44E-03	2.10E+01	2.48E+00	0
2022-08-24T14:08:04.040Z	1.44E-03	2.10E+01	1.96E+00	0
2022-08-24T14:08:53.280Z	1.47E-03	2.09E+01	2.00E+00	0
2022-08-24T14:09:42.520Z	1.44E-03	2.10E+01	2.04E+00	0

2022-08-24T14:10:31.760Z	1.44E-03	2.10E+01	1.48E+00	0
2022-08-24T14:11:21.000Z	1.44E-03	2.11E+01	1.42E+00	0
2022-08-24T14:12:10.240Z	1.44E-03	2.12E+01	1.90E+00	0
2022-08-24T14:12:59.480Z	1.44E-03	2.13E+01	1.84E+00	0
2022-08-24T14:13:48.720Z	1.53E-03	2.13E+01	2.08E+00	0
2022-08-24T14:14:37.960Z	1.58E-03	2.13E+01	1.62E+00	0
2022-08-24T14:15:27.200Z	1.58E-03	2.13E+01	1.34E+00	0
2022-08-24T14:16:16.440Z	1.51E-03	2.14E+01	1.35E+00	0
2022-08-24T14:17:05.680Z	1.58E-03	2.14E+01	2.13E+00	0
2022-08-24T14:17:54.920Z	1.58E-03	2.14E+01	1.34E+00	0
2022-08-24T14:18:44.160Z	1.58E-03	2.15E+01	2.00E+00	0
2022-08-24T14:19:33.400Z	1.58E-03	2.16E+01	1.10E+00	0
2022-08-24T14:20:22.640Z	1.55E-03	2.16E+01	1.85E+00	0
2022-08-24T14:21:11.880Z	1.47E-03	2.16E+01	1.30E+00	0
2022-08-24T14:22:01.120Z	1.56E-03	2.17E+01	1.58E+00	0
2022-08-24T14:22:50.360Z	1.56E-03	2.17E+01	1.28E+00	0
2022-08-24T14:23:39.600Z	1.53E-03	2.17E+01	1.40E+00	0
2022-08-24T14:24:28.840Z	1.35E-03	2.18E+01	2.10E+00	0
2022-08-24T14:25:18.080Z	1.18E-03	2.18E+01	1.30E+00	0
2022-08-24T14:26:07.320Z	1.18E-03	2.19E+01	1.58E+00	0
2022-08-24T14:26:56.560Z	1.32E-03	2.20E+01	1.64E+00	0
2022-08-24T14:27:45.800Z	1.50E-03	2.21E+01	1.66E+00	0
2022-08-24T14:28:35.040Z	1.44E-03	2.22E+01	1.52E+00	0
2022-08-24T14:29:24.280Z	1.44E-03	2.22E+01	1.56E+00	0
2022-08-24T14:30:13.520Z	1.44E-03	2.23E+01	1.64E+00	0
2022-08-24T14:31:02.760Z	1.44E-03	2.23E+01	1.54E+00	0
2022-08-24T14:31:52.000Z	1.44E-03	2.24E+01	1.48E+00	0
2022-08-24T14:32:41.240Z	1.38E-03	2.24E+01	1.58E+00	0
2022-08-24T14:33:30.480Z	1.07E-03	2.24E+01	1.38E+00	0
2022-08-24T14:34:19.720Z	1.73E-04	2.24E+01	1.72E+00	0
2022-08-24T14:35:08.960Z	6.34E-04	2.25E+01	1.88E+00	0
2022-08-24T14:35:58.200Z	1.44E-04	2.25E+01	1.34E+00	0
2022-08-24T14:36:47.440Z	4.32E-04	2.26E+01	1.60E+00	0
2022-08-24T14:37:36.680Z	3.17E-04	2.26E+01	9.40E-01	0
2022-08-24T14:38:25.920Z	1.73E-04	2.27E+01	2.20E+00	0
2022-08-24T14:39:15.160Z	3.24E-04	2.27E+01	1.75E+00	0
2022-08-24T14:40:04.400Z	2.88E-04	2.27E+01	1.26E+00	0
2022-08-24T14:40:53.640Z	4.03E-04	2.28E+01	1.90E+00	0
2022-08-24T14:41:42.880Z	8.64E-05	2.28E+01	1.70E+00	0
2022-08-24T14:42:32.120Z	5.76E-04	2.28E+01	1.56E+00	0
2022-08-24T14:43:21.360Z	7.78E-04	2.27E+01	2.10E+00	0
2022-08-24T14:44:10.600Z	3.46E-04	2.26E+01	1.98E+00	0
2022-08-24T14:44:59.840Z	5.76E-04	2.25E+01	1.56E+00	0
2022-08-24T14:45:49.080Z	3.46E-04	2.24E+01	1.58E+00	0
2022-08-24T14:46:38.320Z	8.64E-05	2.24E+01	9.40E-01	0
2022-08-24T14:47:27.560Z	3.46E-04	2.25E+01	8.80E-01	0
2022-08-24T14:48:16.800Z	8.64E-04	2.26E+01	1.96E+00	0
2022-08-24T14:49:06.040Z	1.07E-03	2.27E+01	1.72E+00	0
2022-08-24T14:49:55.280Z	1.04E-03	2.29E+01	1.20E+00	0
2022-08-24T14:50:44.520Z	1.44E-04	2.31E+01	1.48E+00	0
2022-08-24T14:51:33.760Z	6.34E-04	2.33E+01	1.38E+00	0
2022-08-24T14:52:23.000Z	2.88E-05	2.34E+01	1.26E+00	0
2022-08-24T14:53:12.240Z	1.44E-04	2.34E+01	1.30E+00	0
2022-08-24T14:54:01.480Z	4.03E-04	2.34E+01	1.12E+00	0
2022-08-24T14:54:50.720Z	9.79E-04	2.32E+01	1.18E+00	0
2022-08-24T14:55:39.960Z	2.16E-03	2.31E+01	1.38E+00	0
2022-08-24T14:56:29.200Z	3.20E-03	2.32E+01	1.70E+00	0
2022-08-24T14:57:18.440Z	3.43E-03	2.32E+01	1.52E+00	0
2022-08-24T14:58:07.680Z	3.72E-03	2.33E+01	9.60E-01	0

2022-08-24T14:58:56.920Z	4.69E-03	2.34E+01	1.96E+00	0
2022-08-24T14:59:46.160Z	2.65E-03	2.35E+01	1.46E+00	0
2022-08-24T15:00:35.400Z	2.16E-03	2.36E+01	2.13E+00	0
2022-08-24T15:01:24.640Z	1.30E-03	2.38E+01	1.20E+00	0
2022-08-24T15:02:13.880Z	1.12E-03	2.39E+01	1.68E+00	0
2022-08-24T15:03:03.120Z	1.79E-03	2.40E+01	1.40E+00	0
2022-08-24T15:03:52.360Z	2.22E-03	2.41E+01	9.80E-01	0
2022-08-24T15:04:41.600Z	9.79E-04	2.43E+01	1.26E+00	0
2022-08-24T15:05:30.840Z	1.96E-03	2.44E+01	1.00E+00	0
2022-08-24T15:06:20.080Z	3.43E-03	2.45E+01	1.02E+00	0
2022-08-24T15:07:09.320Z	4.49E-03	2.46E+01	1.20E+00	0
2022-08-24T15:07:58.560Z	4.20E-03	2.48E+01	1.14E+00	0
2022-08-24T15:08:47.800Z	5.24E-03	2.50E+01	1.24E+00	0
2022-08-24T15:09:37.040Z	4.38E-03	2.51E+01	9.40E-01	0
2022-08-24T15:10:26.280Z	4.54E-03	2.53E+01	1.30E+00	0
2022-08-24T15:11:15.520Z	3.92E-03	2.55E+01	8.50E-01	0
2022-08-24T15:12:04.760Z	1.50E-03	2.57E+01	1.44E+00	0
2022-08-24T15:12:54.000Z	2.88E-04	2.59E+01	1.14E+00	0
2022-08-24T15:13:43.240Z	8.64E-05	2.60E+01	1.14E+00	0
2022-08-24T15:14:32.480Z	5.18E-04	2.62E+01	7.60E-01	0
2022-08-24T15:15:21.720Z	1.12E-03	2.64E+01	1.06E+00	0
2022-08-24T15:16:10.960Z	1.44E-03	2.66E+01	2.20E-01	0
2022-08-24T15:17:00.200Z	1.44E-03	2.69E+01	6.60E-01	0
2022-08-24T15:17:49.440Z	2.88E-04	2.71E+01	4.00E-01	0
2022-08-24T15:18:38.680Z	1.18E-03	2.76E+01	8.60E-01	0
2022-08-24T15:19:27.920Z	6.34E-04	2.78E+01	9.20E-01	0
2022-08-24T15:20:17.160Z	5.76E-04	2.79E+01	4.20E-01	0
2022-08-24T15:21:06.400Z	8.93E-04	2.78E+01	8.20E-01	0
2022-08-24T15:21:55.640Z	7.20E-05	2.77E+01	3.50E-01	0
2022-08-24T15:22:44.880Z	4.03E-04	2.78E+01	6.80E-01	0
2022-08-24T15:23:34.120Z	1.12E-03	2.80E+01	9.60E-01	0
2022-08-24T15:24:23.360Z	8.64E-04	2.82E+01	1.34E+00	0
2022-08-24T15:25:12.600Z	8.35E-04	2.83E+01	-2.00E-01	0
2022-08-24T15:26:01.840Z	1.30E-03	2.85E+01	6.00E-01	0
2022-08-24T15:26:51.080Z	1.44E-03	2.89E+01	2.80E-01	0
2022-08-24T15:27:40.320Z	8.64E-04	2.92E+01	8.00E-01	0
2022-08-24T15:28:29.560Z	6.05E-04	2.95E+01	5.00E-01	0
2022-08-24T15:29:18.800Z	5.76E-04	2.95E+01	1.06E+00	0
2022-08-24T15:30:08.040Z	1.07E-03	2.92E+01	6.00E-01	0
2022-08-24T15:30:57.280Z	1.24E-03	2.92E+01	4.20E-01	0
2022-08-24T15:31:46.520Z	1.01E-03	2.93E+01	5.20E-01	0
2022-08-24T15:32:35.760Z	7.20E-04	2.93E+01	7.25E-01	0
2022-08-24T15:33:25.000Z	1.64E-03	2.94E+01	1.10E+00	0
2022-08-24T15:34:14.240Z	6.91E-04	2.95E+01	-2.40E-01	0
2022-08-24T15:35:03.480Z	5.76E-05	2.95E+01	6.40E-01	0
2022-08-24T15:35:52.720Z	3.17E-04	2.95E+01	1.06E+00	0
2022-08-24T15:36:41.960Z	2.88E-04	2.96E+01	6.00E-01	0
2022-08-24T15:37:31.200Z	1.18E-03	2.97E+01	4.80E-01	0
2022-08-24T15:38:20.440Z	1.30E-03	2.98E+01	4.40E-01	0
2022-08-24T15:39:09.680Z	1.09E-03	2.99E+01	1.60E-01	0
2022-08-24T15:39:58.920Z	1.44E-04	3.01E+01	8.80E-01	0
2022-08-24T15:40:48.160Z	4.90E-04	3.02E+01	6.00E-01	0
2022-08-24T15:41:37.400Z	1.73E-04	3.03E+01	2.60E-01	0
2022-08-24T15:42:26.640Z	2.02E-04	3.04E+01	1.40E-01	0
2022-08-24T15:43:15.880Z	7.49E-04	3.05E+01	7.00E-01	0
2022-08-24T15:44:05.120Z	8.28E-04	3.05E+01	8.50E-01	0
2022-08-24T15:44:54.360Z	6.05E-04	3.05E+01	8.00E-02	0
2022-08-24T15:45:43.600Z	5.47E-04	3.05E+01	5.20E-01	0
2022-08-24T15:46:32.840Z	1.18E-03	3.06E+01	5.00E-01	0

2022-08-24T15:47:22.080Z	3.46E-04	3.06E+01	1.00E-01	0
2022-08-24T15:48:11.320Z	2.88E-04	3.06E+01	4.00E-01	0
2022-08-24T15:49:00.560Z	2.88E-04	3.06E+01	5.00E-01	0
2022-08-24T15:49:49.800Z	1.44E-04	3.06E+01	5.40E-01	0
2022-08-24T15:50:39.040Z	5.76E-05	3.05E+01	3.40E-01	0
2022-08-24T15:51:28.280Z	4.32E-04	3.05E+01	4.80E-01	0
2022-08-24T15:52:17.520Z	1.27E-03	3.07E+01	1.00E+00	0
2022-08-24T15:53:06.760Z	1.30E-03	3.08E+01	-2.00E-02	0
2022-08-24T15:53:56.000Z	1.30E-03	3.10E+01	5.20E-01	0
2022-08-24T15:54:45.240Z	1.30E-03	3.11E+01	5.25E-01	0
2022-08-24T15:55:34.480Z	1.30E-03	3.12E+01	3.20E-01	0
2022-08-24T15:56:23.720Z	1.30E-03	3.12E+01	7.00E-01	0
2022-08-24T15:57:12.960Z	1.30E-03	3.12E+01	6.80E-01	0
2022-08-24T15:58:02.200Z	1.30E-03	3.12E+01	1.02E+00	0
2022-08-24T15:58:51.440Z	1.30E-03	3.12E+01	7.80E-01	0
2022-08-24T15:59:40.680Z	1.27E-03	3.12E+01	9.60E-01	0
2022-08-24T16:00:29.920Z	1.27E-03	3.12E+01	-2.00E-02	0
2022-08-24T16:01:19.160Z	1.24E-03	3.11E+01	2.40E-01	0
2022-08-24T16:02:08.400Z	1.30E-03	3.11E+01	8.80E-01	0
2022-08-24T16:02:57.640Z	1.24E-03	3.11E+01	4.20E-01	0
2022-08-24T16:03:46.880Z	1.30E-03	3.11E+01	1.60E-01	0
2022-08-24T16:04:36.120Z	1.30E-03	3.12E+01	8.20E-01	0
2022-08-24T16:05:25.360Z	1.30E-03	3.12E+01	-2.50E-01	0
2022-08-24T16:06:14.600Z	1.30E-03	3.12E+01	8.80E-01	0
2022-08-24T16:07:03.840Z	1.30E-03	3.13E+01	7.40E-01	0
2022-08-24T16:07:53.080Z	1.30E-03	3.13E+01	6.00E-02	0
2022-08-24T16:08:42.320Z	1.30E-03	3.12E+01	4.00E-01	0
2022-08-24T16:09:31.560Z	1.30E-03	3.12E+01	4.20E-01	0
2022-08-24T16:10:20.800Z	9.79E-04	3.11E+01	8.40E-01	0
2022-08-24T16:11:10.040Z	8.64E-04	3.11E+01	2.00E-02	0
2022-08-24T16:11:59.280Z	1.30E-03	3.11E+01	1.02E+00	0
2022-08-24T16:12:48.520Z	1.27E-03	3.11E+01	4.00E-01	0
2022-08-24T16:13:37.760Z	1.24E-03	3.11E+01	-5.00E-01	0
2022-08-24T16:14:27.000Z	1.30E-03	3.11E+01	4.40E-01	0
2022-08-24T16:15:16.240Z	1.24E-03	3.11E+01	3.40E-01	0
2022-08-24T16:16:05.480Z	8.64E-04	3.10E+01	9.25E-01	0
2022-08-24T16:16:54.720Z	4.61E-04	3.10E+01	5.40E-01	0
2022-08-24T16:17:43.960Z	0.00E+00	3.11E+01	3.00E-01	0
2022-08-24T16:18:33.200Z	1.73E-04	3.11E+01	4.60E-01	0
2022-08-24T16:19:22.440Z	4.03E-04	3.11E+01	4.40E-01	0
2022-08-24T16:20:11.680Z	3.17E-04	3.11E+01	3.80E-01	0
2022-08-24T16:21:00.920Z	7.49E-04	3.09E+01	7.00E-01	0
2022-08-24T16:21:50.160Z	8.64E-05	3.08E+01	2.00E-01	0
2022-08-24T16:22:39.400Z	1.73E-04	3.08E+01	1.00E-01	0
2022-08-24T16:23:28.640Z	9.50E-04	3.06E+01	5.40E-01	0
2022-08-24T16:24:17.880Z	9.50E-04	3.07E+01	3.40E-01	0
2022-08-24T16:25:07.120Z	6.62E-04	3.07E+01	4.20E-01	0
2022-08-24T16:25:56.360Z	2.30E-04	3.08E+01	1.60E-01	0
2022-08-24T16:26:45.600Z	4.68E-04	3.09E+01	6.50E-01	0
2022-08-24T16:27:34.840Z	1.44E-04	3.10E+01	8.80E-01	0
2022-08-24T16:28:24.080Z	7.78E-04	3.11E+01	8.80E-01	0
2022-08-24T16:29:13.320Z	1.27E-03	3.12E+01	-1.00E-01	0
2022-08-24T16:30:02.560Z	4.03E-04	3.12E+01	-2.00E-01	0
2022-08-24T16:30:51.800Z	1.01E-03	3.13E+01	-3.80E-01	0
2022-08-24T16:31:41.040Z	2.07E-03	3.14E+01	6.00E-02	0
2022-08-24T16:32:30.280Z	1.12E-03	3.15E+01	4.00E-02	0
2022-08-24T16:33:19.520Z	9.50E-04	3.16E+01	4.20E-01	0
2022-08-24T16:34:08.760Z	1.76E-03	3.17E+01	9.40E-01	0
2022-08-24T16:34:58.000Z	1.07E-03	3.18E+01	5.80E-01	0

2022-08-24T16:35:47.240Z	5.76E-04	3.18E+01	3.40E-01	0
2022-08-24T16:36:36.480Z	2.19E-03	3.19E+01	7.00E-01	0
2022-08-24T16:37:25.720Z	1.44E-03	3.20E+01	8.00E-01	0
2022-08-24T16:38:14.960Z	1.44E-03	3.21E+01	1.40E-01	0
2022-08-24T16:39:04.200Z	6.34E-04	3.22E+01	5.80E-01	0
2022-08-24T16:39:53.440Z	4.03E-04	3.22E+01	3.60E-01	0
2022-08-24T16:40:42.680Z	4.61E-04	3.23E+01	-8.80E-01	0
2022-08-24T16:41:31.920Z	1.96E-03	3.24E+01	1.80E-01	0
2022-08-24T16:42:21.160Z	2.45E-03	3.24E+01	1.50E+00	0
2022-08-24T16:43:10.400Z	2.48E-03	3.25E+01	-7.20E-01	0
2022-08-24T16:43:59.640Z	3.74E-03	3.26E+01	-2.00E-01	0
2022-08-24T16:44:48.880Z	3.40E-03	3.27E+01	2.00E-02	0
2022-08-24T16:45:38.120Z	2.82E-03	3.28E+01	3.40E-01	0
2022-08-24T16:46:27.360Z	1.21E-03	3.30E+01	6.60E-01	0
2022-08-24T16:47:16.600Z	4.03E-04	3.30E+01	-8.00E-02	0
2022-08-24T16:48:05.840Z	2.59E-04	3.32E+01	-1.60E-01	0
2022-08-24T16:48:55.080Z	4.03E-04	3.32E+01	5.40E-01	0
2022-08-24T16:49:44.320Z	7.92E-04	3.33E+01	-6.00E-01	0
2022-08-24T16:50:33.560Z	1.30E-03	3.34E+01	5.60E-01	0
2022-08-24T16:51:22.800Z	9.22E-04	3.36E+01	-1.40E-01	0
2022-08-24T16:52:12.040Z	2.88E-05	3.37E+01	-8.00E-02	0
2022-08-24T16:53:01.280Z	1.44E-04	3.37E+01	8.00E-02	0
2022-08-24T16:53:50.520Z	2.02E-04	3.37E+01	6.80E-01	0
2022-08-24T16:54:39.760Z	3.17E-04	3.37E+01	-8.00E-02	0
2022-08-24T16:55:29.000Z	8.93E-04	3.37E+01	7.40E-01	0
2022-08-24T16:56:18.240Z	1.96E-03	3.37E+01	4.80E-01	0
2022-08-24T16:57:07.480Z	1.99E-03	3.38E+01	6.20E-01	0
2022-08-24T16:57:56.720Z	1.67E-03	3.38E+01	3.80E-01	0
2022-08-24T16:58:45.960Z	1.44E-03	3.38E+01	1.80E-01	0
2022-08-24T16:59:35.200Z	8.64E-04	3.38E+01	-2.60E-01	0
2022-08-24T17:00:24.440Z	1.80E-04	3.38E+01	-1.75E-01	0
2022-08-24T17:01:13.680Z	4.61E-04	3.38E+01	1.11E-17	0
2022-08-24T17:02:02.920Z	3.74E-04	3.38E+01	4.00E-01	0
2022-08-24T17:02:52.160Z	5.76E-04	3.38E+01	1.20E-01	0
2022-08-24T17:03:41.400Z	4.32E-04	3.38E+01	-3.60E-01	0
2022-08-24T17:04:30.640Z	1.21E-03	3.37E+01	2.80E-01	0
2022-08-24T17:05:19.880Z	1.09E-03	3.37E+01	-3.80E-01	0
2022-08-24T17:06:09.120Z	1.24E-03	3.37E+01	7.20E-01	0
2022-08-24T17:06:58.360Z	5.76E-05	3.37E+01	1.20E-01	0
2022-08-24T17:07:47.600Z	8.64E-04	3.37E+01	1.60E-01	0
2022-08-24T17:08:36.840Z	7.78E-04	3.37E+01	-5.40E-01	0
2022-08-24T17:09:26.080Z	2.88E-04	3.37E+01	-1.20E-01	0
2022-08-24T17:10:15.320Z	2.52E-04	3.37E+01	1.25E-01	0
2022-08-24T17:11:04.560Z	1.07E-03	3.37E+01	6.00E-02	0
2022-08-24T17:11:53.800Z	3.74E-04	3.36E+01	-3.20E-01	0
2022-08-24T17:12:43.040Z	1.44E-04	3.37E+01	6.20E-01	0
2022-08-24T17:13:32.280Z	1.32E-03	3.37E+01	-2.80E-01	0
2022-08-24T17:14:21.520Z	7.49E-04	3.37E+01	4.00E-01	0
2022-08-24T17:15:10.760Z	3.17E-04	3.37E+01	-6.00E-02	0
2022-08-24T17:16:00.000Z	5.76E-05	3.37E+01	1.20E-01	0
2022-08-24T17:16:49.240Z	5.47E-04	3.37E+01	2.00E-02	0
2022-08-24T17:17:38.480Z	8.93E-04	3.37E+01	1.00E-01	0
2022-08-24T17:18:27.720Z	3.74E-04	3.36E+01	-1.60E-01	0
2022-08-24T17:19:16.960Z	8.35E-04	3.36E+01	4.00E-02	0
2022-08-24T17:20:06.200Z	1.50E-03	3.36E+01	3.40E-01	0
2022-08-24T17:20:55.440Z	1.30E-03	3.36E+01	2.00E-02	0
2022-08-24T17:21:44.680Z	5.76E-04	3.36E+01	4.00E-01	0
2022-08-24T17:22:33.920Z	5.18E-04	3.35E+01	-3.00E-01	0
2022-08-24T17:23:23.160Z	1.64E-03	3.35E+01	-1.60E-01	0

2022-08-24T17:24:12.400Z	1.18E-03	3.35E+01	-1.00E-01	0
2022-08-24T17:25:01.640Z	2.10E-03	3.34E+01	2.40E-01	0
2022-08-24T17:25:50.880Z	1.76E-03	3.34E+01	-6.20E-01	0
2022-08-24T17:26:40.120Z	3.17E-04	3.34E+01	2.00E-02	0
2022-08-24T17:27:29.360Z	1.15E-04	3.34E+01	2.00E-01	0
2022-08-24T17:28:18.600Z	6.62E-04	3.34E+01	2.00E-02	0
2022-08-24T17:29:07.840Z	4.61E-04	3.33E+01	1.80E-01	0
2022-08-24T17:29:57.080Z	3.74E-04	3.33E+01	-3.40E-01	0
2022-08-24T17:30:46.320Z	5.76E-05	3.33E+01	-2.80E-01	0
2022-08-24T17:31:35.560Z	1.73E-04	3.33E+01	-2.00E-01	0
2022-08-24T17:32:24.800Z	4.32E-04	3.33E+01	3.75E-01	0
2022-08-24T17:33:14.040Z	1.15E-03	3.33E+01	1.40E-01	0
2022-08-24T17:34:03.280Z	6.34E-04	3.32E+01	-3.00E-01	0
2022-08-24T17:34:52.520Z	4.61E-04	3.32E+01	3.20E-01	0
2022-08-24T17:35:41.760Z	1.01E-03	3.33E+01	-1.80E-01	0
2022-08-24T17:36:31.000Z	1.07E-03	3.32E+01	-1.60E-01	0
2022-08-24T17:37:20.240Z	5.18E-04	3.33E+01	-4.40E-01	0
2022-08-24T17:38:09.480Z	2.02E-04	3.31E+01	-4.40E-01	0
2022-08-24T17:38:58.720Z	1.09E-03	3.31E+01	-3.20E-01	0
2022-08-24T17:39:47.960Z	1.73E-04	3.30E+01	-1.60E-01	0
2022-08-24T17:40:37.200Z	5.47E-04	3.30E+01	3.00E-01	0
2022-08-24T17:41:26.440Z	9.50E-04	3.30E+01	2.80E-01	0
2022-08-24T17:42:15.680Z	6.91E-04	3.29E+01	2.00E-01	0
2022-08-24T17:43:04.920Z	8.06E-04	3.30E+01	6.20E-01	0
2022-08-24T17:43:54.160Z	1.15E-03	3.32E+01	-5.25E-01	0
2022-08-24T17:44:43.400Z	1.15E-03	3.36E+01	2.20E-01	0
2022-08-24T17:45:32.640Z	1.15E-03	3.37E+01	1.20E-01	0
2022-08-24T17:46:21.880Z	1.15E-03	3.37E+01	-8.00E-02	0
2022-08-24T17:47:11.120Z	6.62E-04	3.36E+01	3.60E-01	0
2022-08-24T17:48:00.360Z	8.93E-04	3.36E+01	-1.80E-01	0
2022-08-24T17:48:49.600Z	9.79E-04	3.36E+01	-2.80E-01	0
2022-08-24T17:49:38.840Z	8.64E-05	3.35E+01	-1.80E-01	0
2022-08-24T17:50:28.080Z	4.61E-04	3.34E+01	-2.20E-01	0
2022-08-24T17:51:17.320Z	1.01E-03	3.29E+01	2.60E-01	0
2022-08-24T17:52:06.560Z	2.59E-03	3.26E+01	-2.80E-01	0
2022-08-24T17:52:55.800Z	2.56E-03	3.25E+01	1.00E-01	0
2022-08-24T17:53:45.040Z	2.19E-03	3.25E+01	4.00E-01	0
2022-08-24T17:54:34.280Z	1.26E-03	3.25E+01	1.50E-01	0
2022-08-24T17:55:23.520Z	1.15E-04	3.25E+01	3.00E-01	0
2022-08-24T17:56:12.760Z	2.02E-04	3.24E+01	-1.80E-01	0
2022-08-24T17:57:02.000Z	5.18E-04	3.24E+01	0.00E+00	0
2022-08-24T17:57:51.240Z	5.76E-05	3.23E+01	9.60E-01	0
2022-08-24T17:58:40.480Z	4.03E-04	3.23E+01	3.60E-01	0
2022-08-24T17:59:29.720Z	9.22E-04	3.23E+01	-6.60E-01	0
2022-08-24T18:00:18.960Z	2.33E-03	3.23E+01	4.60E-01	0
2022-08-24T18:01:08.200Z	2.97E-03	3.23E+01	0.00E+00	0
2022-08-24T18:01:57.440Z	2.97E-03	3.23E+01	5.80E-01	0
2022-08-24T18:02:46.680Z	2.30E-03	3.23E+01	6.60E-01	0
2022-08-24T18:03:35.920Z	8.35E-04	3.23E+01	4.80E-01	0
2022-08-24T18:04:25.160Z	1.73E-04	3.23E+01	2.60E-01	0
2022-08-24T18:05:14.400Z	1.15E-03	3.23E+01	1.75E-01	0
2022-08-24T18:06:03.640Z	1.21E-03	3.23E+01	3.20E-01	0
2022-08-24T18:06:52.880Z	4.61E-04	3.22E+01	2.00E-01	0
2022-08-24T18:07:42.120Z	2.02E-04	3.23E+01	-5.20E-01	0
2022-08-24T18:08:31.360Z	1.15E-04	3.23E+01	-1.20E-01	0
2022-08-24T18:09:20.600Z	1.73E-04	3.23E+01	2.80E-01	0
2022-08-24T18:10:09.840Z	8.35E-04	3.23E+01	-1.40E-01	0
2022-08-24T18:10:59.080Z	3.46E-04	3.23E+01	2.60E-01	0
2022-08-24T18:11:48.320Z	1.18E-03	3.23E+01	-1.00E-01	0

2022-08-24T18:12:37.560Z	2.39E-03	3.24E+01	1.80E-01	0
2022-08-24T18:13:26.800Z	3.14E-03	3.24E+01	1.80E-01	0
2022-08-24T18:14:16.040Z	3.10E-03	3.24E+01	-7.50E-02	0
2022-08-24T18:15:05.280Z	2.40E-03	3.24E+01	2.00E-01	0
2022-08-24T18:15:54.520Z	1.91E-03	3.25E+01	4.25E-01	0
2022-08-24T18:16:43.760Z	1.15E-03	3.26E+01	-4.00E-02	0
2022-08-24T18:17:33.000Z	4.90E-04	3.26E+01	1.60E-01	0
2022-08-24T18:18:22.240Z	1.27E-03	3.27E+01	-4.00E-01	0
2022-08-24T18:19:11.480Z	1.12E-03	3.27E+01	-3.60E-01	0
2022-08-24T18:20:00.720Z	1.84E-03	3.28E+01	6.00E-02	0
2022-08-24T18:20:49.960Z	2.07E-03	3.28E+01	3.60E-01	0
2022-08-24T18:21:39.200Z	2.53E-03	3.29E+01	-3.00E-01	0
2022-08-24T18:22:28.440Z	2.65E-03	3.29E+01	2.60E-01	0
2022-08-24T18:23:17.680Z	3.02E-03	3.30E+01	-2.00E-01	0
2022-08-24T18:24:06.920Z	2.71E-03	3.31E+01	-3.40E-01	0
2022-08-24T18:24:56.160Z	2.68E-03	3.31E+01	-1.20E-01	0
2022-08-24T18:25:45.400Z	2.62E-03	3.32E+01	1.00E-01	0
2022-08-24T18:26:34.640Z	2.95E-03	3.32E+01	2.25E-01	0
2022-08-24T18:27:23.880Z	1.96E-03	3.33E+01	6.00E-01	0
2022-08-24T18:28:13.120Z	1.81E-03	3.34E+01	5.20E-01	0
2022-08-24T18:29:02.360Z	1.56E-03	3.34E+01	-1.00E-01	0
2022-08-24T18:29:51.600Z	2.48E-03	3.35E+01	1.20E-01	0
2022-08-24T18:30:40.840Z	2.56E-03	3.36E+01	-6.00E-02	0
2022-08-24T18:31:30.080Z	2.10E-03	3.36E+01	1.00E-01	0
2022-08-24T18:32:19.320Z	2.48E-03	3.37E+01	-2.22E-17	0
2022-08-24T18:33:08.560Z	1.70E-03	3.37E+01	5.40E-01	0
2022-08-24T18:33:57.800Z	2.42E-03	3.38E+01	2.60E-01	0
2022-08-24T18:34:47.040Z	3.05E-03	3.38E+01	2.60E-01	0
2022-08-24T18:35:36.280Z	3.80E-03	3.38E+01	-2.00E-02	0
2022-08-24T18:36:25.520Z	2.20E-03	3.39E+01	-5.00E-02	0
2022-08-24T18:37:14.760Z	6.34E-04	3.40E+01	-2.80E-01	0
2022-08-24T18:38:04.000Z	4.61E-04	3.40E+01	1.40E-01	0
2022-08-24T18:38:53.240Z	6.05E-04	3.41E+01	-2.80E-01	0
2022-08-24T18:39:42.480Z	9.50E-04	3.41E+01	6.00E-02	0
2022-08-24T18:40:31.720Z	1.30E-03	3.42E+01	-7.80E-01	0
2022-08-24T18:41:20.960Z	1.30E-03	3.44E+01	-6.20E-01	0
2022-08-24T18:42:10.200Z	4.32E-04	3.46E+01	-2.60E-01	0
2022-08-24T18:42:59.440Z	1.76E-03	3.43E+01	2.00E-01	0
2022-08-24T18:43:48.680Z	1.99E-03	3.44E+01	-2.40E-01	0
2022-08-24T18:44:37.920Z	1.76E-03	3.44E+01	2.00E-02	0
2022-08-24T18:45:27.160Z	1.87E-03	3.45E+01	5.80E-01	0
2022-08-24T18:46:16.400Z	2.85E-03	3.45E+01	2.00E-02	0
2022-08-24T18:47:05.640Z	4.38E-03	3.45E+01	-2.80E-01	0
2022-08-24T18:47:54.880Z	3.72E-03	3.46E+01	1.60E-01	0
2022-08-24T18:48:44.120Z	3.89E-03	3.46E+01	-1.10E+00	0

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720

**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720

**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170

**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**

**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

DEFINITIONS

Action 209922

**DEFINITIONS**

Operator:	OGRID: 300825
BLUE SKY NM, INC. 7941 Katy Freeway Houston, TX 77024	Action Number: 209922
	Action Type: [UF-OMA] Pre-Plug Methane Monitoring (UF-OMA-MMA)

**DEFINITIONS**

The Orphan Well Mitigation Activity (OMA) forms are a subset of the OCD's forms exclusively designed for activities related to State of New Mexico's contracted plugging and reclamation activities. Specifically, these forms are used for orphan wells or associated facilities which are in a "Reclamation Fund Approved" status. This status represents wells or facilities where the OCD has acquired a hearing order allowing the OCD to perform plugging or reclamation on wells and associated facilities that no longer have a viable operator to perform the necessary work. These forms are not to be utilized for any other purpose.

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720

**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720

**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170

**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

## State of New Mexico

### Energy, Minerals and Natural Resources

#### Oil Conservation Division

**1220 S. St Francis Dr.**

**Santa Fe, NM 87505**

QUESTIONS

Action 209922

#### QUESTIONS

Operator:  BLUE SKY NM, INC. 7941 Katy Freeway Houston, TX 77024	OGRID:  300825
	Action Number:  209922
	Action Type:  [UF-OMA] Pre-Plug Methane Monitoring (UF-OMA-MMA)

#### QUESTIONS

<b>Prerequisites</b>	
[OGRID] Well Operator	[300825] BLUE SKY NM, INC.
[API] Well Name and Number	[30-005-60995] TWIN LAKES SAN ANDRES UNIT #078
Well Status	Plugged (not released)

#### Monitoring Event Information

Please answer all the questions in this group.

Reason For Filing	Pre-Plug Methane Monitoring
Date of monitoring	08/23/2022
Latitude	33.56106
Longitude	-104.02830

#### Monitoring Event Details

Please answer all the questions in this group.

Flow rate in cubic meters per day (m <sup>3</sup> /day)	0.00
Test duration in hours (hr)	19.7
Average flow temperature in degrees Celsius (°C)	24.0
Average gauge flow pressure in kilopascals (kPag)	1.3
Methane concentration in part per million (ppm)	0
Methane emission rate in grams per hour (g/hr)	0.00
Testing Method	Steady State

#### Monitoring Contractor

Please answer all the questions in this group.

Name of monitoring contractor	Well Done New Mexico LLC
-------------------------------	--------------------------