

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

WASH UNIT

Sundry Print Report

County or Parish/State: SAN

Well Name: BETONNIE TSOSIE Well Location: T23N / R8W / SEC 14 /

NWSW / 36.22648 / -107.65976

65976 JUAN / NM

Well Number: 206H Type of Well: OIL WELL Allottee or Tribe Name:

Lease Number: NMNM136161 Unit or CA Name: Unit or CA Number:

NMNM135219A

US Well Number: 3004538273 Well Status: Drilling Well Operator: DJR OPERATING LLC

Subsequent Report

Sundry ID: 2709329

Type of Submission: Subsequent Report

Type of Action: Drilling Operations

Date Sundry Submitted: 01/04/2023 Time Sundry Submitted: 08:02

Date Operation Actually Began: 12/27/2022

Actual Procedure: Production Liner & Cement. Depths adjusted for 26' KB of production rig. 12/27/22: PT 7" 26# J55 LTC casing 1500 (30min). Test good & recorded on chart. No regulatory agencies onsite to witness. Drill 6.125" hole from 5712' to 6478'. 12/28/22: Drill 6.125" hole to 10405'. 12/29/22: Drill 6.125" hole to 12390' TD (5050' TVD) 12/30/22: RU CRTs. RIH with 161 jts of 4.5" 11.6# P110 LTC production liner set from TOL: 5392' to BOL: 12385'. Weatherford Packer at 5414'. Marker jts at 5935' - 9089' - 12142. Alpha Sleeve at 12335'. FC at 12371'. RU to cement. 5k test on lines, test good. Cement with Class G, 165 bbls (610 sx), 13.3 ppg, 1.52 yield, 7.53 gps. Bump plug 1150 FCP, pressure up to 2400 & hold for 5min. Check floats, floats held. Circulate. 40 bbls good cement to surface. TOC: 5392' BOC: 12385'. Install packoff, test to 5k, test good. ND BOPE. Install BPV & well cap. Rig H&P 443 released on 12/31/22.

eived by OCD: 1/5/2023 8:56:13 AM Well Name: BETONNIE TSOSIE

WASH UNIT

Well Location: T23N / R8W / SEC 14 / NWSW / 36.22648 / -107.65976

County or Parish/State: SAN 2 0

JUAN / NM

Well Number: 206H

Type of Well: OIL WELL

Allottee or Tribe Name:

Lease Number: NMNM136161

Unit or CA Name:

Unit or CA Number: NMNM135219A

US Well Number: 3004538273

Well Status: Drilling Well

Operator: DJR OPERATING LLC

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: SHAW-MARIE FORD Signed on: JAN 04, 2023 08:01 AM

Name: DJR OPERATING LLC Title: Regulatory Specialist Street Address: 1 Road 3263

State: NM City: Aztec

Phone: (505) 632-3476

Email address: sford@djrllc.com

Field

Representative Name:

Street Address:

City:

State:

Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Phone: 5055647742

BLM POC Name: KENNETH G RENNICK

Disposition: Accepted

Signature: Kenneth Rennick

BLM POC Title: Petroleum Engineer

BLM POC Email Address: krennick@blm.gov

Disposition Date: 01/04/2023

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 172832

CONDITIONS

Operator:	OGRID:
DJR OPERATING, LLC	371838
1 Road 3263 Action Number: Aztec, NM 87410 172832	Action Number:
	172832
	Action Type:
	[C-103] Sub. Drilling (C-103N)

CONDITIONS

Created By		Condition Date
gramirez	PT details for the 4.5" casing must be submitted on the next drilling sundry.	1/20/2023