

Well Name: CHICKEN NOODLE FED COM	Well Location: T26S / R25E / SEC 11 / SENW / 32.0579702 / -104.3703946	County or Parish/State: EDDY / NM
Well Number: 401H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM113397	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001549405	Well Status: Drilling Well	Operator: TAP ROCK OPERATING LLC

Subsequent Report

Sundry ID: 2707496

Type of Submission: Subsequent Report

Type of Action: Drilling Operations

Date Sundry Submitted: 12/14/2022

Time Sundry Submitted: 03:01

Date Operation Actually Began: 12/03/2022

Actual Procedure: Well spud on 12/3/2022 at 13:00 12/3/2022: Drill 17.5 inch surface hole to 334. 12/3/2022: Run 13.375 inch 54.5 lb J55 surface casing to 319 ft. Pump 20 bbls water spacer, followed by 330 sks of 14.8 ppg tail cmt. Drop plug and displace with 40 bbls fresh water. 25 bbls of cement returned back to surface. Pressure test casing to 1500 PSI for 30 minutes, good test. 12/4/2022: Test BOPS. Drill 12.25 intermediate hole to 1805 ft. 12/5/2022: Run 9.625 inch 40 lb J-55 intermediate casing to 1790 ft. Pump 20 bbls chem wash, 20 bbls fresh water spacer, followed by 430 sks of 12.8 ppg lead cmt, 155 sks of 14.8 ppg tail cmt. Drop plug and displace with 132 bbls of fresh water. 56 bbls cement to surface. EST TOC at 0 ft. Pressure test casing to 1500 for 30 minutes, good test. 12/5/2022: Drill 8.75 inch production hole to 7967 then switch to 7.875 inch to 16138 ft. 12/13/2022: Run 5.5 inch 20 lb P-110 production casing to 16118 ft MD. Pump 40 bbls fresh water, then 425 sks of 10.5 ppg lead and 1490 sks of 13.2 ppg tail cmt. Drop plug and displace with 20 bbls sugar water and 336 bbls fresh water. 15 bbls cement returned to surface. Est TOC at 0 ft. Surface Casing Details: Casing ran: 12/3/2022, Fluid Type Fresh Water, Hole 17.5 inch, Csg Size 13.375 inch, Weight 54.5 lbs, Grade J55, Est TOC 0 ft, Depth set 319 ft, Cement 330 sacks, Yield 1.35 tail, Class C. Pressure test: 1500 PSI, Pressure Drop: 0. Intermediate Casing Details: Casing ran: 12/5/2022, Fluid Type Brine, Hole 12.25 inch to 1805, Csg Size 9.625 inch, Weight 40 lbs, Grade J-55, Est TOC 0 ft, Depth set 1790 ft, Cement 585 sks, Yield 1.86 lead/1.34 tail, Class C, Pressure Held 1500 psi, Pres Drop 0. Production Casing details: Casing Date: 12/13/2022, Fluid Type Cut Brine, Hole 8.75 inch hole to 7967 ft then switch to 7.875 inch to 16138 ft, Csg Size, 5.5 inch, Weight 20 lbs, Grade P-110, Depth set 16118 ft, EST TOC 0 ft, Cement 1915 sacks, yield 4.11 lead/1.53 tail, Class C. 12/12/2022: TD Reached at 16138 ft MD, 8423 ft TVD. Plug Back Measured depth at 16069 ft MD, 8427 ft TVD. Rig Release on 12/13/2022 at 18:00

Well Name: CHICKEN NOODLE FED COM

Well Location: T26S / R25E / SEC 11 / SENW / 32.0579702 / -104.3703946

County or Parish/State: EDDY / NM

Well Number: 401H

Type of Well: OIL WELL

Allottee or Tribe Name:

Lease Number: NMNM113397

Unit or CA Name:

Unit or CA Number:

US Well Number: 3001549405

Well Status: Drilling Well

Operator: TAP ROCK OPERATING LLC

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: JEFFREY TRLICA

Signed on: DEC 14, 2022 03:01 PM

Name: TAP ROCK OPERATING LLC

Title: Regulatory Analyst

Street Address: 523 PARK POINT DRIVE SUITE 200

City: GOLDEN

State: CO

Phone: (720) 772-5910

Email address: JTRLICA@TAPRK.COM

Field

Representative Name:

Street Address:

City:

State:

Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: Jonathon W Shepard

BLM POC Title: Petroleum Engineer

BLM POC Phone: 5752345972

BLM POC Email Address: jshepard@blm.gov

Disposition: Accepted

Disposition Date: 12/28/2022

Signature: Jonathon Shepard

District I
 1625 N. French Dr., Hobbs, NM 88240
 Phone:(575) 393-6161 Fax:(575) 393-0720

District II
 811 S. First St., Artesia, NM 88210
 Phone:(575) 748-1283 Fax:(575) 748-9720

District III
 1000 Rio Brazos Rd., Aztec, NM 87410
 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
 1220 S. St Francis Dr., Santa Fe, NM 87505
 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 170906

CONDITIONS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 170906
	Action Type: [C-103] Sub. Drilling (C-103N)

CONDITIONS

Created By	Condition	Condition Date
gramirez	PT details for the 5.5" casing must be submitted on the next drilling sundry.	3/20/2023