

DISTRICT I

1625 N. French Dr., Hobbs, NM 88240

District II

811 S. First St., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural ResourcesForm C-104
Revised August 1, 2011Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT**I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT**

¹ Operator name and Address TAP ROCK OPERATING, LLC 523 PARK POINT DRIVE, SUITE 200 GOLDEN, CO 80401		² OGRID Number 372043
		³ Reason for Filing Code/ Effective Date NW
⁴ API Number 30 - 0 25-48728	⁵ Pool Name WC-025 G-09 S243310P; UPPER WOLFCAMP	⁶ Pool Code 98135
⁷ Property Code 330700	⁸ Property Name PROMETHEUS STATE COM	⁹ Well Number 132H

II. ¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
N	22	24S	33E	-	836	SOUTH	1695	WEST	LEA

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
C	15	24S	33E	-	27	NORTH	1705	WEST	LEA
¹² Lse Code S	¹³ Producing Method Code F	¹⁴ Gas Connection Date 4/29/2022	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date				

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
34053	PLAINS ALL AMERICAN 333 CLAY STREET SUITE 1600 HOUSTON, TX 77002	O
371960	LUCID ENERGY GROUP 3100 MCKINNON ST #800 DALLAS, TX 75201	G

IV. Well Completion Data

²¹ Spud Date 11/12/2021	²² Ready Date 4/19/2022	²³ TD 22773'	²⁴ PBTB 22712'	²⁵ Perforations 12385' - 22628'	²⁶ DHC, MC
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
13.5"	10.75"	1284'	600 sks		
9.875"/8.75"	7.625"	9788'/11833'	1301 sks		
6.75"	5.5"	22759'	1114 sks		

V. Well Test Data

³¹ Date New Oil 4/29/2022	³² Gas Delivery Date 4/29/2022	³³ Test Date 5/22/2022	³⁴ Test Length 24 hrs.	³⁵ Tbg. Pressure 0	³⁶ Csg. Pressure 2205
³⁷ Choke Size 40/64	³⁸ Oil 1930	³⁹ Water 3509	⁴⁰ Gas 4324	⁴¹ Test Method Flowing	
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: 			OIL CONSERVATION DIVISION		
Printed name: Jeff Trlica			Approved by: PATRICIA MARTINEZ		
Title: Regulatory Analyst			Title: PETROLEUM SPECIALIST		
E-mail Address: jtrlica@taprk.com			Approval Date: 4/27/2023		
Date: 5/25/2022		Phone: 720-771-5910			

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources
Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

FORM C-102

Revised August 1, 2011

Submit one copy to appropriate

District Office

☐ AMENDED REPORT
As Drilled

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-025-48728	² Pool Code 98135	³ Pool Name WC-025 G-09 S243310P;UPPER WOLFCAMP
⁴ Property Code 330700	⁵ Property Name PROMETHEUS STATE COM	⁶ Well Number 132H
⁷ OGRID No. #372043	⁸ Operator Name TAP ROCK OPERATING, LLC.	⁹ Elevation 3542'

¹⁰Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
N	22	24-S	33-E	-	836'	SOUTH	1695'	WEST	LEA


¹¹Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
C	15	24-S	33-E	-	27'	NORTH	1705'	WEST	LEA

¹² Dedicated Acres 640	¹³ Joint or Infill Infill	¹⁴ Consolidation Code	¹⁵ Order No.
--------------------------------------	---	----------------------------------	-------------------------

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

FTP: 100' FSL; 2169 FWL Section 22
LTP: 100' FNL; 1718 FWL Section 15

¹⁷OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

[Signature]

4/12/2022

Signature

Date

Jeff Trlica

Printed Name

jtrlica@taprk.com

E-mail Address


¹⁸SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true to the best of my belief.


10/07/2021

Date of Survey

Signature and Seal of Professional Surveyor



Certificate Number



LEASE NAME & WELL NO.: PROMETHEUS STATE COM 132H

SECTION 22 TWP 24-S RGE 33-E SURVEY N.M.P.M.

COUNTY LEA STATE NM ELEVATION 3542'

DESCRIPTION 836' FSL & 1695' FWL



1400 EVERMAN PARKWAY, Ste. 146 • FT. WORTH, TEXAS 76140
TELEPHONE: (817) 744-7512 • FAX (817) 744-7554
TEXAS FIRM REGISTRATION NO. 10042504
WWW.TOPOGRAPHIC.COM

INTERNAL
PRE-COMPLETION
PLAT

PROMETHEUS STATE COM
132H
PRE-COMPLETION

REVISION:

GLH

03/31/22

DATE: 02/24/22

FILE: C:\PROMETHEUS_STATE_COM_132H_REV1

DRAWN BY: SAR

SHEET: 2 OF 2

NOTES:

1. ORIGINAL DOCUMENT SIZE: 8.5" X 11"
2. ALL BEARINGS, DISTANCES, AND COORDINATE VALUES CONTAINED HEREIN ARE GRID BASED UPON THE NEW MEXICO COORDINATE SYSTEM OF 1983, EAST ZONE, U.S. SURVEY FEET.
3. THIS WELL LOCATION SHOWN HEREON HAS BEEN SURVEYED ON THE GROUND UNDER MY SUPERVISION AND PREPARED ACCORDING TO THE EVIDENCE FOUND AT THE TIME OF SURVEY, AND DATA PROVIDED BY TAP ROCK OPERATING, LLC. THIS CERTIFICATION IS MADE AND LIMITED TO THOSE PERSONS OR ENTITIES SHOWN ON THE FACE OF THIS PLAT AND IS NON-TRANSFERABLE. THIS SURVEY IS CERTIFIED FOR THIS TRANSACTION ONLY.



Operator: Tap Rock Resources, LLC.
Well Name: Prometheus State Com #132H
County: Lea
State: New Mexico
Rig Name: H&P 388
API: 30-025-48728

Intrepid Directional Drilling Specialists certifies that the surveys performed on the above referenced well are true and correct MWD surveys, data provided as follows:

Surveyor: Intrepid Directional Drilling Specialists
Survey Depths: 174' MD – 22,699' MD
Projection to Bit: 22,773' MD
Dates Performed: 11/12/2021 – 01/18/2022
Type of Survey: MWD

Sincerely,

A handwritten signature in black ink, appearing to read "T. Henk".

Travis Henk
MWD Operations Manager
Intrepid Directional Drilling Specialists





Operator: Tap Rock Resources, LLC.

Well Name: Prometheus State Com 132H

Job Number: ID3126

Survey Company: Intrepid Directional Drilling Specialists

Rig Name: H&P 388

Target KBTVD: 12433.00

Target Inclination: 90.50°

Declination Correction: 5.91°

DF Elevation: 3,568'

Vertical Section Calculated Along Azimuth: 359.59°


Survey Calculation Method: Minimum Curvature

TIE PT. TYPE	SVY #	Survey Depth	INC deg.	AZM deg.	Course Length	TVD Ft.	V'Sect FT.	+N/-S Ft.	+E/-W Ft.	Dogleg °/100'
Tie In	0	0	0.00	0.00	0	0	0	0	0	0.00
MWD	1	174	0.31	350.89	174	174.00	0.47	0.46	-0.07	0.18
MWD	2	233	0.40	337.88	59	233.00	0.81	0.81	-0.18	0.20
MWD	3	327	0.44	321.36	94	327.00	1.40	1.40	-0.53	0.14
MWD	4	417	0.26	17.52	90	416.99	1.87	1.86	-0.68	0.41
MWD	5	508	0.48	357.57	91	507.99	2.45	2.44	-0.63	0.28
MWD	6	599	0.35	357.22	91	598.99	3.10	3.10	-0.66	0.14
MWD	7	689	0.40	345.79	90	688.99	3.68	3.68	-0.75	0.10
MWD	8	779	0.57	348.96	90	778.98	4.43	4.42	-0.92	0.19
MWD	9	870	0.22	249.11	91	869.98	4.81	4.80	-1.17	0.71
MWD	10	961	0.35	217.03	91	960.98	4.53	4.52	-1.50	0.22
MWD	11	1051	0.53	248.32	90	1050.98	4.16	4.15	-2.05	0.33
MWD	12	1140	0.57	232.33	89	1139.98	3.74	3.72	-2.78	0.18
MWD	13	1230	0.75	232.85	90	1229.97	3.12	3.10	-3.61	0.20
MWD	14	1316	0.26	242.52	86	1315.97	2.70	2.67	-4.23	0.58
MWD	15	1411	0.40	309.14	95	1410.96	2.81	2.78	-4.68	0.40
MWD	16	1504	0.22	101.81	93	1503.96	2.98	2.94	-4.75	0.65
MWD	17	1599	1.93	178.71	95	1598.95	1.34	1.31	-4.54	1.99
MWD	18	1694	3.12	183.72	95	1693.85	-2.84	-2.87	-4.67	1.27
MWD	19	1788	4.09	177.39	94	1787.66	-8.74	-8.77	-4.68	1.11
MWD	20	1881	4.97	179.33	93	1880.37	-16.08	-16.12	-4.49	0.96
MWD	21	1973	5.71	173.26	92	1971.97	-24.62	-24.65	-3.90	1.01
MWD	22	2067	6.02	174.23	94	2065.48	-34.17	-34.19	-2.86	0.35
MWD	23	2161	6.11	172.38	94	2158.96	-44.04	-44.06	-1.70	0.23
MWD	24	2256	6.64	170.36	95	2253.37	-54.48	-54.48	-0.11	0.61
MWD	25	2351	7.78	169.31	95	2347.62	-66.23	-66.22	2.00	1.21
MWD	26	2444	8.13	176.08	93	2439.72	-78.99	-78.96	3.62	1.07
MWD	27	2539	8.57	180.12	95	2533.72	-92.77	-92.74	4.06	0.77
MWD	28	2633	8.75	179.24	94	2626.64	-106.92	-106.90	4.14	0.24
MWD	29	2728	8.84	180.21	95	2720.53	-121.45	-121.42	4.21	0.18
MWD	30	2824	8.62	182.23	96	2815.42	-136.01	-135.99	3.91	0.39
MWD	31	2919	8.84	184.60	95	2909.31	-150.39	-150.38	3.04	0.44
MWD	32	3014	9.45	182.40	95	3003.11	-165.46	-165.44	2.13	0.74
MWD	33	3107	9.63	181.17	93	3094.82	-180.86	-180.85	1.65	0.29
MWD	34	3202	9.89	182.58	95	3188.45	-196.95	-196.94	1.12	0.37
MWD	35	3296	9.76	179.86	94	3281.07	-212.98	-212.98	0.78	0.51
MWD	36	3391	9.93	176.87	95	3374.67	-229.21	-229.21	1.25	0.57
MWD	37	3486	10.07	175.99	95	3468.23	-245.68	-245.67	2.28	0.22
MWD	38	3580	10.29	173.18	94	3560.75	-262.23	-262.21	3.85	0.58
MWD	39	3676	10.02	174.14	96	3655.24	-279.06	-279.03	5.72	0.33
MWD	40	3771	9.63	173.18	95	3748.85	-295.18	-295.14	7.51	0.45
MWD	41	3866	9.14	171.15	95	3842.58	-310.54	-310.48	9.61	0.62
MWD	42	3961	9.14	173.00	95	3936.37	-325.50	-325.43	11.69	0.31
MWD	43	4055	9.58	174.14	94	4029.12	-340.71	-340.62	13.40	0.51
MWD	44	4150	9.19	175.81	95	4122.85	-356.15	-356.05	14.76	0.50
MWD	45	4244	8.40	177.48	94	4215.74	-370.50	-370.40	15.61	0.88
MWD	46	4339	7.65	181.88	95	4309.81	-383.75	-383.65	15.71	1.02
MWD	47	4433	7.21	181.09	94	4403.02	-395.90	-395.80	15.39	0.48
MWD	48	4529	7.87	167.64	96	4498.20	-408.35	-408.24	16.68	1.96
MWD	49	4623	8.22	159.82	94	4591.28	-420.97	-420.84	20.38	1.22
MWD	50	4717	8.09	160.08	94	4684.33	-433.53	-433.36	24.95	0.14
MWD	51	4810	9.27	158.59	93	4776.26	-446.69	-446.49	29.91	1.29
MWD	52	4905	10.51	157.00	95	4869.85	-461.84	-461.59	36.09	1.34
MWD	53	4998	11.47	157.00	93	4961.14	-478.20	-477.91	43.02	1.03
MWD	54	5093	10.68	158.41	95	5054.37	-495.13	-494.79	49.95	0.88
MWD	55	5188	9.54	163.24	95	5147.90	-510.90	-510.51	55.46	1.49
MWD	56	5281	8.75	164.91	93	5239.71	-525.14	-524.72	59.52	0.90
MWD	57	5375	8.75	165.71	94	5332.62	-538.99	-538.55	63.15	0.13
MWD	58	5470	9.27	170.10	95	5426.45	-553.55	-553.09	66.25	0.91
MWD	59	5564	9.23	174.76	94	5519.23	-568.53	-568.06	68.24	0.80
MWD	60	5659	9.58	176.69	95	5612.95	-584.02	-583.54	69.39	0.50
MWD	61	5754	9.89	179.06	95	5706.58	-600.07	-599.59	69.98	0.53
MWD	62	5848	10.15	176.69	94	5799.15	-616.42	-615.93	70.59	0.52

MWD	63	5941	10.24	177.92	93	5890.68	-632.87	-632.37	71.37	0.25
MWD	64	6035	10.29	178.01	94	5983.18	-649.61	-649.11	71.96	0.06
MWD	65	6130	10.29	178.27	95	6076.65	-666.57	-666.07	72.51	0.05
MWD	66	6224	10.51	175.72	94	6169.10	-683.52	-683.01	73.40	0.54
MWD	67	6318	10.02	176.6	94	6261.60	-700.24	-699.73	74.53	0.55
MWD	68	6413	10.2	177.31	95	6355.12	-716.90	-716.38	75.41	0.23
MWD	69	6508	9.58	180.73	95	6448.71	-733.21	-732.69	75.71	0.90
MWD	70	6604	8.31	183.46	96	6543.54	-748.12	-747.60	75.19	1.39
MWD	71	6699	7.52	181.79	95	6637.64	-761.18	-760.67	74.58	0.87
MWD	72	6793	6.81	182.05	94	6730.90	-772.89	-772.38	74.19	0.76
MWD	73	6888	5.58	181	95	6825.35	-783.14	-782.63	73.91	1.30
MWD	74	6982	4.48	192.25	94	6918.99	-791.29	-790.79	73.05	1.57
MWD	75	7076	3.34	204.2	94	7012.77	-797.36	-796.87	71.15	1.48
MWD	76	7170	2.73	224.24	94	7106.64	-801.44	-800.97	68.46	1.29
MWD	77	7265	1.89	256.32	95	7201.56	-803.41	-802.97	65.36	1.59
MWD	78	7360	1.63	296.22	95	7296.52	-803.17	-802.74	62.63	1.29
MWD	79	7455	1.76	312.66	95	7391.48	-801.57	-801.15	60.34	0.53
MWD	80	7549	1.93	304.4	94	7485.43	-799.68	-799.28	57.97	0.34
MWD	81	7644	1.76	310.64	95	7580.38	-797.80	-797.43	55.55	0.28
MWD	82	7739	1.89	300	95	7675.33	-796.05	-795.69	53.08	0.38
MWD	83	7833	1.32	294.03	94	7769.30	-794.82	-794.48	50.75	0.63
MWD	84	7927	0.88	306.33	94	7863.28	-793.94	-793.61	49.18	0.53
MWD	85	8022	0.53	284.36	95	7958.27	-793.39	-793.07	48.17	0.46
MWD	86	8117	0.53	271.53	95	8053.27	-793.27	-792.95	47.30	0.12
MWD	87	8211	0.35	226.26	94	8147.27	-793.45	-793.13	46.66	0.40
MWD	88	8306	0.62	236.11	95	8242.26	-793.93	-793.62	46.02	0.30
MWD	89	8400	0.57	240.68	94	8336.26	-794.44	-794.13	45.19	0.07
MWD	90	8496	0.62	240.32	96	8432.25	-794.92	-794.63	44.33	0.05
MWD	91	8591	0.7	251.49	95	8527.25	-795.35	-795.06	43.33	0.16
MWD	92	8686	0.92	238.04	95	8622.24	-795.93	-795.65	42.13	0.30
MWD	93	8780	0.66	226.26	94	8716.23	-796.70	-796.43	41.10	0.32
MWD	94	8874	0.7	229.78	94	8810.22	-797.44	-797.17	40.27	0.06
MWD	95	8968	0.97	220.55	94	8904.21	-798.41	-798.15	39.32	0.32
MWD	96	9062	0.88	243.66	94	8998.20	-799.32	-799.07	38.15	0.41
MWD	97	9157	0.84	255.00	95	9093.19	-799.82	-799.58	36.83	0.18
MWD	98	9251	1.23	258.69	94	9187.17	-800.18	-799.95	35.17	0.42
MWD	99	9346	1.23	256.06	95	9282.15	-800.61	-800.40	33.18	0.06
MWD	100	9441	1.01	231.97	95	9377.13	-801.36	-801.16	31.53	0.54
MWD	101	9536	0.79	225.82	95	9472.12	-802.33	-802.13	30.40	0.25
MWD	102	9630	1.10	210.71	94	9566.11	-803.55	-803.36	29.48	0.42
MWD	103	9723	1.63	181.09	93	9659.08	-805.63	-805.45	29.00	0.93
MWD	104	9818	2.33	168.52	95	9754.03	-808.88	-808.69	29.36	0.86
MWD	105	9912	1.05	78.52	94	9848.00	-810.59	-810.39	30.58	2.72
MWD	106	10008	3.08	41.96	96	9943.93	-808.52	-808.30	33.17	2.42
MWD	107	10101	1.10	49.60	93	10036.86	-806.10	-805.86	35.52	2.15
MWD	108	10195	0.75	96.27	94	10130.85	-805.59	-805.35	36.82	0.85
MWD	109	10290	0.48	100.75	95	10225.85	-805.74	-805.49	37.82	0.29
MWD	110	10382	0.31	65.95	92	10317.85	-805.71	-805.46	38.43	0.31
MWD	111	10476	0.57	25.61	94	10411.84	-805.19	-804.93	38.87	0.41
MWD	112	10571	1.01	41.87	95	10506.83	-804.15	-803.88	39.63	0.52
MWD	113	10666	1.41	30.71	95	10601.81	-802.53	-802.25	40.78	0.49
MWD	114	10759	1.85	1.00	93	10694.78	-800.05	-799.77	41.39	1.01
MWD	115	10854	2.42	327.78	95	10789.71	-796.81	-796.54	40.35	1.41
MWD	116	10950	1.23	257.64	96	10885.67	-795.30	-795.05	38.26	2.41
MWD	117	11044	1.71	244.81	94	10979.64	-796.10	-795.86	36.01	0.62
MWD	118	11139	2.73	268.98	95	11074.57	-796.71	-796.50	32.46	1.44
MWD	119	11235	1.80	285.15	96	11170.50	-796.33	-796.15	28.72	1.17
MWD	120	11330	1.49	310.90	95	11265.46	-795.12	-794.95	26.35	0.83
MWD	121	11424	1.63	328.04	94	11359.42	-793.17	-793.02	24.72	0.52
MWD	122	11517	1.98	329.09	93	11452.38	-790.66	-790.51	23.19	0.38
MWD	123	11612	2.11	318.99	95	11547.32	-787.92	-787.79	21.20	0.40
MWD	124	11707	0.48	249.64	95	11642.29	-786.73	-786.61	19.68	2.10
MWD	125	11801	1.93	170.19	94	11736.27	-788.42	-788.30	19.58	2.02
MWD	126	11871	2.02	166.76	70	11806.23	-790.79	-790.67	20.07	0.21
MWD	127	11941	2.29	167.63	70	11876.18	-793.36	-793.23	20.65	0.39
MWD	128	12036	2.81	31.84	95	11971.14	-793.25	-793.11	22.28	4.98
MWD	129	12129	16.44	8.28	93	12062.63	-778.24	-778.07	25.40	14.96
MWD	130	12223	25.98	2.04	94	12150.18	-744.44	-744.25	28.05	10.42
MWD	131	12318	35.56	1.16	95	12231.71	-695.92	-695.73	29.35	10.10
MWD	132	12365	43.25	0.55	47	12268.00	-666.11	-665.92	29.79	16.38
MWD	133	12413	51.34	359.41	48	12300.53	-630.87	-630.68	29.75	16.94
MWD	134	12505	59.74	359.93	92	12352.54	-555.08	-554.89	29.33	9.14
MWD	135	12599	68.22	2.75	94	12393.74	-470.74	-470.53	31.38	9.41
MWD	136	12694	78.77	3.19	95	12420.69	-379.94	-379.70	36.10	11.11
MWD	137	12739	80.70	2.22	45	12428.71	-335.73	-335.47	38.19	4.78
MWD	138	12788	81.01	2.13	49	12436.50	-287.41	-287.13	40.03	0.66

MWD	139	12836	86.95	0.72	48	12441.53	-239.72	-239.43	41.21	12.71
MWD	140	12883	87.78	0.55	47	12443.69	-192.77	-192.48	41.73	1.80
MWD	141	12977	88.97	0.72	94	12446.36	-98.83	-98.53	42.77	1.28
MWD	142	13072	91.34	359.93	95	12446.10	-3.85	-3.54	43.31	2.63
MWD	143	13167	92.57	0.02	95	12442.86	91.10	91.41	43.27	1.30
MWD	144	13262	94.99	0.72	95	12436.60	185.87	186.19	43.88	2.65
MWD	145	13354	93.10	0.02	92	12430.11	277.63	277.96	44.47	2.19
MWD	146	13447	91.30	358.88	93	12426.54	370.56	370.88	43.58	2.29
MWD	147	13541	92.92	359.05	94	12423.08	464.48	464.79	41.88	1.73
MWD	148	13636	89.10	357.82	95	12421.40	559.43	559.73	39.29	4.22
MWD	149	13729	90.73	357.30	93	12421.54	652.37	652.64	35.33	1.84
MWD	150	13824	91.96	355.54	95	12419.31	747.19	747.42	29.40	2.26
MWD	151	13851	92.44	355.71	27	12418.27	774.11	774.32	27.34	1.89
MWD	152	13945	91.16	357.30	94	12415.32	867.92	868.10	21.62	2.17
MWD	153	14040	90.90	357.03	95	12413.61	962.82	962.96	16.92	0.39
MWD	154	14135	91.03	357.65	95	12412.01	1057.73	1057.85	12.51	0.67
MWD	155	14228	90.68	357.74	93	12410.63	1150.67	1150.76	8.77	0.39
MWD	156	14323	89.49	358.44	95	12410.48	1245.63	1245.71	5.60	1.45
MWD	157	14415	89.58	359.41	92	12411.23	1337.62	1337.69	3.88	1.06
MWD	158	14510	89.14	359.67	95	12412.29	1432.62	1432.68	3.11	0.54
MWD	159	14606	89.14	359.49	96	12413.73	1528.61	1528.66	2.41	0.19
MWD	160	14699	88.62	359.58	93	12415.55	1621.59	1621.64	1.66	0.57
MWD	161	14793	89.89	359.05	94	12416.77	1715.58	1715.63	0.53	1.46
MWD	162	14888	90.64	359.41	95	12416.33	1810.57	1810.61	-0.74	0.88
MWD	163	14983	90.95	0.29	95	12415.02	1905.56	1905.60	-0.99	0.98
MWD	164	15078	89.71	0.20	95	12414.47	2000.55	2000.60	-0.59	1.31
MWD	165	15172	89.58	0.02	94	12415.05	2094.55	2094.60	-0.41	0.24
MWD	166	15266	91.96	1.08	94	12413.79	2188.52	2188.58	0.50	2.77
MWD	167	15361	92.53	2.48	95	12410.07	2283.37	2283.46	3.44	1.59
MWD	168	15456	92.62	2.57	95	12405.80	2378.15	2378.27	7.63	0.13
MWD	169	15551	91.96	2.75	95	12402.00	2472.94	2473.09	12.03	0.72
MWD	170	15646	91.43	2.57	95	12399.19	2567.76	2567.94	16.44	0.59
MWD	171	15740	91.38	3.27	94	12396.89	2661.57	2661.79	21.22	0.75
MWD	172	15835	91.38	2.83	95	12394.60	2756.37	2756.63	26.28	0.46
MWD	173	15930	89.80	1.69	95	12393.62	2851.26	2851.55	30.02	2.05
MWD	174	16025	89.93	0.55	95	12393.85	2946.22	2946.53	31.88	1.21
MWD	175	16120	88.66	359.76	95	12395.01	3041.21	3041.52	32.14	1.57
MWD	176	16214	88.31	358.88	94	12397.50	3135.17	3135.48	31.02	1.01
MWD	177	16309	88.92	358.26	95	12399.80	3230.13	3230.42	28.65	0.92
MWD	178	16403	90.99	358.97	94	12399.87	3324.11	3324.39	26.38	2.33
MWD	179	16496	91.91	359.76	93	12397.52	3417.08	3417.35	25.35	1.30
MWD	180	16590	90.42	359.32	94	12395.60	3511.06	3511.32	24.60	1.65
MWD	181	16685	90.29	359.05	95	12395.02	3606.05	3606.31	23.24	0.32
MWD	182	16780	90.29	358.70	95	12394.54	3701.04	3701.29	21.38	0.37
MWD	183	16874	90.02	358.88	94	12394.28	3795.03	3795.27	19.39	0.35
MWD	184	16969	90.02	359.14	95	12394.25	3890.03	3890.26	17.75	0.27
MWD	185	17063	90.42	359.67	94	12393.89	3984.03	3984.25	16.78	0.71
MWD	186	17158	90.29	0.02	95	12393.30	4079.02	4079.25	16.52	0.39
MWD	187	17252	89.14	359.14	94	12393.77	4173.02	4173.24	15.83	1.54
MWD	188	17348	89.58	358.97	96	12394.84	4269.01	4269.22	14.25	0.49
MWD	189	17442	90.81	358.35	94	12394.52	4363.00	4363.19	12.05	1.47
MWD	190	17537	89.85	358.00	95	12393.97	4457.96	4458.14	9.02	1.08
MWD	191	17631	90.51	358.97	94	12393.68	4551.94	4552.11	6.54	1.25
MWD	192	17726	91.74	358.62	95	12391.81	4646.91	4647.07	4.54	1.35
MWD	193	17820	92.18	359.14	94	12388.60	4740.85	4740.99	2.70	0.72
MWD	194	17915	91.91	359.32	95	12385.21	4835.79	4835.92	1.43	0.34
MWD	195	18009	91.96	359.85	94	12382.03	4929.74	4929.87	0.75	0.57
MWD	196	18104	92.26	359.93	95	12378.53	5024.67	5024.80	0.57	0.33
MWD	197	18198	92.48	359.76	94	12374.65	5118.59	5118.72	0.31	0.30
MWD	198	18292	92.62	359.85	94	12370.46	5212.49	5212.63	-0.01	0.18
MWD	199	18384	92.44	0.81	92	12366.40	5304.40	5304.54	0.52	1.06
MWD	200	18477	90.42	1.60	93	12364.08	5397.32	5397.48	2.48	2.33
MWD	201	18572	89.36	1.25	95	12364.27	5492.27	5492.45	4.84	1.18
MWD	202	18666	89.05	0.99	94	12365.57	5586.23	5586.42	6.68	0.43
MWD	203	18759	89.54	0.11	93	12366.71	5679.21	5679.41	7.57	1.08
MWD	204	18853	89.41	359.58	94	12367.58	5773.20	5773.41	7.32	0.58
MWD	205	18948	89.32	359.05	95	12368.63	5868.20	5868.39	6.18	0.57
MWD	206	19041	89.32	358.62	93	12369.73	5961.18	5961.37	4.29	0.46
MWD	207	19136	89.71	359.23	95	12370.54	6056.17	6056.35	2.51	0.76
MWD	208	19230	90.20	359.41	94	12370.61	6150.17	6150.34	1.39	0.56
MWD	209	19325	89.98	359.05	95	12370.46	6245.17	6245.33	0.11	0.44
MWD	210	19419	89.98	359.05	94	12370.49	6339.16	6339.32	-1.44	0.00
MWD	211	19514	90.15	359.85	95	12370.39	6434.16	6434.31	-2.36	0.86
MWD	212	19609	89.23	359.76	95	12370.90	6529.16	6529.31	-2.68	0.97
MWD	213	19703	89.05	359.49	94	12372.31	6623.15	6623.30	-3.29	0.35
MWD	214	19797	89.45	359.85	94	12373.54	6717.14	6717.29	-3.84	0.57

MWD	215	19892	89.36	359.67	95	12374.53	6812.14	6812.28	-4.23	0.21
MWD	216	19987	88.97	0.29	95	12375.91	6907.12	6907.27	-4.27	0.77
MWD	217	20082	89.36	359.23	95	12377.30	7002.11	7002.26	-4.66	1.19
MWD	218	20177	89.80	358.88	95	12377.99	7097.10	7097.24	-6.23	0.59
MWD	219	20272	89.63	359.14	95	12378.47	7192.10	7192.23	-7.87	0.33
MWD	220	20366	90.64	359.67	94	12378.24	7286.10	7286.22	-8.85	1.21
MWD	221	20461	90.86	0.11	95	12377.00	7381.09	7381.21	-9.03	0.52
MWD	222	20556	90.77	359.49	95	12375.65	7476.07	7476.20	-9.36	0.66
MWD	223	20650	90.37	359.32	94	12374.71	7570.07	7570.19	-10.34	0.46
MWD	224	20746	90.24	359.85	96	12374.20	7666.07	7666.18	-11.03	0.57
MWD	225	20840	90.64	359.93	94	12373.48	7760.06	7760.18	-11.21	0.43
MWD	226	20935	91.25	359.67	95	12371.91	7855.05	7855.17	-11.55	0.70
MWD	227	21030	91.78	0.02	95	12369.40	7950.01	7950.13	-11.80	0.67
MWD	228	21125	89.85	359.23	95	12368.05	8045.00	8045.12	-12.43	2.20
MWD	229	21219	86.68	355.80	94	12370.90	8138.87	8138.96	-16.50	4.97
MWD	230	21314	89.67	356.24	95	12373.92	8233.63	8233.67	-23.08	3.18
MWD	231	21408	89.98	357.12	94	12374.21	8327.50	8327.51	-28.53	0.99
MWD	232	21501	92.22	358.00	93	12372.42	8420.42	8420.40	-32.49	2.59
MWD	233	21596	92.75	359.14	95	12368.31	8515.31	8515.28	-34.86	1.32
MWD	234	21690	92.97	359.93	94	12363.62	8609.20	8609.16	-35.62	0.87
MWD	235	21785	91.78	359.14	95	12359.68	8704.11	8704.07	-36.39	1.50
MWD	236	21880	92.22	359.41	95	12356.36	8799.05	8799.01	-37.59	0.54
MWD	237	21975	90.81	359.14	95	12353.85	8894.02	8893.97	-38.79	1.51
MWD	238	22071	89.41	358.53	96	12353.67	8990.00	8989.94	-40.74	1.59
MWD	239	22166	88.97	358.35	95	12355.01	9084.98	9084.90	-43.33	0.50
MWD	240	22261	89.49	358.35	95	12356.29	9179.94	9179.85	-46.06	0.55
MWD	241	22356	90.42	359.67	95	12356.36	9274.94	9274.83	-47.71	1.70
MWD	242	22450	90.73	359.05	94	12355.42	9368.93	9368.82	-48.76	0.74
MWD	243	22545	90.90	358.44	95	12354.07	9463.91	9463.79	-50.84	0.67
MWD	244	22637	91.30	358.26	92	12352.30	9555.87	9555.73	-53.48	0.48
MWD	245	22699	91.43	358.00	62	12350.82	9617.83	9617.68	-55.51	0.47
PTB	246	22773	91.43	358.00	74	12348.98	9691.78	9691.61	-58.09	0.00

Submit To Appropriate District Office Two Copies <u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 <u>District II</u> 811 S. First St., Artesia, NM 88210 <u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 <u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505			Form C-105 Revised April 3, 2017					
WELL COMPLETION OR RECOMPLETION REPORT AND LOG								1. WELL API NO. 30-025-48728		
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)								5. Lease Name or Unit Agreement Name PROMETHEUS STATE COM		
								6. Well Number: 132H		
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER										
8. Name of Operator TAP ROCK OPERATING, LLC							9. OGRID 372043			
10. Address of Operator 523 PARK POINT DRIVE, SUITE 200, GOLDEN, CO							11. Pool name or Wildcat WC-025 G-09 S243310P; UPPER WOLFCAMP			
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	N	22	24S	33E	-	836	SOUTH	1695	WEST	LEA
BH:	C	15	24S	33E	-	27	NORTH	1705	WEST	LEA
13. Date Spudded 11/12/2021	14. Date T.D. Reached 1/18/2022		15. Date Rig Released 1/21/2022		16. Date Completed (Ready to Produce) 4/19/2022			17. Elevations (DF and RKB, RT, GR, etc.) 3540 GR		
18. Total Measured Depth of Well 22773 ft			19. Plug Back Measured Depth 22712 ft		20. Was Directional Survey Made? YES			21. Type Electric and Other Logs Run GAMMA		
22. Producing Interval(s), of this completion - Top, Bottom, Name 12385' - 22628'							WOLFCAMP			
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
10.75"		45.5		1284'		13.5"		600 sks		0
7.625"		29.7		9788'/11833'		9.875"/8.75"		1301 sks		0
5.5"		20		22759'		6.75"		1114 sks		0
24. LINER RECORD						25. TUBING RECORD				
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET	PACKER SET			
26. Perforation record (interval, size, and number)					27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.					
Perforate from 12385 ft to 22628 ft, 1 SPF, .55 inch holes with 598 total shots					DEPTH INTERVAL		AMOUNT AND KIND MATERIAL USED			
					12385' - 22628'		46 stage frac with 25,793,929 lbs of 100 mesh sand			
28. PRODUCTION										
Date First Production 4/29/2022		Production Method (Flowing, gas lift, pumping - Size and type pump) Flowing				Well Status (Prod. or Shut-in) Producing				
Date of Test 5/22/2022	Hours Tested 24 hrs	Choke Size 40/64	Prod'n For Test Period	Oil - Bbl 1930	Gas - MCF 4324	Water - Bbl. 3509	Gas - Oil Ratio 2240			
Flow Tubing Press. 0	Casing Pressure 2205	Calculated 24-Hour Rate	Oil - Bbl. 1930	Gas - MCF 4324	Water - Bbl. 3509	Oil Gravity - API - (Corr.)				
29. Disposition of Gas (Sold, used for fuel, vented, etc.) Sold							30. Test Witnessed By			
31. List Attachments C-102, Directional Survey										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.							33. Rig Release Date:			
34. If an on-site burial was used at the well, report the exact location of the on-site burial:										
Latitude			Longitude			NAD83				
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Signature 		Printed Name Jeff Trlica			Title Regulatory Analyst			Date 5/17/2022		
E-mail Address jtrlica@taprllc.com										

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

[illegible]


No. 1, from.....to.....
No. 2, from.....to.....
No. 3, from.....to.....
No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology		From	To	Thickness In Feet	Lithology
0	876		Quaternary					
876	1496		Rustler					
1496	4669		Top of Salt					
4669	4888		Base of Salt					
4888	4919		Lamar					
4919	6177		Bell					
6177	7638		Cherry Canyon					
7638	9175		Brushy Canyon					
9175	9591		Bonespring					
9591	10153		Avalon					
10153	10870		1st Bone Spring Sand					
10870	11956		2nd Bone Spring Sand					
11956	12273		3rd Bone Spring Sand					
12273			Wolfcamp A					

Tap Rock
Prometheus
Defining Wells
T24S-R33E



Defining Prometheus Well

Prometheus Wells

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 111221

ACKNOWLEDGMENTS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 111221
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 111221

CONDITIONS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 111221
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	None	4/27/2023