Form 3160-5 (June 2019)

UNITED STATES DEPARTMENT OF THE INTERIOR

FORM APPROVED
OMB No. 1004-0137
Expires: October 31, 2021

BUREAU OF LAND MANAGEMENT					5. Lease Serial No.	NMNM051	6006
Do not use this f	OTICES AND REPORTS form for proposals to drill Jse Form 3160-3 (APD) fo	or to re-e	enter an		6. If Indian, Allottee		
SUBMIT IN 1	FRIPLICATE - Other instructions	on page 2			7. If Unit of CA/Agr	eement, Nar	me and/or No.
1. Type of Well					8. Well Name and N	0	
Oil Well Gas Well Other					8. Well Name and N	MIDWES	ST L FEDERAL/5
2. Name of Operator OXY USA INCORPORATED				9. API Well No. 3001532364 10. Field and Pool or Exploratory Area			
3a. Address 5 Greenway Plaza, Suite 110, Houston, TX 7704(3b. Phone No. (inch (713) 366-5716			le area code	?)	HAPPY VALLEY		•
4. Location of Well (Footage, Sec., T.,R SEC 34/T22S/R26E/NMP				11. Country or Paris	n, State		
12. CHE	CK THE APPROPRIATE BOX(ES)	TO INDICAT	E NATURE	OF NOTI	CE, REPORT OR O	HER DATA	Λ
TYPE OF SUBMISSION			TYI	PE OF AC	ΓΙΟΝ		
Notice of Intent	Acidize Alter Casing	Deepen Hydraulic F	racturing	=	uction (Start/Resume amation	=	ater Shut-Off ell Integrity
Subsequent Report	Casing Repair Change Plans	New Constr		=	omplete oorarily Abandon	✓ Ot	her
Final Abandonment Notice	Convert to Injection	Plug Back	Alidon		r Disposal		
Please find attached the final F	PxA detailed procedure performed	d and final we	ellbore diag	gram.	Acce	_	record – NMOCD 5/02/2023
14. I hereby certify that the foregoing is RONI MATHEW / Ph: (713) 215-78	, , , , , , , , , , , , , , , , , , , ,	ped) Title	REGULAT	TORY SPI	ECIALIST		
		Title					
Signature		Date			04/05/	2023	
	THE SPACE FOR	FEDERA	L OR ST	ATE OF	ICE USE		
Approved by							
JAMES A AMOS / Ph: (575) 234-5927 / Accepted			Actin Title	g Assista	nt Field Manager	Date	04/12/2023
Conditions of approval, if any, are attack certify that the applicant holds legal or e which would entitle the applicant to con-	quitable title to those rights in the su	warrant or bject lease	Office CA	RLSBAD			
Title 18 U.S.C Section 1001 and Title 43 any false, fictitious or fraudulent statement				ly and will	fully to make to any	lepartment o	or agency of the United States

(Instructions on page 2)

GENERAL INSTRUCTIONS

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

SPECIFIC INSTRUCTIONS

Item 4 - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve **hydraulic fracturing operations**, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

NOTICES

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c)and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

BURDEN HOURS STATEMENT: Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

(Form 3160-5, page 2)

Additional Information

Location of Well

 $0. \ SHL: \ NWNW \ / \ 660 \ FNL \ / \ 330 \ FWL \ / \ TWSP: \ 22S \ / \ RANGE: \ 26E \ / \ SECTION: \ 34 \ / \ LAT: \ 0.0 \ / \ LONG: \ 0.0 \ (\ TVD: \ 0 \ feet, \ MD: \ 0 \ feet)$ BHL: \ NWNW \ / \ 660 \ FNL \ / \ 330 \ FWL \ / \ TWSP: \ 22S \ / \ SECTION: \ / \ LAT: \ 0.0 \ / \ LONG: \ 0.0 \ (\ TVD: \ 0 \ feet, \ MD: \ 0 \ feet)

Start Date	PxA Procedure
	MIRU PU & P&A ASSOCIATED EQUIPMENT. RU CEMENT PUMP ON TUBING LOAD WELL WITH 4 BBLS PRESSURE TEST TUBING TO 1200 PSI WITH A GOOD TEST. FUNCTION TEST BOP WITH A GOOD TEST.
	MIRU RENEGADE WL RIH WITH 4.5" GR/JB TAG @ 2610' POOH WITH 4.5" GR/JB, PICK UP & RIH WITH 4.25" GR/JB FOUND FLUID LEVEL @ 1850' FROM SURFACE CONTINUE RIH WE TAG SOLID @ 4635' POSSIBLE EXISTING 5.5" CIBP, POOH WITH 4.25" GR/JB, CONTACT MR. KENT CAFFALL WITH NMBLM TO DISCUSS PLAN FWD, BLM WANTED TO CONTINUE AS FOLLOWS SPOT 25 SX CL C CMT AT 4635' - 4389' WOC - TAG THEN CONTINUE P&A AS PROGRAM, RDMO RENEGADE WL.
	1ST PLUG) TAG EXISTING CIBP @ 4635' BALANCED PLUG FROM 4635' - 4389' SPOT 25 SXS CLASS C CMT, W/ 2% CALCIUM CHLORIDE, 5.8 BBLS, 14.8# 1.32 YIELD COVERING 246' DISPLACE CMT TO 4389' DISPLACE W/ 16.9 BBLS. POOH WITH 39 STANDS EOT @ 2224' WITH 72 JTS IN THE HOLE. WOC TO TAG. RIH WITH 2-3/8" WORK STRING TUBING TAG TOC @ 4402' (TMD) WITH 142 JTS IN HOLE. MAKE UP 5.5" CIBP ON TUBING RIH SET 5.5" CIBP @ 2400' (TMD) WITH 78 JTS IN THE HOLE 20' OUT ON JT #78, LAY DOWN 1 JT LEFT 77 JTS IN THE HOLE.
	PRESSURE TEST CASING TO 500 PSI HOLD PRESSURE FOR 30 MINUTES WITH A GOOD TEST. 2ND PLUG) BALANCED PLUG FROM 2400' - 2154' SPOT 25 SXS CLASS C CMT, W/ 2% CALCIUM CHLORIDE, 5.8 BBLS, 14.8# 1.32 YIELD COVERING 246' DISPLACE CMT TO 2153' DISPLACE W/ 8.3 BBLS. POOH WITH 20 STANDS EOT @ 1143' WITH 37 JTS IN THE HOLE. WOC TO TAG. RIH WITH 2-3/8" WORK STRING TUBING TAG TOC @ 2146' (TMD) WITH 69 JTS IN HOLE. POOH LAY DOWN 12 JTS EOT @ 1772' WITH 57 JTS IN THE HOLE. PUMP AHEAD 10 BBLS 3RD PLUG) BALANCED PLUG FROM 1772' - 1477' SPOT 35 SXS CLASS C CMT, W/ 2% CALCIUM CHLORIDE, 8.2 BBLS, 14.8# 1.32 YIELD COVERING 345' DISPLACE CMT TO 1427' DISPLACE W/ 5.5 BBLS WASH UP PUMP & FLOW BACK PIT.
	MIRU WL TO WELL PICK UP CCL 1-9/16 GUN 3.5 GRAM CHARGE .2" ENTRY HOLE 12" PENETRATION WENT DOWN TO 100' SHOT 4 SQZ HOLES POOH RDMO WL. RU CMT PUMP ON CASING EST- INJ RATE WITH 10# BRINE WATER 1 BPM @ 800 PSI GETTING FULL RETURNS ON INTERMEDIATE CASING CIRCULATE TOTAL OF 20 BBLS, NOTE: MR. KENT WITH NMBLM GIVE THE APPROVAL TO CONTINUE AS FOLLOWS GO DOWN WITH 23 JTS TO 708' SPOT CMT TO SURFACE ON PRODUCTION CSG LAY DOWN THE 23 JTS AND CLOSE BLINDS SQUEEZE CMT ON INTERMEDIATE CSG FROM 100' TO SURFACE. RIH WITH 23 JTS EOT @ 708' 4TH PLUG) PERF @ 100' BALANCED PLUG FROM 708' - 0' SPOT 80 SXS & SQZ 20 SXS CLASS C CMT, 23.50 BBLS,14.8# 1.32 YIELD, COVERING 1013' FROM 708' TO 0' (SURFACE) CIRCULATE CMT ALL THE WAY TO SURFACE ON 5.5" PROD - CSG LAY DOWN 23 JTS TOP OFF HOLE WITH CMT, CLOSE BOP BLINDS SQZ CMT GOT FULL RETURNS ON 8-5/8" INTERMEDIATE CASING VERIFY CMT TO SURFACE ND BOP, NU WH FLANGE AND PUT 500 PSI SHUT IN PRESSURE, WASH UP PUMP & FLOW BACK PIT. RDMO PU & P&A PUMP ASSOCIATED EQUIPMENT, STAGED ALL P&A EQUIPMENT TO SIDE OF LOCATION, CLEAN UP LOCATION P&A JOB COMPLETED.

OXY USA Inc. - Current Midwest L Federal 005Q API No. 30-015-32364

Top plug
PERF @ 100' BALANCED PLUG FROM 708' - 0' SPOT 80 SXS &
SQZ 20 SXS CLASS C CMT. TOC Circulated.

Intermediate shoe Delaware plug
Spot 35 SX CL C CMT plug 1772 '-1477'. TAG TOC 1427'.

Bottom Plug SET CIBP @ 2400'. DUMP BAIL 5 SX CL C CMT 2400-2154'. TAG TOC 2146'.

CIBP @4635'. SPOT 25 SX CL C CMT 4635-4389'. TAG TOC 4402'.

Perfs Abandoned 4800-4830'

17-1/2" hole @ 657' 13-3/8" 54.5# csg @ 657' w/ 775sx-TOC-Surf-Circ

11" hole @ 1,722' 8-5/8" 24# csg @ 1,722' w/ 550sx-TOC-Surf-Circ

Perfs 2449-2464'

CIBP @4750' w/ TOC @ 4720'

7-7/8" hole @ 5,130' 5-1/2" 15.5&17# csg @ 5,130' w/ 980sx-TOC-Surf-Circ

PBTD-5,093'

TD-5,130'

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 207180

CONDITIONS

Operator:	OGRID:
OXY USA INC	16696
P.O. Box 4294	Action Number:
Houston, TX 772104294	207180
	Action Type:
	[C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By		Condition Date
john.harrison	None	5/2/2023