

Office
 District I – (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II – (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III – (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV – (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM
 87505

State of New Mexico
 Energy, Minerals and Natural Resources

Form C-103
 Revised July 18, 2013

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-025-24762
1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>		5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
2. Name of Operator J & J Services, Inc.		6. State Oil & Gas Lease No. LG-1013
3. Address of Operator PO Box 324, Lovington, NM 88260		7. Lease Name or Unit Agreement Name State BK
4. Well Location Unit Letter <u>P</u> : <u>660</u> feet from the <u>South</u> line and <u>810</u> feet from the <u>East</u> line Section <u>29</u> Township <u>14S</u> Range <u>34E</u> NMPM <u>Lea</u> County		8. Well Number 1
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 4115 GR		9. OGRID Number 11095
		10. Pool name or Wildcat Tres Papalotes

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>
DOWNHOLE COMMINGLE <input type="checkbox"/>	P AND A <input checked="" type="checkbox"/>
CLOSED-LOOP SYSTEM <input type="checkbox"/>	CASING/CEMENT JOB <input type="checkbox"/>
OTHER: <input type="checkbox"/>	OTHER: <input type="checkbox"/>

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

This well was plugged in October 2019. The operator inadvertantly failed to submit a Subsequent report. The location is currently being cleared and remediated for release.

See attached plugging report prepared by J&B Well Servicing at the time of plugging.

Spud Date:

6/9/1974

Rig Release Date:

9/8/1975

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE



TITLE

Consultant

DATE

1/24/2023

Type or print name

Phelps White

E-mail address:

pwiv@zianet.com

PHONE:

575 626 7660

For State Use Only

APPROVED BY:

TITLE

Accepted for record – NMOCD

DATE

Conditions of Approval (if any):

JRH

05/04/2023

Plugging Report
State BK #1
API 30-025-24762

10/14/2019 Move in equipment and rig up. Pump stuck. Rods parted while working to free the pump. Lay down 118 7/8" rods, 7 3/4" rods and 1 parted 3/4" rod. Dug out cellar and plumbed in the intermediate head and the surface head to the steel pit.

10/15/2019 Picked up on tubing. Tubing parted shallow. Installed BOP. First collar below the flange was split. Replaced collar and screwed into tubing. POOH with 30 joints. Split collar on the last joint. RIH with workstring with collar on bottom and screwed back on. Tubing parted again with 40 points. Stood back workstring and laid down 41 more joints. Split collar on the bottom. RIH with workstring with collar on bottom and screwed back on and SION.

10/16/2019 Stood back workstring and laid down 255 joints of original pipe. 332 joints recovered. RIH with workstring and overshot body with a 3/4" mouse trap. Caught fish with 104 jts WS (3299'). POOH with overshot and rigged up to lay down rods.

10/17/2019 Laid down remaining rods and the pump. Made scrapper run and could not get past 10158'. Called OCD.

10/18/2019 RIH with packer and set at 9864'. Squeezed perforations with 50 sx Class H cement. WOC and tagged at 9924'. Caught circulation. Fluid coming out of the intermediate head to the pit. Pumped MLF and POOH to 7327'. Spot 25 sx Class H cement. POOH 25 stands and reverse out with intermediate valve closed.

10/21/2019 Isolated hole in casing from 4562' to 4694'. Reported to OCD. Set packer at 4250' and squeezed with 50 sx Class C cement with CaCL. WOC and tagged at 4412'. Perforated casing at 2850'. Set packer at 2537' and squeezed perfs with 65 sx cement. Left packer set and SION.


10/22/2019 Released packer and tagged cement at 2661'. Perforated casing at 1850'. Set packer at 1586' and squeezed perfs with 65 sx cement with CaCl. WOC and tagged at 1708'. Perforated casing at 427'. Pumped cement down the 5 1/2" casing to perfs at 427' and up the 5 1/2" x 9 5/8" annulus to surface. Closed intermediate valve and opened surface head. Circulated cement to surface up the 9 5/8" x 13 3/8" annulus to surface. Took 265 sx cement to get good cement to surface in all strings. Rigged down.

10/23/2019 Dug out wellhead and cut off. Good cement in 5 1/2" and 9 5/8" casing strings. Filled up surface annulus with 25 sx cement. Cement remained at surface. Installed marker and removed the anchors.

Well Bore Diagram Worksheet

Operataor: J&J Services
Well Name State BK 1
API # 30-025-24762
Location: Sec 29, T14S, R34E: 660 FSL 810 FEL

PLUGS



District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 179128

CONDITIONS

Operator: J & J SERVICE INC P.O. Box 324 Lovington, NM 88260	OGRID: 11095
	Action Number: 179128
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
john.harrison	None	5/4/2023